

DAFTAR PUSTAKA

- A. Enomoto, K. Nakamura, M. Hakoda, N. Amaya, A. Enomoto, K. Nakamura, M. Hakoda, N.A., 1997. Lethal effect of high pressure carbon dioxide on a bacterial spore. *J. Ferment. Bioeng* 83, 305.
- Amano Enzyme Inc, 2016. Protease (*Aspergillus alkaline proteinase*, EC 3.4.21.63). Nagoya.
- Arrhenius, S., 2017. Über die Dissociationswärme und den Einfluss der Temperatur auf den Dissociationsgrad der Elektrolyte. *Zeitschrift für Phys. Chemie* 4U. <https://doi.org/10.1515/zpch-1889-0408>
- Asahi Kasei Enzymes, 2018. LIPASE [LP] [WWW Document]. Enzyme. URL https://www.asahi-kasei.co.jp/shindan/pdf/T-01_catalog.pdf
- Ashie, I.N.A., Simpson, B.K., 2002. Application of high hydrostatic pressure to control enzyme related fresh seafood texture deterioration. *Food Res. Int.* 29, 569–575. [https://doi.org/10.1016/s0963-9969\(96\)00012-9](https://doi.org/10.1016/s0963-9969(96)00012-9)
- Balaban, M.O., 2012. Effects of DPCD on Enzymes, in: *Dense Phase Carbon Dioxide: Food and Pharmaceutical Applications*. Wiley-Blackwell, pp. 113–134. <https://doi.org/10.1002/9781118243350.ch6>
- Balaban, M.O., Arreola, A.G., Marshall, M., Peplow, A., Wei, C.I., Cornell, J., 1991. Inactivation of Pectinesterase in Orange Juice by Supercritical Carbon Dioxide. *J. Food Sci.* 56, 743–746. <https://doi.org/10.1111/j.1365-2621.1991.tb05372.x>
- Ballestra, P., 2012. Effects of Dense Phase Carbon Dioxide on Bacterial and Fungal Spores, in: *Dense Phase Carbon Dioxide: Food and Pharmaceutical Applications*. Wiley-Blackwell, pp. 99–112. <https://doi.org/10.1002/9781118243350.ch5>
- Ballestra, P., Abreu Da Silva, A., Cuq, J.L., 1996. Inactivation of *Escherichia coli* by carbon dioxide under pressure. *J. Food Sci.* 61, 829–831. <https://doi.org/10.1111/j.1365-2621.1996.tb12212.x>
- Ballestra, P., Cuq, J.L., 1998. Influence of pressurized carbon dioxide on the thermal inactivation of bacterial and fungal spores. *LWT - Food Sci. Technol.* 31, 84–88. <https://doi.org/10.1006/fstl.1997.0299>
- Barbosa-Cánovas, G. V., Pothakamury, U.R., Palou, E., Swanson, B.G., 1998. *Nonthermal preservation of foods*. CRC-Press, Boca Raton-Florida.

- BEIS, 2018. Clean Growth The UK Carbon Capture Usage and Storage deployment pathway An Action Plan. Clean Growth UK Carbon Capture Usage Storage Deploy. Pathw. An Action Plan.
- Besung, I.N.K., 2011. Effect of C. extract enhance phagocytic capacity of peritoneal macrophages in Balb/C mice infected with Salmonella thypi). Bul. Vet. Udayana 3, 71–78.
- Bilbao-Sáinz, C., Younce, F.L., Rasco, B., Clark, S., 2009. Protease stability in bovine milk under combined thermal-high hydrostatic pressure treatment. Innov. Food Sci. Emerg. Technol. 10, 314–320. <https://doi.org/10.1016/j.ifset.2009.01.003>
- Bowman, J., Gräns, A., 2019. Stunning and Killing of Tropical and Subtropical Finfish in Aquaculture during Slaughter.
- Brunschwiler, C., Heine, D., Kappeler, S., Conde-Petit, B., Nyström, L., 2013. Direct measurement of rice bran lipase activity for inactivation kinetics and storage stability prediction. J. Cereal Sci. <https://doi.org/10.1016/j.jcs.2013.06.007>
- BSN, 2009. SNI 7388-2009 tentang Batas Maksimum Cemaran Mikroba dalam Pangan.
- Budisa, N., Schulze-Makuch, D., 2014. Supercritical carbon dioxide and its potential as a life-sustaining solvent in a planetary environment. Life 4, 331–340. <https://doi.org/10.3390/life4030331>
- Calvo, L., Mugerza, B., Cienfuegos-Jovellanos, E., 2007. Microbial inactivation and butter extraction in a cocoa derivative using high pressure CO₂. J. Supercrit. Fluids 42, 80–87. <https://doi.org/10.1016/j.supflu.2007.01.009>
- Calvo, L., Torres, E., 2010. Microbial inactivation of paprika using high-pressure CO₂. J. Supercrit. Fluids 52, 134–141. <https://doi.org/10.1016/j.supflu.2009.11.002>
- Chakraborty, S., Kaushik, N., Rao, P.S., Mishra, H.N., 2014. High-pressure inactivation of enzymes: A review on its recent applications on fruit purees and juices. Compr. Rev. Food Sci. Food Saf. 13, 578–596. <https://doi.org/10.1111/1541-4337.12071>
- Chen, J., Zhang, J., Feng, Z., Song, L., Wu, J., Hu, X., 2009. Influence of Thermal and Dense-Phase Carbon Dioxide Pasteurization on Physicochemical Properties and Flavor Compounds in Hami Melon Juice. J. Agric. Food Chem. 57, 5805–5808. <https://doi.org/10.1021/jf900752b>

- Chen, J.L., Zhang, J., Song, L., Jiang, Y., Wu, J., Hu, X.S., 2010. Changes in microorganism, enzyme, aroma of hami melon (*Cucumis melo* L.) juice treated with dense phase carbon dioxide and stored at 4 °C. *Innov. Food Sci. Emerg. Technol.* 11, 623–629. <https://doi.org/10.1016/j.ifset.2010.05.008>
- Chen, J.S., Balaban, M.O., Wei, C.I., Gleeson, R.A., Marshall, M.R., 1993. Effect of carbon dioxide on the inactivation of florida spiny lobster polyphenol oxidase. *J. Sci. Food Agric.* 61, 253–259. <https://doi.org/10.1002/jsfa.2740610219>
- Chen, J.S., Balaban, M.O., Wei, C.I., Marshall, M.R., Hsu, W.Y., 1992. Inactivation of polyphenol oxidase by high-pressure carbon dioxide. *J. Agric. Food Chem.* 40, 2345–2349. <https://doi.org/10.1021/jf00024a005>
- Chen, J.S., Balaban, M.O., Wei, C.I., Marshall, M.R., Hsu, W.Y., 1992. Inactivation of polyphenol oxidase by high-pressure carbon dioxide. *J. Agric. Food Chem.* 40, 2345–2349. <https://doi.org/10.1021/jf00024a005>
- Choi, L.H., Nielsen, S.S., 2005. The effects of thermal and nonthermal processing methods on apple cider quality and consumer acceptability. *J. Food Qual.* 28, 13–29. <https://doi.org/10.1111/j.1745-4557.2005.00002.x>
- Choi, Y.M., Bae, Y.Y., Kim, K.H., Kim, B.C., Rhee, M.S., 2009. Effects of supercritical carbon dioxide treatment against generic *Escherichia coli*, *Listeria monocytogenes*, *Salmonella typhimurium*, and *E. coli* O157:H7 in marinades and marinated pork. *Meat Sci.* 82, 419–424. <https://doi.org/10.1016/j.meatsci.2009.02.016>
- Choi, Y.M., Kim, O.Y., Kim, K.H., Kim, B.C., Rhee, M.S., 2009. Combined effect of organic acids and supercritical carbon dioxide treatments against nonpathogenic *Escherichia coli*, *Listeria monocytogenes*, *Salmonella typhimurium* and *E. coli* O157:H7 in fresh pork. *Lett. Appl. Microbiol.* 49, 510–515. <https://doi.org/10.1111/j.1472-765X.2009.02702.x>
- Choi, Y.M., Kim, O.Y., Kim, K.H., Kim, B.C., Rhee, M.S., 2009. Combined effect of organic acids and supercritical carbon dioxide treatments against nonpathogenic *Escherichia coli*, *Listeria monocytogenes*, *Salmonella typhimurium* and *E. coli* O157:H7 in fresh pork. *Lett. Appl. Microbiol.* 49, 510–515. <https://doi.org/10.1111/j.1472-765X.2009.02702.x>
- Choi, Y.M., Ryu, Y.C., Lee, S.H., Go, G.W., Shin, H.G., Kim, K.H., Rhee, M.S., Kim, B.C., 2008. Effects of supercritical carbon dioxide treatment for sterilization purpose on meat quality of porcine longissimus dorsi muscle. *LWT - Food Sci. Technol.* 41, 317–322. <https://doi.org/10.1016/j.lwt.2007.02.020>

- Choi, Y.M., Ryu, Y.C., Lee, S.H., Go, G.W., Shin, H.G., Kim, K.H., Rhee, M.S., Kim, B.C., 2008. Effects of supercritical carbon dioxide treatment for sterilization purpose on meat quality of porcine longissimus dorsi muscle. *LWT - Food Sci. Technol.* 41, 317–322. <https://doi.org/10.1016/j.lwt.2007.02.020>
- Concollato, A., Olsen, R.E., Vargas, S.C., Bonelli, A., Cullere, M., Parisi, G., 2016. Effects of stunning/slaughtering methods in rainbow trout (*Oncorhynchus mykiss*) from death until rigor mortis resolution. *Aquaculture* 464, 74–79. <https://doi.org/10.1016/j.aquaculture.2016.06.009>
- Conway, E.J., 1940. Micro-diffusion analysis and volumetric error. *J. Am. Pharm. Assoc. (Scientific ed.)* 29, 334–335. <https://doi.org/10.1002/jps.3030290723>
- Corradini, M.G., Normand, M.D., Peleg, M., 2005. Calculating the efficacy of heat sterilization processes. *J. Food Eng.* 67, 59–69. <https://doi.org/10.1016/j.jfoodeng.2004.08.001>
- Cropotova, J., Mozuraityte, R., Standal, I.B., Ojha, S., Rustad, T., Tiwari, B., 2020. Influence of high-pressure processing on quality attributes of haddock and mackerel minces during frozen storage, and fishcakes prepared thereof. *Innov. Food Sci. Emerg. Technol.* 59. <https://doi.org/10.1016/j.ifset.2019.102236>
- CSIRO, Carbonkids, 2012. Low-emission technology series: Introduction to carbon capture and storage. CSIRO, Canberra.
- Cuéllar-Franca, R.M., Azapagic, A., 2015. Carbon capture, storage and utilisation technologies: A critical analysis and comparison of their life cycle environmental impacts. *J. CO₂ Util.* 9, 82–102. <https://doi.org/10.1016/j.jcou.2014.12.001>
- Damar, S., Balaban, M.O., 2006. Review of Dense Phase CO₂ Technology: Microbial and Enzyme Inactivation, and Effects on Food Quality. *J. Food Sci.* 71, R1–R11. <https://doi.org/10.1111/j.1365-2621.2006.tb12397.x>
- Daniels, J.A., Krishnamurthi, R., Rizvi, S.S.H., 1985. A Review of Effects of Carbon Dioxide on Microbial Growth and Food Quality. *J. Food Prot.* 48, 532–537. <https://doi.org/10.4315/0362-028x-48.6.532>
- Dawson, P., Al-Jeddawi, W., Remington, N., 2018. Effect of Freezing on the Shelf Life of Salmon. *Int. J. Food Sci.* <https://doi.org/10.1155/2018/1686121>
- De Oliveira Filho, P.R.C., Montes Girao, P.J., de Melo, M.P., Macedo Viegas, E.M., 2015. Indicators of stress in tilapia subjected to different stunning methods. *Bol. do Inst. Pesca* 41, 335–343.

- Dibenedetto, A., Angelini, A., Stufano, P., 2014. Use of carbon dioxide as feedstock for chemicals and fuels: Homogeneous and heterogeneous catalysis. *J. Chem. Technol. Biotechnol.* 89, 334–353. <https://doi.org/10.1002/jctb.4229>
- Dillow, A.K., Dehghani, F., Hrkach, J.S., Foster, N.R., Langer, R., 1999. Bacterial inactivation by using near- and supercritical carbon dioxide. *Proc. Natl. Acad. Sci. U. S. A.* 96, 10344–10348. <https://doi.org/10.1073/pnas.96.18.10344>
- Dodds, W.S., Stutzman, L.F., Sollami, B.J., 1956. Carbon Dioxide Solubility in Water. *Ind. Eng. Chem. - Chem. Eng. Data Ser.* 1, 92–95. <https://doi.org/10.1021/i460001a018>
- Duan, Z., Sun, R., 2003. An improved model calculating CO₂ solubility in pure water and aqueous NaCl solutions from 273 to 533 K and from 0 to 2000 bar. *Chem. Geol.* 193, 257–271. [https://doi.org/10.1016/S0009-2541\(02\)00263-2](https://doi.org/10.1016/S0009-2541(02)00263-2)
- Dunford, N.T., Temelli, F., 1996. Effect of Supercritical CO₂ on Myrosinase Activity and Glucosinolate Degradation in Canola. *J. Agric. Food Chem.* 44, 2372–2376. <https://doi.org/10.1021/jf950753i>
- EC, 2005. Commission regulation (EC) No 2074/2005. *Off. J. Eur. Union* L338/27-59.
- EC, 2008. Commission Regulation (EC) No 1022/2008 of 17 October 2008 amending Regulation (EC) No 2074/2005 as regards the total volatile basic nitrogen (TVB-N) limits. *Eur. Comm.* 18–20.
- Erkmen, O., 1997. Antimicrobial Effect of Pressurized Carbon Dioxide on *Staphylococcus aureus* in Broth and Milk. *LWT - Food Sci. Technol.* 30, 826–829. <https://doi.org/10.1006/fstl.1997.0277>
- Erkmen, O., 2000. Inactivation of *Salmonella typhimurium* by high pressure carbon dioxide. *Food Microbiol.* 17, 225–232. <https://doi.org/10.1006/fmic.1999.0308>
- Etienne, M., 2005. Methods for chemical quality assessment: volatile amines as criteria for chemical quality assessment.
- Eyring, H., 1935. The Activated Complex in Chemical Reactions. *J. Chem. Phys.* 3, 107–115. <https://doi.org/10.1063/1.1749604>
- Fachin, D., Van Loey, A.M., Ly Nguyen, B., Verlent, I., Indrawati, A., Hendrickx, M.E., 2003. Inactivation kinetics of polygalacturonase in tomato juice. *Innov. Food Sci. Emerg. Technol.* 4, 135–142. [https://doi.org/10.1016/S1466-8564\(02\)00090-5](https://doi.org/10.1016/S1466-8564(02)00090-5)

- Fadiloğlu, S., Erkmen, O., 2002. Inactivation of lipase by carbon dioxide under atmospheric pressure. *J. Food Eng.* 52, 331–335. [https://doi.org/10.1016/S0260-8774\(01\)00123-6](https://doi.org/10.1016/S0260-8774(01)00123-6)
- Fadiloğlu, S., Erkmen, O., Şekeroğlu, G., 2004. Thermal and Carbon Dioxide Inactivation of Alkaline Phosphatase in Buffer and Milk. *Food Technol. Biotechnol.* 42, 27–32.
- Fanchi, J.R., Fanchi, C.J., 2016. *Energy in the 21st Century*. WORLD SCIENTIFIC. <https://doi.org/10.1142/10160>
- Fellows, P., 2012. *Food Processing Technology, Principle and Practice*, 2nd editio. ed. Woodhead Publishing, Cambridge.
- Ferrentino, G., Balaban, M.O., 2012. Introduction to Dense Phase Carbon Dioxide Technology, in: *Dense Phase Carbon Dioxide: Food and Pharmaceutical Applications*. Wiley-Blackwell, pp. 1–4. <https://doi.org/10.1002/9781118243350.ch1>
- Ferrentino, G., Barletta, D., Balaban, M.O., Ferrari, G., Poletto, M., 2010. Measurement and prediction of CO₂ solubility in sodium phosphate monobasic solutions for food treatment with high pressure carbon dioxide. *J. Supercrit. Fluids* 52, 142–150. <https://doi.org/10.1016/j.supflu.2009.10.005>
- Ferrentino, G., Calix, T., Poletto, M., Ferrari, G., Balaban, M.O., 2012. Experimental Measurement of Carbon Dioxide Solubility, in: *Dense Phase Carbon Dioxide: Food and Pharmaceutical Applications*. Wiley-Blackwell, pp. 37–66. <https://doi.org/10.1002/9781118243350.ch3>
- Ferrentino, G., Spilimbergo, S., 2011. High pressure carbon dioxide pasteurization of solid foods: Current knowledge and future outlooks. *Trends Food Sci. Technol.* 22, 427–441. <https://doi.org/10.1016/j.tifs.2011.04.009>
- Fidalgo, L.G., Saraiva, J.A., Aubourg, S.P., Vázquez, M., Torres, J.A., 2014. Effect of high-pressure pre-treatments on enzymatic activities of Atlantic mackerel (*Scomber scombrus*) during frozen storage. *Innov. Food Sci. Emerg. Technol.* 23, 18–24. <https://doi.org/10.1016/j.ifset.2014.03.010>
- Fraser, D., 1951. Bursting Bacteria by Release of Gas Pressure. *Nature* 167, 33–34. <https://doi.org/10.1038/167033b0>

- Furukawa, S., Watanabe, T., Koyama, T., Hirata, J., Narisawa, N., Ogihara, H., Yamasaki, M., 2006. Effect of high pressure carbon dioxide on the clumping of the bacterial spores. *Int. J. Food Microbiol.* 106, 95–8. <https://doi.org/10.1016/j.ijfoodmicro.2005.05.016>
- Geissmann, Q., 2013. OpenCFU, a New Free and Open-Source Software to Count Cell Colonies and Other Circular Objects. *PLoS One* 8, e54072. <https://doi.org/10.1371/journal.pone.0054072>
- Gießauf, A., Gamse, T., 2000. A simple process for increasing the specific activity of animal pancreatic lipase by supercritical carbon dioxide treatment. *J. Mol. Catal. B Enzym.* 9, 57–64. [https://doi.org/https://doi.org/10.1016/S1381-1177\(99\)00084-3](https://doi.org/https://doi.org/10.1016/S1381-1177(99)00084-3)
- Gießauf, A., Magor, W., Steinberger, D.J., Marr, R., 1999. A study of hydrolases stability in supercritical carbon dioxide (SC-CO₂). *Enzyme Microb. Technol.* 24, 577–583. [https://doi.org/10.1016/S0141-0229\(98\)00164-1](https://doi.org/10.1016/S0141-0229(98)00164-1)
- Gökmen, V., 2010. Selection of the indicator enzyme for blanching of vegetables, in: *Enzymes in Fruit and Vegetable Processing: Chemistry and Engineering Applications*. CRC Press, pp. 123–144. <https://doi.org/10.1201/9781420094343-c5>
- Gui, F., Wu, J., Chen, F., Liao, X., Hu, X., Zhang, Z., Wang, Z., 2006. Change of polyphenol oxidase activity, color, and browning degree during storage of cloudy apple juice treated by supercritical carbon dioxide. *Eur. Food Res. Technol.* 223, 427–432. <https://doi.org/10.1007/s00217-005-0219-3>
- Gui, F., Wu, J., Chen, F., Liao, X., Hu, X., Zhang, Z., Wang, Z., 2007. Inactivation of polyphenol oxidases in cloudy apple juice exposed to supercritical carbon dioxide. *Food Chem.* 100, 1678–1685. <https://doi.org/10.1016/j.foodchem.2005.12.048>
- Gupta, R.B., Shim, J.-J., 2007. *Solubility in Supercritical Carbon Dioxide*. CRC-Press, Boca Raton-Florida.
- Gustiano, R., Arifi, O.Z., Huwoyon, G.H., 2017. Keragaan pertumbuhan ikan nila best (hitam) dan NIFI (merah)(*Oreochromis niloticus*) dalam pemeliharaan secara bersama dan terpisah. *Pros. Forum Inov. Teknol. Akuakultur* 0, 113–119.
- Haas, G.J., Prescott, H.E., Dudley, E., Dik, R., Hintlian, C., Keane, L., 1989. Inactivation of Microorganisms By Carbon Dioxide Under Pressure. *J. Food Saf.* 9, 253–265. <https://doi.org/10.1111/j.1745-4565.1989.tb00525.x>

- Hammam, H., 1992. Solubilities of pure lipids in supercritical carbon dioxide. *J. Supercrit. Fluids* 5, 101–106. [https://doi.org/10.1016/0896-8446\(92\)90026-G](https://doi.org/10.1016/0896-8446(92)90026-G)
- He, Y., Huang, H., Li, L., Yang, X., 2018. Changes of activated factors and activation of calpain in tilapia muscle during storage. *Fish. Sci.* 84, 889–895. <https://doi.org/10.1007/s12562-018-1221-6>
- Heremans, K., 1982. High pressure effects on proteins and other biomolecules. *Annu. Rev. Biophys. Bioeng.* <https://doi.org/10.1146/annurev.bb.11.060182.000245>
- Hong, S.I., Park, W.S., 1999. High-pressure carbon dioxide effect on kimchi fermentation. *Biosci. Biotechnol. Biochem.* 63, 1119–1121. <https://doi.org/10.1271/bbb.63.1119>
- Hong, S.I., Park, W.S., Pyun, Y.R., 1997. Inactivation of *Lactobacillus* sp. from Kimchi by high pressure carbon dioxide. *LWT - Food Sci. Technol.* 30, 681–685. <https://doi.org/10.1006/fstl.1997.0250>
- Hong, S.I., Pyun, Y.R., 1999. Inactivation kinetics of *Lactobacillus plantarum* by high pressure carbon dioxide. *J. Food Sci.* 64, 728–733. <https://doi.org/10.1111/j.1365-2621.1999.tb15120.x>
- Hong, S.I., Pyun, Y.R., 2001. Membrane damage and enzyme inactivation of *Lactobacillus plantarum* by high pressure CO₂ treatment. *Int. J. Food Microbiol.* 63, 19–28. [https://doi.org/10.1016/S0168-1605\(00\)00393-7](https://doi.org/10.1016/S0168-1605(00)00393-7)
- Huss, H. H., 1994. Assurance of seafood Quality. Rome: FAO Fisheries Technical Paper, No.334. [WWW Document]. URL <http://www.fao.org/3/T1768E/T1768E04.htm> (accessed 5.13.19).
- ICMSF, 1986. *Microorganisms in Foods 2: Sampling for Microbiological Analysis: Principles and Specific Applications*, 2nd editio. ed. University of Toronto Press, Toronto.
- Ilgaz, S., Sat, I.G., Polat, A., 2018. Effects of processing parameters on the caffeine extraction yield during decaffeination of black tea using pilot-scale supercritical carbon dioxide extraction technique. *J. Food Sci. Technol.* 55, 1407–1415. <https://doi.org/10.1007/s13197-018-3055-8>
- Isenschmid, A., Marison, I.W., von Stockar, U., 1995. The influence of pressure and temperature of compressed CO₂ on the survival of yeast cells. *J. Biotechnol.* 39, 229–237. [https://doi.org/10.1016/0168-1656\(95\)00018-L](https://doi.org/10.1016/0168-1656(95)00018-L)

- Ishikawa, H., Shimoda, M., Osajima, Y., Kawano, T., 1995. Inactivation of Enzymes in an Aqueous Solution by Micro-Bubbles of Supercritical Carbon Dioxide. *Biosci. Biotechnol. Biochem.* 59, 628–631. <https://doi.org/10.1271/bbb.59.628>
- Ishikawa, H., Shimoda, M., Tamaya, K., Yonekura, A., Kawano, T., Osajima, Y., 1997. Inactivation of bacillus spores by the supercritical carbon dioxide micro-bubble method. *Biosci. Biotechnol. Biochem.* 61, 1022–1023. <https://doi.org/10.1271/bbb.61.1022>
- Ishikawa, H., Shimoda, M., Yonekura, A., Osajima, Y., 1996. Inactivation of Enzymes and Decomposition of α -Helix Structure by Supercritical Carbon Dioxide Microbubble Method. *J. Agric. Food Chem.* 44, 2646–2649. <https://doi.org/10.1021/jf9602075>
- Ji, H., Zhang, L., Liu, S., Qu, X., Zhang, C., Gao, J., 2012. Optimization of microbial inactivation of shrimp by dense phase carbon dioxide. *Int. J. Food Microbiol.* 156, 44–49. <https://doi.org/10.1016/j.ijfoodmicro.2012.02.020>
- Jones, R.P., Greenfield, P.F., 1982. Effect of carbon dioxide on yeast growth and fermentation. *Enzyme Microb. Technol.* 4, 210–223. [https://doi.org/10.1016/0141-0229\(82\)90034-5](https://doi.org/10.1016/0141-0229(82)90034-5)
- Kamalakanth, C.K., Ginson, J., Bindu, J., Venkateswarlu, R., Das, S., Chauhan, O.P., Gopal, T.K.S., 2011. Effect of high pressure on K-value, microbial and sensory characteristics of yellowfin tuna (*Thunnus albacares*) chunks in EVOH films during chill storage. *Innov. Food Sci. Emerg. Technol.* 12, 451–455. <https://doi.org/10.1016/j.ifset.2011.06.001>
- Kamihira, M., Taniguchi, M., Kobayashi, T., 1987. Sterilization of microorganisms with supercritical carbon dioxide. *Agric. Biol. Chem.* 51, 407–412. <https://doi.org/10.1080/00021369.1987.10868053>
- Karel, M., Lund, D.B., 2003. *Physical Principles of Food Preservation: Second Edition Revised and Expanded*, 2nd editio. ed. CRC Press, New York.
- Kaur, B.P., Rao, P.S., Nema, P.K., 2016. Effect of hydrostatic pressure and holding time on physicochemical quality and microbial inactivation kinetics of black tiger shrimp (*Penaeus monodon*). *Innov. Food Sci. Emerg. Technol.* 33, 47–55. <https://doi.org/10.1016/j.ifset.2015.12.002>
- KHI, 2020. *KHI Products Specification*. Jakarta. <https://khipipe.com/wp-content/uploads/2020/09/BrosurDetailsExperienceKHI.pdf>

- Kincal, D., Hill, W.S., Balaban, M., Portier, K.M., Sims, C.A., Wei, C.I., Marshall, M.R., 2006. A Continuous High-Pressure Carbon Dioxide System for Cloud and Quality Retention in Orange Juice. *J. Food Sci.* 71, C338–C344. <https://doi.org/10.1111/j.1750-3841.2006.00087.x>
- Kobayashi, F., Yazama, F., Ikeura, H., Hayata, Y., Muto, N., Osajima, Y., 2009. Inactivation of microorganisms in untreated water by a continuous flow system with supercritical CO₂ bubbling. *J. Water Environ. Technol.* 7, 241–250. <https://doi.org/10.2965/jwet.2009.241>
- Konermann, L., Rosell, F.I., Mauk, A.G., Douglas, D.J., 1997. Acid-induced denaturation of myoglobin studied by time-resolved electrospray ionization mass spectrometry. *Biochemistry* 36, 6448–6454. <https://doi.org/10.1021/bi970353j>
- KrakatauPosco, 2020. Shipbuilding: Chemical composition and Mechanical Specification Sheet. Jakarta.
- Lakshmanan, R., Patterson, M.F., Piggott, J.R., 2005. Effects of high-pressure processing on proteolytic enzymes and proteins in cold-smoked salmon during refrigerated storage. *Food Chem.* 90, 541–548. <https://doi.org/10.1016/j.foodchem.2004.05.015>
- Leite Júnior, B.R. de C., Tribst, A.A.L., Cristianini, M., 2015. Influence of high pressure homogenization on commercial protease from *Rhizomucor miehei*: Effects on proteolytic and milk-clotting activities. *LWT - Food Sci. Technol.* 63, 739–744. <https://doi.org/10.1016/j.lwt.2015.03.020>
- Lemmon, E.W., McLinden, M.O., Friend, and D.G., 2017. NIST Chemistry WebBook, NIST Standard Reference Database, NIST Chemistry WebBook. <https://doi.org/10.18434/T4D303>
- Lemmon, E.W., McLinden, M.O., Friend, D.G., NIST, 1998. Thermophysical properties of fluid systems [WWW Document]. *Natl. Inst. Stand. Technol.* URL <https://webbook.nist.gov/chemistry/fluid/> (accessed 1.3.20).
- Lenntech, 1998. Nitrogen (N) and water [WWW Document]. URL <https://www.lenntech.com/periodic/water/nitrogen/nitrogen-and-water.htm> (accessed 9.23.20).
- Liao, X., Zhang, Y., Bei, J., Hu, X., Wu, J., 2009. Alterations of molecular properties of lipoxygenase induced by dense phase carbon dioxide. *Innov. Food Sci. Emerg. Technol.* 10, 47–53. <https://doi.org/10.1016/j.ifset.2008.06.007>

- Lim, S., Yagiz, Y., Balaban, M., 2006. Continuous high pressure carbon dioxide processing of mandarin juice. *Food Sci. Biotechnol.* 15, 13–18.
- Lin, H. -M, Yang, Z., Chen, L. -F, 1992. Inactivation of *Saccharomyces cerevisiae* by Supercritical and Subcritical Carbon Dioxide. *Biotechnol. Prog.* 8, 458–461. <https://doi.org/10.1021/bp00017a013>
- Ling, A.C., Lund, D.B., 1978. Determining Kinetic Parameters for Thermal Inactivation of Heatresistant and Heat- Labile Isozymes From Thermal Destruction Curves. *J. Food Sci.* 43, 1307–1310. <https://doi.org/10.1111/j.1365-2621.1978.tb15295.x>
- Liu, X., Gao, Y., Peng, X., Yang, B., Xu, H., Zhao, J., 2008. Inactivation of peroxidase and polyphenol oxidase in red beet (*Beta vulgaris* L.) extract with high pressure carbon dioxide. *Innov. Food Sci. Emerg. Technol.* 9, 24–31. <https://doi.org/10.1016/j.ifset.2007.04.010>
- Liu, Y., Hu, X.S., Zhao, X.Y., Zhang, C., 2013. Inactivation of polyphenol oxidase from watermelon juice by high pressure carbon dioxide treatment. *J. Food Sci. Technol.* 50, 317–324. <https://doi.org/10.1007/s13197-011-0356-6>
- Ludikhuyze, L., Hendrickx, M.E.G., 2001. Effects of High Pressure on Chemical Reactions Related to Food Quality, in: *Вестник Казнму.* pp. 167–188. https://doi.org/10.1007/978-1-4615-0723-9_6
- Matser, A.M., Stegeman, D., Kals, J., Bartels, P. V., 2000. Effects of high pressure on colour and texture of fish. *High Press. Res.* 19, 109–115. <https://doi.org/10.1080/08957950008202543>
- Matsufuji, H., Furukawa, S., Teranishi, K., Kawaharada, K., Chino, M., Yamagata, k., Ogihara, H., Yamasaki, M., 2009. Effects of Nonthermal Processes on the Inactivation of Microorganisms and Antioxidants in Minimally Processed Vegetables. *Food Sci. Technol. Res.* 15, 153–162. <https://doi.org/10.3136/fstr.15.153>
- Maturin, L., Peeler, J.T., 2001. BAM: Aerobic Plate Count | FDA [WWW Document]. URL <https://www.fda.gov/food/laboratory-methods-food/bam-aerobic-plate-count> (accessed 5.19.19).
- Mazzoni, A.M., Sharma, R.R., Demirci, A., Ziegler, G.R., 2001. Supercritical Carbon Dioxide Treatment To Inactivate Aerobic Microorganisms On Alfalfa Seeds. *J. Food Saf.* 21, 215–223. <https://doi.org/10.1111/j.1745-4565.2001.tb00320.x>

- McHugh, M., Krukonis, V., 2013. *Supercritical Fluid Extraction: Principles and Practice*, Elsevier.
- Meilgaard, M.C., Carr, B.T., Civille, G.V., 2006. *Sensory evaluation techniques*, 4th ed. CRC Press.
- Meujo, D.A.F., Kevin, D.A., Peng, J., Bowling, J.J., Liu, J., Hamann, M.T., 2010. Reducing oyster-associated bacteria levels using supercritical fluid CO₂ as an agent of warm pasteurization. *Int. J. Food Microbiol.* 138, 63–70. <https://doi.org/10.1016/j.ijfoodmicro.2009.11.012>
- Meysami, B., Balaban, M.O., Teixeira, A.A., 1992. Prediction of pH in Model Systems Pressurized with Carbon Dioxide. *Biotechnol. Prog.* 8, 149–154. <https://doi.org/10.1021/bp00014a009>
- Miao, W., 2015. *Aquaculture production and trade trends: carp, tilapia and shrimp*. Weimin Miao, FAO RAP, FAO. Food and Agricultural Organization, Singapore.
- Mohamed Mansour, E., 2020. Equation of State, in: *Inverse Heat Conduction and Heat Exchangers* [Working Title]. IntechOpen. <https://doi.org/10.5772/intechopen.89919>
- Mozhaev, V. V., Heremans, K., Frank, J., Masson, P., Balny, C., 1994. Exploiting the effects of high hydrostatic pressure in biotechnological applications. *Trends Biotechnol.* 12, 493–501. [https://doi.org/10.1016/0167-7799\(94\)90057-4](https://doi.org/10.1016/0167-7799(94)90057-4)
- Mun, S., Hahn, J.S., Lee, Y.W., Yoon, J., 2011. Inactivation behavior of *Pseudomonas aeruginosa* by supercritical N₂O compared to supercritical CO₂. *Int. J. Food Microbiol.* 144, 372–378. <https://doi.org/10.1016/j.ijfoodmicro.2010.10.022>
- Nakamura, K., Enomoto, A., Fukushima, H., Nagai, K., Hakoda, M., 1994. Disruption of Microbial Cells by the Flash Discharge of High-pressure Carbon Dioxide. *Biosci. Biotechnol. Biochem.* 58, 1297–1301. <https://doi.org/10.1271/bbb.58.1297>
- Nam Sai Farms, 2018. Red Tilapia| Tilapia Thai [WWW Document]. URL <http://tilapiathai.com/project/red-tilapia/> (accessed 9.28.20).
- Ng, S.K., Tan, T.B., Tan, P.F., Chong, G.H., Tan C P, 2019. Effect of high pressure processing on the microbiological, physicochemical and enzymatic properties of jackfruit (*Artocarpus heterophyllus* L.) bulb. *J. homepage* 3, 213–220. [https://doi.org/10.26656/fr.2017.3\(3\).208](https://doi.org/10.26656/fr.2017.3(3).208)

- Niu, L., Hu, X., Wu, J., Liao, X., Chen, F., Zhao, G., Wang, Z., 2010. Effect of dense phase carbon dioxide process on physicochemical properties and flavor compounds of orange juice. *J. Food Process. Preserv.* 34, 530–548. <https://doi.org/10.1111/j.1745-4549.2009.00369.x>
- Nonthaput, T., Hahor, W., Thongprajukaew, K., Yoonram, K., Rodjaroen, S., 2017. Cathepsin activities and thermal properties of Nile tilapia (*Oreochromis niloticus*) meat during ambient storage. *Agric. Nat. Resour.* 51, 206–211. <https://doi.org/10.1016/j.anres.2017.02.005>
- Padrela, L., Rodrigues, M.A., Velaga, S.P., Matos, H.A., de Azevedo, E.G., 2009. Formation of indomethacin-saccharin cocrystals using supercritical fluid technology. *Eur. J. Pharm. Sci.* 38, 9–17. <https://doi.org/10.1016/j.ejps.2009.05.010>
- Park, S.-J., Lee, J.-I., Park, J., 2002. Effects of a Combined Process of High-Pressure Carbon Dioxide and High Hydrostatic Pressure on the Quality of Carrot Juice. *J. Food Sci.* 67, 1827–1834. <https://doi.org/10.1111/j.1365-2621.2002.tb08730.x>
- Peng, D.Y., Robinson, D.B., 1976. A New Two-Constant Equation of State. *Ind. Eng. Chem. Fundam.* 15, 59–64. <https://doi.org/10.1021/i160057a011>
- Potter, M.C., Somerton, C.W., 1993. *Schaum's outline of theory and problems of thermodynamics for engineers*. McGraw-Hill, New York.
- Primo, M.S., Ceni, G.C., Marcon, N.S., Antunes, O.A.C., Oliveira, D., Oliveira, J.V., Dariva, C., 2007. Effects of compressed carbon dioxide treatment on the specificity of oxidase enzymatic complexes from mate tea leaves. *J. Supercrit. Fluids* 43, 283–290. <https://doi.org/10.1016/j.supflu.2007.07.004>
- R Core Team, 2019. *R: A language and environment for statistical computing*.
- Rawson, A., Patras, A., Tiwari, B.K., Noci, F., Koutchma, T., Brunton, N., 2011. Effect of thermal and non thermal processing technologies on the bioactive content of exotic fruits and their products: Review of recent advances. *Food Res. Int.* <https://doi.org/10.1016/j.foodres.2011.02.053>
- Redlich, O., Kwong, J.N.S., 1949. On the thermodynamics of solutions. V. An equation of state. Fugacities of gaseous solutions. *Chem. Rev.* 44, 233–244. <https://doi.org/10.1021/cr60137a013>
- Rezaei, K., Temelli, F., Jenab, E., 2007. Effects of pressure and temperature on enzymatic reactions in supercritical fluids. *Biotechnol. Adv.* <https://doi.org/10.1016/j.biotechadv.2006.12.002>

- Richards, M.P., Nelson, N.M., Kristinsson, H.G., Mony, S.S.J., Petty, H.T., Oliveira, A.C.M., 2007. Effects of fish herne protein structure and lipid substrate composition on hemoglobin-mediated lipid oxidation. *J. Agric. Food Chem.* 55, 3643–3654. <https://doi.org/10.1021/jf0628633>
- Riyanto, R., Supriyadi, S., Suparmo, S., Heruwati, E.S., 2014. Persamaan Prediksi Umur Simpan Filet Ikan Nila (*Oreochromis niloticus*) yang Dikemas Vakum dalam HDPE. *J. Pascapanen dan Bioteknol. Kelaut. dan Perikan.* 7, 105. <https://doi.org/10.15578/jpbkp.v7i2.74>
- Rochelle, C.A., Camps, A.P., Long, D., Milodowski, A., Bateman, K., Gunn, D., Jackson, P., Lovell, M.A., Rees, J., 2009. Can CO₂ hydrate assist in the underground storage of carbon dioxide? *Geol. Soc. Spec. Publ.* 319, 171–183. <https://doi.org/10.1144/SP319.14>
- Scholsky, K.M., 1989. Supercritical phase transitions at very high pressure. *J. Chem. Educ.* 66, 989–990. <https://doi.org/10.1021/ed066p989>
- Serment-Moreno, V., Barbosa-Cánovas, G., Torres, J.A., Welti-Chanes, J., 2014. High-pressure Processing: Kinetic Models for Microbial and Enzyme Inactivation. *Food Eng. Rev.* 6, 56–88. <https://doi.org/10.1007/s12393-014-9075-x>
- Sharma, G., Wu, W., Dalal, E.N., 2005. The CIEDE2000 color-difference formula: Implementation notes, supplementary test data, and mathematical observations. *Color Res. Appl.* 30, 21–30. <https://doi.org/10.1002/col.20070>
- Shimoda, M., Cocunubo-Castellanos, J., Kago, H., Miyake, M., Osajima, Y., Hayakawa, I., 2001. The influence of dissolved CO₂ concentration on the death kinetics of *Saccharomyces cerevisiae*. *J. Appl. Microbiol.* 91, 306–311. <https://doi.org/10.1046/j.1365-2672.2001.01386.x>
- Shimoda, M., Kago, H., Kojima, N., Miyake, M., Osajima, Y., Hayakawa, I., 2002. Accelerated death kinetics of *Aspergillus niger* spores under high-pressure carbonation. *Appl. Environ. Microbiol.* 68, 4162–4167. <https://doi.org/10.1128/AEM.68.8.4162-4167.2002>
- Shouchun, L., Wen, F., Saiyi, Z., Changwei, M., Pinglan, L., Kang, Z., Zhaohui, P., Meijun, Z., 2010. Quality evaluation of tray-packed tilapia fillets stored at 0C based on sensory, microbiological, biochemical and physical attributes. *African J. Biotechnol.* 9, 692–701. <https://doi.org/10.5897/ajb09.1369>

- Sirisee, U., Hsieh, F., Huff, H.E., 1998. Microbial safety of supercritical carbon dioxide processes. *J. Food Process. Preserv.* 22, 387–403. <https://doi.org/10.1111/j.1745-4549.1998.tb00358.x>
- Span, R., Wagner, W., 1996. A New Equation of State for Carbon Dioxide Covering the Fluid Region from the Triple-Point Temperature to 1100 K at Pressures up to 800 MPa. *J. Phys. Chem. Ref. Data* 25, 1509–1596. <https://doi.org/10.1063/1.555991>
- Spilimbergo, S., Bertucco, A., 2003. Non-Thermal Bacteria Inactivation with Dense CO₂. *Biotechnol. Bioeng.* 84, 627–638. <https://doi.org/10.1002/bit.10783>
- Spilimbergo, S., Elvassore, N., Bertucco, A., 2002. Microbial inactivation by high-pressure. *J. Supercrit. Fluids* 22, 55–63. [https://doi.org/10.1016/S0896-8446\(01\)00106-1](https://doi.org/10.1016/S0896-8446(01)00106-1)
- Spilimbergo, S., Kikic, I., 2012. Thermodynamics of Solutions of CO₂ with Effects of Pressure and Temperature, in: *Dense Phase Carbon Dioxide: Food and Pharmaceutical Applications*. Wiley-Blackwell, pp. 5–35. <https://doi.org/10.1002/9781118243350.ch2>
- Spilimbergo, Sara, Elvassore, N., Bertucco, A., 2002. Microbial inactivation by high-pressure - ScienceDirect. *J. Supercrit. Fluids* 22, 55–63.
- Suzuki, K., Miida, H., Wada, H., Horikawa, S., Ebi, T., Inaba, K., 2013. Feasibility study on CO₂ micro-bubble storage (CMS). *Energy Procedia* 37, 6002–6009. <https://doi.org/10.1016/j.egypro.2013.06.528>
- Taniguchi, M., Kamihira, M., Kobayashi, T., 1987. Effect of treatment with supercritical carbon dioxide on enzymatic activity. *Agric. Biol. Chem.* 51, 593–594. <https://doi.org/10.1080/00021369.1987.10868060>
- Tauscher, B., 1995. Pasteurization of food by hydrostatic high pressure: chemical aspects. *Z. Lebensm. Unters. Forsch.* 200, 3–13. <https://doi.org/10.1007/BF01192901>
- Tedjo, W., Eshtiaghi, M.N., Knorr, D., 2000. Impact of supercritical carbon dioxide and high pressure on lipoxygenase and peroxidase activity. *J. Food Sci.* 65, 1284–1287. <https://doi.org/10.1111/j.1365-2621.2000.tb10597.x>
- Tewari, G., Juneja, V.K. (Eds.), 2007. *Advances in Thermal and Non-Thermal Food Preservation*. Blackwell Publishing, Ames, Iowa, USA. <https://doi.org/10.1002/9780470277898>

- Tisi, D.A., 2004. Effect of dense phase carbon dioxide on enzyme activity and casein proteins in raw milk. Cornell University.
- Tobin, L., Gormley, R., 2016. Fish freshness at retail level. Supplement to SeaHealth-UCD Issue 21. Dublin.
- Truong, B.Q., Buckow, R., Stathopoulos, C.E., Nguyen, M.H., 2015. Advances in High-Pressure Processing of Fish Muscles. Food Eng. Rev. 7, 109–129. <https://doi.org/10.1007/s12393-014-9084-9>
- USDA, 2019. Fish, tilapia, raw [WWW Document]. URL <https://ndb.nal.usda.gov/fdc-app.html#/food-details/175176/nutrients> (accessed 9.23.20).
- Valverde, M.T., Marín-Iniesta, F., Calvo, L., 2010. Inactivation of *Saccharomyces cerevisiae* in conference pear with high pressure carbon dioxide and effects on pear quality. J. Food Eng. 98, 421–428. <https://doi.org/10.1016/j.jfoodeng.2010.01.022>
- Van Boekel, M.A.J.S., 2009. Kinetic Modeling of reactions in food. CRC-Press, Boca Raton-Florida.
- Van Der Walls, J.D., 1910. An equation of state for gases and liquids, in: Nobel Lecture. Nobel Foundation, p. 12.
- Varghese, T., Mathew, S., 2017. Assessment of the textural variation of iced stored *Anabas testudineus* (Bloch, 1792) muscle tissue with emphasis on their collagen and myofibrillar protein content. J. Food Sci. Technol. 54, 2512–2518. <https://doi.org/10.1007/s13197-017-2695-4>
- Verhaeghe, T., Vlaemynck, G., De Block, J., Van Weyenberg, S., Hendrickx, M., 2016. Thermal inactivation kinetics of proteases and polyphenoloxidase in brown shrimp (*Crangon crangon*). Food Chem. 197, 641–647. <https://doi.org/10.1016/j.foodchem.2015.11.024>
- Watanabe, T., Furukawa, S., Hirata, J., Koyama, T., Ogihara, H., Yamasaki, M., 2003. Inactivation of *Geobacillus stearothermophilus* Spores by High-Pressure Carbon Dioxide Treatment. Appl. Environ. Microbiol. 69, 7124–7129. <https://doi.org/10.1128/AEM.69.12.7124-7129.2003>
- Weder, J.K.P., Bokor, M. V., Hegarty, M.P., 1992. Effect of supercritical carbon dioxide on arginine. Food Chem. 44, 287–290. [https://doi.org/10.1016/0308-8146\(92\)90052-4](https://doi.org/10.1016/0308-8146(92)90052-4)

- Wei, C.I., Balaban, M.O., Fernando, S.Y., Peplow, A.J., 1991. Bacterial Effect of High Pressure CO₂ Treatment on Foods Spiked with *Listeria* or *Salmonella*. *J. Food Prot.* 54, 189–193. <https://doi.org/10.4315/0362-028X-54.3.189>
- Werner, B.G., Hotchkiss, J.H., 2002. Effect of carbon dioxide on the growth of *Bacillus cereus* spores in milk during storage. *J. Dairy Sci.* 85, 15–18. [https://doi.org/10.3168/jds.S0022-0302\(02\)74047-2](https://doi.org/10.3168/jds.S0022-0302(02)74047-2)
- Wimmer, Z., Zarevúcka, M., 2010. A review on the effects of supercritical carbon dioxide on enzyme activity. *Int. J. Mol. Sci.* 11, 233–253. <https://doi.org/10.3390/ijms11010233>
- Wischniewski, B., 2017. Online - Calculation - Carbon dioxide [WWW Document]. URL https://www.peacesoftware.de/einigewerte/co2_e.html (accessed 1.2.20).
- Yang, Y., Liao, X., Hu, X., Zhang, Y., Chen, F., Wu, J., 2011. The contribution of high pressure carbon dioxide in the inactivation kinetics and structural alteration of myrosinase. *Int. J. Food Sci. Technol.* 46, 1545–1553. <https://doi.org/10.1111/j.1365-2621.2011.02614.x>
- Yoshimura, T., Furutera, M., Shimoda, M., Ishikawa, H., Miyake, M., Matsumoto, K., Osajima, Y., Hayakawa, I., 2002. Inactivation efficiency of enzymes in buffered system by continuous method with microbubbles of supercritical carbon dioxide. *J. Food Sci.* 67, 3227–3231. <https://doi.org/10.1111/j.1365-2621.2002.tb09570.x>
- Zabot, G.L., 2020. Decaffeination using supercritical carbon dioxide, in: Abdullah Inamuddin, Mohammed, A.A., Kanchi, S. (Eds.), *Green Sustainable Process for Chemical and Environmental Engineering and Science*. Elsevier Inc., pp. 255–278. <https://doi.org/10.1016/b978-0-12-817388-6.00011-8>
- Zhang, J., Davis, T.A., Matthews, M.A., Drews, M.J., LaBerge, M., An, Y.H., 2006. Sterilization using high-pressure carbon dioxide. *J. Supercrit. Fluids* 38, 354–372. <https://doi.org/10.1016/j.supflu.2005.05.005>
- Zhang, L., Liu, S., Ji, H., Zhang, C., Deng, C., Cao, W., Mao, W., Gao, J., 2011. Inactivation of polyphenol oxidase from Pacific white shrimp by dense phase carbon dioxide. *Innov. Food Sci. Emerg. Technol.* 12, 635–641. <https://doi.org/10.1016/j.ifset.2011.05.004>
- Zhao, H., 2015. CO₂ Calculator. A web computational tool. [WWW Document]. Earth Miner. Sci. Energy Institute, PennState. URL <http://www.energy.psu.edu/tools/CO2-EOS/> (accessed 1.2.20).

- Zhi, X., Zhang, Y., Hu, X., Wu, J., Liao, X., 2008. Inactivation of apple pectin methylesterase induced by dense phase carbon dioxide. *J. Agric. Food Chem.* 56, 5394–5400. <https://doi.org/10.1021/jf800260c>
- Zhong, Q., Black, D.G., Davidson, P.M., Golden, D.A., 2008. Nonthermal inactivation of *Escherichia coli* K-12 on spinach leaves, using dense phase carbon dioxide. *J. Food Prot.* 71, 1015–1017. <https://doi.org/10.4315/0362-028X-71.5.1015>
- Zhou, L., Zhang, Y., Hu, X., Liao, X., He, J., 2009. Comparison of the inactivation kinetics of pectin methylesterases from carrot and peach by high-pressure carbon dioxide. *Food Chem.* 115, 449–455. <https://doi.org/10.1016/j.foodchem.2008.12.028>
- Zhou, L., Zhang, Y., Hu, X., Liao, X., He, J., 2009. Comparison of the inactivation kinetics of pectin methylesterases from carrot and peach by high-pressure carbon dioxide. *Food Chem.* 115, 449–455. <https://doi.org/10.1016/j.foodchem.2008.12.028>