

## DAFTAR PUSTAKA

- Almeida, C.G., Souza, I.F., Liberto, N.A., Da Silva, M.J., Fernandes, S.A., and Hyaric, M. Le, 2015, p-Sulfonic Acid Calix[n]arenes as Organocatalysts for The Transesterification Reaction of Passiflora Seed Oil, *Monash Chem.*, 146, 1927–1934.
- Amtul, Z., Westaway, D., Cechetto, D.F., and Rozmahel, R.F., 2011, Oleic Acid Ameliorates Amyloidosis in Cellular and Mouse Models of Alzheimer’s Disease, *Brain Pathol.*, 21, 321–329.
- Arbain, N.H. and Salimon, J., 2011, The Effects of Various Acid Catalyst on the Esterification of Jatropha Curcas Oil based Trimethylolpropane Ester as Biolubricant Base Stock, *e-journal Chem.*, 8, 33–41.
- de Assis, J. V, Teixeira, M.G., Soares, C.G.P., Lopes, J.F., Carvalho, G.S.L., Lourenço, M.C.S., et al., 2012, Experimental and Theoretical NMR Determination of Isoniazid and Sodium p-sulfonatocalix[n]arenes Inclusion Complexes, *Eur. J. Pharm. Sci.*, 47, 539–548.
- de Assis, J.V., Abranches, P.A.S., Braga, I.B., Zuniga, O.M.P., Sathicq, A.G., Romanelli, G.P., et al., 2012, p-Sulfonic Acid Calix[4]arene-functionalized Alkyl-bridged Organosilica in Esterification Reactions, *RSC Adv.*, 6, 24285-24289.
- Baghbanian, S.M., Babajani, Y., Tashakorian, H., Khaksar, S., and Farhang, M., 2013, p-Sulfonic Acid Calix[4]arene: An Efficient Reusable Organocatalyst for The Synthesis of bis(indolyl)methanes Derivatives in Water and Under Solvent-free Conditions, *Comptes Rendus Chim.*, 16, 129–134.
- Baghbanian, S.M., Khanzad, G., Vahdat, S.M., and Tashakkorian, H., 2015, p-Sulfonic Acid Calix[4]arene as an Efficient and Reuseable Catalyst for The Synthesis of Acridinediones and Xanthenes, *Res. Chem. Intermed.*, 41, 9951–9966.
- Cea, M., Gonzales, E.M., Abarzúa, M., and Navia, R., 2019, Enzymatic Esterification of Oleic Acid by *Candida rugosa* Lipase Immobilized onto Biochar, *J. Environ. Manage.*, 242, 171–177.
- Dechakhumwat, S., Hongmanorom, P., Thunyaratchatanon, C., Smith, S., Boonyeeun, S., and Luengnaruemitchai, A., 2020, Catalytic Activity of Heterogeneous Acid Catalysts Derived from Corncob in The Esterification of Oleic Acid with Methanol, *Renew. Energy*, 148, 897–906.
- Dibama, H.M., Clarot, I., Fontanay, S., Salem, A. Ben, Mourer, M., Finance, C., et al., 2009, Towards Calixarene-based Prodrugs: Drug Release and Antibacterial Behaviour of a Water-Soluble Nalidixic Acid/ Calix[4]arene Ester Adduct, *Bioorg. Med. Chem. Lett.*, 19, 2679–2682.

- Ebrahimi, A., Lakouraj, M.M., and Hasantabar, V., 2020, Synthesis and Characterization of Amphiphilic Star Copolymer of Polyaniline and Polyacrylic Acid Based on Calix[4]resorcinarene as An Efficient Adsorbent for Removal of Paraquat Herbicide from Water, *Mater. Today Commun.*, 25, 1-12
- Fattore, E. and Fanelli, R., 2013, Palm Oil and Palmitic Acid: A Review on Cardiovascular Effects and Carcinogenicity, *Int. J. Food Sci. Nutr.*, 64, 648–659.
- Fauzi, A.H.M. and Amin, N.A.S., 2013, Optimization of Oleic Acid Esterification Catalyzed by Ionic Liquid for Green Biodiesel Synthesis, *Energy Convers. Manag.*, 76, 818–827.
- Fernandes, S.A., Natalino, R., Aparecida, P., Gazolla, P.A.R., da Silva, M.J., and Jham, G.N., 2012, p-Sulfonic acid Calix[n]arenes as Homogeneous and Recyclable Organocatalysts for Esterification Reactions, *Tetrahedron Lett.*, 53, 1630–1633.
- Funck, M., Guest, D.P., and Cave, G.W. V, 2010, Microwave-assisted Synthesis of Resorcin[4]arene and Pyrogallol[4]arene Macrocycles, *Tetrahedron Lett.*, 51, 6399–6402.
- Gaeta, C., Caruso, T., Mincoelli, M., Troisi, F., Vasca, E., and Neri, P., 2008, p-Sulfonatocalix[7]arene: Synthesis, Protolysis, and Binding Ability, *Tetrahedron*, 64, 5370–5378.
- Gandara, F., Gutierrez-Puebla, E., Iglesias, M., Snejko, N., and Monge, M.A., 2010, Isolated Hexanuclear Hydroxo Lanthanide Secondary Building Units in a Rare-Earth Polymeric Framework Based on p-Sulfonatocalix[4]arene, *Cryst. Growth Des.*, 10, 128–134.
- Gerpen, J. Van, Shanks, B., Pruszko, R., Clements, D., and Knothe, G., 2004, *Biodiesel Production Technology*, National Renewable Energy Laboratory, Colorado.
- Han, C., Zeng, L., Li, H., and Xie, G., 2009, Colorimetric Detection of Pollutant Aromatic Amines Isomers with p-sulfonato calix[6]arene-modified Gold Nanoparticles, *Sensors Actuators B Chem.*, 137, 704–709.
- Han, X., He, Y., Hung, C., and Liu, L., 2013, Efficient and Reusable Polyoxometalate-based Sulfonated Ionic Liquid Catalysts for Palmitic Acid Esterification to Biodiesel, *Chem. Eng. Sci.*, 104, 64–72.
- Handayani, D. S., Sholikh, R. A., dan Kusumaningsih, T., 2013, Sintesis dan Karakterisasi C-4-hidroksi-3-metoksifenilkaliks[4]resorsinarena Sulfonat, *Alchemy*, 9(2), 13-21.
- Harizal, 2015, Sintesis C-4-alkoksifenilkaliks[4]pirogalolaril Benzoat-sinamat sebagai Senyawa Tabir Surya, *Disertasi*, Universitas Gadjah Mada, Yogyakarta.
- Harmer, M.A. and Sun, Q., 2001, Solid Acid Catalysis Using Ion-Exchange Resins, *Appl. Catal. A. Gen.*, 221, 45–62.

- Helwani, Z., Othman, M.R., Aziz, N., Kim, J., and Fernando, W.J.N., 2009, Solid Heterogeneous Catalysts for Transesterification of Triglycerides with Methanol: A review, *Appl. Catal. A. Gen.*, 363, 1–10.
- Iwanek, W. and Wzorek, A., 2009, Introduction to the Chirality of Resorcinarenes, *Mini-Review Org. Chem.*, 6, 398–411.
- Jin, T., 2010, Near-Infrared Fluorescence Detection of Acetylcholine in Aqueous Solution Using a Complex of Rhodamine 800 and p-Sulfonato-calix[8]arene, *Sensors*, 10, 2438–2449.
- Kalbasi, R.J., Massah, A.R., and Barkhordari, Z., 2010, An Efficient and Green Approach for the Esterification of Aromatic Acids with Various Alcohols over H<sub>3</sub>PO<sub>4</sub>/TiO<sub>2</sub>-ZrO<sub>2</sub>, *Bull. Korean Chem. Soc.*, 31, 2361–2367.
- Knothe, G., Krahl, J., and Gerpen, J. Van, 2015, *The Biodiesel Handbook*, Elsevier, New York.
- Konishi, H., Nakamura, T., Ohata, K., Kobayashi, K., and Morikawa, O., 1996, The Acid-catalyzed Condensation of 2-Propylresorcinol with Formaldehyde Diethyl Acetal. The Formation and Isomerization of Calix[4]resorcinarene, Calix[5]resorcinarene, and Calix[6]resorcinarene., *Tetrahedron Lett.*, 37, 7383–7386.
- Lakouraj, M.M., Tashakkorian, H., and Rouhi, M., 2013, One-Pot Synthesis of Xanthenes and Dixanthenes Using Calix[4]arene Sulfonic Acid Under Solvent Free Condition, *Chem. Sci. Trans.*, 2, 739–748.
- Li, J., Zhang, S., Chen, Y., Du, X., Yu, H., and Yu, J., 2014, Coordination Polymeric Chain Formed by p-sulfonatocalix[4]arene and Organotin. Synthesis and Crystal Structure, *Inorg. Chem. Commun.*, 47, 93–95.
- Lu, H.F.S. and Tan, P.P., 2009, A Comparative Study of Storage Stability in Virgin Coconut Oil and Extra Virgin Olive Oil Upon Thermal Treatment, *Int. Food Res. J.*, 16, 343–354.
- MacGillivray, L.R. and Atwood, J.L., 2000, Cavity-Containing Materials Based Upon Resorcin[4]arenes by Discovery and Design, *J. Solid State Chem.*, 152, 199–210.
- Maggio, G. and Cacciola, G., 2012, When will oil, natural gas, and coal peak?, *Fuel*, 98, 111–123.
- Makha, M., 2001, Novel Sulfonated Extended Arm Calixarene, *Thesis*, Monash University, Victoria.
- Makha, M., Sobolev, A.N., and Raston, C.L., 2006, Non-covalent Expansion of An Organic Bilayer Involving exo -Cavity Interplay of Tetraphenylphosphonium with para-sulfonato-calix[4]arene, *Chem. Commun.*, 57–59.

- Martínez, G.M., Teran, C.R., Tlapanco, O.A., Toscano, A.R., and Cruz-Almanza, R., 2000, Supramolecular Complexes between Fullerene [60]- and [70], and resorcinarene, *Fuller. Sci. Technol.*, 8, 475–482.
- McCormick, R.L., Williams, A., Ireland, J., Brimhall, M., and Hayes, R.R., 2006, *Effects of Biodiesel Blends on Vehicle Emissions*, United States.
- McMurry, J., 2012, *Organic Chemistry 8<sup>th</sup> Edition*, New York, Brooks/Cole Concage Learning.
- McVetty, P.B.E. and Scarth, R., 2002, Breeding for Improved Oil Quality in Brassica Oilseed Species, *J. Crop Prod.*, 5, 345–369.
- Mohebbi, S., Rostamizadeh, M., and Kahforoushan, D., 2020, Efficient Sulfated High Silica ZSM-5 Nanocatalyst for Esterification of Oleic Acid with Methanol, *Microporous Mesoporous Mater.*, 294, 109845.
- Mora, E. and Selpas, N., 2013, Isolasi dan Karakterisasi Asam Oleat dari Kulit Buah Kelapa Sawit (*Elais guinensis* Jacq.), *J. Penelit. Farm. Indones.*, 1, 47–51.
- Mutlu, V.N. and Yilmaz, S., 2016, Esterification of Cetyl Alcohol with Palmitic Acid Over WO<sub>3</sub>/Zr-SBA-15 and Zr-SBA-15 Catalysts, *Applied Catal. A. Gen.*, 522, 194–200.
- Nakayama, T., Takahashi, D., Takeshi, K., and Ueda, M., 1999, Three-Component Negative-Type Photoresist Based on C-Tetraoctyl-calix[4]resorcinarene, a Cross-linker, and a Photo-acid Generator, *J. Photopolym. Sci. Technol.*, 12, 347–352.
- Natalino, R., Varejao, V. V, da Silva, M.J., Cardoso, A.L., and Fernandes, S.A., 2014, p-Sulfonic Acid Calix[4]arenes: The Most Active and Water Tolerant Organocatalyst in Esterification Reactions, *Catal. Sci. Technol.*, 4, 1369–1375.
- Okuhara, T., 2002, Water-Tolerant Solid Acid Catalysts, *Chem. Rev.*, 102, 3641–3666.
- Oliveira, C.B.S., Meurer, Y.S.R., Oliveira, M.G., Medeiros, W.M.T.Q., Silva, F.O.N., Brito, A.C.F., et al., 2014, Comparative Study on the Antioxidant and Anti-Toxoplasma Activities of Vanillin and Its Resorcinarene Derivative, *Molecules*, 19, 5898–5912.
- Palermo, V., Sathicq, A., Liberto, N., Fernandes, S., Langer, P., Jios, J., and Romanelli, G., 2016, Calix[n]arenes: Active Organocatalysts for The Synthesis of Densely Functionalized Piperidines by One-pot Multicomponent Procedure, *Tetrahedron Lett.*, 57, 2049–2054.
- Park, Y., Chung, S., Eom, H.J., Lee, J., and Lee, K., 2010, Tungsten Oxide Zirconia as Solid Superacid Catalyst for Esterification of Waste Acid Oil (dark oil), *Bioresour. Technol.*, 101, 6589–6593.

- Perdomo, L., Beneit, N., Otero, Y.F., Escribano, Ó., Díaz-castroverde, S., Gómez-hernández, A., and Benito, M., 2015, Protective Role of Oleic Acid Against Cardiovascular Insulin Resistance and in The Early and Late Cellular Atherosclerotic Process, *Cardiovasc. Diabetol.*, 14, 1–12.
- Pfeiffer, C.R., Feaster, K.A., Dalgarno, S.J., and Atwood, J.L., 2015, Syntheses and Characterization of Aryl-Substituted Pyrogallol[4]arenes and resorcin[4]arenes, *Cryst. Eng. Com.* 18, 222-229.
- Pietraszkiewicz, O. and Pietraszkiewicz, M., 1999, Separation of Pyrimidine Bases on a HPLC Stationary RP-18 Phase Coated with Calix[4]resorcinarene, *J. Incl. Phenom. Macrocycl. Chem.*, 35, 261–270.
- Prates, C.D., Ballotin, F.C., Limborco, H., Ardison, J.D., Lago, R.M., and de Carvalho Teixeira, A.P., 2020, Heterogeneous Acid Catalyst Based on Sulfated Iron Ore Tailings for Oleic Acid Esterification, *Appl. Catal. A. Gen.*, 600, 1-11.
- Pullen, J. and Saeed, K., 2014, Experimental Study of The Factors Affecting The Oxidation Stability of Biodiesel FAME Fuels, *Fuel Process. Technol.*, 125, 223–235.
- Rajput, A.P. and Nagarale, D. V, 2016, Modern Synthetic Tools L-Proline as an Organocatalyst, *J. Chem. Pharm. Res.*, 2016, 8(7), 557–575.
- Rego, Y.F., da Silva, C.M., da Silva, D.L., da Silva, J.G., Ruiz, A.L.T.G., Carvalho, J.E. de, et al., 2016, Phthalazine-triones: Calix[4]arene-assisted Synthesis using Green Solvents and Their Anticancer Activities Against Human Cancer Cells, *Arab. J. Chem.*, 12(8), 4065-4073.
- Roberts, B.A., Cave, G.W. V, Raston, L.C., and Scott, J.L., 2001, Solvent-free Synthesis of Calix[4]resorcinarenes, *Green Chem.*, 3, 280–284.
- Rondelez, Y., Bertho, G., and Reinaud, O., 2002, The First Water-Soluble Copper (i) Calix[6]arene Complex Presenting a Hydrophobic Ligand Binding Pocket : A Remarkable Model for Active Sites in Metalloenzymes, *Angew. Chem. Int. Ed.*, 3, 1044–1046.
- Santacesaria, E., Gelosa, D., Danise, P., and Carra, S., 1983, Vapor-Phase Esterification Catalyzed by Decationized Y Zeolites, *J. Catal.*, 436, 427–436.
- Saravanan, C., Chitumalla, R.K., Ashwin, B.C.M.A., Senthilkumaran, M., Suresh, P., Jang, J., and Mareeswaran, P.M., 2018, Effectual Binding of Gallic Acid with p-Sulfonatocalix[4]arene: An Experimental and Theoretical Interpretation, *J. Lumin.*, 196, 392–398.
- Saravanan, K., Tyagi, B., Shukla, R.S., and Bajaj, H.C., 2015, Solvent Free Synthesis of Methyl Palmitate Over Sulfated Zirconia Solid Acid Catalyst, *Fuel*, 165, 298-305.

- Sardjono, R.E., Kadarohman, A., and Mardhiyah, A., 2012, Green Synthesis of Some Calix[4]resorcinarene under Microwave Irradiation, *Procedia Chem.*, 4, 224–231.
- Shaikh, I.R., 2014, Organocatalysis: Key Trends in Green Synthetic Chemistry, Challenges, Scope towards Heterogenization, and Importance from Research and Industrial Point of View, *J. Catal.*, 19, 1-35.
- da Silva, D.L., Fernandes, S.A., Sabino, Adao, A., and de Fatima, A., 2011, p-Sulfonic Acid Calixarenes as Efficient and Reusable Organocatalysts for The Synthesis of 3,4-dihydropyrimidin-2(1H)-ones/-thiones, *Tetrahedron Lett.*, 52, 6328–6330.
- Sliwa, W. and Deska, M., 2008, Calixarene Complexes with Soft Metal Ions, *Arkivoc*, 2008, 87–127.
- Srivastava, A. and Prasad, R., 2000, Triglycerides-based Diesel Fuels, *Renew. Sustain. Energy Rev.*, 4, 111–133.
- Talukder, M.M.R., Wu, J.C., Lau, S.K., Cui, L.C., Shimin, G., and Lim, A., 2009, Comparison of Novozym 435 and Amberlyst 15 as Heterogeneous Catalyst for Production of Biodiesel from Palm Fatty Acid Distillate, *Energy and Fuels*, 23, 141–144.
- Tbeur, N., Rhlalou, T., Hlaibi, M., Langevin, D., Metayer, M., and Verchere, J.-F., 2000, Molecular Recognition of Carbohydrates by a Resorcinarene . Selective Transport of Alditols Through a Supported Liquid Membrane, *Carbohydr. Res.*, 329, 409–422.
- Tesser, R., Serio, M. Di, Guida, M., Nastasi, M., and Santacesaria, E., 2005, Kinetics of Oleic Acid Esterification with Methanol in the Presence of Triglycerides, *Ind. Eng. Chem. Res.*, 44, 7978–7982.
- Utomo, S.B., Jumina, J., and Wahyuningsih, T.D., 2010, The Adsorption of Pb(II) and Cr(III) by Polypropylcalix[4]arene Polymer, *Indones. J. Chem.*, 9, 437–444.
- Vasudevan, P.T. and Fu, B., 2010, Environmentally Sustainable Biofuels: Advances in Biodiesel Research, *Waste Biomass Valor*, 1, 47–63.
- Wang, Y., Fang, Z., and Zhang, F., 2019, Esterification of Oleic Acid to Biodiesel Catalyzed by a Highly Acidic Carbonaceous Catalyst, *Catal. Today*, 319, 172–181.
- Ward, E., Smith, R., Branca, J.J. V, Noakes, D., Morucci, G., and Thyer, L., 2014, Clinical experience of Cance Immunotherapy Integrated with Oleic Acid Complexed with de-Glycosylated Vitamin D Binding Protein, *Am. J. Immunol.*, 10, 23–32.
- Weinelt, F. and Schneider, H.J., 1991, Mechanisms of Macrocycle Genesis. The Condensation of Resorcinol with Aldehydes, *J. Org. Chem.*, 56, 5527–5535.

- Yang, W. and Villiers, M.M. De, 2004, Aqueous Solubilization of Furosemide by Supramolecular Complexation with 4-Sulphonic Calix[n]arenes, *J. Pharm. Pharmacol.*, 56, 703–708.
- Yonetake, K., Nakayama, T., and Ueda, M., 2001, New Liquid Crystals Based On Calixarenes, *J. Mater. Chem.*, 1, 761–767.
- Yu, G., Xue, M., Zhang, Z., Li, J., Han, C., and Huang, F., 2012, A Water-Soluble Pillar[6]arene: Synthesis, Host-Guest Chemistry, and Its Application in Dispersion on Multiwalled Carbon Nanotubes in Water, *J. Am. Chem. Soc.*, 134(32), 13248-13251.
- Zhong, Y. and Deng, Q., 2019, Sulfonic Acid Functionalized Hydrophobic Mesoporous Biochar: Design, Preparation and Acid-Catalytic Properties, *Fuel*, 240, 270–277.
- Zhou, Y., Ma, J., Gao, D., Li, W., Shi, J., and Ren, H., 2018, A Novel Chrome-free Tanning Approach Based On Sulfonated Tetraphenyl Calix[4]resorcinarene: Preparation and Application, *J. Clean. Prod.*, 668-677.