

DAFTAR PUSTAKA

- Adam, J., Antonakou, E., Lappas, A., Stöcker, M., Nilsen, M.H., Bouzga, A., Hustad, J.E., and Øye, G., 2006, In Situ Catalytic Upgrading of Biomass Derived Fast Pyrolysis Vapours in a Fixed Bed Reactor Using Mesoporous Materials, *Microporous Mesoporous Mater.*, 96, 93–101.
- Adjaye, J.D. and Bakhshi, N.N., 1995, Catalytic Conversion of a Biomass-Derived Oil to Fuels and Chemicals I: Model Compound Studies and Reaction Pathways, *Biomass and Bioenergy*, 8, 131–149.
- Ahmad, M., Upamali, A., Eun, J., Zhang, M., Bolan, N., Mohan, D., Vithanage, M., Soo, S., and Sik, Y., 2014, Biochar as a Sorbent for Contaminant Management in Soil and Water : A review, *Chemosphere*, 99, 19–33.
- Ahmadpour, A. and Do, D.D., 1997, The Preparation of Activated Carbon From Macadamia Nutshell by Chemical Activation, *Carbon N. Y.*, 35, 1723–1732.
- Ahmadpour, A. and Do, D.D., 1996, The Preparation of Active Carbons From Coal by Chemical and Physical Activation, *Carbon N. Y.*, 34, 471–479.
- Ahmed, M.B., Zhou, J.L., Ngo, H.H., and Guo, W., 2016, Insight into Biochar Properties and Its Cost Analysis, *Biomass and Bioenergy*, 84, 76–86.
- Altintig, E. and Kirkil, S., 2016, Preparation and Properties of Ag-Coated Activated Carbon Nanocomposites Produced from Wild Chestnut Shell by ZnCl₂ Activation, *J. Taiwan Inst. Chem. Eng.*, 63, 180–188.
- Amarasekara, A.S. and Ebede, C.C., 2009, Zinc Chloride Mediated Degradation of Cellulose at 200 °C and Identification of the Products, *Bioresour Technol*, 100, 997–1003.
- Anonim, 2012, Manokwari dalam Angka, Badan Pusat Statistik (BPS) Kabupaten Manokwari.
- Anonim, 2010, Sustainable Production of Second-Generation Biofuels, International Energy Agency (IEA), France.
- Anonim, 1999, T 203 cm-99. Alpha-, Beta- and Gamma-Cellulose in Pulp, The Technical Association of the Pulp and Paper Industry (TAPPI) Press, Canada.
- Artanti, F.W., Trisunaryanti, W., Pongsendana, M., Triyono, Falah, I.I., and Marsuki, M.F., 2018, Catalytic Activity Test of NiMo and MoNi Impregnated

- on Mesoporous Carbon from Bovine Bone Gelatin for Hydrocracking of Lubricant Waste, *Rasayan J. Chem.*, 11, 1433–1440.
- Beis, S.H., Onay, Ö., and Koçkar, Ö.M., 2002, Fixed-Bed Pyrolysis of Safflower Seed: Influence of Pyrolysis Parameters on Product Yields and Compositions, *Renew. Energy*, 26, 21–32.
- Bhomick, P.C., Supong, A., Karmaker, R., Baruah, M., Pongener, C., and Sinha, D., 2019, Activated Carbon Synthesized from Biomass Material Using Single-Step KOH Activation for Adsorption of Fluoride: Experimental and Theoretical Investigation, *Korean J. Chem. Eng.*, 36, 551–562.
- Boehm, H.P., 1994, Some Aspects of the Surface Chemistry of Carbon Blacks and Other Carbons, *Carbon N. Y.*, 32, 759–769.
- Boscagli, C., Raffelt, K., Zevaco, T.A., Olbrich, W., Otto, T.N., Sauer, J., and Grunwaldt, J.D., 2015, Mild Hydrotreatment of The Light Fraction of Fast-Pyrolysis Oil Produced from Straw Over Nickel-Based Catalysts, *Biomass and Bioenergy*, 83, 525–538.
- Bridgwater, A. V, 2003, Renewable Fuels and Chemicals by Thermal Processing of Biomass, *Chem. Eng. J.*, 91, 87–102.
- Bridgwater, A.V., 1994, Catalysis in Thermal Biomass Conversion, *Appl. Catal. A Gen.*, 116, 5–47.
- Cagnon, B., Py, X., Guillot, A., Stoeckli, F., and Chambat, G., 2009, Contributions of Hemicellulose, Cellulose and Lignin to The Mass and The Porous Properties of Chars and Steam Activated Carbons from Various Lignocellulosic Precursors, *Bioresour. Technol.*, 100, 292–298.
- Cardoso, A.R.T., Conrado, N.M., Krause, M.C., Bjerk, T.R., Krause, L.C., and Caramão, E.B., 2019, Chemical Characterization of The Bio-oil Obtained by Catalytic Pyrolysis of Sugarcane Bagasse (Industrial Waste) from The Species *Erianthus Arundinaceus*, *J. Environ. Chem. Eng.*, 7, 102970.
- Carlson, T.R., Vispute, T.P., and Huber, G.W., 2008, Green Gasoline by Catalytic Fast Pyrolysis of Solid Biomass Derived Compounds, *ChemSusChem*, 1, 397–400.
- Carrier, M., Hardie, A.G., Uras, Ü., Görgens, J., and Knoetze, J., 2012, Production

- of Char from Vacuum Pyrolysis of South-African Sugar Cane Bagasse and Its Characterization as Activated Carbon and Biochar, *J. Anal. Appl. Pyrolysis*, 96, 24–32.
- Casoni, A.I., Nievas, M.L., Moyano, E.L., Álvarez, M., Diez, A., Dennehy, M., and Volpe, M.A., 2016, Catalytic Pyrolysis of Cellulose Using MCM-41 Type Catalysts, *Appl. Catal. A Gen.*, 514, 235–240.
- Chen, B., Chen, Z., and Lv, S., 2011, A Novel Magnetic Biochar Efficiently Sorbs Organic Pollutants and Phosphate, *Bioresour. Technol.*, 102, 716–723.
- Chen, D., Holmen, A., Sui, Z., and Zhou, X., 2014, Carbon Mediated Catalysis: A Review on Oxidative Dehydrogenation, *Chinese J. Catal.*, 35, 824–841.
- Chen, L.W.A., Robles, J.A., Chow, J.C., and Hoekman, S.K., 2015, Renewable Hydrogen Production from Bio-oil in an Aerosol Pyrolysis System. In, *Procedia Eng.* Elsevier B.V., Beijing, 19-22 May 2014, pp. 1867–1876.
- Chistyakov, A. V. and Tsodikov, M. V., 2018, Methods for Preparing Carbon Sorbents from Lignin (Review), *Russ. J. Appl. Chem.*, 91, 1090–1105.
- Choi, G.G., Oh, S.J., Lee, S.J., and Kim, J.S., 2015, Production of Bio-Based Phenolic Resin and Activated Carbon from Bio-Oil And Biochar Derived from Fast Pyrolysis of Palm Kernel Shells, *Bioresour. Technol.*, 178, 99–107.
- Danarto, Y.C., Utomo, P.B., and Sasmita, F., 2010, Pirolisis Limbah Serbuk Kayu dengan Katalisator Zeolit. In, *Prosiding Seminar Nasional Teknik Kimia “Kejuangan” Pengembangan Teknologi Kimia untuk Pengolahan Sumber Daya Alam Indonesia.* Yogyakarta, 26 Januari 2010, pp. B091–B096.
- Daouk, E., Van de Steene, L., Paviet, F., Martin, E., Valette, J., and Salvador, S., 2017, Oxidative Pyrolysis of Wood Chips and of Wood Pellets in a Downdraft Continuous Fixed Bed Reactor, *Fuel*, 196, 408–418.
- Demirbas, A., Balubaid, M.A., Basahel, A.M., Ahmad, W., and Sheikh, M.H., 2015, Octane Rating of Gasoline and Octane Booster Additives, *Pet. Sci. Technol.*, 33, 1190–1197.
- Dutra, E.D., Santos, F.A., Alencar, B.R.A., Reis, A.L.S., de Souza, R. de F.R., Aquino, K.A. da S., Morais, M.A., and Menezes, R.S.C., 2018, Alkaline Hydrogen Peroxide Pretreatment of Lignocellulosic Biomass: Status and

- Perspectives, *Biomass Convers. Biorefinery*, 8, 225–234.
- El-Genk, M.S. and Tournier, J.-M.P., 2011, Development and Validation of a Model for The Chemical Kinetics of Graphite Oxidation, *J. Nucl. Mater.*, 411, 193–207.
- Elaiqwu, S.E. and Greenway, G.M., 2016, Microwave-Assisted and Conventional Hydrothermal Carbonization of Lignocellulosic Waste Material: Comparison of The Chemical and Structural Properties of The Hydrochars, *J. Anal. Appl. Pyrolysis*, 118, 1–8.
- Elkasabi, Y., Mullen, C.A., Pighinelli, A.L.M.T., and Boateng, A.A., 2014, Hydrodeoxygenation of Fast-Pyrolysis Bio-Oils from Various Feedstocks Using Carbon-Supported Catalysts, *Fuel Process. Technol.*, 123, 11–18.
- Fanchiang, W.L. and Lin, Y.C., 2012, Catalytic Fast Pyrolysis of Furfural Over H-ZSM-5 and Zn/H-ZSM-5 Catalysts, *Appl. Catal. A Gen.*, 419–420, 102–110.
- Fengel, D.G., Wegener, H., and Sostrohamidjojo, 1993, Kayu, Kimia, Ultrastruktur, dan Reaksi-reaksi, Gadjah Mada University Press, Yogyakarta.
- Foo, K.Y. and Hameed, B.H., 2012, Mesoporous Activated Carbon from Wood Sawdust by K₂CO₃ Activation using Microwave Heating, *Bioresour. Technol.*, 111, 425–432.
- French, R. and Czernik, S., 2010, Catalytic Pyrolysis of Biomass for Biofuels Production, *Fuel Process. Technol.*, 91, 25–32.
- Fu, K., Yue, Q., Gao, B., Sun, Y., Wang, Y., Li, Q., Zhao, P., and Chen, S., 2014, Physicochemical and Adsorptive Properties of Activated Carbons from *Arundo donax* Linn Utilizing Different Iron Salts as Activating Agents, *J. Taiwan Inst. Chem. Eng.*, 45, 3007–3015.
- Funke, A. and Ziegler, F., 2010, Hydrothermal Carbonization of Biomass: A Summary and Discussion of Chemical Mechanisms for Process Engineering, *Biofuels, Bioprod. Biorefining*, 4, 160–177.
- Gao, Y., Yue, Q., Gao, B., Sun, Y., Wang, W., Li, Q., and Wang, Y., 2013, Preparation of High Surface Area-Activated Carbon From Lignin of Papermaking Black Liquor by KOH Activation for Ni(II) Adsorption, *Chem. Eng. J.*, 217, 345–353.

- Gayubo, A.G., Aguayo, A.T., Atutxa, A., Valle, B., and Bilbao, J., 2005, Undesired Components in The Transformation of Biomass Pyrolysis Oil Into Hydrocarbons on an HZSM-5 Zeolite Catalyst, *J. Chem. Technol. Biotechnol.*, 80, 1244–1251.
- Gierer, J., 1997, Formation and Involvement of Superoxide ($O_2^{\bullet-}$ / HO_2^{\bullet}) and Hydroxyl (OH^{\bullet}) Radicals in TCF Bleaching Processes: A Review, *Holzforchung*, 51, 34–46.
- Gierer, J., 1994, On The Significance of The Superoxide Radical ($O_2^{\bullet-}$ / HO_2^{\bullet}) in Oxidative Delignification, Studied with 4-t-Butylsyringol and 4-t-Butylguaiacol. Pt. 1: The Mechanism of Aromatic Ring Opening, *Holzforchung*, 48, 405–414.
- Goertzen, S.L., Thériault, K.D., Oickle, A.M., Tarasuk, A.C., and Andreas, H.A., 2010, Standardization of the Boehm titration. Part I. CO_2 Expulsion and Endpoint Determination, *Carbon N. Y.*, 48, 1252–1261.
- González-García, P., 2017, Activated Carbon From Lignocellulosics Precursors: A Review of The Synthesis Methods, Characterization Techniques and Applications, *Renew. Sustain. Energy Rev.*, 82, 1393–1414.
- Gorelsky, S.I., Basumallick, L., Vura-Weis, J., Sarangi, R., Hodgson, K.O., Hedman, B., Fujisawa, K., and Solomon, E.I., 2005, Spectroscopic and DFT Investigation of $[M\{HB(3,5-^iPr_2pz)_3\}(SC_6F_5)]$ ($M = Mn, Fe, Co, Ni, Cu,$ and Zn) Model Complexes: Periodic Trends in Metal-Thiolate Bonding, *Inorg. Chem.*, 44, 4947–4960.
- Goyal, H.B., Seal, D., and Saxena, R.C., 2008, Bio-fuels From Thermochemical Conversion of Renewable Resources: A Review, *Renew. Sustain. Energy Rev.*, 12, 504–517.
- Grams, J., Niewiadomski, M., Ruppert, A.M., and Kwapiński, W., 2015a, Catalytic Performance of a Ni Catalyst Supported on CeO_2 , ZrO_2 and CeO_2-ZrO_2 in The Upgrading of Cellulose Fast Pyrolysis Vapors, *Comptes Rendus Chim.*, 18, 1223–1228.
- Grams, J., Niewiadomski, M., Ruppert, A.M., and Kwapiński, W., 2015b, Influence of Ni Catalyst Support on The Product Distribution of Cellulose Fast Pyrolysis

- Vapors Upgrading, *J. Anal. Appl. Pyrolysis*, 113, 557–563.
- Guay, D.F., Cole, B.J.W., Fort, R.C., Hausman, M.C., Genco, J.M., Elder, T.J., and Overly, K.R., 2001, Mechanisms of Oxidative Degradation of Carbohydrates During Oxygen Delignification. II. Reaction of Photochemically Generated Hydroxyl Radicals with Methyl β -Cellobioside, *J. Wood Chem. Technol.*, 21, 67–79.
- Haldar, R., Reddy, S.K., Suresh, V.M., Mohapatra, S., Balasubramanian, S., and Maji, T.K., 2014, Flexible and Rigid Amine-Functionalized Microporous Frameworks Based on Different Secondary Building Units: Supramolecular Isomerism, Selective CO₂ Capture, and Catalysis, *Chem. - A Eur. J.*, 20, 4347–4356.
- Han, Z., Zhou, F., Liu, Y., Qiao, K., Ma, H., Yu, L., and Wu, G., 2019, Synthesis of Gallium-Containing ZSM-5 Zeolites by The Seed-Induced Method and Catalytic Performance of GaZSM-5 and AlZSM-5 During The Conversion of Methanol to Olefins, *J. Taiwan Inst. Chem. Eng.*, 103, 149–159.
- Hausman, M., 1999, A Mechanistic Study of the Degradation of Lignin Model Compounds With Oxygen Species, Ph.D. Thesis, University of Maine.
- Hayashi, J., Kazehaya, A., Muroyama, K., and Watkinson, A.P., 2000, Preparation of Activated Carbon From Lignin by Chemical Activation, *Carbon N. Y.*, 38, 1873–1878.
- Hidayat, A., Rochmadi, Wijaya, K., Nurdiawati, A., Kurniawan, W., Hinode, H., Yoshikawa, K., and Budiman, A., 2015, Esterification of Palm Fatty Acid Distillate with High Amount of Free Fatty Acids Using Coconut Shell Char Based Catalyst, *Energy Procedia*, 75, 969–974.
- Hoekman, S.K., Broch, A., and Robbins, C., 2011, Hydrothermal Carbonization (HTC) of Lignocellulosic Biomass, *Energy & Fuels*, 25, 1802–1810.
- Hou, G., Xue, G., Yue, L., and Zhang, Q., 2015, Preparation and Activation Mechanism of Rice Husk Based Mesoporous Carbon, *Asian J. Chem.*, 27, 4285–4287.
- Hu, B., Wang, K., Wu, L., Yu, S.-H., Antonietti, M., and Titirici, M.-M., 2010, Engineering Carbon Materials from the Hydrothermal Carbonization Process

- of Biomass, *Adv. Mater.*, 22, 813–828.
- Huang, C.C., Li, H.S., and Chen, C.H., 2008, Effect of Surface Acidic Oxides of Activated Carbon on Adsorption of Ammonia, *J. Hazard. Mater.*, 159, 523–527.
- Iliopoulou, E.F., Stefanidis, S.D., Kalogiannis, K.G., Delimitis, A., Lappas, A.A., and Triantafyllidis, K.S., 2012, Catalytic Upgrading of Biomass Pyrolysis Vapors Using Transition Metal-Modified ZSM-5 Zeolite, *Appl. Catal. B Environ.*, 127, 281–290.
- Inyang, M.I., Gao, B., Yao, Y., Xue, Y., Zimmerman, A., Mosa, A., Pullammanappallil, P., Ok, Y.S., Cao, X., Inyang, M.I., Gao, B., Yao, Y., Xue, Y., and Zimmerman, A., 2016, Technology A Review of Biochar as a Low-Cost Adsorbent for Aqueous Heavy Metal Removal, *Crit. Rev. Environ. Sci. Technol.*, 46, 406–433.
- Jain, A., Balasubramanian, R., and Srinivasan, M.P., 2016, Hydrothermal Conversion of Biomass Waste to Activated Carbon with High Porosity: A Review, *Chem. Eng. J.*, 283, 789–805.
- Jain, A., Balasubramanian, R., and Srinivasan, M.P., 2015, Production of High Surface Area Mesoporous Activated Carbons from Waste Biomass Using Hydrogen Peroxide-Mediated Hydrothermal Treatment for Adsorption Applications, *Chem. Eng. J.*, 273, 622–629.
- Jain, A., Jayaraman, S., Balasubramanian, R., and Srinivasan, M.P., 2014, Hydrothermal Pre-Treatment for Mesoporous Carbon Synthesis: Enhancement of Chemical Activation, *J. Mater. Chem. A*, 2, 520–528.
- Kaewpengkrow, P., Atong, D., and Sricharoenchaikul, V., 2017, Selective Catalytic Fast Pyrolysis of *Jatropha curcas* Residue With Metal Oxide Impregnated Activated Carbon for Upgrading Bio-Oil, *Int. J. Hydrogen Energy*, 42, 18397–18409.
- Kalderis, D., Bethanis, S., Paraskeva, P., and Diamadopoulos, E., 2008, Production of Activated Carbon From Bagasse and Rice Husk by a Single-Stage Chemical Activation Method at Low Retention Times, *Bioresour. Technol.*, 99, 6809–6816.

- Kalinke, C., Oliveira, P.R., Oliveira, G.A., Mangrich, A.S., Marcolino-Junior, L.H., and Bergamini, M.F., 2017, Activated biochar: Preparation, Characterization and Electroanalytical Application in an Alternative Strategy of Nickel Determination, *Anal. Chim. Acta*, 983, 103–111.
- Kambo, H.S. and Dutta, A., 2015, A Comparative Review of Biochar and Hydrochar in Terms of Production, Physico-Chemical Properties and Applications, *Renew. Sustain. Energy Rev.*, 45, 359–378.
- Kaneko, K., 1994, Determination of Pore Size and Pore Size Distribution, *J. Memb. Sci.*, 96, 59–89.
- Khezami, L., Chetouani, A., Taouk, B., and Capart, R., 2005, Production and Characterisation of Activated Carbon From Wood Components in Powder: Cellulose, Lignin, Xylan, *Powder Technol.*, 157, 48–56.
- Kumar, A. and Mohan Jena, H., 2015, High Surface Area Microporous Activated Carbons Prepared From Fox Nut (*Euryale ferox*) Shell by Zinc Chloride Activation, *Appl. Surf. Sci.*, 356, 753–761.
- Lee, O.K., 2002, Mechanistic Studies of The Oxidation of Lignin and Cellulose Models, Ph.D. Thesis, University of Maine.
- Li, H., Dong, X., da Silva, E.B., de Oliveira, L.M., Chen, Y., and Ma, L.Q., 2017, Mechanisms of Metal Sorption by Biochars: Biochar Characteristics and Modifications, *Chemosphere*, 178, 466–478.
- Li, W., Yang, K., Peng, J., Zhang, L., Guo, S., and Xia, H., 2008, Effects of Carbonization Temperatures on Characteristics of Porosity in Coconut Shell Chars and Activated Carbons Derived From Carbonized Coconut Shell Chars, *Ind. Crops Prod.*, 28, 190–198.
- Liakakou, E.T., Heracleous, E., Triantafyllidis, K.S., and Lemonidou, A.A., 2015, K-Promoted NiMo Catalysts Supported on Activated Carbon for The Hydrogenation Reaction of CO to Higher Alcohols: Effect of Support and Active Metal, *Appl. Catal. B Environ.*, 165, 296–305.
- Lin, T., Goos, E., and Riedel, U., 2013, A sectional approach for biomass: Modelling the pyrolysis of cellulose, *Fuel Process. Technol.*, 115, 246–253.
- Liou, T.-H., 2010, Development of Mesoporous Structure and High Adsorption

- Capacity of Biomass-Based Activated Carbon by Phosphoric Acid and Zinc Chloride Activation, *Chem. Eng. J.*, 158, 129–142.
- Long, Y., Yu, Y., Chua, Y.W., and Wu, H., 2017, Acid-Catalysed Cellulose Pyrolysis at Low Temperatures, *Fuel*, 193, 460–466.
- Lowell, S., Shields, J.E., Thomas, M.A., and Thommes, M., 2004, Characterization of Porous Solids and Powders: Surface Area, Pore Size, and Density, Springer Science Business Media, LLC, New York.
- Lu, Q., Xiong, W.M., Li, W.Z., Guo, Q.X., and Zhu, X.F., 2009, Catalytic Pyrolysis of Cellulose with Sulfated Metal Oxides: A Promising Method for Obtaining High Yield of Light Furan Compounds, *Bioresour. Technol.*, 100, 4871–4876.
- Lu, Q., Zhang, Z.F., Dong, C.Q., and Zhu, X.F., 2010, Catalytic Upgrading of Biomass Fast Pyrolysis Vapors with Nano Metal Oxides: An Analytical Py-GC/MS Study, *Energies*, 3, 1805–1820.
- Lua, A.C., Lau, F.Y., and Guo, J., 2006, Influence of Pyrolysis Conditions on Pore Development of Oil-Palm-Shell Activated Carbons, *J. Anal. Appl. Pyrolysis*, 76, 96–102.
- Lua, A.C. and Yang, T., 2005, Characteristics of Activated Carbon Prepared from Pistachio-Nut Shell by Zinc Chloride Activation Under Nitrogen and Vacuum Conditions, *J. Colloid Interface Sci.*, 290, 505–513.
- Ma, Z., Zhang, H., Yang, Z., Zhang, Y., Yu, B., and Liu, Z., 2014, Highly Mesoporous Carbons Derived from Biomass Feedstocks Templated with Eutectic Salt $ZnCl_2/KCl$, *J. Mater. Chem. A*, 2, 19324–19329.
- Mahfudz, 2013, Penelitian Pemuliaan Jenis Merbau (*Intsia bijuga*). Laporan Hasil Penelitian Populasi Pemuliaan Jenis Kayu Pertuklangan Daur Panjang Tahun 2013, Balai Besar Litbang Bioteknologi dan Pemuliaan Tanaman Hutan, Yogyakarta.
- Mahfudz and Suripatty, 2004, Merbau (*Intsia spp.*) Jenis Potensial untuk Hutan Tanaman, *Inf. Tek.*, 2, 21–30.
- Marsuki, M.F., Trisunaryanti, W., Falah, I.I., and Wijaya, K., 2018, Synthesis of Co, Mo, Co-Mo and Mo-Co catalysts, Supported on Mesoporous Silica-Alumina for Hydrocracking of α -Cellulose Pyrolysis Oil, *Orient. J. Chem.*, 34,

955–962.

- Martawijaya, A., I. Kartasujana, Mandang, Y.I., Prawira, S.A., and Kadir., K., 2005, Atlas Kayu Jilid II, 3rd Ed. Departemen Kehutanan. Pusat Penelitian dan Pengembangan Hasil Hutan, Bogor.
- Mohan, D., Sarswat, A., Ok, Y.S., and Pittman, C.U., 2014, Organic and Inorganic Contaminants Removal from Water with Biochar, a Renewable, Low Cost and Sustainable Adsorbent – A critical review, *Bioresour. Technol.*, 160, 191–202.
- Moller, M., Nilges, P., Harnisch, F., and Schröder, U., 2011, Subcritical Water as Reaction Environment: Fundamentals of Hydrothermal Biomass Transformation, *ChemSusChem*, 4, 566–579.
- Mortensen, P.M., Grunwaldt, J.D., Jensen, P.A., Knudsen, K.G., and Jensen, A.D., 2011, A review of Catalytic Upgrading of Bio-Oil to Engine Fuels, *Appl. Catal. A Gen.*, 407, 1–19.
- Mortensen, P.M., Grunwaldt, J.D., Jensen, P.A., Knudsen, K.G., and Jensen, A.D., 2011, A Review of Catalytic Upgrading of Bio-Oil to Engine Fuels, *Appl. Catal. A Gen.*, 407, 1–19.
- Müller-Hagedorn, M., Bockhorn, H., Krebs, L., and Müller, U., 2003, A comparative Kinetic Study on The Pyrolysis of Three Different Wood Species, *J. Anal. Appl. Pyrolysis*, 68–69, 231–249.
- Murata, K., Kreethawate, L., Larpkittaworn, S., and Inaba, M., 2016, Evaluation of Ni-Based Catalysts for The Catalytic Fast Pyrolysis of Jatropha Residues, *J. Anal. Appl. Pyrolysis*, 118, 308–316.
- Murata, K., Sricharoenchaikul, V., Liu, Y., Inaba, M., and Takahara, I., 2013, Effect of Metal-Modified Carbon Catalysts on Fast Pyrolysis of Jatropha Waste, *J. Japan Pet. Inst.*, 56, 371–380.
- Nartey, O.D. and Zhao, B., 2014, and Its Effect on Bioavailability of Contaminants : An Overview, *Adv. Mater. Sci. Eng.*, 2014, 1–12.
- Nasikin, M. and Susanto, B.H., 2010, Katalis Heterogen, Edisi Pert. UI-Press, Jakarta.
- Nazarudin, Muis, L., Trisunaryanti, W., and Triyono, 2007, Optimasi dengan Response Surface Methodology pada Kondisi Reaksi Perengkahan Crude

- Palm Oil (CPO) Menggunakan Katalis Cr-Carbon, *J. Sains MIPA*, 13, 127–133.
- Nieva Lobos, M.L., Sieben, J.M., Comignani, V., Duarte, M., Volpe, M.A., and Moyano, E.L., 2016, Biochar From Pyrolysis of Cellulose: An Alternative Catalyst Support for The Electro-Oxidation of Methanol, *Int. J. Hydrogen Energy*, 41, 10695–10706.
- Nieva, M.L., Volpe, M.A., and Moyano, E.L., 2015, Catalytic and Catalytic Free Process for Cellulose Conversion: Fast Pyrolysis and Microwave Induced Pyrolysis Studies, *Cellulose*, 22, 215–228.
- Njoku, V.O., Foo, K.Y., Asif, M., and Hameed, B.H., 2014, Preparation of Activated Carbons from Rambutan (*Nephelium lappaceum*) Peel by Microwave-Induced KOH Activation for Acid Yellow 17 dye Adsorption, *Chem. Eng. J.*, 250, 198–204.
- Oghbaei, M. and Mirzaee, O., 2010, Microwave Versus Conventional Sintering: A Review of Fundamentals, Advantages and Applications, *J. Alloys Compd.*, 494, 175–189.
- Onay, O. and Koçkar, O.M., 2004, Fixed-Bed Pyrolysis of Rapeseed (*Brassica napus L.*), *Biomass and Bioenergy*, 26, 289–299.
- Özbay, N., Pütün, A.E., Uzun, B.B., and Pütün, E., 2001, Biocrude from Biomass: Pyrolysis of Cottonseed Cake, *Renew. Energy*, 24, 615–625.
- Park, J., Kim, H., Han, S.S., and Jung, Y., 2012, Tuning Metal-Organic Frameworks with Open-Metal Sites and Its Origin for Enhancing CO₂ Affinity by Metal Substitution, *J. Phys. Chem. Lett.*, 3, 826–829.
- Pattiya, A., Titiloye, J.O., and Bridgwater, A. V., 2008, Fast Pyrolysis of Cassava Rhizome in The Presence of Catalysts, *J. Anal. Appl. Pyrolysis*, 81, 72–79.
- Persson, H., Duman, I., Wang, S., Pettersson, L.J., and Yang, W., 2019, Catalytic Pyrolysis Over Transition Metal-Modified Zeolites: A Comparative Study Between Catalyst Activity and Deactivation, *J. Anal. Appl. Pyrolysis*, 138, 54–61.
- Pham-Huu, C., Bouchy, C., Dintzer, T., Ehret, G., Estournes, C., and Ledoux, M.J., 1999, High surface Area Silicon Carbide Doped with Zirconium for Use as

- Catalyst Support. Preparation, Characterization and Catalytic Application, *Appl. Catal. A Gen.*, 180, 385–397.
- Qian, K., Kumar, A., Patil, K., Bellmer, D., Wang, D., Yuan, W., and Huhnke, R.L., 2013, Effects of Biomass Feedstocks and Gasification Conditions on The Physiochemical Properties of Char, *Energies*, 6, 3972–3986.
- Qian, K., Kumar, A., Zhang, H., Bellmer, D., and Huhnke, R., 2015, Recent Advances in Utilization of Biochar, *Renew. Sustain. Energy Rev.*, 42, 1055–1064.
- Qiang, L., Wen-zhi, L., Dong, Z., and Xi-feng, Z., 2009, Analytical Pyrolysis–Gas Chromatography/Mass Spectrometry (Py–GC/MS) of Sawdust with Al/SBA-15 catalysts, *J. Anal. Appl. Pyrolysis*, 84, 131–138.
- Qiram, I., Widhiyanuriyawan, D., and Wijayanti, W., 2015, Pengaruh Variasi Temperatur Terhadap Kuantitas Char Hasil Pirolisis Serbuk Kayu Mahoni (*Switenia macrophylata*) pada Rotary Kiln, *J. Rekayasa Mesin*, 6, 39–44.
- Robinson, P.R., 2011, Hydroconversion Processes and Technology for Clean Fuel and Chemical Production, Elsevier.
- Ruddy, D.A., Schaidle, J.A., Ferrell III, J.R., Wang, J., Moens, L., and Hensley, J.E., 2014, Recent Advances in Heterogeneous Catalysts for Bio-Oil Upgrading Via “Ex Situ Catalytic Fast Pyrolysis”: Catalyst Development Through The Study of model Compounds, *Green Chem.*, 16, 454–490.
- Saputra, E., Bahri, S., and Edward, H., 2009, Bio-Oil dari Limbah Padat Sawit, *J. Rekayasa Kim. dan Lingkungan.*, 6, 45–49.
- Satsuma, A., Hattori, A., Mizutani, K., Furuta, A., Miyamoto, A., Hattori, T., and Murakami, Y., 1988, Surface active sites of vanadium pentoxide-tungsten trioxide catalysts, *J. Phys. Chem.*, 92, 6052–6058.
- Schönherr, J., Buchheim, J., Scholz, P., and Adelhelm, P., 2018, Boehm Titration Revisited (Part II): A Comparison of Boehm Titration with Other Analytical Techniques on The Quantification of Oxygen-Containing Surface Groups for a Variety of Carbon Materials, *J. Carbon Res.*, 4, 22.
- Sevilla, M. and Fuertes, A.B., 2009, Chemical and Structural Properties of Carbonaceous Products Obtained by Hydrothermal Carbonization of

- Saccharides, *Chem. - A Eur. J.*, 15, 4195–4203.
- Sevilla, M., Maciá-Agulló, J.A., and Fuertes, A.B., 2011, Hydrothermal Carbonization of Biomass as a Route for The Sequestration of CO₂: Chemical and Structural Properties of The Carbonized Products, *Biomass and Bioenergy*, 35, 3152–3159.
- Shang, H., Lu, Y., Zhao, F., Chao, C., Zhang, B., and Zhang, H., 2015, Preparing High Surface Area Porous Carbon From Biomass by Carbonization in a Molten Salt Medium, *RSC Adv.*, 5, 75728–75734.
- Sheth, P.N. and Babu, B.V., 2006, Kinetic Modelling of the Pyrolysis of Biomass, *Proc. Natl. Conf. Environ. Conserv.*, 453–458.
- Sie, S.T., 1992, Acid-Catalyzed Cracking of Paraffinic Hydrocarbons. 1. Discussion of Existing Mechanisms and Proposal of a New Mechanism, *Ind. Eng. Chem. Res.*, 31, 1881–1889.
- Sie, S.T., 1993, Acid-Catalyzed Cracking of Paraffinic Hydrocarbons. 3. Evidence for The Protonated Cyclopropane Mechanism From Hydrocracking/Hydroisomerization Experiments, *Ind. Eng. Chem. Res.*, 32, 403–408.
- Sieliechi, J.M. and Thue, P.S., 2015, Removal of Paraquat from Drinking Water by Activated Carbon Prepared from Waste Wood, *Desalin. Water Treat.*, 55, 986–998.
- Singh, G., Lakhi, K.S., Kim, I.Y., Kim, S., Srivastava, P., Naidu, R., and Vinu, A., 2017, Highly Efficient Method for The Synthesis of Activated Mesoporous Biocarbons with Extremely High Surface Area for High-Pressure CO₂ Adsorption, *ACS Appl. Mater. Interfaces*, 9, 29782–29793.
- Sjostrom, E., 1993, *Wood Chemistry*, 2nd ed. Academic Press Inc., Orlando, USA.
- Sohn, J.R. and Lee, S.H., 2004, Acidic Properties of nickel Sulfate Supported on TiO₂-ZrO₂ and Catalytic Activity for Acid Catalysis, *Appl. Catal. A Gen.*, 266, 89–97.
- Song-lin, Z.U.O., Shang-yu, G.A.O., Xi-gen, Y., and Bo-sen, X.U., 2003, Carbonization Mechanism of Bamboo (*Phyllostachys*) by Means of Fourier Transform Infrared and Elemental Analysis, *J. For. Res.*, 14, 75–79.

- Speight, J.G., 2015, Handbook of Petroleum Product Analysis, 2nd ed. Vitha, M.F. (ed) John Wiley & Sons, Ltd, New Jersey.
- Stefanidis, S.D., Kalogiannis, K.G., Iliopoulou, E.F., Lappas, A.A., and Pilavachi, P.A., 2011, In-situ Upgrading of biomass pyrolysis vapors: Catalyst Screening on a Fixed Bed Reactor, *Bioresour. Technol.*, 102, 8261–8267.
- Suchamalawong, P., Pengnarapat, S., Reubroycharoen, P., and Vitidsant, T., 2019, Biofuel Preparation from Waste Chicken Fat Using Coal Fly Ash as a Catalyst: Optimization and Kinetics Study in a Batch Reactor, *J. Environ. Chem. Eng.*, 7, 103155.
- Sukadaryati, Dulsalam, and Rachman, O., 2005, Potency and Harvesting Cost of Wastes from Mangium-Stand Felling as Raw Material for Wood Chip, *J. Penelit.*, 23, 327–337.
- Sumada, K., Erka, P.T., and Alqani, F., 2011, Isolation Study of Efficient A - Cellulose From Waste Plant Stem Manihot Esculenta Crantz, *J. Tek. Kim.*, 5, 434–438.
- Tan, X., Liu, Y., Zeng, G., Wang, X., Hu, X., and Gu, Y., 2015, Application of Biochar for the Removal of Pollutants from Aqueous Solutions, *Chemosphere*, 125, 70–85.
- Thue, P.S., Lima, E.C., Sieliechi, J.M., Saucier, C., Dias, S.L.P., Vagheti, J.C.P., Rodembusch, F.S., and Pavan, F.A., 2017, Effects of First-Row Transition Metals and Impregnation Ratios on The Physicochemical Properties of Microwave-Assisted Activated Carbons from Wood Biomass, *J. Colloid Interface Sci.*, 486, 163–175.
- Trisunaryanti, W., Falah, I.I., and Susanto, H., 2016, Synthesis of Mesoporous Silica Using Gelatin as a Template and Cr/Silica Catalyst for Hydrocracking of Waste Lubricant Oil, *Int. J. ChemTech Res.*, 9, 388–397.
- Trisunaryanti, W., Suarsih, E., Triyono, and Falah, I.I., 2019, Well-Dispersed Nickel Nanoparticles on The External and Internal Surfaces of SBA-15 for Hydrocracking of Pyrolyzed α -Cellulose, *RSC Adv.*, 9, 1230–1237.
- Tschansky, L. and Graber, E.R., 2014, Methodological Limitations to Determining Acidic Groups at Biochar Surfaces Via The Boehm Titration, *Carbon N. Y.*,

66, 730–733.

- Viswanathan, B., Neel, P., and Varadarajan, T., 2009, *Methods of Activation and Specific Applications of Carbon Materials*, Chennai, India.
- Walker, J.C.F., 1993, Primary Wood Processing, Principles and Practice,. In, Walker, J.C.F. (ed), *Dimensional Instability of Timbers*. Chapman & Hall, London, p. 114.
- Wang, K., Kim, K.H., and Brown, R.C., 2014, Catalytic Pyrolysis of Individual Components of Lignocellulosic Biomass, *Green Chem.*, 16, 727–735.
- Wang, T., Tan, S., and Liang, C., 2009, Preparation and Characterization of Activated Carbon from Wood Via Microwave-Induced ZnCl₂ Activation, *Carbon N. Y.*, 47, 1880–1883.
- Wildschut, J., Mahfud, F.H., Venderbosch, R.H., and Heeres, H.J., 2009, Hydrotreatment of Fast Pyrolysis Oil Using Heterogeneous Noble-Metal Catalysts, *Ind. Eng. Chem. Res.*, 48, 10324–10334.
- Wilk, M. and Magdziarz, A., 2017, Hydrothermal Carbonization, Torrefaction and Slow Pyrolysis of *Miscanthus giganteus*, *Energy*, 140, 1292–1304.
- Williams, P.T. and Besler, S., 1996, The Influence of Temperature and Heating Rate on The Slow Pyrolysis of Biomass, *Renew. Energy*, 1481, 6–7.
- Xiao, K., Bao, Z., Qi, X., Wang, X., Zhong, L., Fang, K., Lin, M., and Sun, Y., 2013, Advances in Bifunctional Catalysis For Higher Alcohol Synthesis from Syngas, *Chinese J. Catal.*, 34, 116–129.
- Xiao, L.P., Shi, Z.J., Xu, F., and Sun, R.C., 2012, Hydrothermal Carbonization of Lignocellulosic Biomass, *Bioresour. Technol.*, 118, 619–623.
- Xie, L., Gao, Q., Wu, C., and Hu, J., 2005, Rapid Hydrothermal Synthesis of Bimetal Cobalt Nickel Phosphate Molecular Sieve CoVSB-1 and Its Ammonia Gas Adsorption Property, *Microporous Mesoporous Mater.*, 86, 323–328.
- Xie, T., Reddy, K.R., Wang, C., Yargicoglu, E., and Spokas, K., 2015, Characteristics and Applications of Biochar for Environmental Remediation: A Review, *Crit. Rev. Environ. Sci. Technol.*, 45, 939–969.
- Yan, Q., Wan, C., Liu, J., Gao, J., Yu, F., Zhang, J., and Cai, Z., 2013, Iron Nanoparticles In Situ Encapsulated in Biochar-Based Carbon as an Effective

- Catalyst for The Conversion of Biomass-Derived Syngas to Liquid Hydrocarbons, *Green Chem.*, 15, 1631.
- Yigezu, D.Z. and Muthukumar, K., 2015, Structural Characteristics of Selected Metal Oxides Used For The Catalytic Pyrolysis of Sunflower Oil, *J. Anal. Appl. Pyrolysis*, 114, 60–67.
- Yin, F., Blumenfeld, A.L., Gruver, V., and Fripiat, J.J., 1997, NH₃ as a Probe Molecule for NMR and IR Study of Zeolite Catalyst Acidity, *J. Phys. Chem. B*, 101, 1824–1830.
- Zeridouh, A. and Belkbir, L., 1995, Thermal Decomposition of a Moroccan Wood Under a Nitrogen Atmosphere, *Thermochim. Acta*, 258, 243–248.
- Zeronian, S.H. and Inglesby, M.K., 1995, Bleaching of Cellulose by Hydrogen Peroxide, *Cellulose*, 2, 265–272.
- Zheng, N., Zhang, J., and Wang, J., 2017, Parametric Study of Two-Stage Hydrolysis of Lignocellulosic Biomass for Production of Gaseous and Light Aromatic Hydrocarbons, *Bioresour. Technol.*, 244, 142–150.
- Zheng, Y., Wang, F., Yang, X., Huang, Y., Liu, C., Zheng, Z., and Gu, J., 2017, Study on Aromatics Production via The Catalytic Pyrolysis Vapor Upgrading of Biomass Using Metal-Loaded Modified H-ZSM-5, *J. Anal. Appl. Pyrolysis*, 126, 169–179.
- Zhou, M., Xiao, G., Wang, K., and Jiang, J., 2016, Catalytic Conversion of Aqueous Fraction of Bio-Oil to Alcohols over CNT-Supported Catalysts, *Fuel*, 180, 749–758.