

DAFTAR PUSTAKA

- Abdolmohammad-Zadeh, H., Jouyban, Abolghasem, and Amini, R., 2013, Ultratrace determination of arsenic in water samples by electrothermal atomic absorption spectrometry after pre-concentration with Mg – Al – Fe ternary layered double hydroxide nano-sorbent, *Talanta*, 116, 604–610.
- Abdolmohammad-Zadeh, H., Jouyban, Abulghasem, Amini, R., and Golamhossein, S., 2013, Nickel-aluminum layered double hydroxide as a nano-sorbent for the solid phase extraction of selenium, and its determination by continuous flow HG-AAS,
- Abdolmohammad-Zadeh, H. and Kohansal, S., 2012, Determination of mesalamine by spectrofluorometry in human serum after solid-phase extraction with Ni-Al layered *Microchim. Acta*, 180, 619–626. double hydroxide as a nanosorbent, *J. Braz. Chem. Soc.*, 23, 473–481.
- Abdolmohammad-Zadeh, H., Kohansal, S., and Sadeghi, G.H., 2011, Nickel – aluminum layered double hydroxide as a nanosorbent for selective solid-phase extraction and spectrofluorometric determination of salicylic acid in pharmaceutical and biological samples, *Talanta*, 84, 368–373.
- Abdolmohammad-Zadeh, H., Morshedzadeh, F., and Rahimpour, E., 2014, Trace analysis of mefenamic acid in human serum and pharmaceutical wastewater samples after pre-concentration with Ni-Al layered double hydroxide nano-particles, *J. Pharm. Anal.*, 4, 331–338.
- Aguzzi, A., Ambrogi, V., Costantino, U., and Marmottini, F., 2007, Intercalation of acrylate anions into the galleries of Zn – Al layered double hydroxide, *J. Phys. Chem. Solids*, 68, 808–812.
- Akalin, H.A., Hiçsönmez, Ü., and Yilmaz, H., 2018, Removal of cesium from aqueous solution by adsorption onto sivas-yildizeli (Türkiye) vermiculite: Equilibrium, kinetic and thermodynamic studies, *J. Turkish Chem. Soc. Sect. A Chem.*, 5, 85–116.
- Alcantara, A.C.S., Aranda, P., Darder, M., and Ruiz-Hitzky, E., 2010, Bionanocomposites based on alginate–zein/layered double hydroxide materials as drug delivery systems, *J. Mater. Chem.*, 20, 9495–9504.
- Andrade-Eiroa, A., Canle, M., Leroy-Cancellieri, V., and Cerdà, V., 2016, Solid-phase extraction of organic compounds: A critical review. part ii, *TrAC - Trends Anal. Chem.*, 80, 655–667.
- Ardhayanti, L.I. and Santosa, S.J., 2016, Synthesis of Magnetite-Mg / Al Hydrotalcite and Its Application as Adsorbent for Navy Blue and Yellow F3G Dyes, *Procedia Eng.*, 148, 1380–1387.
- Barahuie, F., Hussein, M.Z., Fakurazi, S., and Zainal, Z., 2014, Development of drug delivery systems based on layered hydroxides for nanomedicine, *Int. J. Mol. Sci.*, 15, 7750–7786.
- Beg, S., Kohli, K., Swain, S., and Hasnain, M.S., 2012, Development and validation of rp-hplc method for quantitation of amoxicillin trihydrate in bulk and pharmaceutical formulations using box-behnken experimental design, *J. Liq. Chromatogr. Relat. Technol.*, 35, 393–

- Bejoy, N., 2001, Hydrotalcite : The clay that cures, *Resonance*, 57–61.
- Bini, M., Monteforte, F., Quinzeni, I., Friuli, V., Maggi, L., and Bruni, G., 2019, Hybrid compounds for improving drugs solubility: Synthesis, physico-chemical and pharmaceutical characterization of Nimesulide-LDH, *J. Solid State Chem.*, 272, 131–137.
- Bontchev, R.P., Liu, S., Krumhansl, J.L., Voigt, J., and Nenoff, T.M., 2003, Synthesis, characterization, and ion exchange properties of hydrotalcite $Mg_6Al_2(OH)_{16}(A)_x(A')_{2-x} \cdot 4H_2O$ ($A, A' = Cl^-, Br^-, I^-$, and NO_3^- , $2 \geq x \geq 0$) derivatives, *Chem. Mater.*, 15, 3669–3675.
- Brady, J.P., 2011, An examination of the Applicability of Hydrotalcite for Removing Oxalate Anions from Bayer Process Solutions,.
- Braterman, P.S., Xu, Z.P., and Yarberr, F., 2004, Handbook of Layered Materials, First edit. Marcel Dekker, Inc, New York.
- Brown, K.D., Kulis, J., Thomson, B., Chapman, T.H., and Mawhinney, D.B., 2006, Occurrence of antibiotics in hospital, residential, and dairy effluent, municipal wastewater, and the Rio Grande in New Mexico, *Sci. Total Environ.*, 366, 772–783.
- Cai, P., Zheng, H., Wang, C., Ma, H., Hu, J., Pu, Y., and Liang, P., 2012, Competitive adsorption characteristics of fluoride and phosphate on calcined Mg – Al – CO₃ layered double hydroxides, *J. Hazard. Mater.*, 213–214, 100–108.
- Cavani, F., Trifiro, F., and Vaccari, A., 1991, Hydrotalcite-type anionic clays: preparation, properties, and applications, *Catal. Today*, 11, 173–301.
- Chakraborty, J., Chakraborty, M., Ghosh, S., and Mitra, M.K., 2013, Drug delivery using nanosized layered double hydroxide, an anionic clay, *Key Eng. Mater.*, 571, 133–167.
- Chandra, R., Kumar, D., and Kumar, M., 2016, Quantitative determination of amoxicillin from formulated dosage form by reversed phase high performance liquid chromatography separation technique and a new method validation, *Asian J. Pharm. Clin. Res.*, 9, 308–311.
- Chao, Y.F., Chen, P.C., and Wang, S.L., 2008, Adsorption of 2,4-D on Mg/Al-NO₃ layered double hydroxides with varying layer charge density, *Appl. Clay Sci.*, 40, 193–200.
- Chen, C., Li, J., Chen, P., Ding, R., Zhang, P., and Li, X., 2014, Occurrence of antibiotics and antibiotic resistances in soils from wastewater irrigation areas in Beijing and Tianjin, China, *Environ. Pollut.*, 193, 94–101.
- Costantino, U., Nocchetti, M., Sisani, M., and Vivani, R., 2009, Recent progress in the synthesis and application of organically modified hydrotalcites, *Zeitschrift für Krist.*, 224, 273–281.
- Costantino, U., Vivani, R., Bastianini, M., Costantino, F., and Nocchetti, M., 2014, layered double hydroxides towards halide anions, *Dalt. Trans.*, 43, 11587–11596.
- Dang, S., Yan, D., and Lu, J., 2012, 8-Hydroxypyrene-1,3,6-trisulphonate and octanesulphonate co-assembled layered double hydroxide and its controllable solid-state

- luminescence by hydrothermal synthesis, *J. Solid State Chem.*, 185, 219–224.
- Dhoka, M. V, Gawande, V.T., and Joshi, P.P., 2010, HPTLC Determination of Amoxicillin Trihydrate and Bromhexine Hydrochloride in Oral Solid Dosage Forms, *J. Pharm. Sci. Res.*, 2, 477–483.
- Djebbi, M.A., Bouaziz, Z., Elabed, A., Sadiki, M., Elabed, S., Namour, P., Jaffrezic-Renault, N., and Amara, A.B.H., 2016, Preparation and optimization of a drug delivery system based on berberine chloride-immobilized MgAl hydroxalcite, *Int. J. Pharm.*, 506, 438–448.
- Dwiasi, D.W., Mudasir, M., and Roto, R., 2019, Ion Exchange of Benzoate in Ni-Al-Benzoate Layered Double Hydroxide by Amoxicillin, *Open Chem.*, 17, 1043–1049.
- ECETOC, 2014, Technical report 123 Freundlich isotherms, *Eur. Cent. Ecotoxicol. Toxicol. Chem. Brussels, Belgium*, 22.
- Eissa, M.S., Darweish, E., Elghobashy, M.R., and Shehata, M.A., 2016, UV Spectrophotometric methods for the simultaneous determination of amoxicillin and flucloxacillin, *Az. J. Pharm Sci*, 54, 174–187.
- Fahmiati, 2018, Pelapisan silika-propildietiltriamin pada material magnetik pasir besi untuk adsorpsi Au(III),.
- Fouladgar, M., Hadjmohammadi, M.R., and Khalilzadeh, M.A., 2011, Voltammetric Determination of Amoxicillin at the Electrochemical Sensor Ferrocenedicarboxylic Acid Multi Wall Carbon Nanotubes Paste Electrode, *Int. J. Electrochem. Sci.*, 6, 1355–1366.
- Gerds, N., Katiyar, V., Koch, C.B., Risbo, J., Plackett, D., and Hansen, H.C.B., 2012, Synthesis and characterization of laurate-intercalated Mg-Al layered double hydroxide prepared by coprecipitation, *Appl. Clay Sci.*, 65–66, 143–151.
- Goh, K., Lim, T., and Dong, Z., 2008, Application of layered double hydroxides for removal of oxyanions : A review, *Water Res.*, 42, 1343–1368.
- Gordijo, C.R., Barbosa, C.A.S., Da Costa Ferreira, A.M., Constantino, V.R.L., and De Oliveira Silva, D., 2005, Immobilization of ibuprofen and copper-ibuprofen drugs on layered double hydroxides, *J. Pharm. Sci.*, 94, 1135–1148.
- Gouda, A.A. and Zordok, W.A., 2018, Solid-phase extraction method for preconcentration of cadmium and lead in environmental samples using multiwalled carbon nanotubes, *Turkish J. Chem.*, 42, 1018–1031.
- Halcom-Yarberry, F., 2002, Layered Double Hydroxides : Morphology, Interlayer Anion and The Origins of Life,.
- He, J., Wei, M., Li, B., Kang, Y., Evans, D.G., and Duan, X., 2006, Preparation of Layered Double Hydroxides,. In, Duan,X and Evans,D.G. (eds), *Layered Double Hydroxides*. Springer Berlin Heidelberg, Berlin, Heidelberg, pp. 89–119.
- Hibino, T., 2014, Evaluation of anion adsorption properties of nanocomposite polymer hydrogels containing layered double hydroxides, *Appl. Clay Sci.*, 87, 150–156.
- Injac, R., Ko, N., and Štrukelj, B., 2009, Optimized Method for Determination of Amoxicillin

- , Ampicillin, Sulfamethoxazole, and Sulfacetamide in Animal Feed by Micellar Electrokinetic Capillary Chromatography and Comparison with High-Performance Liquid Chromatography, *Croat. Chem. ACTA*, 82, 685–694.
- Jamhour, R.M.A.Q., Ababneh, T.S., Al-rawashdeh, A.I., Al-Mazaideh, G.M., Shboul, T.M.A. Al, and Jazzazi, T.M.A., 2016, Adsorption isotherms and kinetics of Ni (II) and Pb (II) ions on new layered double hydroxides-nitrilotriacetate composite in aqueous media, *Adv. Anal. Chem.*, 6, 17–33.
- Johnson, A.C., Keller, V., Dumont, E., and Sumpter, J.P., 2015, Assessing the concentrations and risks of toxicity from the antibiotics ciprofloxacin, sulfamethoxazole, trimethoprim and erythromycin in European rivers, *Sci. Total Environ.*, 511, 747–755.
- Karmanto, 2013, Sintesis Dan Karakterisasi Material Lempung Magnetik (Mg / Alhydrotalcite - Magnetit), *Kaunia*, IX, 27–33.
- Khan, S.B., Alamry, K.A., Alyahyawi, N.A., and Asiri, A.M., 2018, Controlled release of organic – inorganic nano hybrid: cefadroxil intercalated Zn – Al-layered double hydroxide, *Int. J. Nanomedicine*, 13, 3203–3222.
- Kloprogge, J.T., Hickey, L., and Frost, R.L., 2004, The effects of synthesis pH and hydrothermal treatment on the formation of zinc aluminum hydrotalcites, *J. Solid State Chem.*, 177, 4047–4057.
- Kovanda, F., Maryšková, Z., and Kovář, P., 2011, Intercalation of paracetamol into the hydrotalcite-like host, *J. Solid State Chem.*, 184, 3329–3335.
- Kuthati, Y., Kankala, R.K., and Lee, C.H., 2015, Layered double hydroxide nanoparticles for biomedical applications: Current status and recent prospects, *Appl. Clay Sci.*, 112–113, 100–116.
- Kyle, P.B., 2017, Chapter 07 - Toxicology: GCMS,. In, *Mass Spectrometry for the Clinical Laboratory*. Elsevier Inc., pp. 131–163.
- Ladewig, K., Xu, Z.P., and Lu, G.Q., 2009, Layered double hydroxide nanoparticles in gene and drug delivery, *Expert Opin. Drug Deliv*, 6, 907–922.
- Li, Q. and Yang, Z., 2006, Study of Spectrophotometric Determination of Amoxicillin Using Sodium 1,2-Naphthoquinone-4-Sulfonate as the Chemical Derivative Chromogenic Reagent, *Anal. Lett.*, 39, 763–775.
- Li, Y., Tang, Y., Yao, H., and Fu, J., 2003, Determination of ampicillin and amoxycillin by flow injection chemiluminescence method based on their enhancing effects on the luminol – periodate reaction, *Luminescence*, 313–317.
- Maichin, F., Freitas, L.C., and Ortiz, N., 2013, The use of converter slag (Magnetite) and bentonite clay for amoxicillin adsorption from polluted water, *Orbital Electron. J. Chem.*, 5, 1–5.
- Morse, A. and Jackson, A., 2014, Fate of A Representative Pharmaceutical in The Environment, Texas.
- Moyo, L., Nhlapo, N., and Focke, W.W., 2008, A critical assessment of the methods for intercalating anionic surfactants in layered double hydroxides, *J. Mater. Sci.*, 43, 6144–

- Murray, J.W., 2004, Ocean Carbonate Chemistry: The Aquatic Chemistry Fundamentals,. In, *The Ocean Carbon Cycle and Climate*. University of Washington Seattle, Washington, pp. 1–30.
- Newman, S.P. and Jones, W., 1998, Synthesis, characterization and applications of layered double hydroxides containing organic guests, *New J. Chem.*, 22, 105–115.
- Nuryono, N., Mutia Rosiati, N., Rusdiarso, B., Sakti, S.C.W., and Tanaka, S., 2014, Coating of magnetite with mercapto modified rice hull ash silica in a one-pot process, *J. Korean Phys. Soc.*, 3, 1–12.
- Ötles, S. and Kartal, C., 2016, Solid-Phase Extraction (SPE): Principles and applications in food samples, *Acta Sci. Pol. Technol. Aliment.*, 15, 5–15.
- Palmer, S.J., Frost, R.L., and Nguyen, T., 2009, Hydrotalcites and their role in coordination of anions in Bayer liquors: Anion binding in layered double hydroxides, *Coord. Chem. Rev.*, 253, 250–267.
- Perioli, L. and Pagano, C., 2012, Inorganic matrices: An answer to low drug solubility problem, *Expert Opin. Drug Deliv.*, 9, 1559–1572.
- Perioli, L., Posati, T., Nocchetti, M., Bellezza, F., Costantino, U., and Cipiciani, A., 2011, Intercalation and release of antiinflammatory drug diclofenac into nanosized ZnAl hydrotalcite-like compound, *Appl. Clay Sci.*, 53, 374–378.
- Pomati, F., Castiglioni, S., Zuccato, E., Fanelli, R., Vigetti, D., Rossetti, C., and Calamari, D., 2006, Effects of a complex mixture of therapeutic drugs at environmental levels on human embryonic cells, *Environ. Sci. Technol.*, 40, 2442–2447.
- Pomati, F., Cotsapas, C.J., Castiglioni, S., Zuccato, E., and Calamari, D., 2007, Gene expression profiles in zebrafish (*Danio rerio*) liver cells exposed to a mixture of pharmaceuticals at environmentally relevant concentrations, *Chemosphere*, 70, 65–73.
- Qader, H.A. and Fakhre, N., 2015, Spectrophotometric Determination of Amoxicillin Trihydrate in Pure and Pharmaceutical Dosage Forms, *Ibn Al-Haitham Jour. Pure Appl. Sci.*,
- Rivera, J.A., Fetter, G., and Bosch, P., 2006, Microwave power effect on hydrotalcite synthesis, *Microporous Mesoporous Mater.*, 89, 306–314.
- Rives, V., 2011, Layered Double Hydroxides: Present and Future, Nova Science Publisher Inc, New York.
- Rives, V., del Arco, M., and Martín, C., 2014, Intercalation of drugs in layered double hydroxides and their controlled release: A review, *Appl. Clay Sci.*, 88–89, 239–269.
- Rodriguez-Moza, S. and Weinberg, H.S., 2010, Meeting report: Pharmaceuticals in water-an interdisciplinary approach to a public health challenge, *Environ. Health Perspect.*, 118, 1016–1020.
- Roto, R., Rosma, D., and Kuncaka, A., 2015, Zn-Al-EDTA Hydrotalcite as Adsorbent for Pb(II) Ion Pollutant in The Environment, *J. Mns. Dan Lingkungan.*, 22, 226–232.



- Sabbar, E.M., de Roy, M.E., and Leroux, F., 2007, New Cu and/or Pt complexes intercalated MgAl-hydrotalcite-type anionic clays: Synthesis, characterization, thermal behavior and textural properties, *Microporous Mesoporous Mater.*, 103, 134–141.
- Saha, S., Ray, S., Acharya, R., Chatterjee, T.K., and Chakraborty, J., 2017, Magnesium, zinc and calcium aluminium layered double hydroxide-drug nanohybrids: A comprehensive study, *Appl. Clay Sci.*, 135, 493–509.
- Sahoo, N.K., Sahu, M., Algarsamy, V., Srividya, B., and Sahoo, C.K., 2016, Validation of Assay Indicating Method Development of Amoxicillin in Bulk and One of Its Marketed Dosage Form by RP-HPLC, *Ann. Chromatogr. Sep. Tech.*, 2, 1–5.
- Sakti, S.C.W., Siswanta, D., and Nuryono, 2013, Adsorption of gold(III) on ionic imprinted amino-silica hybrid prepared from rice hull ash, *Pure Appl. Chem.*, 85, 211–223.
- Salmones, J., Zeifert, B., Gardun, M.H., Acosta, D.R., Romero, A., and Garcia, L.A., 2008, Synthesis and characterization of hydrotalcites by mechanical milling and conventional method, *Catal. Today*, 133–135, 886–890.
- San Román, M.S., Holgado, M.J., Salinas, B., and Rives, V., 2012, Characterisation of Diclofenac, Ketoprofen or Chloramphenicol Succinate encapsulated in layered double hydroxides with the hydrotalcite-type structure, *Appl. Clay Sci.*, 55, 158–163.
- Saptarini, N.M., 2012, Evaluation of Content and Dissolution Profile of Generic Amoxicillin Tablets Marketed in Indonesia, *Int. Res. J. Pharm.*, 3, 64–66.
- Saptarini, N.M., Warya, S., Sari, A.D.P., and Setyarini, A., 2015, Stability studies of Amoxicillin and Gentamicin injection in intravenous infusions, *J. Young Pharm.*, 7, 250–256.
- Schulze, K., Makowski, W., Chyzy, R., Dziembaj, R., and Geismar, G., 2001, Nickel doped hydrotalcites as catalyst precursor for the partial oxidation of light paraffins, *Appl. Clay Sci.*, 18, 59–69.
- Silvério, F., José, M., Tronto, J., and Valim, J.B., 2013, Sorption of aspartic and glutamic aminoacids on calcined hydrotalcite, *Springer Plus*, 2, 1–5.
- Sinica, D.P., Tripathi, G.K., Singh, S., and Gupta, M., 2014, U . V . Spectroscopy technique for analysis of amoxicillin trihydrate in pH stimuli sensitive formulation, *Pelagia Res. Libr.*, 5, 29–33.
- Staiti, H.A.S., 2012, Fate of Amoxicillin, Ibuprofen, and Caffeine in Soil and Ground Water Using Soil Columns,.
- Tamura, H., Chiba, J., Ito, M., Takeda, T., and Kikkawa, S., 2004, Synthesis and characterization of hydrotalcite-ATP intercalates, *Solid State Ionics*, 172, 607–609.
- Umayah, I., Sulistyaningsih, T., and Kusumastuti, E., 2018, Preparasi Nanopartikel Mg / Al Hidrotalsit-Magnetit secara Kopresipitasi serta Aplikasinya sebagai Adsorben Ion Cr (VI), *Indones. J. Chem. Sci.*, 7, .
- Vaccari, A., 2002, Layered double hydroxides: present and future V. Rives (Ed.), Nova Science Publishers, Inc., New York, 2001, IX+439 pp., ISBN 1-59033-060-9, *Appl. Clay Sci.*, 22, 75–76.



- Xue, T., Gao, Y., Zhang, Z., Umar, A., Yan, X., Zhang, X., Guo, Z., and Wang, Q., 2014, Adsorption of acid red from dye wastewater by Zn₂Al-NO₃ LDHs and the resource of adsorbent sludge as nanofiller for polypropylene, *J. Alloys Compd.*, 587, 99–104.
- Zhang, J., Zhang, F., Ren, L., Evans, D.G., and Duan, X., 2004, Synthesis of layered double hydroxide anionic clays intercalated by carboxylate anions, *Mater. Chem. Phys.*, 85, 207–214.
- Zhang, S., Yang, F., Guo, B., Chen, Y., Wu, X., Liang, W., Shi, Y., and Zhang, J., 2016, Development of an Liquid Chromatography – Tandem Mass Spectrometry Method for the Determination of Amoxicillin in Broth Medium and its Application to an In Vitro Pharmacokinetic and Pharmacodynamic Model, *J. Chromatogr. Sci.*, 54, 230–236.
- Zhang, Y., Xu, Q., Zhang, S., Liu, J., Zhou, J., Xu, H., Xiao, H., and Li, J., 2013, Preparation of thiol-modified Fe₃O₄@SiO₂ nanoparticles and their application for gold recovery from dilute solution, *Sep. Purif. Technol.*, 116, 391–397.