

### Daftar Pustaka

- Akobeng, A. K. (2005). *Understanding randomised controlled trials. Archives of Disease in Childhood, 90(8), 840–844.* doi:10.1136/adc.2004.058222
- Alladin, A., & Alibhai, A. (2007). Cognitive hypnotherapy for depression: An empirical investigation. *Intl. Journal of Clinical and Experimental Hypnosis, 55(2), 147-166.*
- Alladin A. (2010). Evidence-based hypnotherapy for depression. *The International Journal of Clinical and Experimental Hypnosis, 58(2), 165–185.*  
<https://doi.org/10.1080/00207140903523194>
- Aravena, V., García, F. E., Téllez, A., & Arias, P. R. (2020). Hypnotic intervention in people with fibromyalgia: A randomized controlled trial. *American Journal of Clinical Hypnosis, 63(1), 49-61.*
- Ashton Jr, R. C., Whitworth, G. C., Seldomridge, J. A., Shapiro, P. A., Michler, R. E., Smith, C. R., ... & Oz, M. C. (1995). The effects of self-hypnosis on quality of life following coronary artery bypass surgery: preliminary results of a prospective, randomized trial. *The Journal of Alternative and Complementary Medicine, 1(3), 285-290.*
- Assistance Publique - Hôpitaux de Paris. (2015). Impact of Complementary Medicine Techniques (Therapeutic Touch and Hypno Analgesia) on the Term of Delivery of Patients Hospitalized for Preterm Labor (Hypnorelax). *Cochrane Central Register of Controlled Trials.*
- Australian Psychological Society. (2018). Evidence-based psychological interventions in the treatment of mental disorders.
- Beevi, Z., Low, W. Y., & Hassan, J. (2019). The effectiveness of hypnosis intervention in alleviating postpartum psychological symptoms. *American Journal of Clinical Hypnosis, 61(4), 409-425.*
- Beizae, Y., Rejeh, N., Heravi-Karimooi, M., Tadrissi, S. D., Griffiths, P., & Vaismoradi, M. (2018). The effect of guided imagery on anxiety, depression and vital signs in patients on hemodialysis. *Complementary Therapies in Clinical Practice, 33, 184-190.*
- Bondemark, L., & Ruf, S. (2015). Randomized controlled trial: the gold standard or an unobtainable fallacy?. *European Journal of Orthodontics, 37(5), 457-461.*  
<https://doi.org/10.1093/ejo/cjv046>
- Burns, D. S., Meadows, A. N., Althouse, S., Perkins, S. M., & Cripe, L. D. (2018). Differences between supportive music and imagery and music listening during outpatient chemotherapy and potential moderators of treatment effects. *Journal of music therapy, 55(1), 83-108.*
- Charalambous, A. (2011). Effect of Guided Imagery and Progressive Muscle Relaxation as a Means to Improve the Psychological Well-being and the Quality of Life for Patients With Breast and Prostate Cancer. *Cochrane Central Register of Controlled Trials.*
- Charalambous, A., Giannakopoulou, M., Bozas, E., Marcou, Y., Kitsios, P., & Paikousis, L. (2016). Guided imagery and progressive muscle relaxation as a cluster of symptoms

management intervention in patients receiving chemotherapy: a randomized control trial. *PloS One*, 11(6), 1-18

- Christensen, C., Barabasz, A., & Barabasz, M. (2013). Efficacy of abreactive ego state therapy for PTSD: Trauma resolution, depression, and anxiety. *International Journal of Clinical and Experimental Hypnosis*, 61(1), 20-37.
- Clalit Health Service. (2016). Effects of Brief Guided Imagery for Chronic Pain in Patients Diagnosed With Fibromyalgia. *Cochrane Central Register of Controlled Trials*.
- Costa, A., & Barnhofer, T. (2016). Turning towards or turning away: A comparison of mindfulness meditation and guided imagery relaxation in patients with acute depression. *Behavioural and Cognitive Psychotherapy*, 44(4), 410.
- Cuellar, N. G. (2005). Hypnosis for pain management in the older adult. *Pain Management Nursing*, 6(3), 105-111.
- Diener, E., Pressman, S. D., Hunter, J., & Delgado-Chase, D. (2017). If, why, and when subjective well-being influences health, and future needed research. *Applied Psychology: Health and Well-Being*, 9(2), 133-167. doi:10.1111/aphw.12090
- Diener, E., Heintzleman, S. J., Kushlev, K., Tay, L., Wirtz, D., Lutes, L. D., & Oishi, S. (2017). Findings all psychologists should know from the new science on subjective well-being. *Canadian Psychology/psychologie canadienne*, 58(2), 87.
- De Klerk, J. E., du Plessis, W. F., Steyn, H. S., & Botha, M. (2004). Hypnotherapeutic ego strengthening with male South African coronary artery bypass patients. *American Journal of Clinical Hypnosis*, 47(2), 79-92.
- De Neve, J. E., Diener, E., Tay, L., & Xuereb, C. (2013). The objective benefits of subjective well-being. *World happiness report*.
- Driessen, E., Smits, N., Dekker, J. J., Peen, J., Don, F. J., Kool, S., Westra, D., Hendriksen, M., Cuijpers, P., & Van, H. L. (2016). Differential efficacy of cognitive behavioral therapy and psychodynamic therapy for major depression: a study of prescriptive factors. *Psychological medicine*, 46(4), 731-744. <https://doi.org/10.1017/S0033291715001853>
- Drisko, J. W., & Grady, M. D. (2019). Step 3 of ebp: part 1—evaluating research designs. *Evidence-Based Practice in Clinical Social Work*, 107-122. [https://doi.org/10.1007/978-3-030-15224-6\\_6](https://doi.org/10.1007/978-3-030-15224-6_6)
- Evans, F. J., & Staats, J. M. (1989). Suggested posthypnotic amnesia in four diagnostic groups of hospitalized psychiatric patients. *American Journal of Clinical Hypnosis*, 32(1), 27-35.
- Fonagy P. (2015). The effectiveness of psychodynamic psychotherapies: An update. *World psychiatry : official journal of the World Psychiatric Association (WPA)*, 14(2), 137-150. <https://doi.org/10.1002/wps.20235>
- Gay, M. C., Hanin, D., & Luminet, O. (2008). Effectiveness of an hypnotic imagery intervention on reducing alexithymia. *Contemporary Hypnosis*, 25(1), 1-13.



- Ghazwin, M. Y., Kavian, M., Ahmadloo, M., Jarchi, A., Golchin Javadi, S., Latifi, S., Tavakoli, S. A., & Ghajarzadeh, M. (2016). The association between life satisfaction and the extent of depression, anxiety and stress among iranian nurses: a multicenter survey. *Iranian journal of psychiatry*, 11(2), 120–127.
- Gigantesco, A., Fagnani, C., Toccaceli, V., Stazi, M. A., Lucidi, F., Violani, C., & Picardi, A. (2019). The relationship between satisfaction with life and depression symptoms by gender. *Frontiers in psychiatry*, 10, 419.
- Görge, S. M., Joormann, J., Hiller, W., & Witthöft, M. (2015). The role of mental imagery in depression: Negative mental imagery induces strong implicit and explicit affect in depression. *Frontiers in psychiatry*, 6, 94.
- Görge, S. M., Joormann, J., Hiller, W., & Witthöft, M. (2015). Implicit affect after mental imagery: introduction of a novel measure and relations to depressive symptoms in a non-clinical sample. *Journal of Experimental Psychopathology*, 6(1), 59-81.
- Grant, F., Guille, C., & Sen, S. (2013). Well-being and the risk of depression under stress. *PLoS one*, 8(7). <https://doi.org/10.1371/journal.pone.0067395>.
- Grégoire, C., Faymonville, M. E., Vanhaudenhuyse, A., Charland-Verville, V., Jerusalem, G., & Bragard, I. (2018). Randomized controlled trial of an 8-week intervention combining self-care and hypnosis for post-treatment cancer patients: study protocol. *BMC cancer*, 18(1), 1113.
- Grégoire, C., Nicolas, H., Bragard, I., Delevallez, F., Merckaert, I., Razavi, D., ... & Vanhaudenhuyse, A. (2018). Efficacy of a hypnosis-based intervention to improve well-being during cancer: a comparison between prostate and breast cancer patients. *BMC cancer*, 18(1), 677.
- Grégoire, C., Faymonville, M. E., Vanhaudenhuyse, A., Charland-Verville, V., Jerusalem, G., Willems, S., & Bragard, I. (2020). Effects of an intervention combining self-care and self-hypnosis on fatigue and associated symptoms in post-treatment cancer patients: A randomized-controlled trial. *Psycho-Oncology*.
- Hallford, D. J., Farrell, H., & Lynch, E. (2020). Increasing anticipated and anticipatory pleasure through episodic thinking. *Emotion*. Advance online publication. <https://doi.org/10.1037/emo0000765>
- Harris, A. D., McGregor, J. C., Perencevich, E. N., Furuno, J. P., Zhu, J., Peterson, D. E., & Finkelstein, J. (2006). The use and interpretation of quasi-experimental studies in medical informatics. *Journal of the American Medical Informatics Association : JAMIA*, 13(1), 16–23. <https://doi.org/10.1197/jamia.M1749>
- Huang, X., Huang, P., Li, D., Zhang, Y., Wang, T., Mu, J., ... & Xie, P. (2014). Early brain changes associated with psychotherapy in major depressive disorder revealed by

- Holopainen, D., & Emmerson, G. J. (2002). Ego state therapy and the treatment of depression. *Australian Journal of Clinical Hypnotherapy and Hypnosis*, 23(2), 89-100.
- Jong de, P.M. (2013). PTSD as a result of chronic interpersonal violence in early childhood; Imaginal Exposure vs Imagery Rescripting vs Body Focused Rescripting. *Cochrane Central Register of Controlled Trials*.
- Kaplun, A., Roitman, P., & Rosenbloom, T. (2020). Effects of Brief Guided Imagery on Female Patients Diagnosed with Fibromyalgia: An Exploratory Controlled Trial. *Alternative Therapies in Health and Medicine*.
- Laidlaw, T. M., Naito, A., Dwivedi, P., Enzor, N. A., Brincat, C. E., & Gruzelier, J. H. (2003). Mood changes after self-hypnosis and Johrei prior to exams. *Contemporary Hypnosis*, 20(1), 25-39.
- Lam, T. H., Chung, K. F., Lee, C. T., Yeung, W. F., & Yu, B. Y. M. (2018). Hypnotherapy for insomnia: A randomized controlled trial comparing generic and disease-specific suggestions. *Complementary therapies in medicine*, 41, 231-239.
- Lang, A., Edwards, N., & Fleiszer, A. (2007). Empty systematic reviews: hidden perils and lessons learned. *Journal of clinical epidemiology*, 60(6), 595-597.
- Lars, B. & Sabine, Ruf. (2015). Randomized controlled trial: the gold standard or an unobtainable fallacy?, *European Journal of Orthodontics*, 37(5), 457-461, <https://doi.org/10.1093/ejo/cjv046>
- Lasserson TJ, Thomas J, Higgins JPT. (2019). Chapter 1: Starting a review. Dalam. Higgins JPT, Thomas J, Chandler J, Cumpston M, Li T, Page MJ, Welch VA (Eds). *Cochrane Handbook for Systematic Reviews of Interventions 2<sup>nd</sup> ed.* ( pp. 3-12). Chichester (UK): John Wiley & Sons
- León-Pizarro, C., Gich, I., Barthe, E., Roviroso, A., Farrús, B., Casas, F., ... & Arcusa, A. (2007). A randomized trial of the effect of training in relaxation and guided imagery techniques in improving psychological and quality-of-life indices for gynecologic and breast brachytherapy patients. *Psycho-Oncology: Journal of the Psychological, Social and Behavioral Dimensions of Cancer*, 16(11), 971-979.
- Lombard, C. A. (2017). Psychosynthesis: A foundational bridge between psychology and spirituality. *Pastoral psychology*, 66(4), 461-485.
- Lynn, S. J., & Kirsch, I. (2006). *Essentials of hypnotic guided imagery: an evidence-based approach*. American Psychological Association.
- Lynn, S. J., Barnes, S., Deming, A., & Accardi, M. (2010). Hypnosis, rumination, and depression: Catalyzing attention and mindfulness-based treatments. *Intl. Journal of Clinical and Experimental Hypnosis*, 58(2), 202-221.
- Machado, L., de Oliveira, I. R., Peregrino, A., & Cantilino, A. (2019). Common mental disorders and subjective well-being: emotional training among medical students based on positive psychology. *PloS one*, 14(2).

- Maddux, J. E. (2018). *Subjective well-being and life satisfaction: An introduction to conceptions, theories, and measures*. Routledge/Taylor & Francis Group.
- Maier, A & Susic-Vasic, Z, (2019). Randomized controlled trial of a psychotherapeutic short-term intervention to modulate test anxiety using mental images (Imagery Rescripting). *Cochrane Central Register of Controlled Trials*.
- Malejko, K., Tumani, V., Rau, V., Neumann, F., Plener, P. L., Fegert, J. M., Abler, B., & Straub, J. (2020). Neural correlates of script-driven imagery in adolescents with interpersonal traumatic experiences: A pilot study. *Psychiatry Research: Neuroimaging*, 303. 1-7
- Maslim, R. (2013). *Buku Saku Diagnosis Gangguan Jiwa Rujukan Ringkas dari PPDGJ – III dan DSM – 5*. Jakarta: PT. Nuh Jaya
- McGuinty, E., Armstrong, D., & Carrière, A. M. (2014). A clinical treatment intervention for dysphoria: Externalizing metaphors therapy. *Clinical psychology & psychotherapy*, 21(5), 381-393.
- Medd, D. Y. (1999). A single-case study of generalized dystonia and hypnosis, with unexpected immobility and an untoward effect. *Contemporary Hypnosis*, 16(1), 45-48.
- Meier, R. M. (1982). Group treatment of depression and withdrawal at a day-treatment center. *International journal of partial hospitalization*, 1(4), 349-353.
- Mendelberg, H. E. (1990). Hypnosis with a depressed, suicidal, asthmatic girl. *Psychotherapy in Private Practice*, 8(3), 41-48.
- Merckaert, I. (2017). Improving emotion regulation at the end of breast cancer treatment. *Cochrane Central Register of Controlled Trials*.
- Moraes, J. B., Maes, M., Roomruangwong, C., Bonifacio, K. L., Barbosa, D. S., Vargas, H. O., ... & Nunes, S. O. V. (2018). In major affective disorders, early life trauma predict increased nitro-oxidative stress, lipid peroxidation and protein oxidation and recurrence of major affective disorders, suicidal behaviors and a lowered quality of life. *Metabolic brain disease*, 33(4), 1081-1096.
- Morgan, S. B., Zamaria, J., Lavretsky, H., & Jain, F. A. (2018). Mentalizing Imagery Therapy for depressed family dementia caregivers: neural mechanisms underlying changes in mindfulness, self-compassion and grief. *The American Journal of Geriatric Psychiatry*, 26(3), S80-S81.
- Moritz, S., Ahlf-Schumacher, J., Hottenrott, B., Peter, U., Franck, S., Schnell, T., Peter, H., Schneider, B.C., & Jelinek, L. (2018). We cannot change the past, but we can change its meaning. A randomized controlled trial on the effects of self-help imagery rescripting on depression. *Behaviour research and therapy*, 104, 74-83.
- Nolen-Hoeksema, S., Wisco, B. E., & Lyubomirsky, S. (2008). Rethinking rumination. *Perspectives on Psychological Science*, 3(5), 400–424. <https://doi.org/10.1111/j.1745-6924.2008.00088.x>

- Nyquist, A. C., & Luebke, A. M. (2020). An emotion recognition-awareness vulnerability hypothesis for depression in adolescence: a systematic review. *Clinical Child and Family Psychology Review*, 23(1), 27–53. <https://doi.org/10.1007/s10567-019-00302-3>
- Olness, K., & Gardner, G. G. (1978). Some guidelines for uses of hypnotherapy in pediatrics. *Pediatrics*, 62(2), 228-233.
- Owens, J. (2012). Imagery and visualization. Dalam L. Brann, J. Owens, & A. Williamson (Penyunt.), *The Handbook of Contemporary Hypnotic guided imagery: Theory and Practice 1<sup>st</sup> ed.* (pp. 41-50). New Jersey: John Wilwy & Sons, Ltd.
- Panagioti, M., Gooding, P. A., & Tarrier, N. (2012). An empirical investigation of the effectiveness of the broad-minded affective coping procedure (BMAC) to boost mood among individuals with posttraumatic stress disorder (PTSD). *Behaviour research and therapy*, 50(10), 589-595.
- Pile, V., Smith, P., Leamy, M., Blackwell, S. E., Meiser-Stedman, R., Stringer, D., ... & Lau, J. Y. (2018). A brief early intervention for adolescent depression that targets emotional mental images and memories: protocol for a feasibility randomised controlled trial (IMAGINE trial). *Pilot and feasibility studies*, 4(1), 97.
- Pollock, A., & Berge, E. (2018). How to do a systematic review. *International Journal of Stroke*, 13(2), 138-156.
- Rottenberg, J. (2017). Emotions in depression: what do we really know?. *Annual Review of Clinical Psychology*, 13, 241-263.
- Sánchez-Jáuregui, T., Téllez, A., Juárez-García, D., García, C. H., & García, F. E. (2018). Clinical hypnosis and music in breast biopsy: A randomized clinical trial. *American Journal of Clinical Hypnosis*, 61(3), 244-257.
- Sit, H. F., Hall, B. J., Wang, Y., Zhang, Y., Ju, Q., & Gan, Y. (2020). The effect of positive mental imagery training on Chinese University students with depression: A pilot study. *Current Psychology*, 1-14.
- Slyer, J. (2016). Unanswered questions: implications of an empty review. *JBI Database of Systematic Reviews and Implementation Reports*, 14(6). doi:10.11124/JBISRIR-2016-002934
- Stein, T. R., Olivo, E. L., Grand, S. H., Namerow, P. B., Costa, J., & Oz, M. C. (2010). A pilot study to assess the effects of a guided imagery audiotape intervention on psychological outcomes in patients undergoing coronary artery bypass graft surgery. *Holistic nursing practice*, 24(4), 213-222.
- Soukhtanlou, M., Rostami, R., Salehinejad, M. A., Lavasani, M. G., Sharifi, A., & Hekmatmanesh, A. (2019). Electrophysiological processing of happiness during conscious and sub-conscious awareness in depression. *Neurology, Psychiatry and Brain Research*, 33, 32-38.



- Tellez, A., Sánchez-Jáuregui, T., Juárez-García, D. M., & García-Solís, M. (2016). Breast biopsy: the effects of hypnosis and music. *International Journal of Clinical and Experimental Hypnosis*, 64(4), 456-469.
- Thomas, J., Kneale, D., McKenzie, J.E., Brenna, S.E., & Bhaumik, S. (2019). Chapter 2: Determining the scope of the review and the questions it will address. Dalam Higgins JPT, Thomas J, Chandler J, Cumpston M, Li T, Page MJ, Welch VA (Eds). *Cochrane Handbook for Systematic Reviews of Interventions 2<sup>nd</sup> ed.* (pp. 13-31). Chichester (UK): John Wiley & Sons
- Torem, S. (2018). Chapter 56: Depression. Dalam Elkins, G (Eds). *Handbook of medical and psychological hypnosis: Foundations, applications, and professional issues 1<sup>st</sup> ed.* (pp. 506-520). Springer Publishing Company
- Torres, E., Pedersen, I. N., & Pérez-Fernández, J. I. (2018). Randomized trial of a group music and imagery method (GrpMI) for women with fibromyalgia. *Journal of Music Therapy*, 55(2), 186-220.
- Von Wietersheim, J., Wilke, E., Roser, M., & Meder, G. (2003). The effects of the Guided Affective Imagery in a longitudinal outpatient study. *Psychotherapeut*, 48(3), 173-178.
- Walker, L. G., Heys, S. D., Walker, M. B., Ogston, K., Miller, I. D., Hutcheon, A. W., Sarkat, T.K., Ah-see, T.K., & Eremin, O. (1999). Psychological factors can predict the response to primary chemotherapy in patients with locally advanced breast cancer. *European Journal of Cancer*, 35(13), 1783-1788.
- Watson, D., & Naragon-Gainey, K. (2010). On the specificity of positive emotional dysfunction in psychopathology: evidence from the mood and anxiety disorders and schizophrenia/schizotypy. *Clinical psychology review*, 30(7), 839-848. <https://doi.org/10.1016/j.cpr.2009.11.002>
- Weßlau, C., & Steil, R. (2014). Visual mental imagery in psychopathology – Implications for the maintenance and treatment of depression. *Clinical psychology review*, 34(4), 273-281.
- WHO. (2020, Januari). *Depression*. Diunduh dari <https://www.who.int/news-room/fact-sheets/detail/depression>
- Yaffe, J., Montgomery, P., Hopewell, S., & Shepard, L. D. (2012). Empty reviews: a description and consideration of cochrane systematic reviews with no included studies. *PLoS ONE*, 7(5). doi:10.1371/journal.pone.0036626
- Yapko, MD. (2006). Hypnosis in treating symptoms and risk factors of major depression. Dalam Yapko, MD. (Eds). *Hypnosis and Treating Depression: Applications in Clinical Practice* (pp 3-24).
- Zarrinpar, A., Deldin, P., & Kosslyn, S. M. (2006). Effects of depression on sensory/motor vs. central processing in visual mental imagery. *Cognition and Emotion*, 20(6), 737-758.
- صادقپور آتوسا & سانيج ضيايی صفا. (2020). Effectiveness of cognitive and behavioral hypnotherapy on the self-esteem and emotion-seeking of the women with depression who refer to consultation centers. 62(6). 20111-2023