

DAFTAR PUSTAKA

- An American Institute of Architects (AIA), 2007. *Designing Floor Systems with Engineered Wood Joists*. Grand Rapids, MI: An American Institute of Architects (AIA).
- Badan Standardisasi Nasional (BSN)., 2013. *SNI 1727:2013 Beban Minimum untuk Perancangan Bangunan Gedung dan Struktur Lain*. Jakarta: Badan Standardisasi Nasional (BSN).
- Badan Standardisasi Nasional (BSN)., 2013. *SNI 7973:2013 Spesifikasi Desain untuk Konstruksi Kayu*. Jakarta: Badan Standardisasi Nasional (BSN).
- Aratake, S.; Morita, H.i; dan Arima, T., 2011. Bending Creep of Glued Laminated Timber (Glulam) using Sugi (*Cryptomeria japonica*) Laminae with Extremely Low Young's Modulus for the Inner Layers. *Journal of Wood Science*, Volume 57, pp. 267-275.
- ASTM (American Society for Testing and Material), 2002. ASTM D 6815-02 Standard Specification for Evaluation of Duration of Load and Creep Effects of Wood and Wood-Based Products. s.l.:s.n.
- ASTM (American Society for Testing and Material), 2006. ASTM D 143 Standard Test Methods for Small Clear Specimens of Timber. s.l.:s.n.
- ASTM (American Society for Testing and Material), 2006. ASTM D 2395-02 Standard Test Methods for Specific Gravity of Wood and Wood-Based Materials. s.l.:s.n.
- ASTM (American Society for Testing and Material), 2006. ASTM D 4442 Standard Test Methods for Direct Moisture Content Measurement of Wood and Wood-Base Materials. s.l.:s.n.
- ASTM (American Society for Testing and Material), 2006. ASTM D 4444 Standard Test Methods for Use and Calibration of Hand-Held Moisture Meters. s.l.:s.n.
- ASTM (American Society for Testing and Material), 2006. ASTM D198 Standar Test Method of Static Tests of Lumber ini Structural Size. s.l.:s.n.
- Awaludin, A. dan Astuti, P., 2016. Study on utilization of LVL Sengon (*Paraserianthes falcataria*) for three-hinged gable frame structures. *International Journal of Engineering and Technology Innovation*, 6(3), pp. 232-241.
- Awaludin, A., Ngudiyono, dan Basuki, A., 2016. Creep Properties of Walikukun (*Schouthenia ovata*) Timber Beams. *Civil Engineering Dimension*, Vol.18, No.2, September, 18(2), pp. 78-84.

- Awaludin, A., Hirai, T., Hayashikawa, T., Sasaki, Y., dan Oikawa, A., 2008. One-Year Stress Relaxation of Timber Joints Assembled with Pretensioned Bolts. *Journal of Wood Science*, Volume 54, pp. 456-463.
- Awaludin, A.; Firmanti, A.; Muslikh; Theodarmo, H. dan Astuti, P., 2017. Wood Frame Floor Model of LVL *Paraserianthes falcataria*. *Procedia Engineering*, Volume 171, pp. 113-120.
- Awaludin, A., 2011. Penelitian sifat-sifat fisika dan mekanika kayu Glugu dan Sengon Kawasan Merapi, Yogyakarta: s.n.
- Awaludin, A., 2012. *Development of Structural Walls Made from LVL Sengon (Paraserianthes falcataria): Basic Mechanical Properties*. Yogyakarta, The 1st International Conference on Sustainable Civil Engineering Structures and Construction Materials (SCESCM).
- Barbero, E. J., 2013. Finite Element Analysis of Composite Materials Using Abaqus. Boca Raton: CRC Press.
- Basuki, A.; Kristiawan, S. A.; dan Priyantono, H. K., 2012. Pengembangan Struktur Rangka Kuda-Kuda Ringan Berbahan Dasar Laminated Veneer Lumber (LVL) Kayu Sengon, Surakarta: s.n.
- Bengtsson, C., 2001. Mechano-sorptive Bending Creep of Timber - Influence of Material Parameters. *Holz als Roh- und Werkstoff*, Volume 59, pp. 229-236.
- Bodig, J., dan Jayne, B. A., 1982. *Mechanics of Wood and Wood Composites*. Reprint Edition 1993 ed. Malabar, Florida: Krieger Publishing Company.
- British Standard, 2004. British Standard (BS) EN 14279:2004 Laminated Veneer Lumber (LVL) Definitions, Classifications, and Specifications.
- Brown, C. E., 1998. Applied Multivariate Statistics in Geohydrology and Related Sciences. 1 ed. Verlag Berlin Heidelberg: Springer.
- Buchanan, A. H., 1990. Bending Strength of Lumber. *Journal of Structural Engineering*, 116(5), pp. 1213-1229.
- De Magistris, F., 2005. *Wood Fibre Deformation in Combined Shear and Compression*. Stockholm, Swedia: Department of Mechanics, KTH Engineering Science.
- Dinwoodie, J. M., 2004. *Timber: Its Nature and Behaviour*. New York: E & FN SPON.
- Epmeier, H.; Johansson, M.; Kliger, R. dan Westin, M., 2007. Bending Creep Performance of Modified Timber. *Holz Roh Werkst*, Volume 65, pp. 343-351.
- Eratodi, IGLB. dan Awaludin, A., 2017. Bending Capacity of Non-prismatic LVL Beams *Paraserianthes Falcataria*. *Procedia Engineering, Elsevier.*, Volume 171, pp. 1362-1369.

- Faisal, F. A., 2017. *Mengenal Rancang Bangun Rumah Adat di Indonesia*. Jakarta: Badan Pengembangan dan Pembinaan Bahasa, Kementerian Pendidikan dan Kebudayaan RI.
- Gibson, L. J. dan Ashby, M. F., 1997. *Cellular Solids: Structure and Properties*. Cambridge: Cambridge University Press.
- Gottron, J.; Harries, K. A.; dan Xu, Q., 2014. Creep Behaviour of Bamboo. *Construction and Building Materials*, Issue 66, pp. 79-88.
- Granello, G. dan Palermo, A., 2019. Creep in Timber: Research Overview and Comparison Between Code Provisions. *New Zealand Timber Design Journal*, 27(1), pp. 6-22.
- Gunawan, J. M., 2013. *Perilaku Rangkak (Creep) Balok LVL Kayu Sengon (Paraserianthes falcataria) Tumpuan Sederhana*, Yogyakarta: Jurusan Teknik Sipil dan Lingkungan FT Universitas Gadjah Mada.
- Hadi, M.; Setiadji, R.; Firmanti, A.; Subiyanto, B.; dan Komatsu, K., 2012. *Performance of Composite Shear Wall Panel of LVL and GRC Board*. Auckland, New Zealand, s.n.
- Holzer, S. M., Loferski, J. R., dan Dillard, D. A., 1989. A Review of Creep in Wood: Concepts Relevant to Develop Long-Term Behavior Predictions for Wood Structures. *Wood and Fiber Science*, 21(4), pp. 376-392.
- Honfi, D., Martensson, A., Thelandersson, S. dan Kliger, R., 2014. Modelling of Bending Creep of Low- and High-Temperature-Dried Spruce Timber. *Wood Science Tecnology*, Volume 48, pp. 23-36.
- Ido, H., Nagao, H., Kato, H., Miyatake, A., dan Hiramatsu, Y., 2010. Strength Properties of Laminated Veneer Lumber in Compression Perpendicular to Its Grain. *Journal of Wood Science*, Volume 56, pp. 422-428.
- Japan Agriculture Standard., 2004. Japan Agriculture Standard (JAS) S for Laminated Veneer Lumber (LVL) SE4.
- Johnson, A. P., 2003. Creep of Wood I-Joists Exposed to Abnormally High Moisture Conditions. *Practice Periodical on Structural Design and Construction*, 8(1), pp. 36-40.
- Juan, Kong dan Ju-Yun, Yuan, 2010. Application of Linear Viscoelastic Differential Constitutive Equation in ABAQUS. s.l., s.n., pp. 152-156.
- Kaboorani, A. Blanchet, P., dan Laghdir, A., 2013. A Rapid Method to Asses Viscoelastic and Mechanosorptive Creep in Wood. *Wood and Fiber Science*, 45(4), pp. 370-382.
- Khennane, A., 2013. *Introduction to Finite Element Analysis using MATLAB and ABAQUS*. Boca Raton, US: CRC Press Taylor and Francis Group.

- KLHK, 2016. *Statistik Kementerian Lingkungan Hidup dan Kehutanan Tahun 2015*. Jakarta: Kementerian Lingkungan Hidup dan Kehutanan RI.
- Kojima, Y. dan Yamamoto, H., 2004. Effect of Microfibril Angle on the Longitudinal Tensile Creep Behavior of Wood. *Journal of Wood Science*, Volume 50, pp. 301-306.
- Kretschmann, D.E.; Winandy, J.; Clausen, C.; Wiemann, M.; Bergman, R.; Rowell, R.; Zerbe, J.; Beecher, J.; White, R.; McKeever, D.; Howard, J., 2007. *Wood. In: Kirk-Othmer Encyclopedia of Chemical Technology..* New York: John Wiley & Sons, Inc..
- Krisnawati, H.; Varis, E.; Kallio, M. dan Kanninen, M., 2011. *Paraserianthes falcataria (L.) Nielsen: Ecology, Silviculture and Productivity*. Bogor: Center for International Forestry Research (CIFOR).
- Kullit, R. A., 2013. Perilaku Creep Balok Laminated Veneer Lumber Kayu Sengon (*Paraserianthes falcataria*) dengan Tumpuan Kantilever, Yogyakarta: Jurusan Teknik Sipil dan Lingkungan FT Universitas Gadjah Mada.
- Laboratory, T. F. P., 2010. *Wood Handbook - Wood as An Engineering Material*. Madison: U. S. Department of Agriculture.
- Li, Chiao dan Huang, Yuxiang, 2019. Creep Behavior of Laminated Veneer Lumber from Poplar Under Cyclic Humidity Changes. *BioResources*, 14(4), pp. 8018-8028.
- Li, L. dan Xiao, Y., 2016. Creep Behavior of Glulam and CFRP-Enhanced Glulam Beams. *Journal of Composites for Construction*, 20(1), pp. 04015028-1-11.
- Ma, X.; Wang, G.; Jiang, Z.; Xian, Y.; dan Li, H., 2014. Comparison of Bending Creep Behavior of Bamboo-based Composites Manufacture by Two Types of Stacking Sequences. *Bio Resources*, 9(3), pp. 5461-5472.
- Ma, Y.; Li, X.; Biao, D.; dan Luo, Y., 2014. Basic Study on Creep Properties of Eucalyptus Wood. *Advanced Materials Research*, Volume 911, pp. 232-237.
- Mardikanto, T. R., Karlinasari, L., dan Bahtiar, E. T., 2011. *Sifat Mekanis Kayu*. Bogor: PT. Penerbit IPB Press.
- Martawijaya, A.; Kartasujana, I.; Mandang, Y. I.; Prawira, SA., dan Kadir, K., 1989. *Atlas Kayu Indonesia*. II ed. Bogor: Badan Penelitian dan Pengembangan Kehutanan, Departemen Kehutanan.
- Martawijaya, A. d., 1989. *Atlas Kayu Indonesia Jilid II*. Bogor, Indonesia: Balitbang Kehutanan, Departemen Kehutanan.
- Morlier, P., 2005 . *RILEM Report 8: Creep in Timber Structure*, London, UK.: Taylor & Francis e-Library.
- Naumenko, K. dan Altenbach, H., 2007. *Modelling of Creep for Structural Analysis*. Berlin Heidelberg: Springer Verlag.

- Niken, C.; Tjahjono, E.; dan Supartono, FX., 2013. *The Influence of Water Content for Long-term Shrinkage of Concrete under Humid Tropical Climate*. Jakarta, Indonesia, The Asian Civil Engineering Coordinating Council, pp. TS1-32-40.
- P. Morlier dan L. C. Palka, 1994. Basic Knowledge. In: P. Morlier, ed. *Creep in Timber Structures*. London, UK.: E & FN SPON, pp. 9-42.
- Persson, K., 2000. *Micromechanical Modelling of Wood and Fiber Properties*. Swedia: Department of Mechanics and Material, Lund University.
- Piter, J. C.; Calvo, C. F.; Cuffre, A. G.; Rougier, V. C., Zitto, M. A.S.; dan Torran, E. A., 2007. Creep in Structural-sized Beams of Argentinean Eucalyptus Grandis. *Maderas. Ciencia y tecnología*, 9(2), pp. 117-126.
- Pulngern, T.; Chitsamran, T.; Chucheesakul, S.; Rosarpitak, V.; Patcharapun, S.; and Sombatsompop, N., 2016. Effects of Temperature on Mechanical Properties and Creep Responses for Wood/PVc Composites. *Construction and Building Materials*, Volume 111, pp. 191-198.
- RedBuilt, L., 2016. *The RedBuilt Open Web Truss Specifier's Guide*. [Online] Available at: <http://www.redbuilt.com> [Accessed 6 March 2017].
- Reichel, Susanne dan Kaliske, Michael, 2015. Hygro-mechanically Coupled Modelling of Creep in Wooden Structure Part I: Mechanics. *International Journal of Solids and Structures*, Volume 77, pp. 28-44.
- Reijnen, S., 2012. *Moisture Transport and Shape Stability of Wood Exposed to humidity Variations - A Numerical Study, Thesis*, Eindhoven: Departement of Structural Design, The Faculty of The Build Environment, Eindhoven University of Technology.
- Runyen, R. W.; Dinehart, D. W.; Gross, S. P.; dan Dunn, W. G., 2010. Creep Behavior of Wood I-Joist with Web Openings Exposed to Normal and Low Relative Humidity Conditions. Riva del Garda, Italy, s.n.
- Segui, W. T., 1994. *LRFD Steel Design*. Boston, Massachusetts: PWS Publishing Company.
- Soerianegara, I. dan Lemmens, R.H.M.J., 1993. *Plant Resources of South-East Asia 5(1): Timber Trees: Major Commercial Timbers*. Wageningen, Netherlands: Pudoc Scientific Publisher.
- Soltis, L.A.; Nelson, W.; dan Hillis, J. L., 1989. *Creep in Structural Lumber*. Auckland, New Zealand.
- Stark, N. M.; Cai, Z.; dan Carll, C., 2010. Wood-based Composite Lumber. In: *Wood Handbook*. Centennial Edition ed. Madison, Wisconsin: Forest Product Laboratory, US Department of Agriculture Forest Service, pp. 11-1 to 11-28.

- Sukhla, S. R. dan Kamdem, D. P., 2009. Properties of Laboratory Made Yellow Poplar (*Liriodendron tulipifera*) Laminated Veneer Lumber: Effects of the Adhesives. *European Journal of Wood Product*, Volume 67, pp. 397-405.
- Sukhla, S. R., Rao, R. V., dan Sharma, S. N., 1999. Evaluation of Strength Properties of Parallel Splint Lumber (PSL) and Its Comparison with Laminated Veneer Lumber (LVL) Rubber Wood and Teak. *Holz als Roh- und Werkstoff*, Volume 57, pp. 267-270.
- Takahashi, C.; Ishimaru, Y. dan Iida, I., 2006. The Creep of Wood Destabilized by Change in Moisture Content. Part 3: The influence of changing moisture history on creep behavior. *Holzforschung*, Volume 60, pp. 299-303.
- Takahashi, C.; Ishimaru, Y. dan Iida, I., 2005. The Creep of Wood Destabilized by Change in Moisture Content. Part 2: The creep behaviors of wood during and immediately after adsorption. *Holzforschung*, Volume 59, pp. 46-53.
- Tenorio, C., Moya, R., dan Munoz, F., 2011. Comparative Study on Physical and Mechanical Properties of Laminated Veneer Lumber and Plywood Panels Made of Wood from Fast-Growing *Gmelina arborea* Trees. *Journal of Wood Science*, Volume 57, pp. 134-139.
- Thelandersson, S. dan Larsen, H. J., 2003. *Timber Engineering*. 1 ed. West Sussex, England: John Wiley & Sons, Ltd..
- Thelandersson, S., 1994. The Importance of Deflection Requirements in The Design of Timber Structures. In: P. Morlier, ed. *Creep in Timber Structures*. 1 ed. London: E & F Spon, pp. 1-8.
- Theodarmo, H., 2013. Perilaku Struktural Balok Susun LVL Kayu Sengon untuk Sistem Lantai Kayu, Yogyakarta: s.n.
- van de Kuilen, J.W.G. dan Dias, A.P.M.G, 2015. Creep Factors for Timber-Timber and Timber-Concrete Joints. *Studies and Researches*, Volume 34.
- Wisniewski, B. dan Manbeck, H. B., 2003. Residential Floor Systems: Wood I-Joist Creep Behavior. *Journal of Architectural Engineering*, 9(1), pp. 41-45.
- Wujek, J. B., 1999. Applied Statics, Strength of Materials, and Building Structure Design. New Jersey: Prentice-Hall, Inc..
- Yahyaei-Moayyed, M. dan Taheri, F., 2011. Creep Response of Glued-laminated Beam Reinforced with Pre-stressed Sub-laminated Composite. *Construction and Building Materials*, Volume 25, pp. 2495-2506.
- Yazdani, N.; Johnson, E. dan Duwadi, S., 2004. Creep Effect in Structural Composite Lumber for Bridge Applications. *Journal of Bridge Engineering*, 9(1), pp. 87-94.



- Yeh, B. dan Williamson, T. G., 2007. Creep and Creep-Rupture Behaviour of Structural Composite Lumber Evaluated in Accordance with ASTM D6815, s.l.: s.n.
- Yuwasdiki, S., 2005. Kajian Kayu Olahan LVL untuk Struktur Bangunan. Bandung, s.n.
- Zhou, H. Z.; Fan, F.; dan Zhu, E. C., 2010. Buckling of Reticulated Laminated Veneer Lumber Shells in Consideration of The Creep. *Engineering Structures*, Volume 32, pp. 2912-2918.