

## DAFTAR PUSTAKA

- Aali, M., H. Moradi-Shahrbabak, M. Moradi-Shahrbabak, M. Sadeghi and H. Kohram. 2016. Polymorphism in the SCD gene is associated with meat quality and fatty acid composition in Iranian fat- and thin-tailed sheep breeds. *J Livsci.* (16) 2016.04.003.
- Ali, M., K.K. Al-Qattan, F. Al-Enezi, R.M.A. Khanafer and T. Mustafa. 2000. Effect of allicin from garlic powder on serum lipids and blood pressure in rats fed with a high cholesterol diet. *Prostag. Leukotr. Ess.* 62(4): 253–259.
- AOAC. 2007. Official methods of analysis. Association of Official Analytical Chemists. Benjamin Franklin Station, Washington.
- Barnes, J., L.A. Anderson and J.D. Phillipson. 2007. Herbal medicines. Pages: 279. Third Edition. Pharmaceutical Press. USA.
- Benbow, H.M. 2015. Food, gender, and cross-cultural consumption in Turkish-German chick lit. *Food. Ways.* 23 (3): 141-162.
- Busse, M. and R. Siebert. 2018. The role of consumers in food innovation processes. *Eur. J. Innov. Manag.* 21 (1): 20-43.
- Chen, B., J. Rao, Y. Ding and D.J. McClements and E.A. Decker. 2016. Lipid oxidation in base algae oil and water-in-algae oil emulsion: Impact of natural antioxidants and emulsifiers. *Food Res Int.* 85 (2016) 162–169.
- Chikwanha, O.C., P. Vahmani, V. Muchenje and M.E.R. Dugan. 2018. Nutritional enhancement of sheep meat fatty acid profile for human health and wellbeing. *Food Res. Int.* 104 (2018): 25–38.
- de Man, J.M. 1997. Kimia makanan. Ed:2. Penerbit ITB.
- de Oliveira M.R., S.F. Nabavi, S.M. Nabavi and F.R. Jardim. 2017. Omega-3 polyunsaturated fatty acids and mitochondria, back to the future. *Trends Food Sci Technol.* 67: 76-92.
- Decker, E.A and Y. Park. 2010. Healthier meat products as functional foods. *Meat Sci.* 86: 49-55.
- Demirok, E. N. Kolsarici, I.T. Akoglu and E. Ozden. 2011. The effects of tumbling and sodium tripolyphosphate on the proteins of doner. *Meat Sci.* 89 (2): 154–159.
- El-Hamidi, M. and S.M. El-Shami. 2015. Scavenging Activity of Different Garlic Extracts and Garlic Powder and their Antioxidant Effect on Heated Sunflower Oil. *Am. J. Food. Technol.* 10 (4): 135-146.

- Ergonul, B., H. Tosun, E. Obuz and A. Kundakci. 2012. Several quality attributes of beef and turkey meat doner kebabs produced by traditional or continuous process. *J. Food. Sci Technol.* 49(4): 515–518.
- Estrada-Solis J., K.A. Figueroa-Rodríguez, B. Figueroa-Sandoval, F. Hernandez-Rosas and A.S. Hernandez-Cazares. 2016. Microstructure and physical changes in the Mexican cooked lamb meat barbacoa made with chilled and frozen meat. *Meat Sci.* 118 (2016) 122–128.
- Falowo, A. B., P. O. Fayemi and V. Muchenje. 2014. Natural antioxidants against lipid–protein oxidative deterioration in meat and meat products: A review. *Food Res Int.* 64 (2014) 171–181.
- Feng, Y. and M. O'Mahony. 2017. Comparison between American and Chinese consumers in the use of verbal and numerical 9-point hedonic scales and R-Index ranking for food and personal products. *Food Qual Prefer.* 60 (4) 138–144.
- Fialova, J., S.C. Roberts and J. Havlicek. 2016. Consumption of garlic positively affects hedonic perception of axillary body odour. *Appetite.* 97 (2016): 8–15.
- Flakemore, A.S., B.S. Malau-Aduli, P.D. Nichols and A.E.O. Malau-Aduli. 2017. Omega-3 fatty acids, nutrient retention values, and sensory meat eating quality in cooked and raw Australian lamb. *Meat. Sci.* 123 (2017): 79–87.
- Fратиanni, F., M.N. Ombra, A. Cozzolino, R. Riccardi, P. Spigno, P. Tremonte, R. Coppola and F. Nazzaro. 2016. Phenolic constituents, antioxidant, antimicrobial and anti proliferative activities of different endemic Italian varieties of garlic (*Allium sativum L.*). *J. Funct. Foods.* 21 (2016): 240–248.
- Fu Y., J. F. Young and M. Therkildsen. 2017. Bioactive peptides in beef: Endogenous generation through postmortem aging. *Meat Sci.* 123 (2017): 134–142.
- Ganhao R., D. Morcuende and M. Estévez. 2010. Protein oxidation in emulsified cooked burger patties with added fruit extracts: Influence on colour and texture deterioration during chill storage. *Meat Sci.* 85 (3): 402–409.
- Harlina, P. W., R. Shahzad, M. Ma, F. Geng, Q. Wang, L. He, S. Ding and N. Qiu. 2015. Effect of garlic oil on lipid oxidation, fatty acid profiles and microstructure of salted duck eggs. *J. Food Process. Press.* 39 (6): 2897–2911.
- Heinz, G., and P. Hautzinger. 2007. Meat processing technology for small-to medium-scale producers. FAO Regional Office for Asia and the Pacific, Bangkok.
- Horita C.N., E.A. Esmerinoa, V.A.S. Vidal, J.S. Farah, G.V. Amaral, H.M.A. Bolini, A.G. Cruz and M.A.R. Pollonio. 2017. Sensory profiling of low sodium

frankfurter containing garlic products: Adequacy of Polarized Projective Mapping compared with trained panel. *Meat Sci.* 131 (2017) 90–98.

- Inguglia, E.S., Z. Zhang, B.K. Tiwari, J.P. Kerry and C.M. Burgess. 2017. Salt reduction strategies in processed meat products - A review. *Trends Food Sci Technol.* 59 (2017): 70-78.
- Istrati D., A. Simion Ciuciu, C. Vizireanu, A. Ionescu and J. Carballo. 2015. Impact of spices and wine-based marinades on tenderness, fragmentation of myofibrillar proteins and color stability in bovine biceps femoris muscle. *J Texture Stud.* 46 (6): 455–466.
- Kara, A. A Traditional Turkish Palate Taste: Cağ Kebab. 2017. *OALibJ.* 4 (2017): 1-7.
- Keun-Cheol, P., H.S. Pyo, W.S. Kim and K.S. Yoon. Effects of cooking methods and tea marinades on the formation of benzo[*a*]pyrene in grilled pork belly (Samgyeopsal). *Meat. Sci.* 129 (2017): 1–8.
- Khalid, N., I. Ahmed, M. S. Z. Latif, T. Rafique and S. A. Fawad. 2014. Comparison of antimicrobial activity, phytochemical profile and minerals composition of garlic *Allium sativum* and *Allium tuberosum*. *J Korean Soc Appl Biol. Chem.* 57(3): 311–317.
- Kilic, B. 2003. Effect of microbial transglutaminase and sodium caseinate on quality of chicken doner kebab. 63 (2003): 417–421.
- Kiran, M., C.O. Vinayanada, B. Jagannatha Rao, B.D. Ravindra and B.S. Ramachandra. 2018. Effect of different cooking methods and binding materials on proximate composition, physicochemical and sensory quality of different emulsion based chicken products. *J. Anim Res.* 8 (1): 117-123.
- Kusnandar, F. 2010. *Kimia Pangan Komponen Makro dan Mikro.* Dian Rakyat. Jakarta.
- Lawrie, R.A. 2003. *Ilmu Daging.* Halaman: 303-305 di daging dan nutrisi manusia/ asam-asam lemak. Penerbit Universitas Indonesia, Jakarta.
- Lee. S., P. Hernandez, D. Jordjevic , H. Faraji , R. Hollender, C. Faustman, and E.A. Decker. 2006. Effect of Antioxidants and Cooking on Stability of n-3 Fatty Acids in Fortified Meat Products. *J. Food Sci.* 71: 233-238.
- Li. Y., X. Shi-Ying and S. Da-Wen. 2007. Preparation of garlic powder with high allicin content by using combined microwave–vacuum and vacuum drying as well as microencapsulation. *J. Food Eng.* 83 (2007): 76-83.
- Liuzzo, G., R. Rossi, F. Giacometti, S. Piva, A. Serraino, G. Mescolini and G. Militerno. 2016. Mislabelling of Döner kebab sold in Italy. *Ital. J. Food Saf.* 6149 (5): 182-184

- Maqsood, S., S Benjakul and A.K. Balange. 2012. Effect of tannic acid and kiam wood extract on lipid oxidation and textural properties of fish emulsion sausages during refrigerated storage. *Food Chem.* 130 (2): 408-416.
- Martins, N., S. Petropoulos and I. C. F. R. Ferreira. 2016. Chemical composition and bioactive compounds of garlic (*Allium sativum* L.) as affected by pre- and post-harvest conditions. A review. *Food Chem.* 211 (2016) 41–50.
- Modi V.K., N.M. Sachindra, P. Nagegowda, N.S. Mahendrakar and D.N Rao. 2007. Quality changes during the storage of dehydrated chicken kebab mix. *Int. J. Sci. Tech.* 42 (7): 827–835.
- Novakovic, S and I. Tomasevic. 2017. A comparison between Warner-Bratzler shear force measurement and texture profile analysis of meat and meat products: a review. Pages: 1-6 in proc 59th International Meat Industry Conference MEATCON2017. IOP Conf. Ser.: Earth Environ. Sci. 85 (2017).
- Ozcan, A.U and H. Bozkurt. 2015. Physical and chemical attributes of a ready-to-eat meat product during the processing: effects of different cooking methods. *Int. J. Food Prop.* 18 (2015): 2422–2432.
- Pandey, M. C., P.T. Harilal and K. Radhakrishna. 2014. Effect of processing conditions on physico-chemical and textural properties of shami kebab. *Int. Food Res.* 21(1): 223-228.
- Panozzo M. L. Magro, I. Erle, S. Ferrarini, R. Murari, E. Novelli and S. Masaro. 2015. Nutritional quality of preparations based on Doner Kebab sold in two towns of Veneto Region, Italy: preliminary result. *Ital. J. Food Saf.* 4: 92-97.
- Park, S.Y. and K.B. Chin. 2014. Effect of fresh garlic on lipid oxidation and microbiological changes of pork patties during refrigerated storage. *Korean J. Food Sci.* 34(5): 638-646.
- Pattanagul, P., R. Pinthong, A. Phianmongkhol and S. Tharatha. Mevinolin, citrinin and pigments of adlay angkak fermented by *Monascus sp.* *Int. J. Food Microbiol.* 126 (2008): 20–23.
- Pogorzelska-Nowicka, E., A.G. Atanasov, J. Horbańczuk dan A. Wierzbicka. 2018. Bioactive compounds in functional meat products. *Molecules.* 23: 1-19.
- Pogorzelska-Nowicka. E., A. G. Atanasov, J. Horbańczuk, and A. Wierzbicka . 2018. Bioactive compounds in functional meat products. *Molecules.* 23: 1-19
- Purnomo, H. 2012. Teknologi pengolahan dan pengawetan daging. Universitas Brawijaya Press. Malang.
- Queiroz, Y. S., E.Y. Ishimoto, D.H.M. Bastos, G.R. Sampaio and E.A.F.S. Torres. 2009. Garlic (*Allium sativum* L.) and ready-to-eat garlic products: In vitro antioxidant activity. *Food. Chem.* 115 (1): 371–374.

- Ramirez, D.A., D.A. Locatelli, R.E. Gonzalez, P.F. Cavagnaro and A.B. Camargo. 2017. Analytical methods for bioactive sulfur compounds in *Allium*: An integrated review and future directions. *J. Food. Compost Anal.* 61 (2017): 4–19.
- Rodriguez-Cruz, M and D. S. Serna. 2017. Nutrigenomics of  $\omega$ -3 fatty acids: regulators of the master transcription factors. *Nutr.* 41: 90-96.
- Saleh, S. 1996. *Statistik Non Parametrik*. BPFE, Yogyakarta.
- Santhi, D., A. Kalaikannan and S. Sureshkumar. 2017. Factors influencing meat emulsion properties and product texture: A review. *Crit Rev Food Sci.* 57 (10): 2021–2027.
- Schmidt G.R. 1984. Processing Effects on Meat Product Microstructure. *Food microstruct.* 3 (3303): 33- 39
- Scollan N.D., E. M. Price, S.A. Morgan, S. A. Huws and K. J. Shingfield. 2017. Can we improve the nutritional quality of meat?. *Proc Nutr Soc.* 76: 603-618.
- Setyaningrum, A. 2015. Penampilan produksi dan kualitas daging domba ekor tipis pada pemberian pakan tambahan lemak tak jenuh terproteksi dengan metode kombinasi penyabunan dan kapsulasi. *Desertasi. Sekolah Pasca Sarjana. Universitas Gadjah Mada, Yogyakarta.*
- Soeparno, 2011. *Ilmu Nutrisi dan Gizi Daging*. Halaman 157-160 di lemak daging/ komposisi asam lemak. Gadjah Mada University Press, Yogyakarta.
- Sondakh, E.H.B. 2013. Pengaruh reduksi gas metan menggunakan medium chain fatty acids terhadap pertumbuhan dan kualitas daging domba. *Desertasi. Sekolah Pasca Sarjana. Universitas Gadjah Mada, Yogyakarta.*
- Steel, R.G.D. and J.H. Torrie. 1993. *Prinsip dan Prosedur Statistik. Suatu Pendekatan Biometrik*. Diterjemahkan oleh M. Syah. PT. Gramedia Pustaka Utama, Jakarta.
- Szychowski, K.A., K. Rybczyńska-Tkaczyk, K. Gawel-Bęben, M. Swieca, M. Karas, A. Jakubczyk, M. Matysiak, U.E. Binduga and J. Gminski. 2018. Characterization of active compounds of different garlic (*Allium sativum* L.) cultivars. *Pol. J. Food Nutr. Sci.* 68 (1): 73–81.
- Teixeira, A., A. Fernandes, E. Pereira, A. Manuel and S. Rodrigues. 2017. Effect of salting and ripening on the physicochemical and sensory quality of goat and sheep cured legs. *Meat Sci.* 134: 163-169.
- Vlahova-Vangelova, D.B., S.G. Dragoev, D.K. Balev, B.K. Assenova and K.J. Amirhanov. 2017. Quality, microstructure, and technological properties of sheep meat marinated in three different ways. *J Food Quality.* 2017: 1-10.

- Wen-Wen R., A.E.A. Bekhit, F. Li, Y. Hai-Yan, J. Xiao-Feng, W. Zhang and K. Ling-Ming. 2015. Physicochemical properties of pastirma from horse meat, beef, mutton and pork. *J. Food Qual.* 38: 369-376.
- Widiyanto, 2008. Suplementasi minyak biji kapok terproteksi sebagai sumber asam lemak tidak jenuh untuk meningkatkan produktivitas daging domba local jawa ekor kurus jantan rendah kolesterol kaya asam lemak omega 6. Desertasi. Sekolah Pasca Sarjana. Universitas Gadjah Mada, Yogyakarta.
- Winarno, F.G. 2002. *Kimia Pangan dan Gizi*. PT. Gramedia Pustaka Utama, Jakarta.
- Yang S., J. Wang, Y. Wang and Y. Luo. 2016. Key role of collagen fibers orientation in casing-meat adhesion. *Food Res Int.* 89 (2016) 439 – 447.
- Yarmand, M.S dan A. Homayouni. 2009. Effect of microwave cooking on the microstructure and quality of meat in goat and lamb. *Food Chem.* 112 (4): 782–785.
- Yarmand, M.S. and A. Homayouni. 2009. Effect of microwave cooking on the microstructure and quality of meat in goat and lamb. *Food Chem.* 112 (2009): 782–785.
- Youssef, M.K and S. Barbut. 2009. Effects of protein level and fat/oil on emulsion stability, texture, microstructure and color of meat batters. *Meat Sci.* 82 (2): 228–233.
- Youssef, M.K. and S. Barbut. 2009. Effects of protein level and fat/oil on emulsion stability, texture, microstructure and color of meat batters. *Meat Sci.* 82 (2009): 228–233.
- Yuanita, L dan Silitonga L. 2014. Sifat kimia dan palatabilitas nugget ayam menggunakan jenis dan konsentrasi bahan pengisi yang berbeda. *Jurnal Ilmu Hewani Tropika.* 3:1-5.
- Yusuf., Abayomi, S.S. Fagbuaro and S.O.K. Fajemilehin. 2018. Chemical composition, phytochemical and mineral profile of garlic (*Allium sativum*). *J. Biosci. Biotechnol. Discv.* 3(5): 105-109.
- Zhang, X., Q. Meng, L. He, L. Zhao and L. Ren. 2016. Effects of garlic extract on color, lipid oxidation and oxidative breakdown products in raw ground beef during refrigerated storage. *Ital. J. Food Sci.* 28 (1): 139-147.
- Zhao, X., Z. Yang, G. Gai and Y. Yang. 2019. Effect of superfine grinding on properties of ginger powder. *J. Food Eng.* 91(2): 217–222.