

DAFTAR PUSTAKA

- Adamu, H.A., Imam, M.U., Ooi, D.J., Esa, N.M., Rosli, R., Ismail, M., 2016. Perinatal exposure to germinated brown rice and its gamma amino-butyric acid-rich extract prevents high fat diet-induced insulin resistance in first generation rat offspring. *Food Nutr. Res.* 60:30209
- Ahmed, A.M., 2002. History of diabetes mellitus. *Saudi Med. J.* 23(4):373-378
- Ahlqvist, E., Singh, T.A., Groop, L., 2011. Genetics of Type 2 Diabetes. *Clin. Chem.* 57(2): 241-254
- Ali, Omar. 2013. Genetic of type 2 diabetes. *World J Diabetes* 4(4): 114-123
- Alihosseini, N., Moahboob, S.A., Farrin, N., Mobasseri, M., Taghizadeh, A., Ostadrahimi, A.R., 2017. Effect of probiotic fermented milk (kefir) on serum level of insulin and homocysteine in type 2 diabetes patients. *Acta Endocrinol.* 13: 431-436
- American Diabetes Association, 2010. Diagnosis and Classification of Diabetes Mellitus. *Diabetes care* 3(Supl1): S62-S69
- American Diabetes Association. 2015. Classification and Diagnosis of Diabetes. *Diabetes Care* 38(Supl1): 8-16
- Aoki, H., Furuya, Y., Endo, Y., Fujimoto, K., 2003. Effect of gamma aminobutyric acid enriched tempeh-like fermented soybean (GABA-Tempeh) on the blood pressure of spontaneously hypertensive rats. *Biosci. Biotechnol. Biochem.* 7(8):1806-8
- Bansal, P., Wang, S., Liu, S., Xiang, Y.Y., Lu, W.Y., Wang, Q., 2011. GABA coordinates with insulin in regulating secretory function in pancreatic INS-1 β -cells. *PloS* 6: e26225
- Bataille, D., 2002. Molecular mechanisms of insulin secretion. *Diabetes Metab.* 28(6 Suppl):4S7-13
- Birgani, G.A., Aharngarpor, A., Khorsandi, L., Moghaddam, F.H., 2018. Anti-diabetic effect of betulinic acid on streptozotocin-nicotinamide induced diabetic male mouse model. *Braz. J. Pharm.* 54(2): e17171
- Briguglio, Mateo., Dell'Osso, Bernado., Panzica Giancarlo., Malgaroli, Antonio. 2018. Dietary Neurotransmitters: A Narrative Review on Current Knowledge. *Nutrients* 10(5): 591
- Butler, A.E., Janson, J., Bonner, W.S., Ritzel, R., Rizza, R.A., Butler, P.C., 2003. Beta cell deficit and Increased Beta cell Apoptosis in Human With Type 2 Diabetes. *Diabetes* (52):102-111
- Choudury, H., Pandey, M., Hua, K.C., Mun, S.C., Koh, J.J., Kong, L., Erns, Y.L., Ahmad, A.N., Wai, K.S., Sin, Y.T., Rao, M.P., Gorain, B., Kesharwani, P., 2017 . An update on natural compound in the remedy of diabetes mellitus: A systematic review. *J. Tradit. Complement. Med.* (8): 361-376
- Chung, J.Y., Kim, B., Lee, J.G., Cho, H.Y., Min, S.G., Choi, M.J., 2014. Effect of NaCl Replacement with Gamma-Aminobutyric acid (GABA) on the Quality Characteristics and Sensorial Properties of Model Meat Product. *Korean J. Food Sci.* 4(34): 552-557
- Cnop, M., Welsb, N., Jonas, J.C., Jorns, A., Lenzen, S., Elzirik, D.I., 2006. Mechanism of Pancreatic Beta cell death in Type 1 and Type 2 Diabetes. *Diabetes* 54(Supl2): S07-S018



Cersosimo, E., Solis-Herera, C., Trautmann, M.E., Malloy, J., Triplitt, C.L. 2014. Assesment of Pancreatic β -Cell Function: Reviews of Method and Clinical Application. *Curr Diabetes Rev* 10(1): 2-42

Deng, Y., Wang, W., Yu, P., Xi, Z., Xu, L., Li, X., He, N., 2013. Comparison of taurine, GABA, Glu, and Asp asscavengers of malondialdehyde in vitro and in vivo. *Nanoscale Res. Lett.* 8: 190

De Vas, Matias G., Kopp, Janel, L., Heliot, Claire., Sander, Maïke., Cereghini, Silvia., Haumaitre, Cecile. 2015. Hnf1b controls pancreas morphogenesis and the generation of Ngn3⁺ endocrine progenitors. *Dev* 142: 862-871

Dhakal, R., Bajpai, V.K., Baek, K.H., 2012. Production of gaba (γ -Aminobutyric acid) by microorganism: a review. *Braz. J. Microbiol.* 43(4): 1230-1241

Diana, M., Quilez, J., Rafecas, M., 2014. Gamma-aminobutyric acid as a bioactive compound in foods: a review. *J. Func. Food* 10: 407-420

El-Kordy, E.A., Alshahrani, A.M., 2015. Effect of genistein a natural soy isoflavone, on pancreatic β -cell of streptozotocin-induced diabetic rats: Histological and immunohistochemical study. *J. Microsc. Ultrastruct.* 3(3): 108-119

Franklin, I.K., Wollheim, C.B., 2004. GABA in the Endocrine Pancreas: Its Putative role as an Islet Cell Paracrine –signalling Molecule. *J. Gen. Physiol.* 123 (3): 185-190

Fu, Zhuo., Zhang, Wei., Zhen, Wei., Lum, Hazel., Nadler, Jerry., Riera, Josep B., Jia, Zhenquan., Wang, Yanwen., Misra, Hara., Liu, Dongmin. 2010. Genistein Induces Pancreatic β -Cell Proliferation through activation multiple signaling pathways and prevents-Insulin deficient in diabetic mice. *Endocrinol* 151(7): 3026-3037

Fujimoto, K., Polonsky, K.S., 2010. Pdx1 and other factors that regulate pancreatic Beta cell survival. *Diabetes Obes. Metab.* 11(Supl4): 30-37

G.G, Kuiper., J.G. Lemmen., B. Carlsson., J.C. Corton., S.H. Safe., P.T. van der Saag., B. van der Burg., J.A. Gustafsson. 1998. Interaction of estrogenic chemicals and phytoestrogen with estrogen receptor α and β . *Endocrinol* 10: 4252-4263

Garg, M.K., Dutta, M.K., Mahalle, N., 2011. Study of beta-cell function (by HOMA model) in metabolic syndrome. *Indian J. Endocrinol. Metab.* (Supl1): 44-49

Ghozali, Dian. 2020. Pengaruh Suplemen GABA-Soyferment berbasis tempe terhadap proteksi luka pada mencit diabetic Kajian Ekspresi mRNA IL-10. Tesis: FKMK UGM

Ghasemi, Ashgar., Jeddy, Sajad., Jeddi, Saeedeh. 2014. Streptozotocin-nicotiamide-induced rat model of type 2 diabetes (Review). *Act Physiol Hung* 101(4): 408-420

Gilbert, E.R., Liu, D., Anti-diabetic functions of soy isoflavone genistein: mechanisms underlying effect on pancreatic β -cell function. *Food Func.* 4(2): 200-212

Guariguatta, L., Whitting, D.R., Hamleton, I., Beagley, J., Linnenkamp, U., Shaw, J.E., 2014. Global estimates of diabetes prevalence for 2013 and projections for 2035. *Diabet Res. and Clin. Prac.* (109): 137-148

Han, X., Tao, Y.L., Deng, Y.P., Yu, J.W., Cai, J., Ren, G.F., Sun, Y.N., Jiang, G.J., 2017. Metformin ameliorates insulinitis in STZ-induced diabetic mice. *PeerJ* 5: 117-123

Han, J.H., Tuan, N.Q., Park, M.H., Quan, K.T., Oh, J., Heo, K.S., Na, M., Myung, C.S., 2018. Cucurbitane Triterpenoids from the Fruits of *Momordica Charantia* Improve Insulin Sensitivity and Glucose Homeostasis in Streptozotocin- Induced Diabetic Mice. *Mol. Nutr. Food Res.* 62(7):1-8

Haron, H., Ismail, A., Azlan, A., Shahar, S., Peng, L.S., 2009. Daidzen and genestein contents in tempeh and selected soy product. *Food Chem* 115: 1350-1356

Hussey, S.E., McGee, S.L., Garnham, A., Wentworth, J.W., Jeukendrup, A.E., Hargreaves, M., 2011. Exercise training increase adipose tissue GLUT4 expression in patients with type 2 diabetes. *Diabetes. Obes. Metab.* (10): 959-962

Hu, F.B. 2003. Sedentary lifestyle and risk of obesity and type 2 diabetes. *Lipids* 38(2): 103-108

Huang, Y.C., Wu, B.H., Chu, Y.L., Chang, W.C., Wu, M.C., 2018. Effect of Tempeh Fermentation with *Lactobacillus plantarum* and *Rhizopus oligosporus* on Streptozotocin Induced Type II Diabetes Mellitus in Rat. *Nutrients* (10): 1143

Idris, H., Hasyim, H., Utama, F., 2017. Analysis of Diabetes Mellitus Determinants in Indonesia: A Study from the Indonesian Basic Health Research 2013. *Act. Med. Indones.* (49):4

Indrowati, M., Pratiwi, R., Rumiati, Astuti, P., 2017. Levels of Blood Glucose and Insulin Expression of Beta-cell in Streptozotocin-induced Diabetic Rats Treated with Ethanol Extract of *Articarpus altilis* Leaves and GABA. *Pak. J. Biol. Sci* 20 (1): 28-35

Jamilian, Mehri., Asemi, Zatollah. 2015. The Effect of Soy Intake on Metabolic Profiles of women With gestational Diabetes Mellitus. *J. Endocrinol. Metabol.* 100(12): 4654-4661

Jiang, Hua., Tong, Yuxing., Yan, Dongjin., Jia, Shaohui., Ostenson, Claes Goran., Chen, Zhengwang. 2015. The Soybean Peptide Vglycin Preserves the Diabetes β -cells through Improvement of Proliferation and Inhibition of Apoptosis. *Sci. Rep.* 5:15599

Jonsson, J., Carlsson, L., Edlund, T., Edlund, H. 1994. Insulin promoter factor 1 is required for pancreas development in Mice. *Nature* 371(6489):606-609

Kaiser, N., Leibowitz, G., Nesher, R., 2003. Glucotoxicity and Beta cell Failure in Type 2 Diabetes Mellitus. *JPEM* 16: 5-22

Kaneto, H., Miyatsuka, T., Kawamori, D., Matsuoka, T.A., 2008. Pleiotropic Roles of PDX1 in the Pancreas. *RDS* 4(4): 209-236

Kawamori, D., Kajimoto, Y., Kaneto, H., Umayahara, Y., Fujitani, Y., Miyatsuka, T., Watada, H., Leibiger, I.B., Yamasaki, Y., Hori, M. 2003. Oxidative stress induces nucleo-cytoplasmic translocation of pancreatic transcription factor PDX1 through activation of c-Jun NH(2)-terminal kinase. *Diabetes* 52: 2896-2904

Kim DJ, Jeong YJ, Kwon JH, Moon KD, Kim HJ, Jeon SM., 2008. Beneficial effect of chungkokjang on regulating blood glucose and pancreatic beta-cell functions in C75BL/KsJ-db/db mice. *J. Med. Food.* 11:215-23.

Kim, Kijin, Ahn, Nayoung., Jung, S., Ju, Youngsik., Lee, G., Kim, Myeon., Jeong, Y. 2018. Effect of Resistance Exercise and Fermented Soybean Consumption on Glucose Tolerance and Expression of Immune Senescence-Related Myokines in Middle Aged Obese Rats. *J. Obes. Metab. Syndr.* 27(3): 186-194



UNIVERSITAS
GADJAH MADA

PENGARUH PEMBERIAN FERMENTASI TEMPE AEROB ANAEROB (FETAA) TERHADAP EKSPRESI GEN PANCREATIC DUODENAL HOMEBOX 1 (Pdx1) DAN INDEKS HOMA & Atilde;A^{1/2}Â² PADA MODEL MENCIT DIABETES TIPE 2

HENDI WICAKSONO, Dr. Prasetyastuti, M. Kes, Apt; Dr. Pramudji Hastuti, Apt, MS; dr. Ahmad Hamim Sadewa, Ph.D

Universitas Gadjah Mada, 2020 | Diunduh dari <http://std.repository.ugm.ac.id/>

Kimura, M., Hayakawa, K., Sansawa, H., 2002. Involvement of gamma-aminobutyric acid (GABA) B receptors in the hypotensive effect of systemically administered GABA in spontaneously hypertensive rats. *Jpn. J. Pharmacol.* 89: 388-394

Koh, S.P., Long, K., Aziz, S.A., Alitheen, N.B., 2014. Hepatoprotective Effect of Fermented Soybean (Nutrient Enriched Soybean Tempeh) against Alcohol-Induced Liver Damage in Mice. *Evid. Based Complement. Altern. Med.* (13): 1-9

Kwon DY, Hong SM, Ahn IS, Kim YS, Shin DW, Park S. Kochujang. 2009. a Korean fermented red pepper plus soybean paste improves glucose homeostasis in 90% pancreatectomized diabetic rats. *Nutrition* 25: 790-9

Lee, J., Yee, S.T., Kim, J.J., Choi, M.S., Kwon, E.Y., Seo, K.I., Lee, M.K., 2010. Ursolic acid ameliorates thymic atrophy and hyperglycemia in streptozotocin-nicotinamide-induced diabetic mice. *Chem. Biol. Interact.* (3): 635-642

Lee, jeong-sook. 2006. Effect of soyprotein and genistein on blood glucose, antioxidant enzyme activities, and lipid profile in streptozotocin-induced diabetic rat. *Life Sci.* 79(16): 1578-86

Leibowitz, Gil., Ferber, Sarah., Apelqvist, Asa., Edlund, Helena., Gross, David J., Cerasi, Erol., Melloul, Danielle., Kaiser, Nurit. 2001. IPF1/PDX1 Deficiency and β -Cell Dysfunction in Psammomys obesus, an Animal With Type 2 Diabetes. *Diabetes* 50(8): 1799-1806

Li, Y., Cao, X., Li, L.X., Brubaker, P.L., Edlund, H., Drucker, D.J., 2005. Beta Cell Pdx1 Expression Is Essential for the Glucoregulatory, Proliferative, and Cytoprotective Action of Glucagon-Like Peptide-1. *Diabetes* 54: 482-451

Ligitta, T., Wicking, K., Francis, K., Harvey, N., Nurjannah, I., 2019. How people living with diabetes in Indonesia learn about their disease: A grounded theory study. *PloS* 14: 2

Lim, KH., Han, JH., Lee, JY., Park, YS., Cho, YS., Kang, KD. 2012. Assessment of antidiabetogenic potential of fermented soybean extract in streptozotocin-induced diabetic rat. *Food. Chem. Toxicol.* 50: 3941-3948

Liu, Y., Weng, W., Wang, S., Long, R., Li, H., Li, H., Li, T., Wu, M., 2018. Effect of γ -Aminobutyric Acid-Chitosan Nanoparticles on Glucose Homeostasis in Mice. *ACS Omega* 3: 2492-2497

Liu, W., Son, D.O., Lau, H.K., Zhou, Y., Prud'homme, G.J., Jin, T., Wang, Q., 2017. Combined oral administration of GABA and DPP-4 inhibitor prevents beta cell damage and promotes beta cell regeneration in mice. *Front. Pharmacol.* 8: 362.

Matsubara, F., Ueno, H., Kentaro, T., Tadano, K., Suyama, T., Imaizumi, K., Suzuki, T., Magata, K., Kikuchi, N., 2002. Effects of GABA supplementation on blood pressure and safety in adults with mild hypertension. *Jpn. Pharmacol. Ther.* 30: 963-972

Matthews, D.R., Hosker, J.P., Rudenski, A.S., Naylor, B.A., Treacher, D.F., Turner, R.C., 1985. Homeostasis model assessment: insulin resistance and beta-cell function from fasting plasma glucose and insulin concentration in man. *Diabetologia* 28(7): 412-419

Minami, Kohtaro. 2013. GATA transcription factors: New regulators in pancreas organogenesis. *J. Diabetes. Investig.* 4(5): 426-427



UNIVERSITAS
GADJAH MADA

PENGARUH PEMBERIAN FERMENTASI TEMPE AEROB ANAEROB (FETAA) TERHADAP EKSPRESI GEN PANCREATIC DUODENAL HOMEBOX 1 (Pdx1) DAN INDEKS HOMA & Atilde;A^{1/2}Â² PADA MODEL MENCIT DIABETES TIPE 2

HENDI WICAKSONO, Dr. Prasetyastuti, M. Kes, Apt; Dr. Pramudji Hastuti, Apt, MS; dr. Ahmad Hamim Sadewa, Ph.D

Universitas Gadjah Mada, 2020. | Diunduh dari <http://etd.repository.ugm.ac.id/>

Nadal, Angel., Rovira, Juan M., Laribi, Ouahriba., Leon, Trinidad Q., Andreau, Etelvina., Ripoll, Christina, Soria, Bernat. 1998. Rapid insulinotropic effect of 17 β -estradiol via a plasma membrane receptor. *FASEB J* 16(11): 1429-1431

Nandhita, A., Ma, R.C., Ramachandran, A., Snehalatha, C., Chan, J.C., Chia, K.S., Shaw, J.E., Zimmer, P.Z., 2015. Diabetes in Asia and the Pacific: Implication for the Global Epidemic. *Diabetes Care* 39: 472-485

Nava, Francisco A., Bastidas, Daniela., Orbe, Marcia R., Guarderas, Jessica. 2020. Insulin Sensitivity and Pancreatic β - Cell Function in Ecuadorian Women With Turner Syndrome. *Front. Endocrinol.* 11: 482

Ngo, D.H., Vo, T.S., 2019. An Updated Review on Pharmaceutical Properties of Gamma – Aminobutyric Acid. *Molecules* 24: 2679

Nout, M.J.R., Rombouts, F.M., 1990, Recent developments in tempe research. *J. Appl. Microbiol.* 69: 609-633

Olokoba, A.B., Obateru, O.A., Olokoba, L.B., 2012. Type 2 Diabetes Mellitus: A Review of Current Trends. *Oman Med. J.* 27(4): 269-273

Patil, S.B., Takalikar, S.S., Joglekar, M.M., Haldavnekar V.S., Arvindekar , A.U., Insulinotropic and β -cell protective action of cuminaldehyde, cuminol and an inhibitor isolated from Cuminum cyminum in Streptozotocin-induced diabetic rats. *Br. J. Nutr.* (8):1434-1443

Pharma Food International Co., Ltd, 2015. GRAS Exemption Claim for gamma-Aminobutyric acid (GABA) for Use as a Food Ingredient in the United States (U.S.). Food And Drug Administration: USA

Perkeni, 2015. Konsensus Pengelolaan dan pencegahan Diabetes Mellitus Tipe 2 Di Indonesia 2015. *PB Perkeni*

Purwana, I., Juan, Z., Xiaoming, L., Marielle, D., Son, D.O., Zhaoyun, Z., Christie, L., Eddie, S., Aksaya, T., Feng, Z.P., Hasilo, C., Li, Y., Paraskevas, S., Bortell, R., Greiner, D.L., Atkinson, M., Prud'homme, G.J., Wang, Q., 2014. GABA promotes human Beta cell proliferation and modulates glucose homeostasis. *Diabetes* (12): 4197-4205

Rios, J.L., Francini, F., Schinella, G.R., 2015. Natural Product for Treatment of Type 2 Diabetes Mellitus. *Planta Med.* (8): 12-13

Riskesdas. 2018. Hasil utama Riskesdas 2018. Kementrian Kesehatan Republik Indonesia.

Robertson, R.P., Harmon, J., Tran, P.O., Tanaka, Y., Takahashi, H., 2003. Glucose Toxicity in β -Cells: Type 2 Diabetes, Good Radicals Gone Bad, and the Glutathione Connection. *Diabetes* 52: 581-589

Roth, F.C., Dragunh, A., 2012. GABA Metabolism and Transport: Effect on Synaptic Efficacy. *Neural Plast.* 2012: 1-12

Ryu, Gyeong R., Yoo, Jun M., Lee, Esder., Ko, Seung H., Ahn, Y.B., Song, K.H. 2011. Decreased Expression and Induced Nucleocytoplasmic Translocation of Pancreatic and Duodenal Homeobox 1 in INS-1 Cells Exposed to High Glucose and Palmitate. *Diabetes Metab. J.* 35(1): 65-71

Saono, S., Hull, R.R., Dhamcharee, B., 1986. A Concise Handbook of Indi-genous Fermented Foods in the Asia Countries. Indonesian Institute of Sciences, Jakarta, Indonesia

Schafer, S.S., Tshritter, O., Machicao, F., Thamer, C., Stefan, N., Gallwitz, B., Holst, J.J., Dekker, J.M., t'Hart, L.M., Nijpel, G., van Haeften, T.W., Haring, U. H., Fritsche. 2007. Impaired glucagon like peptide 1 induced secretion in carriers transcription factor 7 like 2 (TCF7L2) gene polymorphism. *Diabetol.* 50: 2443-2450

Scheen, A.J., Castillo, M.J., Lefebvre, P. J. 1996. Assessment of residual insulin secretion in diabetic patients using the intravenous glucagon stimulatory test: methodological aspect and clinical approach. *Diabetes Metab.* 22(6): 397-406

Schmittgen, T.D., Livak, K.J., 2008. Analyzing real-time PCR data by the comparative C(T) method. *Nat. Protoc.* 3(6): 1101-8

Silver, K., Shetty, A., 2002. IPF-1 gene variation and the development of type 2 diabetes. *Mol. Genet. Metab.* 75(3): 287-289

Sites, Cynthia K., Cooper, Brian C., Toth, Michael J., Gtadelli, Amalia., Arabshahi, Ali., Barnes, Stephen. 2007. Effect of daily supplement of soy protein on body composition and insulin secretion in postmenopausal women. *Fertil Steril* 88(6): 1609-1617

Soetjipto, H., Martono, Y., Yuniarti, Z. 2018. Isolasi Dan Analisa Genistein Dari Tempe Busuk menggunakan metode kromatografi kolom. *J. Bioteknol. Biosains Indones.* 5(1): 88-98

Soewondo, P., Ferrario, A., Levenus, D.T., 2013. Challenges in diabetes management in Indonesia: a literature review. *Globalization and Health* (9): 63-65

Soltani, N., Qiu, H., Aleksic, M., Glinka, Y., Zhao, F., Liu, R., Li, Y., Zhang, N., Chakrabarti, R., Ng, Tiffany., Jin, T., Zang, H., Lu, W.Y., Feng, Z.P., Prud'homme, G., Wang, Q. 2011. GABA exerts protective and regenerative effects on islet beta cells and reverse diabetes. *Proc. Natl. Acad. Sci. U S A.* 108(28): 11692-11697

Song, Y., Manson, J.E., Tinker, L., Howard, B.V., Kuller, L.H., Nathan, L., Rifai, N., Liu, S., 2007. Insulin Sensitivity and Insulin Secretion Determined by Homeostasis Model Assessment (HOMA) and Risk of Diabetes in a Multiethnic Cohort of Women: The Women's Health Initiative Observational Study. *Diabetes Care* 30(7): 1742-1752

Sun, X., Yu, W., Hu, C., 2014. Genetics Type 2 Diabetes: Insight into the Pathogenesis and Its Clinical Application. *Biomed. Res. Int.* 14:210-218

Taneera, J., Jin, Z., Jin, Y., Muhammed, S.J., Thong, E., Lang, S., Salehi, A., Korsgren, O., Renstrom, E., Groop, L., Birnir, B., 2012. Γ -Aminobutyric acid (GABA) signalling in human pancreatic islets in altered in type 2 diabetes. *Diabetologia* 33: 1985-1987

Tang, X., Yu, R., Zhou, Q., Jiang, S., Le, G. 2018. Protective effects of γ -aminobutyric acid against H₂O₂-induced oxidative stress in RIN-m5F pancreatic cells. *Nutr. Metab.* 15: 60-65

Tian, Jade., Dang, Hoa N., Yong, Jing., Chui, Wing-Sheu., Dizon, Matthew P.G., Yaw, Catherine K.Y., Kaufman, Daniel L. 2011. Oral Treatment with γ -Aminobutyric acid Improve Glucose Tolerance and Insulin Sensitivity by Inhibiting Inflammation in High Fat Diet-Fed Mice. *PlosOne* 6(9): 1-7



UNIVERSITAS
GADJAH MADA

PENGARUH PEMBERIAN FERMENTASI TEMPE AEROB ANAEROB (FETAA) TERHADAP EKSPRESI GEN PANCREATIC DUODENAL HOMEBOX 1 (Pdx1) DAN INDEKS HOMA & Atilde;A^{1/2}Â² PADA MODEL MENCIT DIABETES TIPE 2

HENDI WICAKSONO, Dr. Prasetyastuti, M. Kes, Apt; Dr. Pramudji Hastuti, Apt, MS; dr. Ahmad Hamim Sadewa, Ph.D

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Tiansawang, K., Luangpituksa, P., Varanyanond, W., Hansawasdi, C., 2016. GABA (γ -aminobutyric acid) production, antioxidant activity in some germinated dietary seeds and the effect of cooking on their GABA content. *Food. Sci. Technol.* 36(2): 313-321

Velasquez, MT., Bhatena, SJ. 2007. Role of Dietary Soy Protein in Obesity. *Int. J. Med. Sci.* 4(2): 72-82

Wang, J.J., Wang, H., 2017. Oxidative Stress in Pancreatic Beta Cell Regeneration. *Oxid. Med. Cell Longev.* 17: 1930261

Wang, Xianming., Sterr, Michael., Burtscher, Ingo., Chen, Sen., Hieronimus, Anja., Machicao, Fausto, Staiger, Harald., Haring, Hans Ulrich., Ledere, Gabriele., Meitinger, Thomas., Cernilongar, M Filippo., Scotta, Gunnar., Irmeler, Martin., Becker, Johannes., de angelis, M.H., Ray, Michael., Wright, C.V.E., Bakhtiar, Mostafa., Lickert, Heiko. 2018. Genome wide analysis of PDX1 target gene in human pancreatic progenitors. *Mol Metab* 9: 57-69

Watanabe, N., Fujimoto, K., Aoki, H. 2007. Antioxidant activities of the water-soluble fraction in tempeh-like fermented soybean (GABA-tempeh). *Int. J. Food Sci. Nutr.* 58(8): 577-587

World Health Organization. 2018. Noncommunicable Disease (NCD) Country Profile. WHO

Wu, Y., Di, Y., Tanaka, Y., Zhang, W., 2014. Risk Factors Contributing to Type 2 Diabetes and Recent Advances in the Treatment and Prevention. *IJMS* 11:11

Yan, Hui., Yang, W., Zhou, F., Li, X., Pan, Q., Shen, Z., Han, G., Fugate, A.N., Tian, Y., Majeti, R., Liu, W., Xu, Yong., Wu, C., Allred, K., Allred, C., Sun, Y., Guo, Shaodong. 2019. Estrogen Improve Insulin Sensitivity and Suppresses Gluconeogenesis via the Transcription Factor Foxo1. *Diabetes* 68(2): 291-304

Yusof, H.M., Ali, N.M., H.M, Yeap, S.K., Ho, W.Y., Beh, S.P., Koh, S.P., Long, K., Aziz. S.A., Alitheen, B.N., 2013. Hepatoprotective Effect of Fermented Soybean (Nutrient Enrichment Soybean Tempeh) against Alcohol-Induced Liver Damage in Mice. *Evid. Based. Compl. Alternat.* 27274

Zhong, Fan., Jiang, Yan. 2019. Endogenous Pancreatic β Cell Regeneration: A Potential Strategy for Recovery of β Cell Deficiency in Diabetes. *Front. Endocrinol.* 10:101