

DAFTAR PUSTAKA

- Abdelghany, A.M., Meikhail, M.S., and Asker, N., 2019, Synthesis and Structural-Biological Correlation of PVC/PVAc Polymer Blends, *J. Mater. Res. Technol.*, 8, 3908–3916.
- Afzal, A., Mujahid, A., Schirhagl, R., Bajwa, S.Z., Latif, U., and Feroz, S., 2017, Gravimetric Viral Diagnostics : QCM Based Biosensors for Early Detection of Viruses, *Chemosensor*, 5, 1–25.
- Amar, K., Suni, I.I., and Chowdhury, F., 2020, A Quartz Crystal Microbalance Based Study Reveals Living Cell Loading Rate via avb3 Integrins, *Biochem. Biophys. Res. Commun.*, 524, 1051–1056.
- Baskaran, R., Selvasekarapandian, S., Kuwata, N., Kawamura, J., and Hattori, T., 2007, Structure , Thermal and Transport Properties of PVAc–LiClO₄ Solid Polymer Electrolytes, *J. Phys. Chem. Solids*, 68, 407–412.
- Beißner, S., Thies, J., Bechthold, C., Kuhn, P., Thürmann, B., Dübel, S., Dietzel, A., Informationstechnik, E.-, and Stadtweg, R., 2017, Low-cost , In-liquid Measuring System using a Novel Compact Oscillation Circuit and Quartz-Crystal Microbalances (QCMs) as a Versatile Biosensor Platform, *J. Sensors Sens. Syst.*, 6, 341–350.
- Bhuvanewari, R., and Chandiramouli, R., 2018, DFT Investigation on the Adsorption Behavior of Dimethyl and Trimethyl amine Molecules on Borophene Nanotube, *Chem. Phys. Lett.*, 701, 34–42.
- Bhuvanewari, R., Nagarajan, V., and Chandiramouli, R., 2018, Adsorption Studies of Trimethyl amine and n-butyl amine Vapors on Stanene Nanotube Molecular Device – A First-Principles Study, *Chem. Phys.*, 501, 78–85.
- Botros, S.H., Kenawy, M.E., and Younan, A.F., 2000, Thermal Stability , Swelling Behaviour and Dielectric Proper- ties of NBR / PVC-PVAc Blends, *Kautschuk und Gummi Kunststoffe*, 722–729.
- Chen, J.Y., Penn, L.S., and Xi, J., 2018, Quartz Crystal Microbalance : Sensing Cell-substrate Adhesion and Beyond, *Biosens. Bioelectron.*, 99, 593–602.
- Chen, W., Deng, F., Xu, M., Wang, J., Wei, Z., and Wang, Y., 2018, GO/Cu₂O Nanocomposite based QCM Gas Sensor for Trimethylamine Detection Under Low Concentrations, *Sensors Actuators B. Chem.*, 273, 498–504.
- Coleman, H.W., and Steele, W.G., 2018, *Experimentation, Validation, and Uncertainty Analysis for Engineers*, John Wiley & Sons.
- Couto, R.S., and Sanroman, M.A., 2006, Application of Solid-State Fermentation to Food Industry — A Review, *J. Food Eng.*, 76, 291–302.
- Dufour, E., Frenchia, J.P., and Kane, E., 2003, Development of a Rapid Method based on Front-Face Fluorescence Spectroscopy for the Monitoring of Fish

- Freshness, *Food Res. Int.*, 36, 415–423.
- Esposito, G., Sciuto, S., and Acutis, P.L., 2018, Quantification of TMA in Fishery Products by Direct Sample Analysis with High Resolution Mass Spectrometry, *Food Control*, 94, 162–166.
- Gomes, M.G., Gurgel, L.V.A., Gurgel, A., Baffi, M.A., and Pasquini, D., 2020, Pretreatment of Sugarcane Bagasse using Citric acid and its use in Enzymatic Hydrolysis, *Renew. Energy*, 157, 332–341.
- Ho, C., and Wu, Y., 2020, Diamine Decorated Graphene oxide Film on Quartz Crystal Microbalance for Humidity-sensing Analysis, *Appl. Surf. Sci.*, 510, 145257.
- Iwamori, S., Yoshino, K., Matsumoto, H., Noda, K., and Nishiyama, I., 2012, Active Oxygen Sensors used a Quartz Crystal Microbalance (QCM) with Sputter-coated and Spin-coated Poly (tetrafluoroethylene) Thin Films, *Sensors Actuators B. Chem.*, 171–172, 769–776.
- Jia, Y., Yan, C., Yu, H., Chen, L., and Dong, F., 2014, One-step Fabrication of Ammonia Sensor by Electrospinning PS- b -PMA Nanofibers on Quartz Crystal Microbalance, *Sensors Actuators B Chem.*, 203, 459–464.
- Jia, Y., Yu, H., Zhang, Y., Dong, F., and Li, Z., 2016, Cellulose Acetate Nanofibers Coated Layer-by-layer with Polyethylenimine and Graphene oxide on a Quartz Crystal Microbalance for Use as a Highly Sensitive Ammonia Sensor, *Colloids Surfaces B Biointerfaces*, 148, 263–269.
- Jin, H., Tao, X., Feng, B., Yu, L., Wang, D., Dong, S., and Lu, J., 2017, A Humidity Sensor Based on Quartz Crystal Microbalance using Graphene oxide as a Sensitive Layer, *Vacuum*, 140, 101–105.
- Julian, T., Rianjanu, A., Hidayat, S.N., Kusumaatmaja, A., and Roto, R., 2019, Quartz Crystal Microbalance Coated with PEDOT – PSS / PVA Nanofiber for a High-Performance Humidity Sensor, *J. Sensors Sens. Syst.*, 8, 243–250.
- Khan, S., Shah, Z.H., Riaz, S., Ahmad, N., Islam, S., Raza, M.A., and Naseem, S., 2020, Antimicrobial Activity of Citric Acid Functionalized Iron Oxide Nanoparticles–Superparamagnetic Effect, *Ceram. Int.*, 46, 10942–10951.
- Kim, S., and Kim, H., 2006, Thermal Stability and Viscoelastic Properties of MF/PVAc Hybrid Resins on the Adhesion for Engineered Flooring in Under Heating System ; ONDOL, *Thermochim. Acta*, 444, 134–140.
- King, S.G., Stolojan, V., and Silva, S.R.P., 2018, Large Area Uniform Electrospun Polymer Nanofibres by Balancing of the Electrostatic Field, *React. Funct. Polym.*, 129, 89–94.
- Kumar, N., and Kumbhat, S., 2016, *Essential in Nanoscience and Nanotechnology*, John Wiley & Sons, New Jersey.
- Lv, H., Pian, R., Xing, Y., Zhou, W., Yang, F., and Chen, X., 2020, Effects of Citric

acid on Fermentation Characteristics and Bacterial Diversity of Amomum Villosum Silage, *Bioresour. Technol.*, 307, 123290.

McMahon, G., 2007, *Analytical Instrumentation : A Guide to Laboratory, Portable and Miniaturized Instruments*, John Wiley & Sons, Chichester.

Mingjun, C., Youchen, Z., Haoyi, L., Xiangnan, L., Yumei, D., Bubakir, M.M., and Weimin, Y., 2019, An Example of Industrialization of Melt Electrospinning : Polymer Melt Differential Electrospinning, *Adv. Ind. Eng. Polym. Res.*, 2, 110–115.

Minh, V.A., Tuan, L.A., Huy, T.Q., Hung, V.N., and Quy, N. Van, 2013, Enhanced NH₃ Gas Sensing Properties of a QCM Sensor by Increasing the Length of Vertically Orientated ZnO Nanorods, *Appl. Surf. Sci.*, 265, 458–464.

Mohan, D., Sarswat, A., Ok, Y.S., and Pittman Jr., C.U., 2014, Organic and Inorganic Contaminants Removal from water with Biochar , a Renewable , Low Cost and Sustainable Adsorbent – A Critical Review, *Bioresour. Technol.*, 160, 191–202.

Moris, A.S., 2001, *Measurement and Instrumentation Principles*, Third Edit., Butterworth-Heinemann.

Nagarajan, V., Srimathi, U., and Chandiramouli, R., 2018, First-Principles Insights on Detection of Dimethyl amine and Trimethyl amine Vapors using Graphdiyne Nanosheets, *Comput. Theor. Chem.*, 1123, 119–127.

Nam, H., Wang, S., and Jeong, H., 2018, TMA and H₂S Gas Removals using Metal Loaded on Rice Husk Activated Carbon for Indoor Air Purification, *Fuel*, 213, 186–194.

Nugroho, D.B., Rianjanu, A., Triyana, K., Kusumaatmaja, A., and Roto, R., 2019, Quartz Crystal Microbalance-Coated Cellulose Acetate Nanofibers Overlaid with Chitosan for Detection of Acetic anhydride Vapor, *Results Phys.*, 15, 102680.

Olafsdottir, G., Nesvadba, P., Di Natale, C., Careche, M., Oehlenschlager, J., Tryggvadottir, S. V, Schubring, R., Kroeger, M., Heia, K., Esaiassen, M., Macagnano, A., and Jørgensen, B.M., 2004, Multisensor for Fish Quality Determination, *Food Sci. Technol.*, 15, 86–93.

Park, J.Y., Lee, I.H., and Bea, G.N., 2008, Optimization of the Electrospinning Conditions for Preparation of Nanofibers from Polyvinylacetate (PVAc) in Ethanol Solvent, *J. Ind. Eng. Chem.*, 14, 707–713.

Pascariu, P., Airinei, A., Olaru, N., Petrila, I., Nica, V., Sacarescu, L., and Tudorache, F., 2016, Microstructure , Electrical and Humidity Sensor Properties of Electrospun NiO – SnO₂ Nanofibers, *Sensors Actuators B. Chem.*, 222, 1024–1031.

Phuoc, P.H., Hung, M.C., Toan, N. Van, Duy, N. Van, Hoa, N.D., and Hieu, N.

- Van, 2020, One-step Fabrication of SnO₂ Porous Nanofiber Gas Sensors for Sub-ppm H₂S Detection, *Sensors Actuators A. Phys.*, 303, 111722.
- Premaratne, G., Al, Z.H., Senavirathna, L., Liu, L., and Krishnan, S., 2017, Measuring Ultra-low Levels of Nucleotide Biomarkers using Quartz Crystal Microbalance and SPR Microarray Imaging Methods: A Comparative Analysis, *Sensors Actuators B. Chem.*, 253, 368–375.
- Rianjanu, A., Nugroho, D.B., Kusumaatmaja, A., Roto, R., and Triyana, K., 2019, A Study of Quartz Crystal Microbalance Modified with Polyvinyl acetate Nanofiber to Differentiate Short-chain Alcohol Isomers, *Sens. Bio-Sensing Res.*, 25, 100294.
- Rianjanu, A., Roto, R., Julian, T., Hidayat, S.N., Kusumaatmaja, A., Suyono, E.A., and Triyana, K., 2018, Polyacrylonitrile Nanofiber-Based Quartz Crystal Microbalance for Sensitive Detection of Safrole, *Sensors*, 18, 1150.
- Rianjanu, A., Triyana, K., Nugroho, D.B., and Kusumaatmaja, A., 2020, Electrospun Polyvinyl acetate Nanofiber Modified Quartz Crystal Microbalance for Detection of Primary Alcohol Vapor, *Sensors Actuators A. Phys.*, 301, 111742.
- Rianjanu, A., Triyana, K., Nurbaiti, N., Hasanah, S.A., Kusumaatmaja, A., and Roto, R., 2019, An Enhanced Safrole Sensing Performance of a Polyacrylonitrile Nanofiber-Based- QCM Sensor by Overlaying with Chitosan, *Sains Malaysia*, 48, 2041–2049.
- Roto, R., Rianjanu, A., Amaliya, I., Kusumaatmaja, A., and Triyana, K., 2020, Enhanced Sensitivity and Selectivity of Ammonia Sensing by QCM Modified with Boric acid-doped PVAc Nanofiber, *Sensors Actuators A. Phys.*, 304, 111902.
- Roto, R., Rianjanu, A., Rahmawati, A., Fatyadi, I.A., Majid, N., Syamsu, I., Wasisto, H.S., and Triyana, K., 2020, Quartz Crystal Microbalances Functionalized with Citric Acid- Doped Polyvinyl Acetate Nanofibers for Ammonia Sensing Quartz Crystal Microbalances Functionalized with Citric Acid-Doped Polyvinyl Acetate Nanofibers for Ammonia Sensing, *ACS Appl. Nano Mater.*, 3, 5687–5697.
- Sambaer, W., Zatloukal, M., and Kimmer, D., 2011, 3D Modeling of Filtration Process via Polyurethane Nanofiber based Nonwoven Filters Prepared by Electrospinning Process, *Chem. Eng. Sci.*, 66, 613–623.
- Sarwar, Z., Krugly, E., Danilovas, P.P., Ciuzas, D., Kauneliene, V., and Martuzevicius, D., 2019, Fabrication and Characterization of PEBA Fibers by Melt and Solution Electrospinning, *J. Mater. Res. Technol.*, 8, 6074–6085.
- Sauerbrey, G., 1959, Verwendung von Schwingquarzen zur Wagung dunner Schichten und zur Mikrowagung*, *Zeitschrift fur Phys.*, 155, 206–222.
- Shumilina, E., Slizyte, R., Mozuraityte, R., Dykyy, A., Stein, T.A., and Dikiy, A.,

- 2016, Quality Changes of Salmon by-Products during Storage : Assessment and Quantification by NMR, *Food Chem.*, 211, 803–811.
- Stone, S.A., Gosavi, P., Athauda, T.J., and Ozer, R.R., 2013, In Situ Citric Acid Crosslinking of Alginate/Polyvinyl Alcohol Electrospun Nanofibers, *Mater. Lett.*, 112, 32–35.
- Triyana, K., Rianjanu, A., Nugroho, D.B., and Hasan, A., 2019, A Highly Sensitive Safrole Sensor based on Polyvinyl Acetate (PVAc) Nanofiber-coated QCM, *Sci. Rep.*, 9, 15407.
- Triyana, K., Sembiring, A., Rianjanu, A., Hidayat, S.N., Riowirawan, R., Julian, T., Kusumaatmaja, A., Santoso, I., and Roto, R., 2018, Chitosan-Based Quartz Crystal Microbalance for Alcohol Sensing, *Electronic*, 7, 181.
- Wang, X., Cui, F., Lin, J., Ding, B., Yu, J., and Al-deyab, S.S., 2012, Functionalized Nanoporous TiO₂ Fibers on Quartz Crystal Microbalance Platform for Formaldehyde Sensor, *Sensors Actuators B. Chem.*, 171–172, 658–665.
- Yuan, Z., Tai, H., Ye, Z., Liu, C., Xie, G., and Du, X., 2016, Novel Highly Sensitive QCM Humidity Sensor with Low Hysteresis based on Graphene oxide (GO)/Poly (ethyleneimine) Layered Film, *Sensors Actuators B. Chem.*, 234, 145–154.
- Zhang, D., Wang, D., Li, P., Zhou, X., and Zong, X., 2018, Facile Fabrication of High-Performance QCM Humidity Sensor based on Layer-by-layer Self-assembled Polyaniline/Graphene oxide Nanocomposite Film, *Sensors Actuators B Chem.*, 255, 1869–1877.
- Zhang, R., Liu, C., Hsu, P., Zhang, C., Liu, N., Zhang, J., Lee, H.R., Lu, Y., Qiu, Y., Chu, S., and Chu, Y., 2016, Nanofiber Air Filters with High-Temperature Stability for Efficient PM 2.5 Removal from the Pollution Sources, *Nanoletters*, 16, 3642–3649.
- Zhang, X., Bai, L., Sun, J., Li, Z., Jia, Z., and Gu, J., 2020, Design and Fabrication of PVAc-based Inverted Core/Shell (ICS) Structured Adhesives for Improved Water-Resistant Wood Bonding Performance: II . Influence of Copolymerizing-Grafting sequential reaction, *Int. J. Adhes. Adhes.*, 99, 102571.
- Zhang, X., Reagan, M.R., and Kaplan, D.L., 2009, Electrospun Silk Biomaterial Scaffolds for Regenerative Medicine, *Adv. Drug Deliv. Rev. J.*, 61, 988–1006.
- Zipser, L., 1993, Selectivity of Sensor Systems, *Sensors Actuators A*, 38, 286–289.