

DAFTAR PUSTAKA

Ahmed, S.M., Maheshwari, P., Agarwal, S., Nadeem, A. & Singh, L. 2013. Evaluation of the efficacy of simplified Fencl-Stewart equation in analyzing the changes in acid base status following resuscitation with two different fluids. *International Journal of Critical Illness and Injury Science*. [Online] 3 (3), 206–210. Available from: doi:10.4103/2229-5151.119203 [Accessed 23 May 2019].

Andersen, L.W., Mackenhauer, J., Roberts, J.C., Berg, K.M., Cocchi, M.N. & Donnino, M.W. 2013. Etiology and therapeutic approach to elevated lactate. *Mayo Clinic proceedings*. [Online] 88 (10), 1127–1140. Available from: doi:10.1016/j.mayocp.2013.06.012 [Accessed 26 March 2019].

Arwyn-Jones, J. & Brent, A.J. 2019. Sepsis. *Surgery (Oxford)*. [Online] 37 (1), 1–8. Available from: doi:10.1016/j.mpsur.2018.11.007 [Accessed 25 February 2019].

Berend, K. 2018. Diagnostic Use of Base Excess in Acid–base Disorders. *The New England Journal of Medicine*. [Online] 378 (15), 1419–1428. Available from: doi:10.1056/NEJMr1711860 [Accessed 5 January 2019].

Bhusal, L., Prasad, P.N., Shakya, Y.M. & Acharya, R.P. 2019. Base Deficit as a Predictor of Mortality in Sepsis and Septic Shock. *Journal of Karnali Academy of Health Sciences*. [Online] 2 (2), 81–88. Available from: doi:10.3126/jkhs.v2i2.25166 [Accessed 27 May 2020].

Bone, R.C. 1991. The Pathogenesis of Sepsis. *Annals of Internal Medicine*. [Online] 115 (6), 457. Available from: doi:10.7326/0003-4819-115-6-457 [Accessed 12 May 2019].

Corrêa, T.D., Rocha, L.L., Pessoa, C.M.S., Silva, E. & de Assuncao, M.S.C. 2015. Fluid therapy for septic shock resuscitation: which fluid should be used? *Einstein*. [Online] 13 (3), 462–468. Available from: doi:10.1590/S1679-45082015RW3273 [Accessed 16 May 2020].

Cox, P.B.W., den Ouden, A.M., Theunissen, M., Monteni, L.J., Kessels, A.G.H., Lancé, M.D., et al. 2017. Accuracy, Precision, and Trending Ability of Electrical Cardiometry Cardiac Index versus Continuous Pulmonary Artery Thermodilution Method: A Prospective, Observational Study. [Online]. 2017. BioMed Research International. Available from: doi:10.1155/2017/2635151 [Accessed 28 October 2019].

Curley, G., Contreras, M., Nichol, A.D., Higgins, B.D. & Laffey, J.G. 2010. Hypercapnia and Acidosis in Sepsis: A Double-edged Sword? *Anesthesiology: The Journal of the American Society of Anesthesiologists*. [Online] 112 (2), 462–472. Available from: doi:10.1097/ALN.0b013e3181ca361f [Accessed 15 May 2020].

Dahlan, M.S. 2018. *Statistik untuk Kedokteran dan Kesehatan*. 1 8. 6th edition. Jakarta Timur, PT. Epidemiologi Indonesia.

Fencl, V. & Leith, D.E. 1993. Stewart's quantitative acid-base chemistry: Applications in biology and medicine. *Respiration Physiology*. [Online] 91 (1), 1–16. Available from: doi:10.1016/0034-5687(93)90085-O [Accessed 23 May 2019].

Fink, M.P. 2002. Bench-to-bedside review: Cytopathic hypoxia. *Critical Care*. [Online] 6 (6), 491–499. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC153437/> [Accessed 8 October 2019].

Garcia-Alvarez, M., Marik, P. & Bellomo, R. 2014. Sepsis-associated hyperlactatemia. *Critical Care (London, England)*. [Online] 18 (5), 503. Available from: doi:10.1186/s13054-014-0503-3 [Accessed 26 March 2019].

George, Y.W. 2015. *Easy Way To Understand Stewart's Acid-Base: from 'Saline' to more 'Physiologic' Fluid*. [Online]. Available from: <http://www.acidbase.org/hbdrgs.pdf> [Accessed 31 October 2019].

Gül, F., Arslantaş, M.K., Cinel, İ. & Kumar, A. 2017. Changing Definitions of Sepsis. *Turkish Journal of Anaesthesiology and Reanimation*. [Online] 45 (3), 129–138. Available from: doi:10.5152/TJAR.2017.93753 [Accessed 24 February 2019].

Harlan, J.M. 2010. Endothelial activation and dysfunction in sepsis. In: Shauna Dauphinee & Aly Karsan (eds.). *Endothelial Dysfunction and Inflammation*. [Online]. Basel, Springer Basel. pp. 1–13. Available from: doi:10.1007/978-3-0346-0168-9_1 [Accessed 27 March 2019].

Ichai, C. & Orban, J.-C. 2018. Lactate: Metabolism, Pathophysiology. In: Carole Ichai, Hervé Quintard, & Jean-Christophe Orban (eds.). *Metabolic Disorders and Critically Ill Patients*. [Online]. Cham, Springer International Publishing. pp. 215–238. Available from: doi:10.1007/978-3-319-64010-5_8 [Accessed 12 March 2019].

Indrasari, N.D., Wonohutomo, J.P. & Sukartini, N. 2019. Comparison of point-of-care and central laboratory analyzers for blood gas and lactate measurements. *Journal of Clinical Laboratory Analysis*. [Online] 33 (5), e22885. Available from: doi:10.1002/jcla.22885 [Accessed 31 October 2019].

Karon, B.S. 2017. Point-of-Care Lactate for Sepsis Detection: Reconsidering Accuracy, Precision, and Concordance Criteria. *Point of Care*. [Online] 16 (3), 131. Available from: doi:10.1097/POC.000000000000141 [Accessed 28 October 2019].

Kim, W.-Y. & Hong, S.-B. 2016. Sepsis and Acute Respiratory Distress Syndrome: Recent Update. *Tuberculosis and Respiratory Diseases*. [Online] 79 (2), 53–57. Available from: doi:10.4046/trd.2016.79.2.53 [Accessed 15 May 2020].

Kishen, R., Honoré, P.M., Jacobs, R., Joannes-Boyau, O., De Waele, E., De Regt, J., *et al.* 2014. Facing acid-base disorders in the third millennium - the Stewart approach revisited. *International Journal of Nephrology and Renovascular Disease*. [Online] 7, 209–217. Available from: doi:10.2147/IJNRD.S62126 [Accessed 9 March 2019].

Kraut, J.A. & Madias, N.E. 2014. Lactic Acidosis Julie R. Ingelfinger (ed.). *New England Journal of Medicine*. [Online] 371 (24), 2309–2319. Available from: doi:10.1056/NEJMra1309483 [Accessed 28 March 2019].

László, I., Trásy, D., Molnár, Z. & Fazakas, J. 2015. Sepsis: From Pathophysiology to Individualized Patient Care. *Journal of Immunology Research*. [Online] 2015, 1–13. Available from: doi:10.1155/2015/510436 [Accessed 12 May 2019].

Leach, R.M. & Treacher, D.F. 2002. The pulmonary physician in critical care * 2: oxygen delivery and consumption in the critically ill. *Thorax*. [Online] 57 (2), 170–177. Available from: doi:10.1136/thorax.57.2.170 [Accessed 3 June 2019].

Limmathurotsakul, D. 2017. Causes and Outcomes of Sepsis in Southeast Asia: A Multinational Multicentre Cross-sectional Study. *The Lancet. Global health*. [Online] 5 (2), e157–e167. Available from: doi:10.1016/S2214-109X(17)30007-4 [Accessed 25 February 2019].

Martin, C.L. 2010. i-STAT – Combining Chemistry and Haematology in PoCT. *The Clinical Biochemist Reviews*. [Online] 31 (3), 81–84. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2924126/> [Accessed 31 October 2019].

Merx M.W. & Weber C. 2007. Sepsis and the Heart. *Circulation*. [Online] 116 (7), 793–802. Available from: doi:10.1161/CIRCULATIONAHA.106.678359 [Accessed 28 March 2019].

Mohr, N.M., Vakkalanka, P.J., Faine, B.A., Skow, B., Harland, K.K., Dick-perez, R., *et al.* 2018. Serum anion gap predicts lactate poorly, but may be used to identify sepsis patients at risk for death: A cohort study. *Journal of Critical Care*. [Online] 44, 223–228. Available from: doi:10.1016/j.jcrc.2017.10.043 [Accessed 5 January 2019].

Montassier, E., Batard, E., Segard, J., Hardouin, J.-B., Martinage, A., Le Conte, P., *et al.* 2012. Base excess is an accurate predictor of elevated lactate in ED septic patients. *The American Journal of Emergency Medicine*. [Online] 30 (1), 184–187. Available from: doi:10.1016/j.ajem.2010.09.033 [Accessed 12 March 2019].

Morgan, T.J. 2005. The meaning of acid-base abnormalities in the intensive care unit: part III -- effects of fluid administration. *Critical Care (London, England)*. [Online] 9 (2), 204–211. Available from: doi:10.1186/cc2946 [Accessed 29 October 2019].

Peters, K. 2003. Molecular basis of endothelial dysfunction in sepsis. *Cardiovascular Research*. [Online] 60 (1), 49–57. Available from: doi:10.1016/S0008-6363(03)00397-3 [Accessed 27 March 2019].

Pongmanee, W. & Vattanavanit, V. 2018. Can base excess and anion gap predict lactate level in diagnosis of septic shock? *Open access emergency medicine: OAEM*. [Online] 10, 1–7. Available from: doi:10.2147/OAEM.S153402 [Accessed 11 December 2018].

Saeed, S. & Singer, M. 2013. Mitochondria — key roles in sepsis. *Réanimation*. [Online] 22 (S2), 352–358. Available from: doi:10.1007/s13546-012-0638-7 [Accessed 8 October 2019].

Sanders, M., Servaas, S. & Slagt, C. 2019. Accuracy and precision of non-invasive cardiac output monitoring by electrical cardiometry: a systematic review and meta-analysis. *Journal of Clinical Monitoring and Computing*. [Online] Available from: doi:10.1007/s10877-019-00330-y [Accessed 28 October 2019].

Sastroasmoro, S. & Ismael, S. 2016. *Dasar-dasar Metodologi Penelitian Klinis*. 5th edition. Jakarta, Sagung Seto.

Singer, M., Deutschman, C.S., Seymour, C.W., Shankar-Hari, M., Annane, D., Bauer, M., *et al.* 2016. The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA*. [Online] 315 (8), 801–810. Available from: doi:10.1001/jama.2016.0287 [Accessed 24 February 2019].

Soliman, R. 2017. Prediction of fluid status and survival by electrical cardiometry in septic patients with acute circulatory failure. *The Egyptian Journal of Critical Care Medicine*. [Online] 5 (2), 65–68. Available from: doi:10.1016/j.ejccm.2017.03.001 [Accessed 28 October 2019].

Stewart, P.A. 1983. Modern quantitative acid-base chemistry. *Canadian Journal of Physiology and Pharmacology*. [Online] 61 (12), 1444–1461. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/6423247> [Accessed 24 February 2019].

Story, D.A. 2016. Stewart Acid-Base: A Simplified Bedside Approach. *Anesthesia & Analgesia*. [Online] 123 (2), 511–515. Available from: doi:10.1213/ANE.0000000000001261 [Accessed 13 March 2019].

Suetrong, B. & Walley, K.R. 2016. Lactic Acidosis in Sepsis: It's Not All Anaerobic: Implications for Diagnosis and Management. *Chest*. [Online] 149 (1), 252–261. Available from: doi:10.1378/chest.15-1703 [Accessed 26 March 2019].

Suzuki, T., Suzuki, Y., Okuda, J., Kurazumi, T., Suhara, T., Ueda, T., *et al.* 2017. Sepsis-induced cardiac dysfunction and β -adrenergic blockade therapy for sepsis. *Journal of Intensive Care*. [Online] 5. Available from: doi:10.1186/s40560-017-0215-2 [Accessed 28 March 2019].

Taeb, A.M., Hooper, M.H. & Marik, P.E. 2017. Sepsis: Current Definition, Pathophysiology, Diagnosis, and Management. *Nutrition in Clinical Practice*. [Online] 32 (3), 296–308. Available from: doi:10.1177/0884533617695243 [Accessed 12 May 2019].

Toledo Maciel, A., Teixeira Noritomi, D. & Park, M. 2010. Metabolic Acidosis in Sepsis. *Endocrine, Metabolic & Immune Disorders - Drug Targets*. [Online] 10 (3), 252–257. Available from: doi:10.2174/187153010791936900 [Accessed 12 March 2019].

Wentowski, C., Mewada, N. & Nielsen, N.D. 2019. Sepsis in 2018: a review. *Anaesthesia & Intensive Care Medicine*. [Online] 20 (1), 6–13. Available from: doi:10.1016/j.mpaic.2018.11.009 [Accessed 25 February 2019].

Zitek, T., Skaggs, Z.D., Rahbar, A., Patel, J. & Khan, M. 2018. Does Intravenous Lactated Ringer's Solution Raise Serum Lactate? *The Journal of Emergency Medicine*. [Online] 55 (3), 313–318. Available from: doi:10.1016/j.jemermed.2018.05.031 [Accessed 20 October 2019].