

DAFTAR PUSTAKA

- Alimin, 2000, Fraksinasi Asam Humat dan Pengaruhnya pada Kelarutan Ion Logam Seng(II) Kadmium(II), Magnesium(II), dan Kalsium(II), *Tesis*, Program Pascasarjana, Universitas Gadjah Mada, Yogyakarta.
- Amri, A., Supranto., Fahrurrozi, M., 2004, Kesetimbangan Adsorpsi Optional Campuran Biner Cd(II) dan Cr(III) dengan Zeolit Alam Terimpregnasi 2-merkaptobenzotiazol, *J. Natur Indo*, Vol. 6, pp, 111-117.
- Appel, C., Ma, L. Q., Rhue, D. R., and Kennelley, E., 2003, Point of Zero Charge Determination in Soils and Minerals via Traditional Methods and Detection of Electroacoustic Mobility, *Geoderm*, 113, 77-93.
- Ariyani, D., Santoso, U. T., Nurmasari, R., Iriansyah., Irawati, U., 2014, Kajian Pengaruh Jenis Crosslinker dan pH terhadap swelling ratio kitosan makropori, Prosiding Seminar Nasional Kimia, Jurusan Kimia FMIPA Universitas Negeri Surabaya, 126-135.
- Artati, E.K., Effendi, A., Haryanto, T., 2009, Pengaruh Konsentrasi Larutan pemassak pada Proses Delignifikasi Eceng Gondok dengan Proses Organosolv, *Ekulilibrium*, Vol. 8 No. 1, hal 25-28.
- Arthur, W., 1990, *Physical Chemistry Surfaces.*, California : John Wiley & Son, Inc.
- Aryafatta., 2008, Mangolah Limbah Sawit Menjadi Bioetanol. <http://Aryafatta.com/2018/06/01/mengolah-limbah-sawit-jadibioetanol.html>. [2 Februari 2018]
- Ayuningtyas, F., 2012, Pembuatan dan Karakterisasi Beads Hidrogel dari Berbagai Polimer Sebagai Media Tanam, *Skripsi*, Jakarta, : Jurusan Farmasi Fakultas MIPA, Universitas Indonesia.
- Azemi., 1994, *Komposisi Tandan Kosong Kelapa Sawit*, Pusat Penelitian Kelapa Sawit, Medan.
- Bai, R., and Li, N., 2005, A novel amine-shielded surface cross-linking of chitosan hydrogel beads for enhanced metal adsorption performance, *Ind. Eng. Chem. Res.*, 44 (17), 6692–6700.
- Barros, J., 2003, Biosorption of cadmium using the fungus *Aspergillus niger*, *Brazilian J. Of Chem. Eng*, 20, 1-17.
- Barrow., 1979, *Physical Chemistry*, 4th ed. Tokyo : Mc. Graw Hill International Book Company.
- Bijsterbosch, J. W., Kerkhof, F. P. J. M., 1994, Clean Technology in the Production Of Epichlorohydrin, *J. Cleaner Product*, 2, 181-184.
- Bohli, T., Ouederni, A., Fiol, N., and Villaescusa, I., 2012, Uptake of Cd²⁺ and Ni²⁺ Metal Ions from Aqueous solutions By Activated Carbons Derived from Waste Olive Stones, *Int. J. Chem. Eng. Appl*, 3(4).
- Budevsky, O., 1979, *Foundation of Chemical Analysis*, Third Edition, John Wiley & Son, New York.



- Cao, Z., Ge, H., Lai, S., 2001, Studies on Synthesis and Adsorption Properties of Chitosan Cross-Linked by Glutaraldehyde and Cu (II) as Template Under Microwave Irradiation, *J. Eur. Polym.*, 372: 141-2143.
- Castellan, G., 1983, Physical Chemistry, 3th ed. California : University of Maryland The Benjamin Cumings Publishing Company, Inc.
- Chen, A. H., Liu, S. C., Yuan, C. Y., Yun, C. C., 2008, Comparative Adsorption of Cu(II), Zn(II), and Pb (II) Ions in Aqueous Solution on the Crosslinked Chitosan with Epichlorohydrin, *J. of Hazard Mater.*, 154, 184-19.
- Chen, J. H., Ni, C. J., Liu, Q. L., and Li, S. X., 2012, Adsorption behavior of Cd(II) ions on humic acid-immobilized sodium alginate and hydroxyl ethyl cellulose blending porous composite membrane adsorbent, *Desalination*, 285, 54-61.
- Chen, R., Zhang, Y., Shen, L., Wang, X., Chen, J., Ma, A., and Jiang, W., 2015, Lead(II) and Methylene Blue Removal using a Fully Biodegradable Hydrogel Based on Starch Immobilized Humic Acid, *J. Chem. Eng.*, 268, 348-355.
- Chen, X., Li, H., Liu, W., Zhang, X., Wu, Z., Bi, S., Zhang, W., dan Zhan, H., 2019, Effective removal of methyl orange and rhodamine B from aqueous solution using furfural industrial processing waste : Furfural residue as an ecofriendly biosorbent, *Colloids and Surfaces A*, 583, 123976.
- Chen, Q., Zheng, J., Wen, L., Yang, C., dan Zhang, L., 2019, A multi-functional-group modified cellulose for enhanced heavy metal cadmium adsorption : Performance and quantum chemical mechanism, *Chemosphere.*, 224, 509-518.
- Darjito., Purwonugroho, D., and Ningsih, R., 2014, The Adsorption of Cr(IV) Ions Using Chitosan-Alumina Adsorbent, *J. Pure App. Chem. Res.*3 (2), 53-61.
- Darnoko, 2002, *Lingkungan Hidup dan Pencemaran : Hubungannya dengan Toksikologi Senyawa Logam*, UI. Press, Jakarta.
- Darwish, A. A. A., Rashad, M., AL-Loh, H. A., 2019, Methyl orange adsorption comparison on nanoparticles : Isoterm, kinetics, and thermodynamics studies, *Dyes and Pigments*, 160, 563-571.
- Diantariani, N. P., Sudiarta, I. W., dan Elantiani, N. K., 2008, Proses Biosorpsi dan Desorpsi Ion Cr(VI) Pada Biosorben Rumput Laut *Eucheuma spinosum*, *J. Kimia*, 2(1), 45-52.
- Djawa, J. P. T., Tawa, B. D., Wogo, H. E., 2018, Degradasi Zat Warna Azo Metil Orange Menggunakan Besi Valensi Nol, *Seminar Nasional Inovasi dan Aplikasi Teknologi di Industri*, ISSN 2085-4218, ITN Malang.
- Fengel, D and Gerd, W., 1995, *Kayu*, Gadjah Mada University Press, Yogyakarta.
- Fernandez, M. E., Ledesma, B., Roman, S., Bonelli, P. R., Cukierman, A. L., 2015, Development and Characterisation of Activated Hydrochars from Orange Peels as Adsorbent for Emerging Organic Contaminant, *Bioresource Tech.*, 183, 221-228.
- Fessenden, R. J dan Fessenden, J. S., 1984, *Kimia Organik Jilid II*, a.b. Pudjaatmaka, Ed. Ketiga, Penerbit Erlangga.
- Gaol, L. M. R. Et al, 2013, Pembuatan Selulosa Asetat dari α -Selulosa Tandan Kosong Kelapa Sawit, 2(3), pp, 33-39.



- Garside, P., and Wyeth, P., 2003, Identification of Cellulosic fibers by FTIR Spectroscopy : Thread and Single Fibre Analysis by Attenuated Total Reflectance, *Studies in Conversation.*, 48(4), 269-275.
- Hameed, B. H., 2008, Equilibrium and kinetic studies of methyl violet sorption by agricultural waste, *J. Hazard Mater.*, 154, 204-212.
- Hariato, F., Padil., Yelmida., 2012, *Pembuatan Nitroselulosa dari α -Selulosa Pelepah Sawit Hasil Pemurnian Dengan Enzim Xylanase Asam Penitrasi*, J. Fakultas Teknik Universitas Riau, Pekanbaru.
- Hastuti, B., Masykur, A., Hadi, S., 2016, Modification of chitosan by swelling and crosslinking using epichlorohydrin as heavy metals Cr(VI) adsorbent in batik industry wastes, *IOP Publishing, Series : Materials Science and Engineering*, 107, 1-9.
- He, Y., Wu, P., Xiao, W., Li, G., Yi, J., He, Y., Chen, C., Ding, P., and Guan, Y., 2019, Efficient Removal of Pb(II) from Aqueous Solution by a Novel Ion Imprinted Magnetic Biosorbent : Adsorption Kinetics and Mechanism, *Plas One*, 14(3), art. No. E0213377.
- Hennink, W. E., and Nostrum, C. F., 2002, Novel Cross-Linking Methods to Design Hydrogels, *Advanced Drug Delivery Reviews*, 54, 13-36.
- Hernandez, R. I. B., Rodriguez, V. G. A., Santillan, J. L. F., Ugalde, M. I., Olivares, C. C., Constantino, L. C. A., 2015, Cadmium removal from aqueous systems using *Opuntia Albicarpa L. Scheinvar* as biosorbent, *Biomed Research International*, 1-6.
- Ho, Y. S., dan McKay, G., Wase, D. A. J., dan Foster, C. F., 2000, Study of the Sorption of Divalent Metal Ions onto Peat, *Adsorption Science Technology*, 18, 639-650.
- Horie, K., Baron, M., Fox, R. B., He, J., Hess, M., Kahovec, J., Kitayama, T., Kubisa, P., Marechal, E., Wormann, W., Stepto, R. F. T., Tabak, D., Vohlidal, J., Wilks, E. S., and Work, W. J., 2004, Definitions Of Terms Relating TO Reactions Of Polymers and To Functional Polymeric Materials, *Pure Appl. Chem*, 76(4), 889-906.
- Hossain, M. A., Ngo, H., Hao, W. S., Guo and Nguyen, T. V., 2012, Removal of Copper from Water by Adsorption onto Banana Peel as Bioadsorbent, *Int. J. of Geomate*, Vol. 2, No. 2 (SI. No 4), pp. 227-234.
- Ibbet, R.N., Kaenthong, S., Philips, D.A.S., Wilding, M.A., 2006, Charaterisatim of Porosity of Regenerated Cellulosil Fibres Using Classical Dye Adsorbtiian Techniques, *Lenzinger Berichte*, Vol 88, 77-86.
- Istarani, F. F dan Pandebesie, E. S, 2014, Studi Dampak Arsen (As) Dan Kadmium (Cd) Terhadap Penurunan Kualitas Lingkungan, *J. Tek. Pomits*, Vol. 3, No. 1, ISSN : 2337-3539.
- Jawad, A. H., Abdulhameed, A. S., Reghioua, A., and Yaseen, Z. M., 2020, Zwitterion composite chitosan-epichlorohydrin/zeolite for adsorption of methylene blue and reactive red 120 dyes, *Int. J. of Bio Macro*, 163, 756-765.
- Klavins, M., and Eglite, L., 2002, Immobilisation of humic substances, *Colloids and Surfaces A : Physicochemical and Engineering Aspects*, 203, 47-54.
- Kunusa, W. R., 2017, Kajian tentang Isolasi Selulosa Mikrokristalin (SM) dari Limbah Tongkol Jagung, *J. Entropi*, Vol 12(1), Inovasi Penelitian, Pendidikan dan Pembelajaran Sains.



- Kurniawati, P., Wiyantoko, B., Kurniawan, A., dan Purbaningtyas, T. E., 2013, Kinetic study of Cr(IV) Adsorption on Hydrotalcite Mg/Al with Molar Ratio 2:1, *Eksakta*, Vol 13(1-12), 11-21.
- Laus, R., Costa, T. G., Szpoganicz, B., and Favere, V. T., 2010, Adsorption and Desorption of Cu(II), Cd(II), and Pb(II) Ions Using Chitosan Crosslinked with Epichlorohydrin-Tripolyphosphate as The Adsorbent, *J. of Hazardous Materials*, 183 : 233-241.
- Liu, C., Xie, X., Zhao, W., Liu, N., Maraccini, P. A., Sassoubre, L. M., Boehm, A.B., Cui, Y., 2013, *Nano Lett*, 13, 4288.
- Lodygin, E. D., Alekseev, I. I., Vasilevich, R. S., and Abakumov, E. V., 2020, Complexation of lead and cadmium ion with humic acids from arctic peat soils, *Env. Research*, 191, 110058.
- Madjid, A., Nitsae, M., Atikah., Sabarudin, A., 2015, Pengaruh Penambahan Tripolyfosfat pada Kitosan Beads untuk Adsorpsi Methyl Orange, *J. MIPA*, 30(2), 144-149.
- Marbun, Eldo S., 2012, *Sintesis Bioplastik dari Pati Ubi Jalar Menggunakan Penguat Logam ZnO dan Penguat Alami Selulosa (Skripsi)*, Fakultas Teknik Universitas Indonesia. Depok.
- Maron, S. H., Prutton, C. F., 1964, *Principles of Physical Chemistry*, The Macmillan Company, New York.
- Marrakachi, F., Hameed, B. H., and Hummadi, E. H., 2020, Mesoporous biohybrid epichlorohydrin crosslinked chitosan/carbon-clay adsorbent for effective cationic and anionic dyes adsorption, *Int. J. of Bio Macro*, 163, 1079-1086.
- Mattel, C. L., 1991, Adsorption 2nd Ed, *Mc Graw-Hill Company Inc.*, New York.
- Moghimi, A. H., Hamdan, J., Shamshuddin, J., Samsuri, A. W., dan Abathi, A., 2013, Physicochemical Properties and Surface Charge Characteristics of Arid Soils in Southeastern Iran, *App. Env Soil Sci*, 1-11.
- Mohadi, R., Hidayati, N., Santosa, S. J., dan Narsito, 2008, Karakterisasi Asam Humat dari Gambut Indralaya, Ogan Ilir Sumatera Selatan, *J. Penelitian Sains*, Vol 11(1), 411-420.
- Munmin, T., Junlian, Q., Fengting, L., and P. K. Bera., 2012, Electrospun Mesoporous Carbon Nanofibers Produced from Phenolic Resin and Their Use in The Adsorption of Large Dye Molecules, *J. Carbon*, 50, pp, 2877-2886.
- Nagato, N., Mori, H., Maki, K., Ishioka, R., 1987, *Process for production of epichlorohydrin*, Pat. US 4,634,784.
- Nisfayati., Rahmi., Marlina., 2017, Pengaruh Penambahan Epiklorohidrin Terhadap Sifat Mekanik dan Daya Serap Film Khitosan Sebagai Adsorben, *J. Rekayasa Kim. dan Lingk*, Vol 12(1), 31-36.
- Nurhasni., Mar'af, R., dan Hendrawati., 2018, Pemanfaatan Kulit Kacang Tanah (*Arachis hipogaea L.*) sebagai Adsorben Zat Warna Metilen Biru, *J. Kim. Valensi : J. Penelitian dan Pengembangan Ilmu Kimia*, 4(2), 156-167.
- Novia., M Faizal., Meilinda Fitriani Ariko., dan Daru Hw Yogamina., 2011, *Hidrolisis Enzimatik dan Fermentasi TKKS yang didelignifikasi dengan Asam Sulfat dan NaOH untuk Produksi Etanol*, Prosiding seminar nasional AvoER ke-3.451-462.



- Putera, R. D. H., 2012, Ekstraksi Serat Selulosa Dari Tanaman Enceng Gondok (*Eichornia Crassipes*) Dengan Variasi Pelarut, *Skripsi*, Depok : Universitas Indonesia.
- Rahmalia, W.et al., 2015, Pemanfaatan Potensi Tandan Kosong Kelapa Sawit (*Elais Guineensis Jacq*) Sebagai Bahan Dasar Aktif untuk Adsorpsi Logam Perak dalam Larutan, pp, 1-10.
- Rahmawati, A., 2011, Pengaruh Derajat Keasaman Terhadap Adsorpsi Logam Kadmium(II) dan Timbal(II) Pada Asam Humat, *J. Penelitian Sains & Tekno*, 12(1) : 1-14.
- Rahmi., Lelifajri., Julianawati, Shabrina., 2017, Preparation of chitosan composite film reinforced with cellulose isolated from oil palm empty fruit bunch and application in cadmium ions removal from aqueous solutions, *Carbohydr Poly*, 170, 226-233.
- Rumahlatu, D., Corebima, A. D., Amin, M., dan Rachman, F. 2012. Kadmium dan Efeknya terhadap Ekspresi Protein Metallothionein pada Deadema setosum (Echinoidea; Echinodermata). *J. Penelitian Perikanan*. 1(1): 26 – 35.
- Santosa, S. J., Sudiono, S., dan Sujandi, S., 2006, Peat Soil Humic Acid Immobilization on Silica Gel and Its Application as an Adsorbent for the Selective Adsorption of Copper, *e-J. of Surf Sci and Nano*, 4; 602-608.
- Santoso, S. J., Narsito., and Lesbani, A., 2003, The Determination of Active Site, Capacity, Energy and Rate Constant on the Adsorption of Zn(II) and Cd(II) on Chitin, *J.Ion Exchange.*, 14, 89-92.
- Santoso, U. T., Herdiansyah and Mikrianto, E., 2004, Isolasi Asam Humat dari Tanah Gambut dan Batubara serta Interaksinya dengan Krom(III), Timbal(II), dan Kadmium(II), *Laporan Hibah Penelitian Program Peningkatan Kualitas ISS dan Jurusan*, Universitas Lambung Mangkurat.
- Santoso, U. T., Irawati, U., Umaningrum, D., and Komari, N., 2007, Pengaruh Pengikatan Silang Antarmolekul Asam Humat Terhadap Kelarutan dan Kemampuannya Mengadsorpsi Pb(II) dan Cd(II), *Seminar Nasional Kimia dan Pendidikan Kimia*, Semarang, 22 November 2007.
- Saputra, Eko., Berlian Sitorus., dan Harlia., 2012, *Sintesis Komposit Pilianilina-Selulosa Menggunakan Matriks Selulosa dari Tandan Kosong Sawit*, JKK ISSN 2303-1077, 2(1) pp 58-64.
- Schnitzer, M., dan Huang, P. M., 1997, *Interaction of Soil minerals with natural organics and microbes*, SSSA Special Publication Number 17. Soil Science Society of America, Inc. 920 p.
- Shenvi, S., Isloor, A., Ismail, A., Shilton, S., and Ahmed, A., 2015, Humic Acid Based Biopolymeric Membrane for Effective Removal of Methylene Blue and Rhodamine B, *J.Ind. Chem. Eng.*, 54, 4965-4975.
- Spark, K. M., Wells, J. D., and Johnson, B. B., 1997, The Interaction of Humic Acid With Heavy Metals, *Aus. J. Soil Res.*, 35 : 89-101.



- Srivastava, V. C., Mall, I. D., Mishra, I. M., 2009, Competitive adsorption of cadmium(II) and nickel(II) metal ions from aqueous solution onto rice husk ash, *Chem. Eng. and Process*, 48, 370-379.
- Stevenson, F. J., 1994, *Humus Chemistry, Genesis, Composition, Reaction*, Second Edition, John Wiley & Sons, New York.
- Stevens, M. P., 1999, *Polymer Chemistry An Introduction*, Oxford University Press, West Hartford, New York.
- Suhartini, M., 2013, Modifikasi Limbah Kulit Pisang untuk Adsorben Ion Logam Mn(II) dan Cr(IV), *J. Sains Materi Indo*, 14, 229-234.
- Sun, Y., and J. Cheng., 2002, Hydrolisis of lignocellulosic materials for ethanol production, 1-11.
- Sun, B., Yuan, Y., Li, H., Li, X., Zhang, C., Guo, F., Liu, X., Wang, K., and Zhao, X. S., 2019, Waste-cellulose-derived porous carbon adsorbents for methyl orange removal, *Chem. Eng. J.*, 371, 55-63.
- Susanto, T., 2011, Kajian Kemampuan Adsorpsi Zeolit Alam Aktif Terimobilisasi Ditizon Terhadap Limbah Ion Logam Cd(II) Terkompetisi Mg(II) dan Cu(II) Secara Simultan, *J. Dinamika Penelitian Ind.*, 22(1), 41-47.
- Sutirman, Z. A., Sanagi, M. M., Karim, K. J. A., Naim, A. A., and Ibrahim, W. A. W., 2018, Chitosan-Based Adsorbents for The Removal of Metal Ions from Aqueous Solutions, *Malaysian J. of Anal. Sci.*, 5(22), 839-850.
- Suyanta, Sudiono, S., dan Santosa, S. J., 2004, Penentuan Konstanta Laju dan Stabilitas Adsorpsi dalam Adsorpsi Kompetitif Cr(III) dan Cd(II) pada Asam Humat dengan Rumusan Kinetika Model Baru, *Indo. J. Chem*, 4(3), 161-167.
- Varma, A. J., Desphande, A. J., Kennedy, J. F., 2004, Metal Complexation by Chitosan and its Derivatives; A Review, *J. Carbohydr. Polym.*, 55: 77-93.
- Widihati, I. A. G., Diantariani, N. P., dan Nikmah, Y. F., 2011, Fotodegradasi Metilen Biru Dengan Sinar Uv dan Katalis Al₂O₃, *J. Kim.*, 5(1) : 31-42.
- Widowati, W., Astiana, S., Raymond, J.R., 2008, *Efek Toksik Logam*, Andi Offset, Yogyakarta.
- Yahaya, N. K. E., Muhammad, F. P., Ismail, A., Olugbenga., S. Bdan Mohd, A. A., 2011, *Adsorptive Removal of Cu(II) Using Activated Carbon Prepared From Rice Husk by ZnCl₂ Activation and Subsequent Gasification with CO₂*, School of Chemical Engineering University Sains Malaysia.
- Yang, T., Hodson, M. E., 2018, Investigating the potential of synthetic humic-like acid to remove metal ions from contaminated water, *Sci. of the Total Env.*, 635, 1036-1046.
- Yusuf, B., Alimuddin., Saleh, C., dan Rahayu, D. R., 2014, Pembuatan selulosa dari kulit singkong termodifikasi 2-merkaptobenzotiazol untuk pengendalian pencemaran logam kadmium(II), *J. Sains Dasar*, 3(2), 169-173.
- Zaharah, T. A., Shofiyani, A., Sayekti, E., 2013, Kinetika adsorpsi ion Cr(III) pada biomassa-kitosan imprinted ionik, *Prosiding*, FMIPA Universitas Lampung, 413-41.



UNIVERSITAS
GADJAH MADA

**ADSORPSI ION Cd(II) DAN METIL ORANGE MENGGUNAKAN Alfa-SELULOSA/ASAM HUMAT
DENGAN AGEN PENAUT SILANG
EPIKLOOROHIDRIN**

OKSITA ASRI W, Dr. Sri Sudiono, S.Si., M.Si ; Dr.rer.nat. Nurul Hidayat Aprilita, M.Si

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhou, R., Fan, G., Wang, M., Liao, C., Fang, T., and J. Li., 2013, Isolation of cellulose from rice straw and its conversion into cellulose acetate catalyzed by phosphotungstic acid, *Carbohydrate Polymers*, 94(1): 71–76.