

**DAFTAR PUSTAKA**

1. Altaz, E., Ertekin, M. V., Kuduban, O., Gundogdu, C., Demirci, E., Sutbeyaz, Y., 2006, Effects of Piracetam Supplementation on Cochlear Damage Occuring in Guinea Pigs Exposed to Irradiation, Biol Pharm Bull,29(7).1460-65.
2. Anonim., 2015, Prinsip radioterapi keganasan kepala leher Edisi II, Kolegium Ilmu Kesehatan Telinga Hidung Tenggorok Bedah Kepala dan Leher, 7(2).10-12.
3. Ballenger, J. J., 1997, Penyakit telinga, hidung, tenggorok, kepala dan leher. Alih bahasa: Staf pengajar FKUI-RSCM. 13rd ed, Binarupa Aksara, 105-9.
4. Chen, J., Zhao, Y., Zhou, X., Tan, L., Ou, Z., Yu, Y., Wang, Y., 2016, Methylprednisolone use during radiotherapy extenuates hearing loss in patients with nasopharyngeal carcinoma, Laryngoscope, 126.100–3.
5. El-Ghoneimy, E. G., Hassan, M. A., El-Bestar, M. F., Othman, O. M., Mashhour, K. N., 2012, A dosimetric comparative study between conformal and intensity modulated radiation therapy in the treatment of primary nasopharyngeal carcinomas: the Egyptian experience, Chinese-German J Clin Oncol,11(11).626-31.
6. Erjona B., *et al.*, 2013, Comparison of 3D CRT and IMRT Treatment Plans, Acta Inform Med,21(3).211-12.
7. Gabriele, P., Orecchia, R., Magnano, M., *et al.*, 1992, Vestibular apparatus disorders after external radiation therapy for head and neck cancers, Radither Oncol, 23(1).25-30.
8. Ganesan, P., Schmiedge, J., Manchaiah, V., Swapna, S., Dhandayutham, S., Kothandaraman, P. P., 2018, Ototoxicity: A challenge in diagnosis and treatment, J Audiol Otol, 22(2).59-68.
9. Guyton, A. C., Hall, J. E., 1997, Buku ajar fisiologi kedokteran. Alih bahasa: Setiawan I, Tengadi KA, Santoso A. 1st ed, Buku Kedokteran EGC, 827-34.
10. Honore, H. B., Bentzen, S. M., Moller, K., Grau, C., 2002, Sensori-neural hearing loss after radiotherapy for nasopharyngeal carcinoma: individualized risk estimation, Radiat Oncol,65.9–16.
11. Hwang, C. F., Fang, F. M., Zhuo, M. Y., Yang, C. H., Yang, L.N., Hsieh, H. S., 2015, Hearing assessment after treatment of nasopharyngeal carcinoma with CRT and IMRT techniques, Biomed Res Int, 769806.



**FAKTOR RISIKO KETULIAN SENSORI PADA PENDERITA KARSINOMA NASOFARING YANG MENDAPAT RADIOTERAPI KONVENTIONAL**

ODHI ANGGANI, Dr. dr. Sagung Rai Indrasari, M.Kes., Sp. T.H.T.K.L (K) ;, dr. Ashadi Prasetyo, M.Sc, Sp. T.H.T.K.L

UNIVERSITAS  
GADJAH MADA

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

12. Katz, J., Burkard, R. F., & Medwetsky, L., 2002, Handbook of clinical audiology (7th ed.), Philadelphia: Lippincott Williams & Wilkins.
13. Lannering, B., *et al.*, 2012, Hyperfractionated Versus Conventional Radiotherapy Followed by Chemotherapy in Standard-Risk Medulloblastoma: Results From the Randomized Multicenter, *Journal of Clinical Oncology*, 30.3187-93.
14. Liston, S. L., Duvall, A. J., 1997, Embriologi, anatomi dan fisiologi telinga. Dalam: Boeis eds. Boeis buku ajar penyakit THT. Alih bahasa: Caroline W. 6th ed, Buku Kedokteran EGC, 30-8 .
15. Mujica-Mota, M. A., Lehnert, S., Devic, S., Gasbarrino, K., Daniel, S. J., 2014, Mechanisms of radiation-induced sensorineural hearing loss and radioprotection, *Hear Res*, 312.60–8.
16. Netter, F. H., 2006, Atlas of human anatomy Anatomy of the ear. 4th ed, Elsevier Saunders co, 92-8.
17. Nilakhe, S. S., 2014, Effects of radiotherapy on auditory and vestibular function, *Otorhinolaryngology Clinics: An International Journal*, 4.1-5.
18. Nugroho, P. S., Wiyadi, H. M. S., 2009, Anatomi Dan Fisiologi Pendengaran Perifer, *Jurnal THT-KL*, 2(2).76-85.
19. Nurmasari, S., Samiadi, D., Purwanto, B., 2010, Pengaruh Radioterapi Eksternal Terhadap Fungsi Sel Rambut Luar Koklea Penderita Karsinoma Nasofaring, *MKB*, 42(2).69-75
20. Ondrey, F. G., Greig, J. R., 2000, Radiation dose to otologic structures during head and neck cancer radiation therapy, *Head and Neck Surgery*, 110(3).217-221.
21. Peng, G. Wang, T. Yang, K. Y., *et al.* 2012, A prospective, randomized study comparing outcomes and toxicities of intensity-modulated radiotherapy vs. conventional two-dimensional radiotherapy for the treatment of nasopharyngeal carcinoma, *Radiother Oncol*, 104:286–93.
22. Petsuksiri, J., Sermsree, A., Thephamongkhon, K., *et al.*, 2011, Sensorineural hearing loss after concurrent chemoradiotherapy in nasopharyngeal cancer patients, *Radiat Oncol*, 6.19
23. Rappaport, J. M., Provensan, C., 2002, Neuro-otology for audiologist. In: Jack Katz eds. *Handbook of audiology*, Lippincott Williams & Wilkins, 9-13.
24. Singh, J., Jaiwardhan, G., Yadav, S., Gulia, J., Bhisnoi, S., 2014, Effect of radiotherapy on hearing thresholds in patients of head and neck malignancies, *The Internet Journal of Otorhinolaryngology*, 16(1).1-6.



**FAKTOR RISIKO KETULIAN SENSORI PADA PENDERITA KARSINOMA NASOFARING YANG  
MENDAPAT RADIOTERAPI  
KONVENTIONAL**

ODHI ANGGANI, Dr. dr. Sagung Rai Indrasari, M.Kes., Sp. T.H.T.K.L (K) ; dr. Ashadi Prasetyo, M.Sc, Sp. T.H.T.K.L  
Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

25. Soetirto, I., Hendramin, H., Bashirudin, J., 2007, Gangguan pendengaran dan kelainan telinga dalam : Supardi EA , Iskandar N, Bashiruddin J eds. Buku ajar ilmu penyakit telinga, hidung dan tenggorok .Edisi 1, Balai Penerbit Fakultas Kedokteran Universitas Indonesia, 10-22.
26. Sveistrup, J., *et al.*, 2014, Improvement in toxicity in high risk prostate cancer patients treated with image-guided intensity-modulated radiotherapy compared to 3D conformal radiotherapy without daily image guidance, Rad Oncol.
27. Tan, P. X., Du, S. S., Ren, C., Yao, Q. W., Yuan, Y.W., 2013, Radiation-induced Cochlea hair cell death: Mechanisms and protection, Asian Pac J Cancer Prev, 14(10).5631–35.