DAFTAR PUSTAKA

Ades, P.A., Keteyian, J.S., Balady, G.J., Houston-Miller, N. 2014. Cardiac Rehabilitation Exercise and Self Care for Chronic Heart Failure.*jchf*.540-547

Ambrosy, A.P., Mulder, H., Coles, A.2018. Renal Function and Exercise Training in Ambulatory Heart Failure Patients with a Reduced Ejection Fraction. *Am J Cardiol*. 122(6):999-1007

American College of Sport Medicine. 2012. ACSM Resource Manual for Guideline for Exercise Testing and Prescription. Wolters Kluwer. Lippincott William & Wilkins. 575-599

Arena, R., Myers, J., William, M.A., Gulati, M., Kligfield, P., Balady, G.J., Collins, E., Fletcher, G. 2007. Assessment of Functional Capacity in Clinical and Research Settings.*pub4*. CD007130

Arslan, S., Erol, M.K., Gundogdu, F. 2007. Prognostic value of 6-minute walk test in stable outpatients with heart failure. *Tex Heart Inst J*. 34(2):166-169

ATS Committee on Proficiency Standards for Clinical Pulmonary Function Laboratories. 2002. ATS statement: guidelines for the six-minute walk test. *Am J Respir Crit Care Med*;166(1):111-117

Balady, G.J., Williams, M.A., Ades, P.A., Bittner, V., Comoss, P., Foody, J.M., Franklin, B., Sanderson, B., Southard, D. 2007./AHA/AACVPR Scientific Statement Core Components of Cardiac Rehabilitation / Secondary Prevention Programs :2007 Update A Scientific Statement From the American Heart Association Exercise, Cardiac Rehabilitation, and Prevention Committee, Epidemiology and Prevention, and Nutrition, Physical Activity and Metabolism;and the American Association of Cardiovascular and Pulmonary Rehabilitation. *circulationaha*.106.180945

Balady, G.J., Williams, M.A., Ades, P.A., Bittner, V., Comoss, P., Foody, J.M., Franklin, B., Sanderson, B., Southard, D. 2007. Core components of cardiac rehabilitation/secondary prevention programs. *circulationaha*.106.18094

Barbosa, R., Pagotti, M., Paula, T., Jacques, T., Serpa, R., Calil, O., et al. 2015. Impact of heart failure clinic on six-minute walk test. *Int J Cardiovasc Sci*. 28(6): 451–459

Belardinelli, R., Georgiou, G., Cianci, G.1995. Exercise training improves left ventricular diastolic filling in patients with dilated cardiomyopathy: clinical and prognostic implications. *Circulation*. 91: 2775–2784

Beswick, A., Rees, K., Griebsch, I., Taylor, F., Burke, M., West, R., Victory, J., Brown, J., Taylor, R., Ebrahim, S. 2004. Provision, uptake and cost of cardiac rehabilitation programmes. *Health Technol*. Assess 8.

BPJS Kesehatan. 2018. Panduan Praktis Pelayanan Kesehatan. Jakarta: BPJS Kesehatan

Bravo-Escobar, R., González-Represas, A., Gómez-González, A.M., Montiel-Trujillo, A., Aguilar-Jimenez, R., Carrasco-Ruíz, R., Salinas-Sánchez, P. 2017. Effectiveness and safety of a home-based cardiac rehabilitation programme of mixed surveillance in patients with ischemic heart disease at

moderate cardiovascular risk: A randomised, controlled clinical trial. *BMC Cardiovasc. Disord*. 17, 1–11.

Brooks, G.C., Vittinghoff, E., Iyer, S., Tandon, D., Kuhar, P., Madsen K.A., Marcus, G.M., Pletcher, M.J., Olgin J.E. 2015. Accuracy and Usability of a Self-Administered 6-Minute Walk Test Smartphone Application. *Circ Heart Fail*. 8(5):905-913

Carvalho, R.F., Vilela, E.M., Teixeira, P.G. 2018. The Effect of Exercise Training in Systolic and Diastolic Function. *Elsevier Inc*. 0.1016/B978-0-12-811279-3.00011-2

Chamberlain, R.S., Sond, J., Mahendraraj, K., Lau, C.S., Siracuse, B. L. 2018 Determining 30-day readmission risk for heart failure patients: the Readmission After Heart Failure scale. *Int J Gen Med*;11:127-141

Clark, R.A., Conway, A., Poulsen, V., Keech, W., Tirimacco, R., Tideman, P. 2015. Alternative models of cardiac rehabilitation: a systematic review. *Eur J Prev Cardiol* .22(1):35-74m

Currell, R., Urquhart, C., Wainwright, P., Lewis, R. 2000. Telemedicine versus face to face patient care: effects on professional practice and health care outcomes. *Cochrane Database Syst Rev*. 2:CD002098

Dahlan, S. 2016. Besar Sampel Dan Cara Pengambilan Sampel. Jakarta : Salemba Medika

Dalal, H.M., Doherty, P., Taylor, R.S. 2015. Cardiac rehabilitation. *bmj*.5000

Damarkusuma, A., Hariawan, H., Setianto, B.Y. 2018. Pengaruh Pemberian Nitrat Terhadap Fungsi Vaskular Penyakit Arteri Perifer, *Tesis,* SpJP, Fakultas Kedokteran Kesehatan Masyarakat dan Keperawatan, Universitas Gadjah Mada, Yogyakarta

Devereux, R.B., Roman, M.J., Paranicas, M., O'Grady, M.J., Lee, E.T., Welty, T.K., Fabsitz, R.R., Robbins, D., Rhoades, E.R., Howard, B.V. 2000. Impact of diabetes on cardiac structure and function: the strong heart study. *Circulation*. 101(19):2271-2276

Drexler, H., Riede, U., Munzel, T., Konig, H.1992. Alterations of skeletal muscle in chronic heart failure. *Circulation*. 10.1161/01.CIR.85.5.1751

Du, H., Wonggom, P., Tongpeth, J., Clark, R., A. 2017. Six-Minute Walk Test for Assessing Physical Functional Capacity in Chronic Heart Failure. *Current Heart Failure Reports*. 14(3): 158-166

Efriyandi. 2018. Perbandingan 6 Minute Step Test terhadap 6 Minute Walking Test yang merupakan Pemeriksaan Standar Kapasitas Fungsional Pasien PPOK. Medan: Fakultas Kedokteran Universitas Sumatera Utara

Fang, Z.Y., Smart, N., Marwick, T.H. 2003. A practical guide to exercise training for heart failure patients. *ElsevierInc*.10.1054/jcaf.2003.2

Fleg, J.L., Cooper, L.S., Levine, B.D., Pfeffer, M.A., Piña, I.L. 2016. Exercise Training as Therapy for Heart Failure: Current Status and Future Directions. *circheartfailure*.113.001420

Forman, D. E., Fleg, J. L., Kitzman, D. W., Brawner, C. A., Swank, A. M., McKelvie, R.S., Bittner, V. 2012. 6-Min Walk Test Provides Prognostic Utility Comparable to Cardiopulmonary Exercise Testing in Ambulatory

Outpatients With Systolic Heart Failure. *Journal of the American College of Cardiology*, 60(25), 2653–2661

Galiè, N., Hoeper, M.M., Humbert, M., Vachiery, J.L., Gibbs, S., Lang, I., Torbicki, A., Simonneau, G., Peacock, A., Noordegraaf, A.V., Beghetti, M., Ghofrani, A., Sanchez, M.A.G., Hansmann, G., Klepetko, W., Lancellotti, P., Matucci, M., McDonagh, T., Pierard, L.A., Trindade, P.T., Zompatori, A., Hoeper, M. 2015. Guidelines for the diagnosis and treatment of pulmonary hypertension: the Task Force for the Diagnosis and Treatment of Pulmonary Hypertension of the European Society of Cardiology (ESC) and the European Respiratory Society (ERS), endorsed by the International Society of Heart and Lung Transplantation (ISHLT). *European Heart Journal*, 5-47.

Giannitsi, S., Bougiakli, M., Bechlioulis, A., Kotsia, A., Michalis, L.K., Naka, K.K. 2019. 6-minute walking test: a useful tool in the management of heart failure patients. *Ther Adv Cardiovasc Dis*. 13:1-10

Guazzi, M., Dickstein, K., Vicenzi, M., Arena, R. 2009. Six-minute walk test and cardiopulmonary exercise testing in patients with chronic heart failure: a comparative analysis on clinical and prognostic insights. *Circ Heart Fail*. 2(6):549-555

Hwang, R., Bruning, J., Morris, N.R., Mandrusiak, A., Russel, T. 2017. Home-based telerehabilitation is not inferior to a centre-based program in patients with chronic heart failure: a randomised trial. *JPhysioter*. Apr;63(2):101-107

Imran, H. M., Baig, M., Erqou, S., Taveira, T. H., Shah, N. R., Morrison, A., Choudhary, G., Wu, W. C. 2019. Home-Based Cardiac Rehabilitation Alone and Hybrid With Center-Based Cardiac Rehabilitation in Heart Failure: A Systematic Review and Meta-Analysis. *J Am Heart Assoc*. *8*(16), e012779.

Ingle, L., Reddy, P., Clark, A.L., Cleland, J.G.F. 2006. Diabetes lowers six-minute walk test performance in heart failure. *J Am Coll Cardiol*. 47:1909–1910

Ingle, L., Shelton, R. J., Rigby, A. S., Nabb, S., Clark, A. L., Cleland, J. G. 2005. The reproducibility and sensitivity of the 6-min walk test in elderly patients with chronic heart failure. *Eur Heart J*. 26(17): 1742–1751

Isselbacher, K.J., Petersdorf, R.G., Wilson, J.D.1990. Exercise-related ventilatory abnormalities are more specific for functional impairment in chronic heart failure than reduction in peak exercise oxygen consumption. *Elsevier*. 14-30

Janevic, M.R., Janz, N.K., Connell, C.M., Kaciroti, N., Clark, N.M. 2011. Progression of symptoms and functioning among female cardiac patients with and without diabetes. *J Women's Health (Larchmt)*. 20:107–115

JCS Joint Working Group. 2014. Guidelines for Rehabilitation in Patients With Cardiovascular Disease.*circj*.CJ-66-0094

Jolly, K., Taylor, R.S., Lip, G.Y. 2009. A randomized trial of the addition of home-based exercise to specialist heart failure nurse care: the Birmingham Rehabilitation Uptake Maximisation study for patients with Congestive Heart Failure (BRUM-CHF) study. *Eur J Heart Fail*;11:205–13

Karamanoglu, M., Bennett, T., Ståhlberg, M., Splett, V., Kjellström, B., Linde, C., Braunschweig, F.2011. Estimation of cardiac output in patients with congestive heart failure by analysis of right ventricular pressure waveforms. *Biomed. Eng*.1475-925X-10-36

Kim, A.R., Nam, T., Oh, H., Park, E., Huh, J., Yang, W., Yang, D.H., Park, H.S., Lee, Y. 2018. Journal of Clinical and Experimental Effect of Hospital-based Cardiac Rehabilitation on Quality of Life and Physical Capacity in Acute Myocardial Infarction Patients : 2 Years Follow Up *Journal of Clinical & ExperimentalCardiology* 9.10.4172/21559880.100053

Knapton, M. 2017. The BACPR Standards and Core Components for Cardiovascular Disease Prevention and Rehabilitation. *BritishCardiovascularSociety*.3rdedition

Kominfo. 2017. Survey Penggunaan TIK 2017 Serta Implikasinya terhadap Aspek Sosial Budaya Masyarakat. Jakarta: Pusat Penelitian dan Pengembangan Aplikasi Informasi dan Komunikasi Publik Badan Penelitian dan Pengembangan Sumber Daya Manusia Kementrian Komunikasi dan Informatika Republik Indonesia.

Kraal, J.J., Van den, A., Van, M.M.E., Abu, H.A., Stut, W.,Peek, N., Kemps, H.E. 2017. Clinical and cost-effectiveness of home-based cardiac rehabilitation compared to conventional, centre-based cardiac rehabilitation: Results of the FIT@Home study. *EurJPrevCardiol*. Aug;24(12):1260-1273

Kuziemski, K., Słomiński, W., Jassem, E. 2019. Impact of diabetes mellitus on functional exercise capacity and pulmonary functions in patients with diabetes and healthy persons. *BMC Endocr Disord*. 19(1):2

Lam, C.S.P.2015. Heart failure in Southeast Asia: facts and numbers. *ESC Heart.Faiurel*. 2, 46–49.ehf2.12036

Laustsen, S., Oestergaard, L.G., van Tulder, M., Hjortdal, V.E., Petersen, A.K. 2018. Telemonitored exercise-based cardiac rehabilitation improves physical capacity and health-related quality of life. *J. Telemed. Telecare*. 1–9. 1357633X18792808

Linke, A., Schoene, N., Gielen, S., Bs, C., Erbs, S., Schuler, G., Hambrecht, R. 2001. Endothelial Dysfunction in Patients With Chronic Heart Failure : Systemic Effects of Lower-Limb Exercise Training. *JAmCollCardiol*. 37. S0735-1097(00)01108-6

Long, W., Liao, H., Liu, Q., Ning, Y., Wu, T., Kang, J., Liu, J., Xian, S., Yang, Z. 2020. Effect of nitrate treatment on functional capacity and exercise time in patients with heart failure: a systematic review and meta-analysis. *Journal of International Medical Research*. 48(8): 1–15

Mampuya, W.M. 2012. Cardiac rehabilitation past, present and future: an overview. *Cardiovasc.Diagn.Ther*. 2, 38–49.

Mangiavacchi, M., Gasparini, M., Genovese, S., Pini, D., Klersy, C., Bragato, R., Andreuzzi, B., Municino, A., Regoli, F., Galimberti, P., Ceriotti, C., Gronda, E. 2008. Insulin-treated type 2 diabetes is associated with a decreased survival in heart failure patients after cardiac resynchronization therapy. *Pacing Clin Electrophysiol*. 31:1425–1432.

Mesquita, E.T., Jorge, A.J.L., Rabelo, L.M., Souza, C.V. 2017. Understanding Hospitalization in Patients with Heart Failure. *International Journal of Cardiovascular Sciences*. 30(1):81-90

Mohammed, H.G., Shabana, A.M. 2018. Effect of cardiac rehabilitation on cardiovascular risk factors in chronic heart failure patients. *The Egyptian*

Heart Journal. 70(2): 77-82

Nicholls, S.J., Nelson, M., Astley, C., Briffa, T., Brown, A., Clark, R., Colquhoun, D., Gallagher, R., Hare, D.L., Inglis, S., Jelinek, M., O'Neil, A., Tirimacco, R., Vale, M., Redfern, J. 2020. Optimising Secondary Prevention and Cardiac Rehabilitation for Atherosclerotic Cardiovascular Disease During the COVID-19 Pandemic: A Position Statement from the Cardiac Society of Australia and New Zealand (CSANZ). *Heart Lung Circ*. S1443-9506(20)30135-9

Nusdwinuringtyas, N. 2018. Six Minute Walking Distance Cutt-off Point in Indonesian (Mongoloid) Population. *J Indon Med Assoc*. Volum : 68, No.8

O'Connor, C. M., Whellan, D. J., Lee, K. L., Keteyian, S. J., Cooper, L. S., Ellis, S. J., Leifer, E. S., Kraus, W. E., Kitzman, D. W., Blumenthal, J. A., Rendall, D. S., Miller, N. H., Fleg, J. L., Schulman, K. A., McKelvie, R. S., Zannad, F., Piña, I. L., & HF-ACTION Investigators. 2009. Efficacy and safety of exercise training in patients with chronic heart failure: HF-ACTION randomized controlled trial. *JAMA*. 301(14): 1439–1450

Pelliccia, A., Sharma, S., Gati, S., Back, M., Borjesson, M., Caselli, S., Collet, J.P., Corrado, D., Drezner, J.A., Halle, M., Hansen, D., Heidbuchel, H., Myers, J., Niebauer, J., Papadakis, M., Piepoli, M.F., Prescott, E., Roos-Hesselink, J.W., Stuart, A.G., Taylor, R.S., Thompson, P.D., Tiberi, M., Vanhess, L., Wilhelm, M. 2020. ESC Guidelines on sports cardiology and exercise in patients with cardiovascular disease. *European Heart Journal*. 10.1093/eurheartj/ehaa605.

Pepera, G., Ingle, L., Sandercock, G. 2015. Predictors of the 6-minute walk test in patients with chronic heart failure. *British Journal of Cardiac Nursing*. 10: 454-459

Perkeni. 2015. Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia. Jakarta: PB Perkeni

Perki. 2016. Panduan Praktik Klinik (PPK) Dan Clinical Pathway (CP) Penyakit Jantung Dan Pembuluh Darah. Jakarta: Perhimpunan Dokter Spesialis Kardiovaskular Indonesia.

Perki. 2019. Panduan Praktik Klinik (PPK) Dan Clinical Pathway (CP) Penyakit Jantung Dan Pembuluh Darah. Jakarta: Perhimpunan Dokter Spesialis Kardiovaskular Indonesia.

Perki. 2016. Panduan Rehabilitasi Kardiovaskular. Jakarta: Perhimpunan Dokter Spesialis Kardiovaskular Indonesia.

Perki. 2016. Pedoman Tata Laksana Sindrom Koroner Akut. Jakarta: Perhimpunan Dokter Spesialis Kardiovaskular Indonesia.

Piepoli, M., Dickstein, K., Piepoli, M.F., Conraads, V., Corra, U., Francis, D.P., Jaarsma, T., Mcmurray, J., Pieske, B. 2014. Exercise training in heart failure : from theory to practice. A consensus document of the Heart Failure Association and the European Association for Cardiovascular Prevention and Rehabilitation.*eurjhf*. hfr017

Pierson, L., Bacon, S., Sherwood, A., Hinderliter, A., Babyak, M., Gullette, E., Waugh, R., Blumenthal, J. 2004. Association between exercise capacity and left ventricular geometry in overweight patients with mild systemic hypertension. *The American journal of cardiology*. 94(10): 1322-5

Pina, I.L., Apstein, C.S., Balady, G.J., Belardinelli, R., Chaitman, B.R., Duscha,

B.D., Fletcher, B.J., Fleg, J.L., Myers, J.N., Sullivan, M.J. 2003. Exercise and heart failure: A statement from the American Heart Association Committee on exercise, rehabilitation, and prevention. *Circulation*. 107(8):1210-1225

Piotrowicz, E., Baranowski, R., Bilinska, M., Stepnowska, M., Piotrowska, M., Wójcik, A., Korewicki, J., Chojnowska, L., Malek, L.A., Klopotowski, M., Piotrowski, W., Piotrowicz, R. 2010. A new model of home-based telemonitored cardiac rehabilitation in patients with heart failure: Effectiveness, quality of life, and adherence. *Eur. J. Heart Fail*. 12, 164–171. eurjhf/hfp181

Pollentier, B., Irons, S.L., Benedetto, C.M. 2010. Examination of the six minutes walk test to determine functional capacity in people with chronic heart failure: a systematic review. *Cardiopulm Phys Ther J*. 21(1):13-21

Ponikowski, P., Voors, A.A., Anker, S.D., Bueno, H., Cleland, J.G.F., Coats, A.J.S., Falk, V. 2016. ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. *European Heart Journal*. Volume 37, Issue 27, pages 2129-2200

Purnawarman, A., Nurkhalis, N. 2014. Pengaruh latihan fisik terhadap fungsi endotel. *JKS*. 2: 109-118

Pryzbek, M., Macdonald, M., Stratford, P., McQuarrie, A., Richardson, J., McKelvie, R., Tang, A. 2019. Long-term Enrollment in Cardiac Rehabilitation Benefits Cardiorespiratory Fitness and Skeletal Muscle Strength in Men With Cardiovascular Disease. *Canadian Journal of Cardiology*, 35 (10): 1359-1365

Radi, B., Santoso, A., Siswanto, B., Mansyur, M., Ibrahim, N., Kusmana, D. 2017. Early Exercise Program for Patients with Heart Failure after Hospital Discharge. *International Journal of Physical Medicine & Rehabilitation*. 05. 10.4172/2329-9096.1000392

Rakhmawati, A., Hartopo, A.B., Dinarti, L.K. 2019. Pengaruh Penambahan Program Latihan Fisik Terhadap Kapasitas Fungsional Penderita Hipertensi Arteri Pulmonal Akibat Defek Septum Atrium Sekundum, *Tesis,* SpJP, Fakultas Kedokteran Kesehatan Masyarakat dan Keperawatan, Universitas Gadjah Mada, Yogyakarta

Reyes, E.B., Ha, J.W., Firdaus, I., Ghazi, A.M., Phrommintikul, A., Sim, D., Vu, Q.N., Siu, C.W., Yin, W.H., Cowie, M.R. 2016. Heart failure across Asia: Same healthcare burden but differences in organization of care.*Int.J.Cardio*l.223,163–167.ijcard.2016.07.256

Rohrbach, G., Schopfer, D.W., Krishnamurthi, N., Pabst, M., Bettencourt, M., Loomis, J., Whooley, M.A. 2017. The Design and Implementation of a Home-Based Cardiac Rehabilitation Program. *Fed. Pract*. 34, 34–39.

Sagar, V.A., Davies, E.J., Briscoe, S., Coats, A.J.S., Dalal, H.M., Lough, F., Rees, K., Singh, S., Taylor, R.S. 2015. Exercise-based rehabilitation for heart failure: systematic review and meta-analysis. *Open Hear.2*, e000163

Sarrafzadegan, N., Rabiei, K., Kabir, A. 2008. Changes in lipid profile of patients referred to a cardiac rehabilitation program. *Eur J Cardiovasc Prev Rehabil*. 15: 467-472

Santoso, A., Maulana, R., Alzahra, F., Prameswari, H., Ambari, A., Hartopo, A., Arso, I., Radi, B. 2020. The Effects of Aerobic Exercise on N-terminal Pro-B-

type Natriuretic Peptide and Cardiopulmonary Function in Patients With Heart Failure: A Meta-Analysis of Randomised Clinical Trials. *Heart, Lung and Circulation*. 10.1016/j.hlc.2020.05.098

Savarese, G., Lund, L.H. 2017. Epidemiology Global Public Health Burden of Heart Failure. *crf*7–11.10.15420

Scalvini, S., Grossetti, F., Paganoni, A.M., Teresa La Rovere, M., Pedretti, R.F.E., Frigerio, M. 2019. Impact of in-hospital cardiac rehabilitation on mortality and readmissions in heart failure: A population study in Lombardy, Italy, from 2005 to 2012. *Eur. J. Prev. Cardiol*. 26, 808–817. 2047487319833512

Shoemaker, M. J., Curtis, A. B., Vangsnes, E., Dickinson, M.G. 2013. Clinically meaningful change estimates for the six-minute walk test and daily activity in individuals with chronic heart failure. *Cardiopulm Phys Ther J*. 24(3):21–29

Siswanto, B.B., Sunanto, Munawar, M., Kusmana, D., Hanafiah, A., Waspadji, S. 2006. Predictor of mortality and rehospitalization of acute decompensated heart failure at six months follow up. *Crit Care & Shock*. ;9:61-7

Siswosudarmo, H.R. 2015. Pendekatan Praktis Penelitian Epidemiologi Klinis Dan Aplikasi SPSS Untuk Analisis Statistika. Yogyakarta : Bagian Obgyn FK UGM

Smith, K.M., McKelvie, R.S., Thorpe, K.E., Arthur, H.M. 2011. Six-year follow-up of a randomised controlled trial examining hospital versus home-based exercise training after coronary artery bypass graft surgery. *Heart*, 1169–1174.

Sugiyono.2015.Metode Penelitian Pendidikan. Bandung: Alfabeta

Swank, A.M., Horton, J., Fleg, J.L., Fonarow, G.C., Keteyian, S., Goldberg, L., Wolfel, G., Handberg, E.M., Bensimhon, D., Illiou, M.C., Vest, M., Ewald, G., Blackburn, G., Leifer, E., Cooper, L., Kraus, W.E. 2012. Modest increase in peak VO2 is related to better clinical outcomes in chronic heart failure patients: Results from Heart Failure and a Controlled Trial to Investigate Outcomes of Exercise Training. *Circ. Hear. Fail*. 5, 579–585

Sullivan, M.J., Pina, I.L., Apstein, C.S., Balady, G.J., Belardinelli, R., Chaitman, B.R., Duscha, B.D., Fletcher, B.J., Fleg, R.N.J., Myers, J.N.1992. A Statement From The American Heart Association Committee on Exercise, Rehabilitation, and Prevention. *Circulation*. 107:1210-1225

Tardic, M., Ivanovic, B. 2014. Why is functional capacity decreased in hypertensive patients? From mechanisms to clinical studies. *Journal of Cardiovascular Medicine*. 15(6): 447-455

Taylor, R.S., Brown, A., Ebrahim, S., Jolliffe, J., Noorani, H., Rees, K., Skidmore, B., Stone, J.A., Thompson, D.R., Oldridge, N. 2004. Exercise-based rehabilitation for patients with coronary heart disease: Systematic review and meta-analysis of randomized controlled trials. *Am. J. Med*. 116, 682–692.

Taylor, R.S., Dalal, H., Jolly, K., Moxham, T., Zawada, A. 2014. Europe PMC Funders Group Home-based versus centre-based cardiac rehabilitation. *Cochrane Database Syst Rev* 1–64.14651858.CD007130

Taylor, R.S., Dalal, H., Jolly, K., Moxham, T., Zawada, A. 2010. Europe PMC Funders Group Home-based versus centre-based cardiac rehabilitation.*pub2.Home-based*1–64. CD007130

Teffaha, D., Mourot, L., Vernochet, P., Ounissi, F., Regnard, J., Monpère, C., & Dugué, B. 2011. Relevance of water gymnastics in rehabilitation programs in patients with chronic heart failure or coronary artery disease with normal left ventricular function. *Journal of cardiac failure*. 17(8): 676–683

Thomas, R.J., Beatty, A.L., Beckie, T.M., Brewer, L.C., Brown, T.M., Forman, D.E., Franklin, B.A., Keteyian, J.S., Kitzman, D.W., Regeinsteiner, J.G., Sanderson, B.K., Whooley, M.A. 2019. Home-Based Cardiac Rehabilitation. *j.jacc* 03.008

Thomas, R.J., Beatty, A.L., Beckie, T.M., Brewer, L.P.C., Brown, T.M., Forman, D.E., Franklin, B.A., Keteyian, S.J., Kitzman, D.W., Regensteiner, J.G., Sanderson, B.K., Whooley, M.A. 2019. Home-Based Cardiac Rehabilitation: A Scientific Statement From the American Association of Cardiovascular and Pulmonary Rehabilitation, the American Heart Association, and the American College of Cardiology. *J. Am. Coll. Cardiol*. 74, 133–153.

Tibb, A.S., Ennezat, P.V., Chen, J.A., Haider, A., Gundewar, S., Cotarlan, V., Aggarwal, V.S., Talreja, A., Jemtel, T.H.L. 2005. Diabetes lowers aerobic capacity in heart failure. *J Am Coll Cardiol*. 46:930–931

Tucker, W.J., Lijauco, C.C., Nelson, M.D., Sarma, S., Mbbs, N. 2017. Mechanisms of the Improvement in Peak VO2 with Exercise Training in Heart Failure with Reduced or Preserved Ejection Fraction. *Heart. Lung Circ. j.hlc*.07.002

Uliyandari, A. 2009. Pengaruh latihan fisik terprogram terhadap perubahan nilai konsumsi oksigen maksimal (VO_2 max) pada siswi bola voli tugu muda semarang usia 11-13 tahun. Semarang: Fakultas Kedokteran Universitas Diponegoro.

Volterrani, M., Iellamo, F. 2016. Rehabilitation Cardiac Rehabilitation in Patients With Heart Failure : New Perspectives in Exercise Training.*cfjr*.63–68. 10.15420

Wise, F.M. 2007. Exercise based cardiac rehabilitation in chronic heart failure. *Aust. Fam. Physician* 36, 1019–1024.

Wisloff, U., Stoylen, A., Loennechen, J.P., Bruvold, M., Rognmo, O., Haram, P.M., Tjonna, A.E., Helgerud, J., Slordahl, S.A., Lee, J.S., Videm, V., Bye, A., Smith, G., Najjar, S., Ellingsen, O., Skjaerpe, T. 2007. Superior Cardiovascular Effect of Aerobic Interval Training Versus Moderate Continuous Training in Heart Failure Patients : A Randomized Study. *circulationaha*.106.675041

Zwisler, A. D., Norton, R., Dean, S., Dalal, H., Tang, L., Wingham, J., Taylor, R. 2016. Home-based cardiac rehabilitation for people with heart failure: A systematic review and meta-analysis. *Int J Cardiol*. 221: 963-969