

## DAFTAR PUSTAKA

- Afriani, Arnim, Marlida, Y., & Yuherman. (2018). Isolation and Characterization of Lactic Acid Bacteria Proteases from Bekasam for use as a Beef Tenderizer. *Paki. J. Nutr.*, 17(8), 361–367. <https://doi.org/10.3923/pjn.2018.361.367>
- Akabanda, F., Owusu-kwarteng, J., Tano-debrah, K., Glover, R. L. K., Nielsen, D. S., & Jespersen, L. (2013). Taxonomic and molecular characterization of lactic acid bacteria and yeasts in nunu, a Ghanaian fermented milk product. *Food Microbiology*, 34(2), 277–283. <https://doi.org/10.1016/j.fm.2012.09.025>
- Akbardiansyah, Desniar, & Uju. (2018). Karakteristik ikan asin kambing-kambing (*Canthidermis maculata*) dengan penggaraman kering. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 21(2), 345–355. <https://doi.org/10.17844/jphpi.v21i2.23090>
- Amin, M., Adams, M., Bolch, C. J. S., & Burke, C. M. (2017). In vitro screening of lactic acid bacteria isolated from gastrointestinal tract of Atlantic Salmon (*Salmo salar*) as probiont candidates. *Aquacult Int*, 25, 485–498. <https://doi.org/10.1007/s10499-016-0045-6>
- Amqizal, H. I. A., Al-kahtani, H. A., Ismail, E. A., Hayat, K., & Jaswir, I. (2017). Identification and verification of porcine DNA in commercial gelatin and gelatin containing processed foods. *Food Control*, 78, 297–303. <https://doi.org/10.1016/j.foodcont.2017.02.024>
- Anggo, A. D., Swastawati, F., & Ma'ruf, W. F. (2014). Mutu Organoleptik Dan Kimiawi Terasi Udang Rebon Dengan Kadar Garam Berbeda Dan Lama Fermentasi. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 17(1), 53–59. <https://doi.org/10.17844/jphpi.v17i1.8137>
- AOAC. (2000). (AOAC) Association of Official Analytical Chemists. 2000. *Official Methods of Analysis of the AOAC International (17th)*. Gaithersburg, MD: Association of Official Analytical Chemists Inc.
- Arihara, K. (2013). ANGIOTENSIN I – CONVERTING ENZYME INHIBITORY PEPTIDES FROM SNAKEHEAD FISH SARCOPLASMIC PROTEIN HYDROLYSATE. <https://doi.org/10.1111/jfbc.12031>
- Baehaki, A., Rinto, & Budiman, A. (2011). Isolasi dan Karakterisasi Protease dari Bakteri Tanah Rawa Indralaya, Sumatera Selatan. *J. Teknol. Dan Industri Pangan*, 12(1), 40–45.
- Bergmeyer, H. U., & Grass, M. (1983). *Method of Enzymatic Analysis. Third Edition*. Verlag Chemie, Weinheim, Germany.
- Bruijn, F. J. De. (1992). Use of Repetitive (Repetitive Extragenic Palindromic and Enterobacterial Repetitive Intergeneric Consensus) Sequences and the Polymerase Chain Reaction To Fingerprint the Genomes of Rhizobium meliloti Isolates and Other Soil Bacteria. *Applied and Environmental Microbiology*, 58(7), 2180–2187.

- Candogan, K., Wardlaw, F. B., & Acton, J. C. (2009). Effect of starter culture on proteolytic changes during processing of fermented beef sausages. *Food Chemistry*, *116*(3), 731–737. <https://doi.org/10.1016/j.foodchem.2009.03.065>
- Chaijan, M., Benjakul, S., Visessanguan, W., & Faustman, C. (2004). Characteristics and gel properties of muscles from sardine (*Sardinella gibbosa*) and mackerel (*Rastrelliger kanagurta*) caught in Thailand. *Food Research International*, *37*(10), 1021–1030. <https://doi.org/10.1016/j.foodres.2004.06.012>
- Chaijan, M., Benjakul, S., Visessanguan, W., & Faustman, C. (2006). Changes of lipids in sardine (*Sardinella gibbosa*) muscle during iced storage. *Food Chemistry*, *99*, 83–91. <https://doi.org/10.1016/j.foodchem.2005.07.022>
- Chaijan, M., Benjakul, S., Visessanguan, W., & Faustman, C. (2007). Characterisation of myoglobin from sardine (*Sardinella gibbosa*) dark muscle. *Food Chemistry*, *100*, 156–164. <https://doi.org/10.1016/j.foodchem.2005.09.030>
- Cushman, D., & Cheung, H. (1971). SPECTROPHOTOMETRIC ASSAY AND PROPERTIES OF THE ANGIOTENSIN-CONVERTING ENZYME OF RABBIT LUNG. *Biochemical Pharmacology*, *20*, 1637–1648.
- Desniar, Poernomo, D., & Wijatur, W. (2009). Pengaruh konsentrasi garam pada peda ikan kembung (*Rastrelliger sp.*) dengan fermentasi spontan. *Jurnal Pengolahan Hasil Perikanan Indonesia*, *12*(1), 73–87.
- Desniar, Rusmana, I., Suwanto, A., & Mubarik, R. (2013). Characterization of lactic acid bacteria isolated from an Indonesian fermented fish (bekasam) and their antimicrobial activity against pathogenic bacteria. *Emir. J. Food Agric*, *25*(6), 489–494. <https://doi.org/10.9755/ejfa.v25i6.12478>
- Drancourt, M., Bollet, C., Carlouz, A., Martelin, R., Gayral, J. P., & Raoult, D. (2000). 16S ribosomal DNA sequence analysis of a large collection of environmental and clinical unidentifiable bacterial isolates. *Journal of Clinical Microbiology*, Vol. *38*, pp. 3623–3630. <https://doi.org/10.1128/jcm.38.10.3623-3630.2000>
- Elavarasan, K. (2018). *Angiotensin-I-Converting Enzyme Inhibitory Activity and Antioxidant Properties of Cryptides Derived from Natural Actomyosin of Catla catla Using Papain*. 2018.
- Fardiaz, S. (1992). *Mikrobiologi Pangan 1*. Jakarta: Gramedia Pustaka Utama.
- Gassem, M. A. (2019). Microbiological and chemical quality of a traditional salted-fermented fish (Hout-Kasef) product of Jazan Region, Saudi Arabia. *Saudi Journal of Biological Sciences*, *26*(1), 137–140. <https://doi.org/10.1016/j.sjbs.2017.04.003>
- Harmayani, E., Santoso, U., Murdjito, G., & Gardjito, M. (2017). *Makanan Tradisional Indonesia: Kelompok makanan fermentasi dan makanan yang populer di masyarakat* (2nd ed.). Yogyakarta: Gadjah Mada University Press,

Yogyakarta.

- Hasanah, H., Jannah, A., & Fasya, A. G. (2013). Pengaruh lama fermentasi terhadap kadar alkohol tape singkong (*Manihot utilissima* Pohl). *Alchemy*, 2(1), 68–79. <https://doi.org/10.18860/al.v0i0.2294>
- Ida Muryany, M. Y., Ina Salwany, M. Y., Ghazali, A. R., Hing, H. L., & Nor Fadilah, R. (2017). Identification and characterization of the Lactic Acid Bacteria isolated from Malaysian fermented fish (Pekasam). *International Food Research Journal*, 24(2), 868–875.
- Jao, C. L., Huang, S. L., & Hsu, K. C. (2012). Angiotensin I-converting enzyme inhibitory peptides: Inhibition mode, bioavailability, and antihypertensive effects. *BioMedicine (Netherlands)*, 2(4), 130–136. <https://doi.org/10.1016/j.biomed.2012.06.005>
- Jauh-Hsun, C., Vinh, T., Davies, J. K., & Figdor, D. (1999). Molecular approaches to the differentiation of *Actinomyces* species. *Oral Microbiology and Immunology*, 14, 250–256. <https://doi.org/10.1034/j.1399-302X.1999.140409.x>
- Jini, R., Swapna, H., Amit, K. R., Vrinda, R., Halami, P., Sachindra, N., & Bhaskar, N. (2011). Isolation and Characterization of potential lactic acid bacteria (LAB) from freshwater fish processing wastes for application in fermentative utilisation of processing waste. *Brazilian Journal of Microbiology*, 42, 1516–1525.
- Kang, C., Shin, Y., Kim, Y., & So, J. (2016). Isolation of *Lactobacillus* Strains from Shellfish for their Potential Use as Probiotics. *Biotechnology and Bioprocess Engineering*, 21, 46–52. <https://doi.org/10.1007/s12257-015-0518-x>
- Karparvar, N., Safaei, H. G., Derakhshandeh, A., Hemmati, F., & Mazloomi, S. M. (2019). Isolation and identification of lactic acid bacteria from traditional fermented sauce (Mahyaveh) in Fars Province, Iran. *Int J Nutr Sci*, 4(1), 49–53.
- Khairina, R., Utami, T., Raharjo, S., & Cahyanto, M. N. (2017). Changes in sensory, physicochemical and microbiological properties of ronto during fermentation. *Pakistan Journal of Nutrition*, 16(8), 629–637. <https://doi.org/10.3923/pjn.2017.629.637>
- Koesoemawardani, D., Rizal, S., & Tauhid, M. (2013). Perubahan sifat mikrobiologi dan kimiawi rusip selama fermentasi. *Agritech*, 33(3), 265–272.
- Koo, O. K., Lee, S. J., Chung, K. R., Jang, D. J., Yang, H. J., & Kwon, D. Y. (2016). Korean traditional fermented fish products: jeotgal. *Journal of Ethnic Foods*, 3(2), 107–116. <https://doi.org/10.1016/j.jef.2016.06.004>
- Kouakou, A. C., N'Guessan, K. F., Durand, N., Thomas, D. A., Montet, D., & Dje, M. K. (2012). Molecular bacterial characterization and free amino acids composition in Ivorian traditional fermented fish produced by two methods. *Fish Sci*, 78, 1125–1136. <https://doi.org/10.1007/s12562-012-0526-0>

- Kuda, T., Tanibe, R., Mori, M., Take, H., Michihata, T., Yano, T., ... Kimura, B. (2009). Microbial and chemical properties of aji-no-susu, a traditional fermented fish with rice product in the Noto Peninsula, Japan. *Fisheries Science*, 75(6), 1499–1506. <https://doi.org/10.1007/s12562-009-0175-0>
- Kunji, E. R. S., Mierau, I., Hagfing, A., Poolman, B., & Konings, W. N. (1996). The proteolytic systems of lactic acid bacteria. *Antonie van Leeuwenhoek, International Journal of General and Molecular Microbiology*, 70(2–4), 187–221. <https://doi.org/10.1007/BF00395933>
- Kusmarwati, A., Heruwati, E. S., Utami, T., & Rahayu, E. S. (2011a). Pengaruh penambahan pediococcus f-11 sebagai kultur starter terhadap kualitas rusip teri (*Stolephorus* sp). *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, 6(1), 13–25.
- Kusmarwati, A., Heruwati, E. S., Utami, T., & Rahayu, E. S. (2011b). Pengaruh penambahan *Pediococcus acidilactici*F-11 sebagai kultur starter terhadap kualitas rusip teri (*Stolephorus* sp). *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, 6(1), 13–26.
- Kusumawati, N. (2000). Peranan bakteri asam laktat dalam menghambat *listeria monocytogenes* pada bahan pangan. *Jurnal Teknologi Pangan Dan Gizi*, 1(1), 14–28.
- Lakshmanan, R., Shakila, R. J., & Jeyasekaran, G. (2002). Changes in the halophilic amine forming bacterial flora during salt-drying of sardines (*Sardinella gibbosa*). *Food Research International*, 35(6), 541–546. [https://doi.org/10.1016/S0963-9969\(01\)00154-5](https://doi.org/10.1016/S0963-9969(01)00154-5)
- Laranjo, M., Potes, M. E., & Elias, M. (2019). Role of starter cultures on the safety of fermented meat products. *Frontiers in Microbiology*, 10(APR), 1–11. <https://doi.org/10.3389/fmicb.2019.00853>
- Le, B., & Yang, S. H. (2018). Probiotic potential of novel *Lactobacillus* strains isolated from salted-fermented shrimp as antagonists for *Vibrio parahaemolyticus*. *Journal of Microbiology*, 56(2), 138–144. <https://doi.org/10.1007/s12275-018-7407-x>
- Lee, H., & Kim, W. J. (2010). Isolation and Characterization of Anti-listerial and Amylase Sensitive Enterocin Producing *Enterococcus faecium* DB1 from Gajami - sikhae , A Fermented Flat Fish in Korea. *Food Sci. Biotechnol.*, 19(3), 373–381. <https://doi.org/10.1007/s10068-010-0053-7>
- Lestari, S., Rinto, & Huriyah, S. B. (2018). Peningkatan sifat fungsional bekasam menggunakan starter *Lactobacillus acidophilus*. *JPHPI*, 21(1), 179–187. <https://doi.org/10.17844/jphpi.v21i1.21596>
- Lim, E. (2016). Inhibitory effect of bacteriocin-producing lactic acid bacteria against histamine-forming bacteria isolated from Myeolchi-jeot. *Fisheries and Aquatic Sciences*, 19(42), 1–10. <https://doi.org/10.1186/s41240-016-0040-x>
- Marui, J., Boulom, S., Panthavee, W., Momma, M., Kusumoto, K.-I., Nakahara, K.,

- & Saito, M. (2014). Culture-independent analysis of the bacterial community during fermentation of pa-som , a traditional fermented fish product in Laos. *Fish Sci*, 80, 1109–1115. <https://doi.org/10.1007/s12562-014-0780-4>
- Matti, A., & Kumalasari, T. (2017). Karakteristik Ikan Tembang (*Sardinella gibbosa*) sebagai Bahan Baku Pembuatan Produk Fermentasi Chao. *Jurnal Galung Tropika*, 6(2), 72–80. Retrieved from [http://jurnalpertanianumpar.com/index.php/jgt/article/download/215/pdf\\_6](http://jurnalpertanianumpar.com/index.php/jgt/article/download/215/pdf_6)
- Mayo, B., Aleksandrak-Piekarczyk, T., Fernande, M., Kowalczyk, M., Álvarez-Martín, P., & Bardowski, J. (2010). Updates in the Metabolism of Lactic Acid Bacteria. In G. M. V. Fernanda Mozzi, Raúl R. Raya (Ed.), *Biotechnology of Lactic Acid Bacteria Novel Applications* (1st ed., pp. 3–25). State Avenue, Ames, Iowa 50014-8300, USA: John Wiley & Sons in.
- Melgar-Lalanne, G., Morales-Trejo, F., Rivera-Espinoza, Y., & Hernández-Sánchez, H. (2015). Importance of halophilic and halotolerant lactic acid bacteria in Cheeses. *Food Engineering Series*, 279–287. [https://doi.org/10.1007/978-1-4939-2578-0\\_20](https://doi.org/10.1007/978-1-4939-2578-0_20)
- Moe, N. K. T., Thwe, S. M., Shiraai, T., Terahara, T., Imada, C., & Kobayashi, T. (2015). Characterization of lactic acid bacteria distributed in small fish fermented with boiled rice in Myanmar. *Fish Sci*, (81), 373–381. <https://doi.org/10.1007/s12562-014-0843-6>
- Mohd Khairi, I., Huda, N., Wan Abdullah, W., & Al-Kharki, A. (2014). Protein Quality of Fish Fermented Product: Budu and Rusip. *Asia Pacific Journal of Sustainable Agriculture, Food and Energy*, 2(2), 17–22.
- Najafian, L., & Babji, A. S. (2018). Purification and Identification of Antioxidant Peptides from Fermented Fish Sauce ( Budu ) Purification and Identification of Antioxidant Peptides from. *Journal of Aquatic Food Product Technology*, 1–11. <https://doi.org/10.1080/10498850.2018.1559903>
- Nam, N. T., Phuong, N. A., & Huan, N. X. (2016). Biological Characteristics of Goldstripe *Sardinella sardinella gibbosa* ( Bleeker , 1849 ) in the Nearshore Area of Ham Thuan Nam District , Binh Thuan Province. *VNU Journal of Science: Natural Sciences and Technology*, 32(1), 96–102.
- Nespolo, C. R., & Brandelli, A. (2010). Production of Bacteriocin-Like Substance by Lactic Acid Bacteria Isolated From Regional Ovine Cheese. *Brazilian Journal of Microbiology*, 41, 1009–1018.
- Nie, X., Lin, S., & Meng, X. (2016). Identification of Two Selected Lactic Acid Bacteria Strains Isolated From Dry-Cured Fish and Their Behaviors in Fermented Fish Sausage. *Journal of Fisheries Sciences.Com*, 10(1), 47.
- Nie, X., Lin, S., & Zhang, Q. (2014). Proteolytic characterisation in grass carp sausage inoculated with *Lactobacillus plantarum* and *Pediococcus pentosaceus*. *Food Chemistry*, 145, 840–844. <https://doi.org/10.1016/j.foodchem.2013.08.096>

- Nurhidayu, A., Ina-Salwany, M., Daud, H. M., & Harmin, S. (2012). Isolation, screening and characterization of potential probiotics from farmed tiger grouper (*Epinephelus fuscoguttatus*). *African Journal of Microbiology Research*, 6(9), 1924–1933. <https://doi.org/10.5897/AJMR11.913>
- Nurjanah, Abdullah, A., & Kustiariyah. (2011). *Pengetahuan dan Karakteristik Bahan Baku Hasil Perairan* (Pertama). Bogor: IPB Press.
- Nurnadia, A. A., Azrina, A., & Amin, I. (2011). Proximate composition and energetic value of selected marine fish and shellfish from the West Coast of Peninsular Malaysia. *International Food Research Journal*, 18(1), 137–148.
- Nuwanthi, S. G. L. I., Madage, S. S. K., Hewajulige, I. G. N., & Wijesekera, R. G. S. (2016). Comparative Study on Organoleptic, Microbiological and Chemical Qualities of Dried Fish, Goldstripe Sardinella (*Sardinella Gibbosa*) with Low Salt Levels and Spices. *Procedia Food Science*, 6, 356–361. <https://doi.org/10.1016/j.profoo.2016.02.072>
- Paludan-Müller, C., Madsen, M., Sophanodora, P., Gram, L., & Møller, P. L. (2002). Fermentation and microflora of plaa-som, a Thai fermented fish product prepared with different salt concentrations. *International Journal of Food Microbiology*, 73(1), 61–70. [https://doi.org/10.1016/S0168-1605\(01\)00688-2](https://doi.org/10.1016/S0168-1605(01)00688-2)
- Papadimitriou, K., Alegría, Á., Bron, P. A., de Angelis, M., Gobbetti, M., Kleerebezem, M., ... Kok, J. (2016). Stress Physiology of Lactic Acid Bacteria. *Microbiology and Molecular Biology Reviews*, 80(3), 837–890. <https://doi.org/10.1128/mubr.00076-15>
- Park, Y. W., & Nam, M. S. (2015). Bioactive Peptides in Milk and Dairy Products: A Review. *Korean Journal for Food Science of Animal Resources*, 35(6), 831–840. <https://doi.org/10.5851/kosfa.2015.35.6.831>
- Pyar, H., & Kok, P. (2019). Confirmation of the Identity of Lactobacillus Species using Carbohydrate Fermentation Test (API 50 CHL) Identification System. *Journal of Applied Sciences*, 19(8), 797–802. <https://doi.org/10.3923/jas.2019.797.802>
- Rahayu, E. S. (2003). Lactic acid bacteria in fermented foods of Indonesian origin. *Agritech*, 23(2), 75–84.
- Rapsang, G. F., Kumar, R., & Joshi, S. R. (2011). Identification of Lactobacillus pobuzihii from tungtap : A traditionally fermented fish food , and analysis of its bacteriocinogenic potential. *Afr. J. Biotechnol*, 10(57), 12237–12243. <https://doi.org/10.5897/AJB10.2618>
- Raveschot, C., Cudennec, B., Coutte, F., Flahaut, C., Fremont, M., Drider, D., & Dhulster, P. (2018). Production of bioactive peptides by lactobacillus species: From gene to application. *Frontiers in Microbiology*, 9(OCT), 1–14. <https://doi.org/10.3389/fmicb.2018.02354>
- Rhee, S. J., Lee, J. E., & Lee, C. H. (2011). Importance of lactic acid bacteria in

- Asian fermented foods. *Microbial Cell Factories*, 10(1), 1–13.  
<https://doi.org/10.1186/1475-2859-10-S1-S5>
- Rinto. (2010). Perubahan kandungan mikroflora akibat penambahan starter *Pediococcus acidilactici* F-11 dan garam selama fermentasi peda. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 13(1), 35–47.
- Rochima, E. (2005). Pengaruh Fermentasi Garam terhadap Karakteristik Jambal Roti. *Pengaruh Fermentasi Garam Terhadap Karakteristik Jambal Roti*, 8(2), 46–56. <https://doi.org/10.17844/jphpi.v8i2.1017>
- Ru, C., & Wolf, G. (2006). *Renal Disease*. (5), 2985–2991.  
<https://doi.org/10.1681/ASN.2006040356>
- Saithong, P., Panthavee, W., Boonyaratanakornkit, M., & Sikkhamondhol, C. (2010). Use of a starter culture of lactic acid bacteria in pla-som, a Thai fermented fish. *Journal of Bioscience and Bioengineering*, 110(5), 553–557.  
<https://doi.org/10.1016/j.jbiosc.2010.06.004>
- Sanjukta, S., & Rai, A. K. (2016). Production of bioactive peptides during soybean fermentation and their potential health benefits. *Trends in Food Science and Technology*, 50, 1–10. <https://doi.org/10.1016/j.tifs.2016.01.010>
- Sanpa, S., Sanpa, S., & Suttajit, M. (2019). Lactic acid bacteria isolates from Pla-som, their antimicrobial activities and fermentation properties in Pla-som. *Journal of Food Health and Bioenvironmental Science*, 12(1), 36–43.
- Shori, A. B. (2012). Comparative study of chemical composition, isolation and identification of micro-flora in traditional fermented camel milk products: Gariss, Suusac, and Shubat. *Journal of the Saudi Society of Agricultural Sciences*, 11(2), 79–88. <https://doi.org/10.1016/j.jssas.2011.12.001>
- Siddegowda, G. S., Bhaskar, N., & Gopal, S. (2017a). Fermentative Properties of Proteolytic *Pediococcus* Strains Isolated from Salt Fermented Fish Hydrolysate Prepared Using Freshwater Fish Rohu ( *Labeo rohita* ) Fermentative Properties of Proteolytic *Pediococcus* Strains Isolated from Salt Fermented Fish Hydr. *Journal of Aquatic Food Product Technology*, 26(3), 341–355. <https://doi.org/10.1080/10498850.2016.1185754>
- Siddegowda, G. S., Bhaskar, N., & Gopal, S. (2017b). Fermentative Properties of Proteolytic *Pediococcus* Strains Isolated from Salt Fermented Fish Hydrolysate Prepared Using Freshwater Fish Rohu (*Labeo rohita*). *Journal of Aquatic Food Product Technology*, 26(3), 341–355.  
<https://doi.org/10.1080/10498850.2016.1185754>
- Soetikno, N., Ristiarini, S., & Khairina, R. (2018). Sifat Sensoris, Kimia dan Warna, Ronto pada Konsentrasi Garam dan Nasi yang Berbeda. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 21(1), 85.  
<https://doi.org/10.17844/jphpi.v21i1.21451>
- Stern, N., Rinkevich, B., & Goren, M. (2015). First record of the goldstripe sardinella - *Sardinella gibbosa* (Bleeker, 1849) in the Mediterranean Sea and

- confirmation for its presence in the Red Sea. In *BioInvasions Records* (Vol. 4). <https://doi.org/10.3391/bir.2015.4.1.08>
- Suhartatik, N., Cahyanto, M. N., Rahardjo, S., Miyashita, M., & Rahayu, E. S. (2014). Isolation and identification of lactic acid bacteria producing  $\beta$  glucosidase from Indonesian fermented foods. *International Food Research Journal*, 21(3), 973–942.
- Sulistiani, Abiawanto, Sukara, E., Salamah, A., Dinoto, A., & Mangunwardoyo, W. (2014). Identification of lactic acid bacteria in sayur asin from Central Java (Indonesia) based on 16S rDNA sequence. *International Food Research Journal*, 21(2), 527–532.
- Sulthoniyah, S. T. M., Hardoko, & Nursyam, H. (2015). Characterization of Extracellular Protease Lactic Acid Bacteria From Shrimp Paste. *Journal of Science and Biomedicine*, 5(1), 1–5.
- Sumarsih, S., Sulistiyanto, B., Sutrisno, C. I., & Rahayu, E. S. (2014). Characteristic of *Lactobacillus* isolated from Pengging duck's intestines as probiotics. *International Journal of Poultry Science*, 13(1), 47–51. <https://doi.org/10.3923/ijps.2014.47.51>
- Suseno, S. H., Syari, C., Zakiyah, E. R., Jacob, A. M., Izaki, A. F., Saraswati, S., & Hayati, S. (2014). Chemical composition and fatty acid profile of small pelagic fish (*Amblygaster sirm* and *Sardinella gibbosa*) from Muara Angke, Indonesia. *Oriental Journal of Chemistry*, 30(3), 1153–1158. <https://doi.org/10.13005/ojc/300328>
- Suvitha, S., Eswar, A., Anbarasu, R., Ramamoorthy, K., & Sankar, G. (2014). Proximate, Amino acid and Fatty acid profile of selected two Marine fish from Parangipettai Coast. *Asian Journal of Biomedical and Pharmaceutical Sciences*, 4(40), 38–42. <https://doi.org/10.15272/ajbps.v4i40.649>
- Tacão, M., Alves, A., Saavedra, M. J., & Correia, A. (2005). BOX-PCR is an adequate tool for typing *Aeromonas* spp. *Antonie van Leeuwenhoek, Journal of Microbiology*, 88(2), 173–179. <https://doi.org/10.1007/s10482-005-3450-9>
- Tampubolon, P. A. R. P., & Agustina, M. (2019). Aspekbiologi ikantembang (*Sardinella gibbosa* BLEEKER, 1849) di Perairanprigi dan sekitarnya. *BAWAL*, 11(3), 151–159.
- Tengku-Rozaina, T. M., Shu Jeng, W., & Amiza, M. A. (2018). Nutritional Composition and Thermal Properties of Goldstripe *Sardinella* (*Sardinella gibbosa*) Fillets and By-Products. *Journal of Aquatic Food Product Technology*, 27(6), 667–679. <https://doi.org/10.1080/10498850.2018.1483991>
- Thapa, N., Pal, J., & Tamang, J. P. (2006). Phenotypic identification and technological properties of lactic acid bacteria isolated from traditionally processed fish products of the Eastern Himalayas. *International Journal of Food Microbiology*, 107, 33–38. <https://doi.org/10.1016/j.ijfoodmicro.2005.08.009>

- Thomas, R. C., Willette, D. A., Carpenter, K. E., & Santos, M. D. (2014). Hidden diversity in sardines: Genetic and morphological evidence for cryptic species in the goldstripe sardinella, *Sardinella gibbosa* (Bleeker, 1849). *PLoS ONE*, 9(1), 1–10. <https://doi.org/10.1371/journal.pone.0084719>
- Thwe, S. M., Kobayashi, T., Luan, T., Shirai, T., Onodera, M., Hamada-Sato, N., & Imada, C. (2011). Isolation, characterization, and utilization of  $\gamma$ -aminobutyric acid (GABA)-producing lactic acid bacteria from Myanmar fishery products fermented with boiled rice. *Fisheries Science*, 77(2), 279–288. <https://doi.org/10.1007/s12562-011-0328-9>
- Trinanda, T. (2011). ANALISIS SEKUENSING 16S rRNA DI BIDANG MIKROBIOLOGI. *Jurnal Kedokteran Syiah Kuala*, 11(3), 172–177.
- Udomsil, N., Rodtong, S., Tanasupawat, S., & Yongsawatdigul, J. (2010). Proteinase-producing halophilic lactic acid bacteria isolated from fish sauce fermentation and their ability to produce volatile compounds. *International Journal of Food Microbiology*, 141, 186–194. <https://doi.org/10.1016/j.ijfoodmicro.2010.05.016>
- Veřtrovsky, T., & Baldrian, P. (2013). The Variability of the 16S rRNA Gene in Bacterial Genomes and Its Consequences for Bacterial Community Analyses. *Plos One*, 8(2), 1–10. <https://doi.org/doi:10.1371/journal.pone.0057923>
- Vichasilp, C., Sangjindavong, M., & Wilaipun, P. (2008). The use of selected lactic acid bacteria isolates for acceleration of fermented fish (Pla-ra) process. *Kasetsart University Fisheries Research Bulletin*, 32(2), 17–25.
- Wang, W., Xia, W., Gao, P., Xu, Y., & Jiang, Q. (2017). Proteolysis during fermentation of Suanyu as a traditional fermented fish product of China. *International Journal of Food Properties*, 20(1), S166–S176. <https://doi.org/10.1080/10942912.2017.1293089>
- Wenno, M. R., Suprayitno, E., Aulanni'Am, A., & Hardoko. (2016). The physicochemical characteristics and angiotensin converting enzyme (ACE) inhibitory activity of skipjack tuna (*katsuwonus pelamis*) “bakasang.” *Jurnal Teknologi*, 78(4–2), 119–124.
- Whitehead, P. J. P. (1988). Clupeoid fishes of the world (suborder Clupeoidei). An annotated and illustrated catalogue of the herrings, sardines, pilchards, sprats, shads, anchovies and wolf-herrings. *Whitehead*, 7(1), 1–303.
- Wikandari, P. R., Marsono, Y., & Rahayu, E. S. (2012a). Potency of Lactic Acid Bacteria Isolated from Bekasam as Angiotensin Converting Enzyme Inhibitor Producing-. *AGRITECH*, 32(3), 2555.
- Wikandari, P. R., Marsono, Y., & Rahayu, S. (2012b). Karakterisasi Bakteri Asam Laktat Proteolitik pada Bekasam. *Jurnal Natur Indonesia*, 14(2), 120–125.
- Wikandari, P. R., Suparmo, Marsono, Y., & Rahayu, E. S. (2012). Potensi Bakteri Asam Laktat yang Diisolasi dari Bekasam sebagai Penghasil Angiotensin Converting Enzyme Inhibitor pada Fermentasi Bekasam-Like Product.

*Agritech*, 32(3), 258–264.

Yang, A., & Yen, C. (2012). PCR Optimization of BOX-A1R PCR for Microbial Source Tracking of *Escherichia coli* in Waterways. *Journal of Experimental Microbiology and Immunology (JEMI)*, 16(April), 85–89.

Yuliana, N. (2007). Profil fermentasi rusip ”yang dibuat dari ikan teri. *AGRITECH*, 27(1), 12–17.

Yuliana, N., Koesoemawardani, D., & Kurniati, Y. (2018). Lactic acid bacteria during fish fermentation (rusip). *MOJ Food Processing & Technology*, 6(2), 211–216. <https://doi.org/10.15406/mojfpt.2018.06.00167>

Zang, J., Xu, Y., Xia, W., & Regenstein, J. M. (2020). Quality, functionality, and microbiology of fermented fish: a review. *Critical Reviews in Food Science and Nutrition*, 60(7), 1228–1242. <https://doi.org/10.1080/10408398.2019.1565491>