

DAFTAR PUSTAKA

- Afshar, S., Sadehvand, M., Azad, A., Dekamin, M.G., Jalali-Heravi, M., Mollahosseini, A., Amani, M., and Tadjarodi, A., 2015, Optimization of Catalytic Activity of Sulfated Titania for Efficient Synthesis of Isoamyl Acetate by Response Surface Methodology, *Monatsh. Chem.*, 146, 1949-1957.
- Afsharizadeh, M., and Mohsennia, M., 2019, Catalytic Synthesis of Biodiesel from Waste Cooking Oil and Corn Oil over Zirconia-based Metal Oxide Nanocatalysts, *React. Kinet. Mech. Catal.*, 128, 443-459.
- Aghilinategh, M., Barati, M., and Hamadani, M., 2019, Supercritical Methanol for One Pot Biodiesel Production from *Chlorella vulgaris* Microalgae in the Presence of CaO/TiO₂ nano-photocatalyst and Subcritical Water, *Biomass Bioenerg.*, 123, 34-40.
- Aitbelale, R., Abala, R., Alaoui, F.E.M., Eddine, A.S., Rujas, N.M., and Aguilar, F., 2019, Characterization and Determination of Thermodynamic Properties of Waste Cooking Oil Biodiesel: Experimental, Correlation and Modeling Density Over a Wide Temperature Range up to 393.15 and Pressure up to 140 MPa, *Fluid Phase Equilibria.*, 497, 87-96.
- Allah, F.U.M., and Alexandru, G., 2016, Waste Cooking Oil as Source for Renewable Fuel in Romania, *IOP Conf. Ser., Mater. Sci. Eng.*, 147, 012133.
- Almeida, R.M., Noda, L.C., Goncalves, N.S., Meneghetti, S.M.P., and Meneghetti, M.R., 2008, Transesterification Reaction of Vegetable Oils, using Superacid Sulfated TiO₂-base Catalysts, *App. Catal. A: General.*, 347, 100-105.
- Alothman, Z.A., 2012, A review: Fundamental Aspects of Silicate Mesoporous Materials, *Materials (Basel)*, 5, 2874-2902.
- Alsharifi, M., Znad, H., Hena, S., and Ang, M., 2017, Biodiesel Production from Canola Oil using Novel Li/TiO₂ as a Heterogeneous Catalyst Prepared Via Impregnation Method, *Renew. Energy.*, 114, 1077-10089.
- Ardizzone, S., Bianchi, C.L., Cappelletti, G., and Porta, F., 2004, Liquid-Phase Catalytic Activity of Sulfated Zirconia from Sol-gel Precursors: The Role of the Surface Feature, *J. Catal.*, 227, 470-478.
- Avinash, A., Sasikumar, P., and Murugesan, A., 2018, Understanding the Interaction among the Barriers of Biodiesel Production from Waste Cooking Oil in India-an Interpretive Structural Modeling Approach, *J. Renew. Energy.*, 127, 678-684.
- Bankovic-Ilic, I.B., Miladinovic, M.R., Stamenkovic, O.S., and Veljkovic., 2017, Application of Nano CaO-based Catalysts in Biodiesel Synthesis, *Renew. Sust. Energ. Rev.*, 72, 746-760.

- Benčina, M., Iglič, A., Mozetič, M., and Junkar, I., 2020, Crystallized TiO₂ nanosurfaces in Biomedical Applications, *J. Nanomater.*, 10, 1121.
- Beutel, T., Bal, C., Woolery, G., McCarthy, S., McConnachle, J., Kliewer, C., Hajkowskl, K., and Thornburg, A., 2017, Acidity in Titania-Alumina Mixed Metal Oxides, *Top. Catal.*, 60, 1565-1576.
- Bueno, F.D.R., Rodriguez, A.G., Arjona, A.M., and Caballero, F.J.D.R.P., 1955, Acidity of Montmorillonite-(Ce or Zr) Phosphate Cross-Linked Compounds, *Clay Miner.*, 3, 544-561.
- Burnat, B., Robak, J., Leniart, A., Piwonski, I., and Batory, D., 2017, The Effect of Concentration and Source of Calcium Ions on Anticorrosion Properties of Ca-doped TiO₂ Bioactive Sol-gel Coatings, *Ceram. Int.*, 43, 13735-13742.
- Caratão, B., Carneiro, E., Sá, P., Almeida, B., and Carvalho, S., 2014, Properties of Electrospun TiO₂ Nanofibers, *J. Nanotechnol.*, 472132.
- Carlucci, C., Degennaro, L., and Luisi, R., 2019, Titanium Dioxide as a Catalyst in Biodiesel Production, *Catal.*, 9(75).
- Chen, C., Cai, L., Shangguan, X., Li, L., Hong, Y., and Wu, G., 2018, Heterogeneous and Efficient Transesterification of *Jatropha curcas L.* Seed to Oil to Produce Biodiesel Catalyzed by nano-sized SO₄²⁻/TiO₂, *R. Soc. Open Sci.*, 5, 181331.
- Chuah, L.F. Bokhari, A., Yusup, S., Klemes, J.J., Abdullah, B., and Akbar, MM., 2016, Optimization and Kinetic Studies of Acid Esterification of High Free Fatty Acid Rubber Seed Oil, *Arab. J. Sci. Eng.*, 41, 2515-2526.
- Dabbawalla, A.A., Alhassan, S.M., Mishra, D.K., Jegal, J., Hwang, J-S., 2018, Solvent Free Cyclodehydration of Sorbitol to Isosorbide Over Mesoporous Sulfated Titania with Enhanced Catalytic Performance, *Mol. Catal.*, 454, 77-86.
- Dehkordi, A.M., and Ghasemi, M., 2012, Transesterification of Waste Cooking Oil to Biodiesel using Ca and Zr Mixed Oxides as Heterogeneous Base Catalyst, *Fuel Process. Technol.*, 97, 45-51.
- Dutcher, B., Fan, M., and Leonard, B., 2011, Use of Multifunctional Nanoporous TiO(OH)₂ for Catalytic NaHCO₃ Decomposition-eventually for Na₂CO₃/NaHCO₃ based CO₂ Separation Technology, *Sep. Purif. Technol.*, 80, 364-374.
- Elkady, M.F., Zaatout, A., and Balbaa, O., 2015, Production of Biodiesel from waste Vegetable Oil via KM Micromixer, *J. Chem. Hindawi.*, 630168.
- El-kodous., and Mohamed, H., 2018, C-Dots Macro mesoporous TiO₂ Nanospheres as an Efficient Photocatalysts for Waste-Water Treatment, *Thesis.*, School of Engineering and Applied Science, Nile University, Nigeria.

- Fadhil, A.B., Al-Tikrity, E.T.B., and Khalaf, A.M., 2018, Transesterification of Non-Edible Oils Over Potassium Acetate Impregnated CaO Solid Base Catalyst, *Fuel.*, 234, 81–93.
- Fadhil, A.B., Aziz, A.M., and Al-Tamer, M.H., 2016, Biodiesel Production from *Silybum marianum L.* Seed Oil with High FFA Content using Sulfonated Carbon Catalyst for Esterification and Base Catalyst for Transesterification, *Energy Convers. Manage.*, 108, 255-256.
- Farooq, M., Ramli, A., and Subbarao, D., 2013, Biodiesel Production from Waste Cooking Oil using Bifunctional Heterogeneous Solid Catalysts, *J. Clean. Prod.*, 59, 131-140.
- Fonseca, J.M., Teleken, J.G., Almeida, V.C., and Silva, C.D., 2019, Biodiesel from Waste Frying Oils: Methods of Production and Purification, *Energy Convers. Manage.*, 184, 205-218.
- Gardy, J., Osatiashtiani, A., Cespedes, O., Hassanpour A., Lai, X., Lee, A.F., Wilson, K., and Rehan, M., 2018, A Magnetically Separable SO₄/Fe-Al-TiO₂ Solid Acid Catalyst for Biodiesel Production from Waste Cooking Oil, *Appl. Catal. B.*, 234, 268-278.
- Gardi, J., Hassanpour, A., Lai, X., and Ahmed, M.H., 2016, Synthesis of Ti(SO₄)O Solid Acid Nano-Catalyst and Its Application for Biodiesel Production from Used Cooking Oil, *Appl. Catal. A-Gen.*, 527, 81-95.
- Gerard, A., Muhr, H., Plasari, E., Jacob, D., and Lefaucheur., C.-E., 2014, Effect of Calcium Based Additives on the Sodium Bicarbonate Crystallization in a MSMR Reactor, *Powder Technol.*, 255, 134–140.
- Granados, M.L., Martin, D.A., Arba-Rubio A.C., Mariscal R, Ojedah, M., and Brettes, P., 2009, Transesterification of Triglycerides by CaO Increase of the Reaction Rate by Biodiesel Addition, *Energ. Fuel.*, 23, 2259-2263.
- Gu, H., Fu, Q., Sheng, B., Ca, E., Tang, G., and Liu, Q., 2020, Effect of Pore-Forming Agent Quantity on Pore Structure, Phase Composition, Micro-Hardness of Gradient Bioceramic Coating Under Optimal Laser Process Parameters, *Ceram. Int.*, 46(8), 11275-11281.
- Guczi, L., and Erdöhelyi., 2012, *Catalysis for Alternative Energy Generation, Department of Surface and Chemistry and Catalyst.*, Institute of Isotopes Hungarian Academy of Sciences Budapest, Hungary.
- Guo, F., and Fang, Z., 2017, *Biodiesel Production with Solid Catalysts, Biodiesel–Feedstocks and Processing Technologies*, ISBN: 978-953-307-713-0, InTech, available from: <http://www.intechopen.com/books/biodiesel-feedstock-and-processing-technologies/biodiesel-production-with-solid-catalyst>

- Haider, A.J., Al-Anbari, R.H., Kadhim, G.R., and Salame, C.T., 2017, Exploring Potential Environmental Application of TiO₂ Nanoparticles, *Energy Procedia.*, 119, 332-345.
- Huaiyuangwang., Di, D., Zhao, X., Yuan, R., and Zhu, Y., 2019, A Multifunctional Polymer Composite Coating Assisted with Pore-forming Agent: Preparation, Superhydrophobicity, and Corrosion Resistance, *Prog. Org. Coat.*, 132, 370-379.
- Huang, W., Shaokun T., Hua Z., and Songilang T., 2013, Activation of Commercial CaO for Biodiesel Production from Rapeseed Oil using a Novel Deep Eutectic Solvent, *Ind. Eng. Chem. Res.*, 52, 11943-11947.
- Kaur, N., and Ali, A., 2015, Preparation and Application of Ce/ZrO₂-TiO₂/SO₄²⁻ as Solid Catalyst for the Esterification of Fatty Acid, *Renew. Energ.*, 81, 421-431.
- Kondamudi, N., Jason, S., Mano, M., and Susanta, K.M., 2009, A Green Process for Producing Biodiesel from Feather Meal, *J. Agric. Food Chem.*, 57, 6163-6166.
- Kouzu, M., Kasuno, T., Tajika, M., Sugimoto, Y., Yamanaka, S., and Hidaka, J., 2008, Calcium Oxide as A Solid Base Catalyst for Transesterification of Soybean Oil and its Application to Biodiesel Production, *J. Fuel.*, 87, 2798-2806.
- Lawan, I., Garba, N.Z., Zhou, W., Zhang, M., and Yuan, Z., 2020, Synergies between the Microwave Reactor and CaO/Zeolite Catalyst in Waste Lard Biodiesel Production, *Renew. Energ.*, 145, 2550-2560.
- Lei, X., Xu, B., Yang, B., Xu, B., and Guo, X., 2017, A Novel Methods of Synthesis and Microstructural Investigation of Calcium Titanate Powders, *J. Alloys Compd.*, 690, 916-922.
- Li, H., Wang, Y., Ma, X., Wu, Z., Cui, P., Lu, W., Liu, F., Chu, H., and Wang, Y., 2020, A Novel Magnetic CaO-based Catalyst Synthesis and Characterization: Enhancing the Catalyst Activity and Stability of CaO for Biodiesel Production, *Chem. Eng. J.*, 391, 123549.
- Li, S., Zhang, J., Jamil, S., Cai, Q., and Zang, S., 2018, Conversion of Eggshells into Calcium Titanate Cuboid and its Adsorption Properties, *Res. Chem. Intermed.*, 44, 3933-3946.
- Li, Yu., Guo, Yu., and Liu, Y., 2005, Synthesis of High Pure TiO₂ Nanoparticles from Ti(SO₄) in Presence of EDTA as Complexing Agent, *China Particuology.*, 3(4), 240-242.
- Lin, X.H., Yin, X.J., Liu, J.Y., and Li, S.F.Y., 2017, Elucidation of Structures of Surface Sulfate Species on Sulfated Titania and Mechanism of Improved Activity, *App. Catal. B.*, 203, 731-739.

- Luo, Y., Mei, Z., Liu, N., Wang, H., Han, C., and He, S., 2017, Synthesis of Mesoporous Sulfated Zirconia Nanoparticles with High Surface Area and Their Applies for Biodiesel Production as Effective Catalysts, *Catal. Today.*, 298, 99-108.
- Maddikeri, G.L., Pandit, A.B., and Gogate, P.R., 2012, Intensification Approaches for Biodiesel Synthesis from Waste Cooking Oil: A Review, *Ind. Eng. Chem. Res.*, 51, 14610-14628.
- Mardawati, E., Sugandi, H., Kayaputri, I.L., Cahyana, Y., Wira, D.Y., Pujiyanto, T., and Kastaman, R., 2018, Study and Characterization of Powder Mackerel (*Scomberomorus commerson*) Bone Gelatin through Hydrolysis of Hydrochloric Acid, *AIP Conf. Proc.*, 1927, 030002.
- Marinescu, C., Sofronia, A., Rusti, C., Piticescu, R., Badilita, V., Vasile, E., Baies, R., and Tanasescu, S., 2011, DSC Investigation of Nanocrystalline TiO₂ Powder, *J. Therm. Anal. Calorim.*, 103, 49-57.
- Marinković, B.M., Stanković, M., Veličković, A., Avramović, J., Miladinović, M., Stamenković, O., Veljković, V., and Jovanović, D., 2016, Calcium Oxide as a Promising Heterogeneous Catalyst for Biodiesel Production: Current State and Perspectives, *Renew. Sust. Energ. Rev.*, 56, 1387–1408.
- Matsushashi, H., and Funaki, D., 2016, Synthesis of Highly Active Solid Base Catalyst of Calcium Oxide Covered with Thin Layer of Titanium Oxide, *J. Jpn. Pet. Inst.*, 59(1), 24-30.
- Maulidiyah., Nurdin, M., Fatma, F., Natsir, M., and Wibowo, D., 2017, Characterization of Methyl Ester Compound of Biodiesel from Industrial Liquid Waste of Crude Palm Oil Processing, *Anal. Chem. Res.*, 12, 1-9.
- Maurya, M.R., and Kumar, N., 2015, Sodium Bicarbonate Assisted Oxidation, by H₂O₂, of Styrene and Cyclohexene using Polymer Grafted Dioxidomolybdenum (VI) Complex as a Catalyst, *J. Mol. Catal. A Chem.*, 406, 204–212.
- Mićić, R., Tomić, M., Martinović, F., Kiss, F., Simikić, M., and Aleksic, A., 2019, Reduction of Free Fatty Acid in Waste Oil for Biodiesel Production by Glycerolysis : Investigation and Optimization of Process Parameter, *Green Process Synth.*, 8, 15-23.
- Mohamad, M., and Ngadi, N., 2014, Effect of TiO₂ Mixed CaO Catalyst in Palm Oil Transesterification, *App. Mech. Mater.*, 695, 319-322.
- Mohamad, M., Ngadi, N., Wong, S., Yahya, N.Y., Inuwa, I.M., and Lani, N.S., 2018, Synthesis and Characterization of CaO-TiO₂ for Transesterification Palm Oil, *Int. J. Eng. Transac. B App.*, 31(8), 1326-1333.
- Mohamed, R.M., Kadry, G.A., Abdel-Samad, H.A., and Awad, M.E., 2020, High Operative Heterogeneous Catalyst in Biodiesel Production from Waste Cooking Oil, *Egypt. J. Pet.*, 29(1), 59-65.

- Nagaraj, G., Dhayal, R.A., Albert, I.A., and Josephine, R.L., 2019, Tuning the Optical Band Gap of Pure TiO₂ Via Photon Induced method, *Optic.*, 179, 889-894.
- Nindarwi, D.D., Rochman, A.N., Tsani, M.R.N., Rachmawati, V., and Masithah, E.D., 2019, Study of Calcium Hydroxide (Ca(OH)₂) and Sodium Bicarbonate (NaHCO₃) Treatment on the Dynamics of pH, Cod, N/P Ratio and Plankton Abundance, *J. Aquaculture Fish Health.*, 8(2).
- Ore, M.S, L., Wijaya, K., Trisunaryanti, W., Saputri, W.D., Heraldly E., Yuwana, M.W., Hariani, P.L., Budiman, A., and Sudiono, S., 2020, The Synthesis of SO₄/ZrO₂ and Zr/CaO Catalysts Via Hydrothermal Treatment and Their Application for Conversion of Low-grade Coconut Oil into Biodiesel, *J. Environ. Chem. Eng.*, 8, 104205.
- Pandit, P.R., and Fulekar, M.H., 2019, Biodiesel Production from Microalga Biomass using CaO Catalyst Synthesized from Natural Waste Material, *Renew. Energ.*, 136, 837-845.
- Park, S.H., Khan, N., Lee, S., Zimmermann, K., Derosa, M., Hamilton, L., Hudson, W., Hyder, S., Serratos, M., Sheffield, E., Veludhandi, A., and Pursell, D.P., 2019, Biodiesel Production from Locally Sourced Restaurant Waste Cooking Oil and Grease: Synthesis, Characterization, and Performance Evaluation, *ACS Omega.*, 4, 7775-7784.
- Patel, A., Brahmkhatri, V., and Singh, N., 2013, Biodiesel Production by Esterification of Free Fatty Acid over Sulfated Zirconia, *Renew. Energ.*, 51, 227-233.
- Rachmat, A., Trisunaryanti, W., Sutarno., and Wijaya, K., 2017, Synthesis and Characterization of Sulfated Zirconia Mesopore and its Application on Lauric Acid Esterification, *Mater. Renew. Sustain energy.*, 6(13).
- Rafati, A., Tahvildari, K., and Nozari, K., 2018, Production of Biodiesel by Electrolysis Method from Waste Cooking Oil using Heterogeneous MgO-NaOH Catalyst, *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects.*, ISSN: 1556-7036.
<https://doi.org/10.1080/15567036.2018.1539139>
- Raj, K.J.A., and Viswanathan, B., 2009, Single-Step Synthesis and Structural Study of Mesoporous Sulfated Titania Nanopowder by a Controlled Hydrolysis Process, *ACS App. Mater. Interfaces.*, 1(11), 2462-2469.
- Refaat, A.A., 2011, Biodiesel Production using Solid Metal Oxide Catalysts, *Int. J. Environ. Sci. Tech.*, 8(1), 203-221.
- Roy, T., Sahani, S., Madhu, D., and Sharma, Y.C., 2020, A Clean Approach of Biodiesel Production from Waste Cooking Oil by using Single Phase BaSnO₃ as Solid Base Catalyst: Mechanism, Kinetics and E-Study, *J. Clean. Prod.*, 265, 121440.

- Roschat, W., Siritanon, T., Yoosuk, B., and Promarak, V., 2016, Biodiesel Production from Palm Oil using Hydrated Lime-Derived CaO as a Low-Cost Basic Heterogeneous Catalyst, *Energy Convers. Manage.*, 108, 459-467.
- Rovero-Vega, J., Aldana-Pérez, A., Gómez, R., Niño-Gómez, M.E., and Nino-Gomez, M.E., 2010, Sulfated Titania {TiO₂/SO₄²⁻}. A very Active Solid Acid Catalyst for the Esterification of Free Fatty Acid with Ethanol, *Appl. Catal A-Gen.*, 379 (1-2), 24-29.
- Said, A.E.A., El-Wahab, M.M.A., and El-Aal, M.A., 2014, The Catalytic Performance of Sulfated Zirconia in the Dehydration of Methanol to Dimethyl Ether, *J. Mol. Catal. A: Chem.*, 145, 561-564
- Sarvari, M.H., and Sodagar, E., 2013, Esterification of Free Fatty Acids (Biodiesel) using nano Sulfated-titania as Catalyst in Solvent-free Conditions, *C. R. Chimie.*, 16, 229–238.
- Schuchardt, U., Sercheli, R., and Vargas, R.M., 1998, Transesterification of Vegetable Oils: A Review, *J. Brazilian Chem. Soc.*, 9(3).
- Serio, M.D., Riccardo T., Lu Pengmei., and Elio S., 2017, Heterogeneous Catalyst for Biodiesel Production, *Energ. Fuel.*, 22, 207-217.
- Shaheen, A., Sultana, S., Lu, H., Ahmad, M., Asma, M., and Mahmood, T., 2018, Assessing the Potential of Different Nano-composite (MgO, Al₂O₃-CaO and TiO₂) for Efficient Conversion of *Silybum eburneum* Seed Oil to Liquid Biodiesel, *J. Mol. Liq.*, 249, 511-521.
- Shimada, G.B., and Cestari, A., 2020, Synthesis of Heterogeneous Catalyst by the Hydrolytic Sol-Gel Method for the Biodiesel Production, *Renew. Energ.*, 156, 389-394.
- Sistani, A., Saghatoleslaml, N., and Nayebzadeh, H., 2018, Influence of Calcination Temperature on the Activity of Mesoporous CaO/TiO₂-ZrO₂ Catalyst in the Esterification Reactions, *J. Nanostructure Chem.*, 8, 321-331.
- Skojac, M., Filipic, M., Petkovic, J., and Novak, S., 2011, Titanium dioxide in our Everyday Life; is it Safe?, *Radiol Oncol.*, 45(4), 227-247.
- Sontakke, A.D., and Jha, P., 2017, Study of Esterification of Waste Cooking Oil using Solid Acid Catalyst Derived from Coconut Coir, *Int. J. Eng. Res. Manag. Technol.*, 7(2), 363-366.
- Spielbauer, D., Mekhemer, G.A.H., and Knozinger, H., 1966, Acidity of Sulfated Zirconia as Studied by FTIR Spectroscopy of Adsorbed CO and NH₃ as Probe Molecules, *Catal. Lett.*, 40, 71-79.
- Suphankij, S., Mekprasart, W., and Pecharapa, W., 2013, Photocatalytic of N-doped TiO₂ Nanofibers Prepared by Electrospinning, *Energy Procedia.*, 34, 75 – 756.

- Susilowati, E., Hasan, A., and Syarif, A., 2019, Free Fatty Acid Reduction in a Waste Cooking Oil as a Raw Material for Biodiesel with Activated Coal Ash Adsorbent, *J. Phys. Conf. Series.*, 1167, 012035.
- Tabah, B., Anjani, P.N., Nina, P., and Aharon, P., 2017, Solar-heated Sustainable Biodiesel Production from Waste Cooking Oil using a Sono Chemically Deposited SiO Catalyst on Microporous Activated Carbon, *Energ. Fuels.*, 31, 6228-6239.
- Tangi, A., Pulidindi, I.N., and Gedanken, A., 2016, SiO Beads Decorated with SiO Nanoparticles for Biodiesel Production from Waste Cooking Oil Microwave Irradiation, *Energ. Fuels.*, 30, 3155-3160.
- Thangaraj, B., Solomon, P.R., Muniyandi, B., Ranganathan, S., and Lin, L., 2018, Catalysis in Biodiesel Production-a review, *Clean Energy*, 1-22.
- Tran, T.T.V., Kaiprommarat, S., Kongparakul, S., Reubroycharoen, P., Guan, G., Nguyen, M., and Samart, C., 2016, Green Biodiesel Production from Waste Cooking Oil using an Environmentally Acid Catalyst, *J. Waste Manag.*, 52, 367-374.
- Utami, M., Wijaya, K., Trisunaryanti., 2017, Effect of Sulfuric Acid Treatment and Calcination on Commercial Zirconia Nanopowder, *Key Eng. Mater.*, 757, 131-137.
- Valdés, H., Molina, L.M., and Alonso, J.A., 2019, Water Adsorption and Dissociation on Gold Catalysts Supported on Anatase-TiO₂ (101), *Appl. Surf. Sci.*, 487, 244–252.
- Wei, X., Zhu, G., Fang, J., and Chen, J., 2013, Synthesis, Characterization, and Photocatalysis of Well-Dispersible Phase-Pure anatase TiO₂ Nanoparticles, *Int. J. Photoenergy.*, 726872.
- Yadav, G.D., and Nair, J.J., 1999, Sulfated Zirconia and its Modified Versions as Promising Catalyst for Industrial Processes, *Micropor. Mesopor. Mater.*, 33, 1-48.
- Yang, W., Ok, Y.S., Dou, X., Zhang, Y., Yang, M., Wei, D, and Xu, P, 2019, Effectively Remediating Spiramycin from Production Wastewater through Hydrolyzing its Functional Groups using Solid Superacid TiO₂/SO₄, *Environ. res.*, 175, 393-401.
- Zhao, X., Li, J., Zhang, Y., Dong, H., Qu, J., and Qi, T., 2015, Preparation of Nanosized Anatase TiO₂-coated Illite Composite Pigments by Ti(SO₄)₂ Hydrolysis, *Powder Technol.*, 271, 262–269.
- Zheng, H., Zhang, A., Shi, R., and Zhao, Z., 2009, Effect of NaHCO₃ on Synthesis of Anatase TiO₂ Nanopowders by Thermal Processing of the Precursor, *Adv. Powder Technolog.*, 20, 588–592.