

DAFTAR PUSTAKA

- Abbott, David H., and Fida Bacha. 2013: "Ontogeny of Polycystic Ovary Syndrome and Insulin Resistance in Utero and Early Childhood." *FertStert* 100, no. 1; 2–11.
- Aerts, J.M. and Bols, P.E., 2010. Ovarian follicular dynamics: a review with emphasis on bovine species. Part I: Folliculogenesis and pre-antral follicle development. *Reprod Domest Anim*; 45(1):171-9.
- Aggarwal S, Pittenger MF. Human mesenchymal stem cells modulate allogenic immune cell responses. *Blood*. 2005;105(4):1815-22.
- Akbari, H., Eftekhari Vaghefi, S.H., Shahedi, A., Habibzadeh, V., Mirshekari, T.R., Ganjizadegan, A., Mollaei, H., Ahmadi, M., Nematollahi-Mahani, S.N., 2017. Mesenchymal Stem Cell-Conditioned Medium Modulates Apoptotic and Stress-Related Gene Expression, Ameliorates Maturation and Allows for the Development of Immature Human Oocytes after Artificial Activation. *Genes (Basel)*. 8, 4–8. <https://doi.org/10.3390/genes8120371>
- Alegre, M., Lakkis, F. and Morelli, A. (2016). Antigen Presentation in Transplantation. *Trends in Immunology*, 37(12), pp.831-843
- Ankrum, J., Ong, J. and Karp, J. (2014). Mesenchymal stem cells: immune evasive, not immune privileged. *Nature Biotechnology*, 32(3), pp.252-260
- Baker T., 1963. A quantitative and cytological study of germ cells in human ovaries. *Proc R Soc Land (Biol)*; 158:417-433.
- Barry, F.P., Murphy, J.M., 2004. Review Mesenchymal stem cells: clinical applications and biological characterizations. *Int. J. biochem. Cell Biol.*, 36: 568-584.
- Bennett, L., Wiweko, B., Hinting, A., Adnyana, I. and Pangestu, M., 2012. Indonesian infertility patients' health seeking behaviour and patterns of access to biomedical infertility care: an interviewer administered survey conducted in three clinics. *Reproductive Health*, 9(1).
- Bentov, Y., Werner, H., 2011. IGF1R (insulin-like growth factor 1 receptor). *Atlas Genet. Cytogenet. Oncol. Haematol.* 13, 559–561.

- Berglund, A., Fortier, L., Antczak, D. and Schnabel, L. (2017). Immunoprivileged no more: measuring the immunogenicity of allogeneic adult mesenchymal stem cells. *Stem Cell Research & Therapy*, 8(1).
- Blank, S.K., McCartney, C.R., Marshall, J.C., 2006. The origins and sequelae of abnormal neuroendocrine function in polycystic ovary syndrome. *Hum Reprod Update.*, 12, 351–61.
- Braw-Tal R, McNatty KP, Smith P, Heath DA, Hudson NL, Phillips DJ, McLeod BJ, Davis GH. Ovaries of ewes homozygous for the X-linked Inverdale gene (FecX1) are devoid of secondary and tertiary follicles but contain many abnormal structures. *Biol Reprod* 1993; 49: 895–907.
- C.A 'lvarez, C. Garc'ia-Garrido., R. Taronger., G. Gonz'alez de Merlo. 2013. In vitro maturation, fertilization, embryo development & clinical outcome of human metaphase-I oocytes retrieved from stimulated intra cytoplasmic sperm injection cycles. *Indian J. Med. Res.* 137, 331–338.
- Cano F., Garcia-Velasco J.A., Millet A., Remohi J., Simon C., Pellicer A., 1997. Oocyte quality in polycystic ovaries revisited: identification of a particular subgroup of women. *J Assist Reprod Genet*; a;14:254–260.
- Cano F., Velasco J.A.G., Millet A., Remohi J., Simon C., Pellicer A., 1997. Oocyte quality in polycystic ovaries revisited: Identification of a particular subgroup of women. *J Assist Reprod Genet*; b;14:254–261.
- Cha K.Y., Chian R.C., 1998. Maturation in vitro of immature human oocytes for clinical use. *Hum Rep Update*; 4:103-20.
- Ciaraldi, T.P. et al. (1992) Cellular mechanisms of insulin resistance in polycystic ovarian syndrome. *J Clin Endocrinol Metab* 75, 577-583
- Corbould, A. et al. (2006) Enhanced mitogenic signalling in skeletal muscle of women with polycystic ovary syndrome. *Diabetes* 55, 751-759.
- Corcione A, Benvenuto F, Ferreti E, Glunti D, Cappiello V, Cazzanti F, Risso M, Gualandi F, Mancardi GL, Pistola V, dkk. Human mesenchymal stem cells modulate B-cell functions. *Blood*. 2006;107(1):367-72.
- Corton, M. et al. (2007) Differential gene expression profile in omental adipose tissue in women with polycystic ovary syndrome. *J Clin Endocrinol Metab*

92, 328-337

- Da Silva Meirelles, L., Fontes, A.M., Covas, D.T., Caplan. A.I., 2009. Mechanisms involved in the therapeutic properties of mesenchymal stem cells. *Cytokine & Growth Factor Reviews.*, 20 : 419–27.
- De Vos A., Van de Velde H., Joris H., Van Steirteghem A., 1999. In-vitro matured metaphase-I oocytes have a lower fertilization rate but similar embryo quality as mature metaphase-II oocytes after intracytoplasmic sperm injection. *Hum Reprod*; 14:1859-63.
- Diamanti-Kandarakis, E. and Papavasiliou, A. (2006) Molecular mechanisms of insulin resistance in polycystic ovary syndrome. *Trends Mol Med* 12, 324-332.
- Dickerson, E., Cho, L., Maguiness, S., Killick, S., Robinson, J. and Atkin, S. (2009). Insulin resistance and free androgen index correlate with the outcome of controlled ovarian hyperstimulation in non-PCOS women undergoing IVF. *Human Reproduction*, 25(2), pp.504-509. <https://doi.org/10.1093/humrep/dep393>
- Ding, C., Zou, Q., Wang, F., Wu, H., Chen, R., Lv, J., Ling, M., Sun, J., Wang, W., Li, H., Huang, B., 2018. Human amniotic mesenchymal stem cells improve ovarian function in natural aging through secreting hepatocyte growth factor and epidermal growth factor. *Stem Cell Res. Ther.* 9, 55. <https://doi.org/10.1186/s13287-018-0781-9>
- Doi, S.A., Towers, P.A., Scott, C.J., Al-Shoumer, K.A., 2005. PCOS: an ovarian disorder that leads to dysregulation in the hypothalamic-pituitary-adrenal axis. *Eur J Obstet Gynecol Reprod Biol.*, 118, 4 – 16.
- Dong J, Albertini DF, Nishimori K, Kumar TR, Lu N, Matzuk MM. Growth differentiation factor-9 is required during early ovarian folliculogenesis. *Nature* 1996;383:531–535.
- Dunaif A & Thomas A. 2001. Current concepts in the polycystic ovary syndrome. *Annual Review of Medicine*; 52: 401–419.
- Dunaif, A. et al. (1992) Evidence for distinctive and intrinsic defects in insulin action in polycystic ovary syndrome. *Diabetes* 41, 1257-1266

- Dunaif, A. et al. (1995) Excessive insulin receptor serine phosphorylation in cultured fibroblasts and in skeletal muscle. A potential mechanism for insulin resistance in the polycystic ovary syndrome. *J Clin Invest* 96, 801-810
- Dunaif, A. et al. (2001) Defects in insulin receptor signalling in vivo in the polycystic ovary syndrome (PCOS). *Am J Physiol Endocrinol Metab* 281, E392-E399
- Dunaif A, Xia J, Book CB, et al. 1995. Excessive insulin receptor serine phosphorylation in cultured fibroblasts and in skeletal muscle. A potential mechanism for insulin resistance in the polycystic ovary syndrome. *J. Clin. Invest*; 96(2): 801–810.
- Dupont, J. and Scaramuzzi, R. (2016). Insulin signalling and glucose transport in the ovary and ovarian function during the ovarian cycle. *Biochem. J.*, 473(11), pp.1483-1501. <https://dx.doi.org/10.1042%2FBCJ20160124>
- El-Fouly MA, Cook B, Nekola M, Nalbandov AV. Role of the ovum in follicular luteinization. *Endocrinology* 1970; 87:286–293.
- Eppig, J.J., Wigglesworth, K., Pendola, F.L., 2002. The mammalian oocyte orchestrates the rate of ovarian follicular development. *Proc. Natl. Acad Sci USA.*, 99, 2890–4.
- Escobar-Morreale, H.F., Villuendas, G. and Botella Carretero, J.I. (2006) Adiponectin and resistin in PCOS: a clinical, biochemical and molecular genetic study. *Hum Reprod* 121, 2257-2265
- Galloway SM, McNatty KP, Cambridge LM, Laitinen MP, Juengel JL, Jokiranta TS, McLaren RJ, Luiro K, Dodds KG, Montgomery GW et al. Mutations in an oocyte-derived growth factor gene (BMP15) cause increased ovulation rate and infertility in a dosage-sensitive manner. *Nat Genet* 2000; 25: 279–283.
- Ghiasi, M., Fazaely, H., Asaai, E., Sheykhasan, M., 2014. In Vitro Maturation of Human Oocytes using Conditioned Media of Mesenchymal Stem Cell and Formation of Embryo by use of ICSI. *SMU Med Journal.*, 1 (1): 89-98.
- Gilchrist, R.B., Ritter, L.J., Myllymaa, S., Kaivo-Oja, N., Dragovic, R.A.,

- Hickey, T.E., Ritvos, O., Mottershead, D.G., in press. Molecular basis of oocyte–paracrine signalling that promotes granulosa cell proliferation. *J. Cell Sci.*
- Goodarzi, M. et al. (2007) Preliminary evidence of glycogen synthase kinase 3 beta as a genetic determinant of the polycystic ovary syndrome. *Fertil Steril* 87, 1473-1476
- Gougeon A., 1986. Dynamic of follicular growth in the human: a model from preliminary results. *Hum Reprod*; I: 81-87.
- Greenspan, F.S., Baxter, J.D., 2008. Polycystic Ovarii Syndrome. In: *Basic & Clinical Endocrinology*. 8ed. Philadelphia: WB Saunders.
- Hanrahan JP, Gregan SM, Mulsant P, Mullen M, Davis GH, Powell R, Galloway SM. Mutations in the genes for oocyte-derived growth factors GDF9 and BMP15 are associated with both increased ovulation rate and sterility in Cambridge and Belclare sheep (*Ovis aries*). *Biol. Reprod* 2004; 70:900–909.
- Hassani, F., Oryan, S., Eftekhari-Yazdi, P., Bazrgar, M., Moini, A., Nasiri, N., & Ghaheri, A. (2018). Association between The Number of Retrieved Mature Oocytes and Insulin Resistance or Sensitivity in Infertile Women with Polycystic Ovary Syndrome. *Int. J. of fert. & Stert.*, 12(4), 310–315. <https://dx.doi.org/10.22074%2Fijfs.2019.5422>
- He, A., Wang, S., Chen, T., Li, J., Liu, S., 2009. Biological characteristics of MSCs. *Zhejiang University College of Medicine, Hangzhou, China.*, 3: 19-58.
- Hussein TS, Froiland DA, Amato F, Thompson JG, Gilchrist RB. Oocytes prevent cumulus cell apoptosis by maintaining a morphogenic paracrine gradient of bone morphogenetic proteins. *J. Cell Sci.*, 2005; 118:5257–5268.
- Hussein TS, Thompson JG, Gilchrist RB. Oocyte-secreted factors enhance oocyte developmental competence. *Dev. Biol.*, 2006; 296:514–521.
- Jafarzadeh, H., Nazarian, H., Ghaffari Novin, M., Shams Mofarahe, Z., Eini, F., Piryaei, A., 2018. Improvement of oocyte in vitro maturation from mice with polycystic ovary syndrome by human mesenchymal stromal cell-

conditioned media. *J. Cell. Biochem.*, 119, 10365–10375.
<https://doi.org/10.1002/jcb.27380>

Jansen of Lorkeers, S., Eding, J., Vesterinen, H., van der Spoel, T., Sena, E., Duckers, H., Doevendans, P., Macleod, M. and Chamuleau, S. (2015). Similar Effect of Autologous and Allogeneic Cell Therapy for Ischemic Heart Disease. *Circulation Research*, 116(1), pp.80-86.

Jie Qiao., dan Huai L. Feng., 2011. Extra- and intra-ovarian factors in polycystic ovary syndrome: impact on oocyte maturation and embryo developmental competence. *Hum Reprod Update*, Vol.17, No.1 pp. 17–33.

Joyce IM, Pendola FL, Wigglesworth K, Eppig JJ. Oocyte regulation of kit ligand expression in mouse ovarian follicles. *Dev. Biol.*, 1999;214: 342–353.

Juan F. Ascaso, Susana Pardo, José T. Real, Rosario I. Lorente, Antonia Priego, Rafael Carmena. Des 2003. Diagnosing Insulin Resistance by Simple Quantitative Methods in Subjects With Normal Glucose Metabolism. *Diabetes Care*, Volume 26, Number 12.

Junca A.M., Mandelbaum J., Belaisch-Allart J., Salat-Baroux J., Plachot M., Antoine J.M., 1995. Oocyte maturity and quality: value of intracytoplasmic sperm injection. Fertility of microinjected oocytes after in vitro maturation. *Contracept. Fertil. Sex.*; 23:463-5.

Kandarakis, E.D., 2008. Polycystic ovarian syndrome: pathophysiology, molecular aspects and clinical implications. Expert review in molecular medicine., 10, e3, 1 – 21.

Karantalis, V., Schulman, I., Balkan, W. and Hare, J. (2015). Allogeneic Cell Therapy. *Circulation Research*, 116(1), pp.12-15

Kelly, C. et al. (2001) Low grade chronic inflammation in women with polycystic ovarian syndrome. *J. Clin. Endocrinol. Metab.*, 86, 2453-2455

Kwintkiewicz, J. et al. (2006) Insulin and oxidative stress modulate proliferation of rat ovarian theca-interstitial cells through diverse signal transduction pathways. *Biol. Reprod.*, 74, 1034-1040.

- Laitinen M, Vuojolainen K, Jaatinen R, Ketola I, Aaltonen J, Lehtonen E, Heikinheimo M, Ritvos O. A novel growth differentiation factor-9 (GDF-9) related factor is co- expressed with GDF-9 in mouse oocytes during folliculogenesis. *Mech. Dev.*, 1998; 78:135–140.
- Laqif, A. 2015. *Kajian Terapi Media Terkondisi Sel Punca Mesenkimal (MT-SPM) Selaput Amnion pada Kasus Kegagalan Ovarium Prematur (Penelitian pada Hewan Coba Tikus Sprague-Dawley)*. Disertasi. Yogyakarta. Universitas Gadjah Mada.
- Laufer N., Tarlatzis B.C., De Cherney A, H., Masters J.T., Haseltine F.P., MacLusky N., Naftolin F., 1984. Asynchrony between human cumulus-corona cell complex and oocyte maturation after human menopausal gonadotropin treatment for in vitro fertilization. *Fertil Steril*; 42:366–372.
- Lee, H.J., Barad, H.D., Kushnir, V.A., Shohat-Tal., A., Lazzaroni-Tealdi. E., Wu, Y.G., Gleicher, N., 2015. Rescue in vitro maturation (IVM) of immature oocyte in stimulated cycles in women with low functional ovarian reserve (LFOR). *Endocrine*.
- Li, Yi., Li, Rui-Qi., Ou, Song-Bang., Zhang, Ning-Fheng., Ren, Ling, et al. 2014. Increased GDF9 and BMP15 mRNA levels in cumulus granulosa cells correlate with oocyte maturation, fertilization, and embryo quality in humans. *Reprod. Biol. and Endocrinol.*, 12:81.
- Lin, Z.L., Li, Y.H., Xu, Y.N., Wang, Q.L., Namgoong, S., Cui, X.S., Kim, N.H., 2014. Effects of Growth Differentiation Factor 9 and Bone Morphogenetic Protein 15 on their in vitro Maturation of Porcine Oocytes. *Reprod. Dom. Anim.*, 49, 219–227.
- Ling, B., Feng, D.Q., Zhou, Y., Gao, T., Wei, H.M., Tian, Z.G., 2008. Effect of conditioned medium of mesenchymal stem cells on the in vitro maturation and subsequent development of mouse oocyte. *Brazilian J. Med. Biol. Res.* 41, 978–85.
- Lystedt, E. et al. (2005) Subcutaneous adipocytes from obese hyperinsulinemic women with polycystic ovary syndrome exhibit normal insulin sensitivity but reduced maximal insulin responsiveness. *Eur J Endocrinol* 153, 831-835

- Mai, K. et al. (2006) Free fatty acids increase androgen precursors in vivo. *J. Clin. Endocrinol. Metab.*, 91, 1501-1507.
- Machtinger, R., Laurent, L.C., Baccarelli, A.A., 2015. Extracellular vesicles: roles in gamete maturation, fertilization and embryo implantation. *Hum. Reprod. Update* 22, dm055.
- Makker, A., Goel, M.M., Mahdi, A.A., 2014. PI3K/PTEN/Akt and TSC/mTOR signaling pathways, ovarian dysfunction, and infertility: an update. *J. Mol. Endocrinol.* 53, R103–R118. <https://doi.org/10.1530/JME-14-0220>
- Malik, N. and Durdy, M. (2015). Cell Therapy Landscape. *Translational Regenerative Medicine*, pp.87-106.
- Manuelpillai, U., Moodley, Y., Borlongan, C.V., Parolini, O., 2011. Amniotic membrane and amniotic cells: Potential therapeutic tools to combat tissue inflammation and fibrosis? *Placenta* 32, S320–S325. <https://doi.org/10.1016/j.placenta.2011.04.010>
- Massague J. How cells read TGF-beta signals. *Nat. Rev. Mol. Cell. Biol.*, 2000; 1:169–178.
- McNatty, K.P., Moore, L.G., Hudson, N.L., Quirke, L.D., Lawrence, S.B., Reader, K., Hanrahan, J.P., Smith, P., Groome, N.P., Laitinen, M., Ritvos, O., Juengel, J.L., 2004. The oocyte and its role in regulating ovulation rate: a new paradigm in reproductive biology. *Reproduction* 128, 379–386.
- McPherron AC, Lee SJ. GDF-3 and GDF-9: two new members of the transforming growth factor-beta superfamily containing a novel pattern of cysteines. *J. Biol. Chem.*, 1993; 268:3444–3449.
- Mekaru, K., Oishi, S., Akamine, K., Kinjo, T., Heshiki, C., Masamoto, H. and Aoki, Y. (2016). The Effect of Insulin Resistance on In-Vitro Fertilization-Embryo Transfer in Women without Polycystic Ovary Syndrome. *Open J. of Obstet. and Gynecol.*, 06(03), pp.157-166. <http://dx.doi.org/10.4236/ojog.2016.63020>

- Miki, T., 2011. Amnion-derived stem cells: in quest of clinical applications. *Stem Cell Res. Ther.* 2, 25. <https://doi.org/10.1186/scrt66>
- Miki, T., Strom, S.C., 2006. Amnion-derived pluripotent/multipotent stem cells. *Stem Cell Rev.*, 2, 133–141. <https://doi.org/10.1007/s12015-006-0020-0>
- Miraki, S., Mokarizadeh, A., Banafshi, O., Assadollahi, V., Abdi, M., Roshani, D., Fathi, F., 2017. Embryonic Stem Cell Conditioned Medium Supports In Vitro Maturation of Mouse Oocytes. *Avicenna J. Med. Biotechnol.* 9, 114–119.
- Mlinar, B. et al. (2007) Molecular mechanisms of insulin resistance and associated diseases. *Clin. Chim. Acta.* 375, 20-35.
- Moran, L., Norman R.J., 2014. Understanding and managing disturbances in insulin metabolism and body weight in women with polycystic ovary syndrome. *Best Pract. Res. Clin. Obstet. Gynecol.*; 18(5):719-36.
- Moresco EM, LaVine D, Beutler B. Toll-like receptors. *Curr. Biol.* 2011;21(13):R488-93.
- Mueller A., Schöfl C, Dittrich R, Cupisti S, Oppelt PG, Schild RL, Beckmann MW, Häberle L. Nov 2009. Thyroid-stimulating hormone is associated with insulin resistance independently of body mass index and age in women with polycystic ovary syndrome. *Hum. Reprod.*; 24(11):2924-30.
- Munir, I. et al. (2005) Resistin stimulation of 17alpha-hydroxylase activity in ovarian theca cells in vitro: relevance to polycystic ovary syndrome. *J. Clin. Endocrinol. Metab.* 90, 4852-4857
- Nandi, Anindita, Zijian Chen, Ronak Patel, and Leonid Poretsky. March 2014. “Polycystic Ovary Syndrome.” *Endocrinol. and Metab. Clin. of North America*, 43, no. 1: 123–47.
- Onfelt B, Nedvetzki S, Yanagi K, Davis DM. Cutting edge: membrane nanotubes connect immune cells. *J. Immunol.* 2004;173:1511-3.
- Panidis, D. et al. (2004) Serum resistin levels in women with polycystic ovary syndrome. *Fertil Steril* 81, 361-366

- Pellicer A., Ruiz A., Castellvi R.M., Calatayud C., Ruiz M., Tarin J.J., Miro F., Bonilla Musoles., 1989. Is the retrieval of high numbers of oocytes desirable in patients treated with gonadotrophin-releasing hormone analogues (GnRHa) and gonadotrophins? *Hum. Reprod.*; 4: 536–540.
- Rienzi L., Vajta G., Ubaldi F., 2011. Predictive value of oocyte morphology in human IVF: a systematic review of the literature. *Hum. Reprod. Update*; 17:34–45.
- Rustom A, Saffrich R, Markovic I, Walther P, Gerdes HH. Nanotubular Highways for Intercellular organelle transport. *Science*. 2004;303(5660):1007-10.
- Ryan, J., Barry, F., Murphy, J. and Mahon, B. (2005). *Journal of Inflammation*, 2(1), p.8.
- Samson, Susan L., and Alan J. Garber. March 2014. “Metabolic Syndrome.” *Endocrinol. and Metab. Clin. of North America*, 43, no. 1: 1–23.
- Seow, K., Juan C. and Ho, L. (2007) Adipocyte resistin mRNA levels are down-regulated by laparoscopic ovarian electrocautery in both obese and lean women with polycystic ovary syndrome. *Hum. Reprod.*, 22, 1100-1106
- Setiawan, E.M.N., Oh, H.J., Kim, M.J., Kim, G.A., Lee, S.H., Choi, Y. Bin, Ra, K.H., Lee, B.C., 2018. The expression of growth factor signaling genes in co-culture IVM. *Indones. J. Biotechnol.* 22, 98.
- Shimasaki S, Moore RK, Otsuka F, Erickson GF. The bone morphogenetic protein system in mammalian reproduction. *Endocr. Rev.*, 2004; 25: 72–101
- Shin, S.B., Cho, J.W., Lee, S.H., Yang, K.M., Lim, K.C., Lee, H.S., 2013. Fertilization and pregnancy potential of immature oocytes from stimulated intracytoplasmic injection cycles. *Clin. Exp. Reprod. Med.*, 40 (1): 7-11.

- Shu Y, Gebhardt J., Watt J., Lyon J., Dasig D., Behr B., 2007. Fertilization, embryo development, and clinical outcome of immature oocytes from stimulated intra cytoplasmic sperm injection cycles. *Fertil Steril*; 87: 1022-7
- Smits J., Nogueira D., Vanhoutte L., De Mattos D.G., Cortvrindt R. 2004. Oocyte in vitro maturation. In: Gardner DK, editor. *Textbook of assisted reproductive technology*. 2nd ed. London: Martin Dunitz Ltd.
- Spaczynski, R.Z., Arici, A. and Duleba, A.J., 1999. Tumor necrosis factor- α stimulates proliferation of rat ovarian theca interstitial cells. *Biol. Reprod.*, 61, 993-998.
- Spees, J.L., Lee, R.H., and Gregory, C.A., 2016. Mechanisms of mesenchymal stem/stromal cell function. *Stem Cell Research & Therapy*; 7: 125.
- Toda, A., Okabe, M., Yoshida, T., Nikaido, T., 2007. The Potential of Amniotic Membrane/Amnion-Derived Cells for Regeneration of Various Tissues. *J. Pharmacol. Sci.*, 105, 215–228. <https://doi.org/10.1254/jphs.CR0070034>
- Urman B, Tiras B, Yakin K., 2004. Assisted reproduction in the treatment of polycystic ovarian syndrome. *Reprod. Biomed. Online*; 8:419–430.
- Van Blerkom J, Henry G., 1992. Oocyte dysmorphism and aneuploidy in meiotically mature human oocytes after ovarian stimulation. *Hum. Reprod.*; 7:379–390.
- Van der Gaast M.H., Eijkemans M.J., van der Net J.B., de Boer E.J., Burger C.W., van Leeuwen F.E., Fauser B.C., & Macklon N.S., 2006. Optimum number of oocytes for a successful first IVF treatment cycle. *Reprod. Biomed. Online*; 13: 476–480.
- Wilding, M., Dale, B., Marino, M., di Matteo, L., Alviggi, C., Pisaturo, M.L., Lombardi, L., De Placido, G., 2001. Mitochondrial aggregation patterns and activity in human oocytes and preimplantation embryos. *Hum. Reprod.*, 16, 909–917.
- Wood, K., Issa, F. and Hester, J. (2016). Understanding Stem Cell Immunogenicity in Therapeutic Applications. *Trends in Immunology*, 37(1), pp.5-16.

- Xia, X., Wang, T., Yin, T., Yan, L., Yan, J., Lu, C., Zhao, L., Li, M., Zhang, Y., Jin, H., Zhu, X., Liu, P., Li, R., Qiao, J., 2015. Mesenchymal Stem Cells Facilitate In Vitro Development of Human Preantral Follicle. *Reprod. Sci.* 22, 1367–1376. <https://doi.org/10.1177/1933719115578922>
- Yapri, J.C., 1998. Inovulasi pada Polikistik Ovarii: Patofisiologik dan Penatalaksanaannya. *Ebers Papyrus*; 4(2); 127-135
- Yeo CX, Gilchrist RB, Thompson JG, Lane M. Exogenous growth differentiation factor 9 in oocyte maturation media enhances subsequent embryo development and fetal viability in mice. *Hum Reprod.*, 2007 [Epub ahead of print] doi:10.1093/humrep/dem14.
- Zhao, S.Y., Qiao, J., Chen, Y.J., Liu, P., Li, J., Yan, J., 2010. Expression of growth differentiation factor-9 and bone morphogenetic protein-15 in oocytes and cumulus granulosa cells of patients with polycystic ovary syndrome. *Fertil Steril.*, 94, 261– 267.