

DAFTAR PUSTAKA

- Abbas, A., Lichtman, A. and Shiv, P. (2016) Editor. *Basic immunology : function and disorders of the immune system* . 5th ed. Philadelphia, Elseveir Academic Press. 1-79.
- Aires, J. M., Rosatelli, J. B., Figueiredo, J. F. and Roselino, A. M. F. (2000) ‘Cytokines in the pruritic papular eruption of HIV’, *International journal dermatology*, 39:903–906.
- Alimonti, J. B., Ball, T. B. and Fowke, K. R. (2003) ‘Mechanisms of CD4+ T lymphocyte cell death in human immunodeficiency virus infection and AIDS’, *Journal of General Virology*.84:1649–1661.
- Arista, A. and Murtiastutik, D. (2015) ‘Studi Retrospektif: Karakteristik Papular Pruritic Eruption (PPE) pada Pasien HIV/AIDS (Retrospective Study: Characteristic of Papular Pruritic Eruption in HIV/AIDS Patients)’, *BIKK-Periodical of Dermatology and Venereology*, 27: 204–210.
- Bason, M. M., Berger, T. G., Nesbitt, L. T. and M, B. M. (1993) ‘Pruritic papular eruption of HIV-disease.’, *International Journal Dermatology*, 32: 784–789.
- Boonchai, W., Laohasrisakul, R., Manonukul, J. and Kulthanan, K. (1999) ‘Pruritic papular eruption in HIV seropositive patients: a cutaneous marker for immunosuppression’, *International Journal Dermatology*, 38 : 348–350.
- Budavari, J. and Grayson, W. (2007) ‘Papular follicular eruption in human immunodeficiency virus-positive patient in South Africa’, *International Journal Dermatology*, 46 : 706–710.
- Clerici, M. Hakim, F. T., Venzon, D. J., Blatt, S., Hendrix, C. W., Wynn, T. A., & Shearer, G. M. (1993) ‘Changes in interleukin-2 and interleukin-4 production in asymptomatic , Human Immunodeficiency Virus-seropositive individuals’, *The Journal of clinical investigation*. 91:759–765.
- Colebunders R., Mann J.M., Francis H., Bila K., Izaley L., Kakonde N., *et al.* (2007) ‘Generalized papular pruritic eruptions in African patients with HIV infection.’, *AIDS*, 1: 117–121.

- Dewi, I. S. L. and Hidayanti, A. N. (2015) 'Manifestasi kelainan kulit pada pasien HIV & AIDS (Manifestation of Skin Disorders in HIV & AIDS Patients)', *BIKKK - Berkala Ilmu Kesehatan Kulit dan Kelamin - Periodical of Dermatology and Venereology*, 27: 97–105.
- Ditjen P2PL Kemenkes. (2017). Laporan situasi perkembangan HIV-AIDS dan PIMS Indonesia Januari-Desember 2017. [cited 2018 Sept 2]. Available from: http://siha.depkes.go.id/portal/perkembangan-kasus-hiv-aids_pims
- Duvic, M. (2007) 'Staphylococcal infections and the pruritus of AIDS-related complex', *Archives of Dermatology*, 123, 1599.
- Dwiyana, R. F., Rowawi, R., Lestari, M., Alisjahbana, B., Van der Ven, A. J. A. M., Djajakusumah, T. S. (2009) 'Skin disorders in HIV-infected patients from West Java', *Acta Medica Indonesiana*, 41, Suppl 1:18-22.
- Edzeamey, F. J. and Hospital, B. M. (2018) 'Lymphocyte subset (CD3 , CD4 and CD8 Cells) and their ratios in HIV patients on Highly Active Antiretroviral Therapy (HAART) and HAART naïve patients', *International Journal of Microbiology & Advanced Immunology*. 6: 92-95.
- Eisman, S. (2006) 'Pruritic Papular Eruption in HIV', *Dermatology Clinics*, 24: 449–457.
- Etemad-moghadam, B., Rhone, D. Steenbeke, T., Sun, Y., Manola, J., Gelman, R. *et al.* (2002) 'Understanding the basis of CD4 T-cell depletion in macaques infected by a simian – human immunodeficiency virus', *Vaccine*, 20: 1934– 1937.
- Farsani, T. T., Kore, S., Nadol, P., Ramam, M., Thierman, S. J., Leslie, K., Maurer, T. A. (2013) 'Etiology and risk factors associated with a pruritic papular eruption in people living with HIV in India', *Journal International AIDS*, 16(17325),1–6.
- Gascan, H., Gauchat, J-F., de Waal Malefyt, R., Schneider, P., Yssel, H. and Vries, J. (2006) 'Regulation of human IgE synthesis', *Clinical & Experimental Allergy Journal*, 21:162–167.
- Hevia, O., Jimenez-acosta, F., Ceballos, P. I., Gould, E. W. and Penneys, N. S. (1991) 'Pruritic papular eruption of the acquired immunodeficiency syndrome: A clinicopathologic study', *Journal of the American Academy of Dermatology*, 24:231–235.
- James W. D., Redfield R. R. (2007). 'Human immunodeficiency virus infection and skin disease'. *Journal of the American Academy of Dermatology*, 37:7–12.

- Jiamton, S., Kaewarpai, T., Ekapo, P. and Kulthanan, K. (2014) 'Original article total IgE, mosquito saliva specific IgE and CD4+ count in HIV-infected patients with and without pruritic papular eruptions', *Asian Pacific Journal of Allergy and Immunology*, 32: 53–59.
- Lakshmi, S. J., Rao, S. R., Ramalakshmi, Satyasree, Rao, K. A., Prasad G. P., *et al.* (2008) 'Pruritic papular eruptions of HIV : A clinicopathologic and therapeutic study', *Indian J Dermatol Venereol Leprol*, 74:501–503.
- Liautaud, B. Pape, J. W. and DeHovitz, J. A. (2009) 'Pruritic skin lesions', *Archives of Dermatology*, 125:629–632.
- Linhar, D. S., Amoah, K. S. and Silva, J. D. (2013) 'Relationship between atopy, allergic diseases and total serum IgE levels among HIV-infected children', *European annals of allergy and clinical immunology*, 45:155–159.
- Majors, M. J. Berger, T. G., Blauvelt, A., Smith, K. J., Turner, M. L., Cruz, P. D. (1997) 'HIV-related eosinophilic folliculitis : a panel discussion', *Seminars in cutaneous medicine and surgery*, 16:219–223.
- Miguez-Burbano, M.J., Shor-Posner G., Fletcher, M.A., Lu Y., Moreno J.N., Carcamo C. *et al.* (1995) 'Immunoglobulin E levels in relationship to HIV-1 disease, route of infection, and vitamin E status', *Journal of Allergy*, 50:157–161.
- Mofenson, L. M., Korelitz, J., Meyer, W. A., Bethel, J., Rich, K., Pahwa *et al.* (1997). 'The relationship between serum human immunodeficiency virus type 1 (HIV-1) RNA level, CD4 lymphocyte percent, and long-term mortality risk in HIV-1-infected children. National Institute of Child Health and Human Development Intravenous Immunoglobulin Clinical Trial Study Group'. *The Journal of infectious diseases*, 175 : 1029–1038.
- Orkin, M. (1993) 'Scabies in AIDS', *Seminars in dermatology*, 12: 9–14.
- Pancer, Z. and Cooper MD. (2006) 'The evolution of adaptive immunity'. *Annual review of immunology*. 24:497-518
- Park, J. H., Shin, B. C., Do, B. H., Oh, J. T., Lee, J. M., Kim, S. W. *et al.* (2002). 'Serum IgE levels in Korean patients with human immunodeficiency virus infection'. *The Korean journal of internal medicine*, 17:88–93.

- Penneys, N. S., Nayar, J. K., Bernstein, H. and Knight, J. W. (2009) 'Chronic pruritic eruption in patients with acquired immunodeficiency syndrome associated with increased antibody titers to mosquito salivary gland antigens', *Journal of the American Academy of Dermatology*, 21: 421–425.
- Prasetyo, A. A. and Sariyatun, R. (2017) 'Cutaneous and musculoskeletal complications in human immunodeficiency virus infection', in Kon, K. and Mahendra, R. (eds) *The Microbiology of Skin, Soft Tissue, Bone and Joint Infections*. 1st edn. London: Elsevier Inc., 57–75.
- Priya M. Rajendran, B. S., Jacqueline C., Dolev, MD., Heaphy, M. R., Jr, MD and Toby, M. (2005) 'Eosinophilic Folliculitis', *Archives of Dermatology*, 141: 1227–1231.
- Resneck, J. S. Van Beek, M., Furmanski, L., Oyugi, J., LeBoit, P. E., Katabira, E. *et al.* (2004) 'Etiology of pruritic papular eruption with HIV infection in Uganda', *JAMA*, 292:2614–2621.
- Rosatelli, J. B., & Roselino, A. M. (2001). 'Hyper-IgE, eosinophilia, and immediate cutaneous hypersensitivity to insect antigens in the pruritic papular eruption of human immunodeficiency virus'. *Archives of dermatology*, 137: 672–673.
- Secord, E. A., Kleiner, G. I., Auci, D. L., Nowakowski, M., and Fikrig, S., (1996) 'Immunodeficiency and other clinical immunology IgE against HIV proteins in clinically healthy children with HIV disease', *Journal of Allergy and Clinical Immunology*. 98: 979–984.
- Shittu, R., Salami, K., Mahmoud, A. O., Odeigah, L. O., Adeniran, S. A., Nyamngee, A. A., *et al.* (2013) 'Prevalence and Pattern of Dermatological Lesions in Relationship to CD4 Cell Counts among newly Diagnosed HIV Patients in Nigeria , West Africa'. *World World Journal Life Science and Medical Research*. 3 : 26–32.
- Shiu, J., Wang, C. L., Ellis, R. M. and Duvic, M. (2015) 'Journal of Infectious Diseases and Hyper IgE , Dermatitis and Staphylococcus aureus in an HIV-Positive Man', *Archives of dermatology*. 3:, 2–3.
- Small, C. B., McGowan, J. P., Klein, R. S., Schnipper, S. M., Chang, C. J., & Rosenstreich, D. L. (1998). 'Serum IgE levels in patients with human immunodeficiency virus infection'. *Annals of allergy, asthma & immunology*, 81:75–80.



- Tanaka, M., Hirabayashi, Y., Gatanaga, H., Aizawa, S. and Hachiya, A. (1999) 'Reduction in Interleukin-2-Producing cells but not Th1 to Th2 Shift in Moderate and advanced stages of human immunodeficiency virus Type-1-Infection : direct analysis of intracellular cytokine concentrations in CD4+ CD8 T cells', *Scandinavian Journal of Immunology*. 50:550–554.
- Vigano, A., Principi, N., Crupi, L., Onorato, J., Vincenzo, Z. G. And Salvaggio, A. (1995) 'Elevation of IgE in HIV-infected children and its correlation with the progression of disease', *Journal of allergy and clinical immunology*. 95:627–632.
- WHO (2007) WHO case definitions of HIV for surveillance and revised clinical staging and immunological classification of HIV-related disease in adults and children. [cited 2018 Sept 2]. Available from: www.who.int/hiv/pub/guidelines/HIVstaging150307.pdf.
- Wiraguna, A. A. G. P. and Adam, A. M. (2018) 'Pruritic Papular Eruption (PPE) Pada Pasien HIV/AIDS', in Hidayati, A. N. Dalili, S. F., Niode, N. J., Indriatmi, W., Budiono, S. E., Barabkah, J., Editor, *Manifestasi dan Tatalaksana Kelainan Kulit dan Kelamin Pada Pasien HIV/AIDS*. Jakarta: Badan Penerbit FKUI, 207-226.
- Wright, D. N., Nelson, R. P., Jr, Ledford, D. K., Fernandez-Caldas, E., Trudeau, W. L., & Lockey, R. F. (1990). Serum IgE and human immunodeficiency virus (HIV) infection. *The Journal of allergy and clinical immunology*, 85:445–452.