

Daftar Pustaka

- Abiola, R., Rubery, P., & Mesfin, A. (2015). Ossification of the Posterior Longitudinal Ligament: Etiology, Diagnosis, and Outcomes of Nonoperative and Operative Management. *Global Spine Journal*, 6(2), 195–204. <https://doi.org/10.1055/s-0035-1556580>.
- Abu-Zidan, F. M., Abbas, A. K., & Hefny, A. F. (2012). Clinical “case series”: A concept analysis. *African Health Sciences*, 12(4), 557–562. <https://doi.org/10.4314/ahs.v12i4.25>.
- Adogwa, O., Huang, K., Hazzard, M., Chagoya, G., Owens, R., Cheng, J., Ugiliweneza, B., Boakye, M., & Lad, S. P. (2015). Outcomes after cervical laminectomy with instrumented fusion versus expansile *laminoplasty*: A propensity matched study of 3185 patients. *Journal of Clinical Neuroscience*, 22(3), 549–553. <https://doi.org/10.1016/j.jocn.2014.10.001>
- Albert, T. J., & Vacarro, A. (1998). Postlaminectomy kyphosis. In *Spine* (Vol. 23, Issue 24, pp. 2738–2745). <https://doi.org/10.1097/00007632-199812150-00014>
- Aljuboori, Z., & Boakye, M. (2019). The Natural History of Cervical Spondylotic Myelopathy and Ossification of the Posterior Longitudinal Ligament: A Review Article. *Cureus*, 11(7). <https://doi.org/10.7759/cureus.5074>
- Benzel, E. C. (2015). *Biomechanics of Spine Stabilization* (Third edit). Thieme.
- Benzel, E. C., & Steinmetz, M. P. (2017). *Benzel’s Spine Surgery* (E. C. Benzel (Ed.); Fourth edi). Elsevier. <http://lccn.loc.gov/2015037446%0AContent>
- Blizzard, D. J., Caputo, A. M., Sheets, C. Z., Klement, M. R., Michael, K. W., Isaacs, R. E., & Brown, C. R. (2017). *Laminoplasty* versus laminectomy with fusion for the treatment of spondylotic cervical myelopathy: short-term follow-up. *European Spine Journal*, 26(1), 85–93. <https://doi.org/10.1007/s00586-016-4746-3>

Boriani, S., & Presutti, L. (2017). Atlas of Craniocervical Junction and Cervical Spine Surgery. In Atlas of Craniocervical Junction and Cervical Spine Surgery. <https://doi.org/10.1007/978-3-319-42737-9>

Cao, J., Zhang, J., Yang, D., Yang, L., & Shen, Y. (2017). Multivariate analysis of factors associated with kyphotic deformity after *laminoplasty* in cervical spondylotic myelopathy patients without preoperative kyphotic alignment. Nature Publishing Group, November 2016, 1–6. <https://doi.org/10.1038/srep43443>

Cassidy, R. C., & Goldstein, J. A. (2020). Kyphosis. 2020. <https://emedicine.medscape.com/article/1264959>

Cha, J.-R., Kim, H. W., Yang, D. G., Chung, H.-Y., & Hwang, I.-Y. (2020). Open-Door Laminoplasty Using Lateral Mass Anchoring Screws and Nonabsorbable Sutures in Patients with Multilevel Cervical Myelopathy. *Clinics in Orthopedic Surgery*, 12(4), 477. <https://doi.org/10.4055/cios20013>

Charan, J., & Biswas, T. (2013). How to calculate sample size for different study designs in medical research? *Indian Journal of Psychological Medicine*, 35(2), 121–126. <https://doi.org/10.4103/0253-7176.116232>.

Cho, S. K., Kim, J. S., Overley, S. C., & Merrill, R. K. (2018). Cervical *Laminoplasty*: Indications, Surgical Considerations, and Clinical Outcomes. *Journal of the American Academy of Orthopaedic Surgeons*, 26(7), e142–e142. <https://doi.org/10.5435/JAAOS-D-16-00242>.

Cho, W. S., Chung, C. K., Jahng, T. A., & Kim, H. J. (2008). Post-laminectomy kyphosis in patients with cervical ossification of the posterior longitudinal ligament: Does it cause neurological deterioration? *Journal of Korean Neurosurgical Society*, 43(6), 259–264. <https://doi.org/10.3340/jkns.2008.43.6.259>

Deutsch, H., Haid, R. W., Rodts, G. E., & Mummaneni, P. V. (2003). Postlaminectomy cervical deformity. *Neurosurgical Focus*, 15(3), 1–5. <https://doi.org/10.3171/foc.2003.15.3.5>

Dobran, M., Mancini, F., Paracino, R., Lattanzi, S., di Somma, L., Nasi, D., Bizzocchi, G., Aiudi, D., & Iacoangeli, M. (2020). Laminectomy versus open-door *laminoplasty* for cervical spondylotic myelopathy: A clinical outcome analysis. *Surgical Neurology International*, 11(73), 1–4. https://doi.org/10.25259/SNI_85_2020

Emsley, J. (2011). *Nature's Building Blocks: An A-Z Guide to the Elements*. In Oxford University Press. <https://doi.org/978-0-19-960563-7>

Gok, B., McLoughlin, G. S., Sciubba, D. M., McGirt, M. J., Chaichana, K. L., Wolinsky, J. P., Bydon, A., Gokaslan, Z. L., & Witham, T. F. (2009). Surgical management of cervical spondylotic myelopathy with laminectomy and instrumented fusion. *Neurological Research*, 31(10), 1097–1101. <https://doi.org/10.1179/174313209X383277>

He, S., Tang, X., Zhang, W., Dai, M., Peng, M., & Tang, C. (2020). Alternating levels versus all levels mini-plate fixation in open door cervical *laminoplasty* for treatment of degenerative cervical myelopathy. *Acta Orthopaedica Belgica*, 86, 45–54.

Hirano, Y., Ohara, Y., Mizuno, J., & Itoh, Y. (2018). History and Evolution of *Laminoplasty*. *Neurosurgery Clinics of North America*, 29(1), 107–113. <https://doi.org/10.1016/j.nec.2017.09.019>

Hou, Y., Liang, L., Shi, G. D., Xu, P., Xu, G. H., Shi, J. G., & Yuan, W. (2017). Comparing effects of cervical anterior approach and *laminoplasty* in surgical management of cervical ossification of posterior longitudinal ligament by a prospective nonrandomized controlled study. *Orthopaedics and Traumatology: Surgery and Research*, 103(5), 733–740. <https://doi.org/10.1016/j.otsr.2017.05.011>

HOHL, M. (1964). NORMAL MOTIONS IN THE UPPER PORTION OF THE CERVICAL SPINE. *The Journal of Bone and Joint Surgery*. American Volume. <https://doi.org/10.2106/00004623-196446080-00017>

Holmes, A., Han, Z. H., Dang, G. T., Chen, Z. Q., Wang, zhi guo, & Fang, J. (1996).
Changes in Cervical Canal Spinal Volume During In Vitro Flexion-Extension.
Spine, 21(11), 1313–1319.

Kang, Y., Lee, J. W., Koh, Y. H., Hur, S., Kim, S. J., Chai, J. W., & Kang, H. S.
(2011). New MRI grading system for the cervical canal stenosis. *American
Journal of Roentgenology*, 197(1). <https://doi.org/10.2214/AJR.10.5560>

Kehr, P. (2015). Roberto Vialle (ed.), Manabu Ito, K. Daniel Riew (Guest ed.):
AOSpine Masters Series Volume 3: Cervical Degenerative Conditions: Thieme
Verlag, New York, Stuttgart, Delhi, Rio, 2015, 148pp, 85 illustr., Hardcover,
EUR (D) 84.99; EUR (A) 87.40; CHF 119,00, ISBN: 978-1-63623-050-7.
European Journal of Orthopaedic Surgery & Traumatology. <https://doi.org/10.1007/s00590-015-1681-7>

Kim, T. H., Lee, S. Y., Kim, Y. C., Park, M. S., & Kim, S. W. (2013). T1 slope as
a predictor of kyphotic alignment change after *laminoplasty* in patients with
cervical myelopathy. *Spine*. <https://doi.org/10.1097/BRS.0b013e3182972e1b>

Kimura, I., Shingu, H., & Nasu, Y. (1995). Long-term follow-up of cervical
spondylotic myelopathy treated by canal-expansive *laminoplasty*. *Journal of
Bone and Joint Surgery - Series B*. <https://doi.org/10.1302/0301-620x.77b6.7593114>

Kohno, K., Kumon, Y., Oka, Y., Matsui, S., Ohue, S., & Sakaki, S. (1997).
Evaluation of prognostic factors following expansive *laminoplasty* for cervical
spinal stenotic myelopathy. *Surgical Neurology*, 48(3), 237–245.
[https://doi.org/10.1016/S0090-3019\(97\)00166-3](https://doi.org/10.1016/S0090-3019(97)00166-3)

Kommu, R., Sahu, B. P., & Purohit, A. K. (2014). Surgical outcome in patients with
cervical ossified posterior longitudinal ligament: A single institutional
experience. *Asian Journal of Neurosurgery*, 9(4), 196–202.
<https://doi.org/10.4103/1793-5482.146602>

Krebs, R. E. (2006). The History and Use of Our Earth's Chemical Elements. In
The History and Use of Our Earth's Chemical Elements. Greenwood
Publishing Group.

Kurokawa, R., & Kim, P. (2015). Cervical *laminoplasty*: The history and the future. *Neurologia Medico-Chirurgica*, 55(7), 529–539. <https://doi.org/10.2176/nmc.-ra.2014-0387>

Lotha, G. (2004). Encyclopedia Britannica online. Titanium. <https://doi.org/10.5860/choice.41sup-0008>

Mullin, J., Shedid, D., & Benzel, E. (2011). Overview of Cervical Spondylosis Pathophysiology and Biomechanics. *World Spinal Column Journal WScJ*, 2(2), 89–97.

Murad, M. H., Sultan, S., Haffar, S., & Bazerbachi, F. (2018). Methodological quality and synthesis of case series and case reports. 23(2), 60–63.

Penning, L. (1978). Normal movements of the cervical spine. *American Journal of Roentgenology*, 130(2), 317–326. <https://doi.org/10.2214/ajr.130.2.317>

Saito, T., Yamamuro, T., Shikata, J., Oka, M., & Tsutsumi, S. (1991). Analysis and prevention of spinal column deformity following cervical laminectomy. I. Pathogenetic analysis of postlaminectomy deformities. *Spine Journal*, Volume 16(16(5)), 494–502. <https://doi.org/10.1097/00007632-199105000-00002>

Sakai, K., Yoshii, T., Hirai, T., Arai, Y., Torigoe, I., Tomori, M., Sato, H., & Okawa, A. (2016). Cervical sagittal imbalance is a predictor of kyphotic deformity after *laminoplasty* in cervical spondylotic myelopathy patients without preoperative kyphotic alignment. *Spine*, 41(4), 299–305. <https://doi.org/10.1097/BRS.0000000000001206>

Satomi, K., Ogawa, J., Ishii, Y., & Hirabayashi, K. (2001). Short-term complications and long-term results of expansive open-door *laminoplasty* for cervical stenotic myelopathy. *Spine Journal*, 1(1), 26–30. [https://doi.org/10.1016/S1529-9430\(01\)00008-0](https://doi.org/10.1016/S1529-9430(01)00008-0).

Schneider, R. C., Cherry, G., & Pantek, H. (1954). The syndrome of acute central cervical spinal cord injury; with special reference to the mechanisms involved in hyperextension injuries of cervical spine. *Journal of Neurosurgery*. <https://doi.org/10.3171/jns.1954.11.6.0546>

- Shedid, D., & Benzel, E. C. (2007). Cervical spondylosis anatomy: Pathophysiology and biomechanics. *Neurosurgery*, 60(1 SUPPL.), 7–13. <https://doi.org/10.1227/01.NEU.0000215430.86569.C4>
- Shen, F. H., Samartzis, D., & Fessler, R. G. (2014). *Textbook of the Cervical Spine*. Elsevier Inc.
- Suk, K. S., Kim, K. T., Lee, J. H., Lee, S. H., Lim, Y. J., & Kim, J. S. (2007). Sagittal alignment of the cervical spine after the *laminoplasty*. *Spine*, 32(23), 656–660. <https://doi.org/10.1097/BRS.0b013e318158c573>
- Takayasu, M., Takagi, T., Nishizawa, T., Osuka, K., Nakajima, T., & Yoshida, J. (2002). Bilateral open-door cervical expansive *laminoplasty* with hydroxyapatite spacers and titanium screws. *Journal of Neurosurgery*, 96(1 SUPPL.), 22–28. <https://doi.org/10.3171/spi.2002.96.1.0022>
- Vaccaro, A. R., Rothman, R. H., Valley, D., Cord, S., & Albert, T. J. (2016). *Spine surgery: Tricks of the Trade 3rd edition* (A. R. Vaccaro (Ed.)). Thieme.
- Wicaksono, A. S., & Manusubroto, W. (2018). Short-Term Clinical Evaluation of Enhanced Unilateral Open-Door *Laminoplasty* Using Titanium Mesh. *Asia Spine Journal*, 1, 810–816. <https://doi.org/https://doi.org/10.31616/asj.2018.12.5.810>
- Windsor, R. E., Malanga, G. A., Khan, A. N., Goodrich, J. A., McVay Petre, B., & Chawla, J. (2011). Cervical Spine Anatomy. *Imaging Painful Spine Disorders - Expert Consult*, 7, 2–11. <https://doi.org/10.1016/b978-1-4160-2904-5.00001-x>
- Winn, R. (2017). Youmans & Winn Neurological Surgery. In Youmans & Winn Neurological Surgery. <https://doi.org/10.1016/j.radonc.2014.12.002>
- Worth, D. R. (1970). Movements of the Cervical Spine. *Australian Journal of Physiotherapy*, 16(2), 84–85. [https://doi.org/10.1016/S0004-9514\(14\)61093-X](https://doi.org/10.1016/S0004-9514(14)61093-X)
- Xu, P., Sun, G. D., Xun, L., Huang, S. S., & Li, Z. Z. (2020). Posterior decompression and fusion versus laminoplasty for cervical ossification of posterior longitudinal ligament: a systematic review and meta-analysis. *Neurosurgical Review*. <https://doi.org/10.1007/s10143-020-01317-z> Yan, L.,

Gao, R., Liu, Y., He, B., Lv, S., & Hao, D. (2017). The pathogenesis of ossification of the posterior longitudinal ligament. *Aging and Disease*, 8(5), 570–582. <https://doi.org/10.14336/AD.2017.0201>

Zhang, Z., Wang, L. nan, Song, Y. ming, Wang, L., Liu, H., Liu, L. min, Xiu, P., & Zhou, Z. jie. (2020). Comparison of long-term clinical and radiographic outcomes between alternative-level and all-level fixation unilateral open-door *laminoplasty*. *Spine Journal*, 20(11), 1761–1769. <https://doi.org/10.1016/j.spinee.2020.06.018>