

DAFTAR PUSTAKA

- Ambs, S., Prueitt, R. L., Yi, M., Hudson, R. S., Howe, T. M., Petrocca, F., ... & Yfantis, H. G. 2008. Genomic profiling of microRNA and messenger RNA reveals deregulated microRNA expression in prostate cancer. *Cancer research*, 68(15), 6162-6170.
- Anwar, S. L., Haryono, S. J., Aryandono, T., & Haryana, S. M. 2018. *microRNA: Biogenesis, Fungsi, Dan Perannya Dalam Proses Karsinogenesis Dan Penatalaksanaan Kanker*. UGM PRESS.
- Assinder, S. J., Dong, Q., Mangs, H., & Richardson, D. R. 2008. *Pharmacological Targeting of the Integrated Protein Kinase B, Phosphatase and Tensin Homolog Deleted on Chromosome 10, and Transforming Growth Factor- Pathways in Prostate Cancer. Molecular Pharmacology*, 75(3)
- _____, Kovacevic, Z. and Richardson, D.R., 2009. The TGF- β , PI3K/Akt and PTEN pathways: established and proposed biochemical integration in prostate cancer. *Biochemical Journal*, 417(2), pp.411-421.
- Bell, E.H., Kirste, S., Fleming, J.L., Stegmaier, P., Drendel, V., Mo, X., Ling, S., Fabian, D., Manring, I., Jilg, C.A. and Schultze-Seemann, W., 2015. A novel miRNA-based predictive model for biochemical failure following post-prostatectomy salvage radiation therapy. *PLoS one*, 10(3), p.e0118745.
- Bjerke, G.A., Pietrzak, K., Melhuish, T.A., Frierson Jr, H.F., Paschal, B.M. and Wotton, D., 2014. Prostate cancer induced by loss of Apc is restrained by TGF β signaling. *PLoS One*, 9(3), p.e92800.
- Caini, S, Gandini, S, Dudas, M, et. al. 2014. Sexually transmitted infections and prostate cancer risk: A systematic review and meta-analysis. *Cancer Epidemiol* 38(4):329-338.
- Califf, R.M., 2018. Biomarker definitions and their applications. *Experimental Biology and Medicine*, 243(3), pp.213-221.
- Campos-Fernández, Esther, Letícia S. Barcelos, Aline Gomes de Souza, Luiz R. Goulart, and Vivian Alonso-Goulart. 2019. Research landscape of liquid biopsies in prostate cancer." *American Journal of Cancer Research* 9, no. 7: 1309
- Cao, Z. and Kyprianou, N., 2015. Mechanisms navigating the TGF- β pathway in prostate cancer. *Asian journal of urology*, 2(1), pp.11-18.
- Chadwick, S.R. and Lajoie, P., 2019. Endoplasmic reticulum stress coping mechanisms and lifespan regulation in health and diseases. *Frontiers in Cell and Developmental Biology*, 7, p.84.
- Chakrabarti, M., Khandkar, M., Banik, N.L. and Ray, S.K., 2012. Alterations in expression of specific microRNAs by combination of 4-HPR and EGCG inhibited growth of human malignant neuroblastoma cells. *Brain research*, 1454, pp.1-13.
- Chen, Ni, dan Qiao Zhou. 2016. The evolving Gleason grading system. *Chinese Journal of Cancer Research* 28, no. 1: 58.

- Chen, B., Cao, D., Chen, Z., Huang, Y., Lin, T., Ai, J., Liu, L. and Wei, Q., 2020. Estrogen regulates the proliferation and inflammatory expression of primary stromal cell in benign prostatic hyperplasia. *Translational Andrology and Urology*, 9(2), p.322.
- Cheng, Y.C., Chen, P.H., Chiang, H.Y., Suen, C.S., Hwang, M.J., Lin, T.Y., Yang, H.C., Lin, W.C., Lai, P.L. and Shieh, S.Y., 2015. Candidate tumor suppressor B-cell translocation gene 3 impedes neoplastic progression by suppression of AKT. *Cell death & disease*, 6(1), ppe1584-e1584.
- Deori, R., Das, B., Abur Rahman, M. 2017. A Study of Relationship of Prostate Volume, Prostate Specific Antigen and age in Benign Prostatic Hyperplasia. *Internatonal journal of Contemporary Medical Research* Vol.4.
- Ding, Z., Wu, C.-J., Chu, G. C., Xiao, Y., Ho, D., Zhang, J., ... DePinho, R. A. 2011. SMAD4-dependent barrier constrains prostate cancer growth and metastatic progression. *Nature*, 470(7333), 269–273.
- Ding, Y., Chan, C.Y. and Lawrence, C.E. (2005) RNA secondary structure prediction by centroids in a Boltzmann weighted ensemble. *RNA* 11, 1157-1166.
- Fan JB. Next-generation MicroRNA expression profiling technology: methods and protocols. New York: Humana Press; 2012.
- Fay, D.S. and Gerow, K., 2013. A biologist's guide to statistical thinking and analysis. *WormBook: the online review of C. elegans biology*, pp.1-54.
- GLOBOCAN. 2018. <https://gco.iarc.fr/today/>. Diakses pada 16 Februari 2019.
- Goel, M.K., Khanna, P. and Kishore, J., 2010. Understanding survival analysis: Kaplan-Meier estimate. *International journal of Ayurveda research*, 1(4), p.274.
- Goto, Y., Kurozumi, A., Enokida, H., Ichikawa, T. and Seki, N., 2015. Functional significance of aberrantly expressed microRNAs in prostate cancer. *International Journal of Urology*, 22(3), pp.242-252.
- Greco, F., Inferrera, A., La Rocca, R., Navarra, M., Casciaro, M., Grosso, G., Gangemi, S., Ficarra, V. and Mirone, V., 2019. The potential role of MicroRNAs as biomarkers in benign prostatic hyperplasia: a systematic review and meta-analysis. *European urology focus*, 5(3), pp.497-507.
- Grossman, R.L., Heath, A.P., Ferretti, V., Varmus, H.E., Lowy, D.R., Kibbe, W.A. and Staudt, L.M., 2016. Toward a shared vision for cancer genomic data. *New England Journal of Medicine*, 375(12), pp.1109-1112.
- Gulappa, T., Reddy, R. S., Suman, S., Nyakeriga, A. M., & Damodaran, C. 2013. *Molecular interplay between cdk4 and p21 dictates G0/G1 cell cycle arrest in prostate cancer cells. Cancer Letters*, 337(2), 177–183.
- Gupta, S., Read, D.E., Deepti, A., Cawley, K., Gupta, A., Oommen, D., Verfaillie, T., Matus, S., Smith, M.A., Mott, J.L. and Agostinis, P., 2012. Perk-dependent repression of miR-106b-25 cluster is required for ER stress-induced apoptosis. *Cell death & disease*, 3(6), pp.e333-e333.
- Hanahan, D. and Weinberg, R.A., 2016. Biological hallmarks of cancer. *Holland-Frei Cancer Medicine*, pp.1-10.Hatano, K., Kumar, B., Zhang, Y., Coulter, J.B., Hedayati, M., Mears, B.,



- Ni, X., Kudrolli, T.A., Chowdhury, W.H., Rodriguez, R. and DeWeese, T.L., 2015. A functional screen identifies miRNAs that inhibit DNA repair and sensitize prostate cancer cells to ionizing radiation. *Nucleic acids research*, 43(8), pp.4075-4086.
- He, C., Chen, H., Liu, Y., Li, X., Zhang, C., Qin, Q. and Pang, Q., 2020. miR-106b-5p promotes cell proliferation and cell cycle progression by directly targeting CDKN1A in osteosarcoma. *Experimental and therapeutic medicine*, 19(5), pp.3203-3210.
- Ho, Clement KM, and Fouad K. Habib. 2011. Estrogen and androgen signaling in the pathogenesis of BPH. *Nature Reviews Urology* 8, no. 1: 29.
- Ivanovska, I., Ball, A.S., Diaz, R.L., Magnus, J.F., Kibukawa, M., Schelter, J.M., Kobayashi, S.V., Lim, L., Burchard, J., Jackson, A.L. and Linsley, P.S., 2008. MicroRNAs in the miR-106b family regulate p21/CDKN1A and promote cell cycle progression. *Molecular and cellular biology*, 28(7), pp.2167-2174.
- Jalali, M., Zaborowska, J., & Jalali, M. 2017. The Polymerase Chain Reaction: PCR, qPCR, and RT-PCR. In *Basic Science Methods for Clinical Researchers* (pp. 1-18). Academic Press.
- Kara, M. and Oztas, E., 2019. Endoplasmic Reticulum Stress-Mediated Cell Death. In *Programmed Cell Death*. IntechOpen.
- Kasivisvanathan, V., Rannikko, A. S., Borghi, M., Panebianco, V., Mynderse, L. A., Vaarala, M. H., ... & Roobol, M. J. 2018. MRI-targeted or standard biopsy for prostate-cancer diagnosis. *New England Journal of Medicine*, 378(19), 1767-1777.
- Kim, K., Chadalapaka, G., Pathi, S.S., Jin, U.H., Lee, J.S., Park, Y.Y., Cho, S.G., Chintharlapalli, S. and Safe, S., 2012. Induction of the transcriptional repressor ZBTB4 in prostate cancer cells by drug-induced targeting of microRNA-17-92/106b-25 clusters. *Molecular cancer therapeutics*, 11(9), pp.1852-1862.
- Kleinsimon, S., Longmuss, E., Rolff, J., Jäger, S., Eggert, A., Delebinski, C. and Seifert, G., 2018. GADD45A and CDKN1A are involved in apoptosis and cell cycle modulatory effects of viscumTT with further inactivation of the STAT3 pathway. *Scientific reports*, 8(1), pp.1-14.
- Kohaar, I., Petrovics, G., & Srivastava, S. 2019. A Rich Array of Prostate Cancer Molecular Biomarkers: Opportunities and Challenges. *International journal of molecular sciences*, 20(8), 1813.
- Koster, Jan. R2: Genomics Analysis and Visualization Platform (<http://r2.amc.nl>
<http://r2platform.com>)
- Kozera, B. and Rapacz, M., 2013. Reference genes in real-time PCR. *Journal of applied genetics*, 54(4), pp.391-406.
- Lee, J., Kim, H.E., Song, Y.S., Cho, E.Y. and Lee, A., 2019. miR-106b-5p and miR-17-5p could predict recurrence and progression in breast ductal carcinoma in situ based on the transforming growth factor-beta pathway. *Breast cancer research and treatment*, 176(1), pp.119-130.



- Lefort, K., Ostano, P., Mello-Grand, M., Calpini, V., Scatolini, M., Farsetti, A., Dotto, G. P., & Chiorino, G. 2016. Dual tumor suppressing and promoting function of Notch1 signaling in human prostate cancer. *Oncotarget*, 7(30), 48011–48026.
- Li, N., Miao, Y., Shan, Y., Liu, B., Li, Y., Zhao, L. and Jia, L., 2017. MiR-106b and miR-93 regulate cell progression by suppression of PTEN via PI3K/Akt pathway in breast cancer. *Cell death & disease*, 8(5), pp.e2796-e2796.
- Life Technologies. 2012. Real Time-PCR Handbook. lifetechnologies.com
- Liu, P.-Y., Lin, S.-Z., Sheu, J. J.-C., Lin, C.-T., Lin, P.-C., Chou, Y.-W., ... Harn, H.-J. *Regulation of androgen receptor expression by Z-isochaihu lactone mediated by the JNK signaling pathway and might be related to cytotoxicity in prostate cancer. The Prostate*, 73(5), 531–541.
- Lim, K.B., 2017. Epidemiology of clinical benign prostatic hyperplasia. *Asian journal of urology*, 4(3), pp.148-151.
- Limonta, P., Moretti, R.M., Marzagalli, M., Fontana, F., Raimondi, M. and Montagnani Marelli, M., 2019. Role of endoplasmic reticulum stress in the anticancer activity of natural compounds. *International journal of molecular sciences*, 20(4), p.961.
- Linge, A., Maurya, P., Friedrich, K., Baretton, G.B., Kelly, S., Henry, M., Clynes, M., Larkin, A. and Meleady, P., 2014. Identification and functional validation of RAD23B as a potential protein in human breast cancer progression. *Journal of proteome research*, 13(7), pp.3212-3222.
- Livak, K. J., & Schmittgen, T. D. 2001. Analysis of relative gene expression data using real-time quantitative PCR and the 2⁻ΔΔCT method. *methods*, 25(4), 402-408.
- Liu, Jing, Weiyan Chen, Haiyan Zhang, Ting Liu, and Lin Zhao. "miR-214 targets the PTEN-mediated PI3K/Akt signaling pathway and regulates cell proliferation and apoptosis in ovarian cancer." *Oncology letters* 14, no. 5 (2017): 5711-5718.
- Liu, Q., Peng, F. and Chen, J., 2019. The role of exosomal microRNAs in the tumor microenvironment of breast cancer. *International journal of molecular sciences*, 20(16), p.3884.
- Ma, B., Zhang, H., Wang, Y., Zhao, A., Zhu, Z., Bao, X., Sun, Y., Li, L. and Zhang, Q., 2018. Corosolic acid, a natural triterpenoid, induces ER stress-dependent apoptosis in human castration resistant prostate cancer cells via activation of IRE-1/JNK, PERK/CHOP and TRIB3. *Journal of Experimental & Clinical Cancer Research*, 37(1), pp.1-16.
- Mamiya, T., Yamazaki, K., Masugi, Y., Mori, T., Effendi, K., Du, W., Hibi, T., Tanabe, M., Ueda, M., Takayama, T. and Sakamoto, M., 2010. Reduced transforming growth factor-β receptor II expression in hepatocellular carcinoma correlates with intrahepatic metastasis. *Laboratory investigation*, 90(9), pp.1339-1345.
- Massagué, J. 2012. TGFβ signalling in context. *Nature reviews Molecular cell biology*, 13(10), 616-630. *Oncogene*, 37(27), 3657–3671.
- Mathivanan, S., Ji, H., & Simpson, R. J. 2010. *Exosomes: Extracellular organelles important in intercellular communication. Journal of Proteomics*, 73(10), 1907–1920. doi:10.1016/j.jprot.2010.06.006



- Mehlich, D., Garbicz, F., & Włodarski, P. K. 2018. The emerging roles of the polycistronic miR-106b~25 cluster in cancer—A comprehensive review. *Biomedicine & Pharmacotherapy*, 107, 1183-1195.
- Mishra, S., Deng, J.J., Gowda, P.S., Rao, M.K., Lin, C.L., Chen, C.L., Huang, T. and Sun, L.Z., 2014. Androgen receptor and microRNA-21 axis downregulates transforming growth factor beta receptor II (TGFBR2) expression in prostate cancer. *Oncogene*, 33(31), pp.4097-4106.
- NanoString. 2018. nCounter® miRNA Expression Assay User Manual. <https://www.nanostring.com/>
- Ni, S., Weng, W., Xu, M., Wang, Q., Tan, C., Sun, H., ... & Sheng, W. 2018. miR-106b-5p inhibits the invasion and metastasis of colorectal cancer by targeting CTSA. *OncoTargets and therapy*, 11, 3835.
- O'Brien, J., Hayder, H., Zayed, Y. and Peng, C., 2018. Overview of microRNA biogenesis, mechanisms of actions, and circulation. *Frontiers in endocrinology*, 9, p.402.
- Ouyang, T., Liu, Z., Han, Z. and Ge, Q., 2019. MicroRNA detection specificity: recent advances and future perspective.
- _____, Killian, Koen Breyne, Stefano Ughetto, Louise C. Laurent, and Xandra O. 2020. Breakefield. RNA delivery by extracellular vesicles in mammalian cells and its applications. *Nature Reviews Molecular Cell Biology*: 1-22.
- Packer, J. R., & Maitland, N. J. 2016. The molecular and cellular origin of human prostate cancer. *Biochimica et Biophysica Acta (BBA)-Molecular Cell Research*, 1863(6), 1238-1260.
- Pang, Bairen, Ying Zhu, Jie Ni, James Thompson, David Malouf, Joseph Buccì, Peter Graham, and Yong Li. 2020. Extracellular vesicles: the next generation of biomarkers for liquid biopsy-based prostate cancer diagnosis. *Theranostics* 10, no. 5: 2309.
- Pentyala, S., Whyard, T., Muller, J., Pfail, J., Parmar, S., ... & Khan, S. 2016. Prostate cancer markers: An update. *Biomedical reports*, 4(3), 263-268.
- Petrocca, F., Vecchione, A. and Croce, C.M., 2008. Emerging role of miR-106b-25/miR-17-92 clusters in the control of transforming growth factor β signaling. *Cancer research*, 68(20), pp.8191-8194.
- Ramalingam, Naveen, and Stefanie S. Jeffrey. 2018. Future of liquid biopsies with growing technological and bioinformatics studies: opportunities and challenges in discovering tumor heterogeneity with single cell level analysis. *Cancer journal (Sudbury, Mass.)* 24, no. 2: 104.
- Rawla, P., 2019. Epidemiology of prostate cancer. *World journal of oncology*, 10(2), p.63.
- Rodríguez-Berriguete, G., Fraile, B., Martínez-Onsurbe, P., Olmedilla, G., Paniagua, R. and Royuela, M., 2012. MAP kinases and prostate cancer. *Journal of signal transduction*.
- Russano, Marco, Andrea Napolitano, Giulia Ribelli, Michele Iuliani, Sonia Simonetti, Fabrizio Citarella, Francesco Pantano *et al* 2016. Liquid biopsy and tumor heterogeneity in metastatic solid tumors: the potentiality of blood samples. *Journal of Experimental & Clinical Cancer Research* 39:1-13.



- Sahebi, Reza, Hadis Langari, Zohre Fathinezhad, Zahra Bahari Sani, Amir Avan, Majid Ghayour Mobarhan, and Majid Rezayi. 2020. Exosomes: New insights into cancer mechanisms." *Journal of Cellular Biochemistry* 121, no. 1: 7-16.
- Saiz-Rodríguez, M., Almenara, S., Navares-Gómez, M., Ochoa, D., Román, M., Zubiaur, P., Koller, D., Santos, M., Mejía, G., Borobia, A.M. and Rodríguez-Antona, C., 2020. Effect of the Most Relevant CYP3A4 and CYP3A5 Polymorphisms on the Pharmacokinetic Parameters of 10 CYP3A Substrates. *Biomedicines*, 8(4), p.94.
- Sakai, R., Morikawa, Y., Kondo, C., Oka, H., Miyajima, H., Kubo, K. and Uehara, T., 2014. Combinatorial measurement of CDKN1A/p21 and KIF20A expression for discrimination of DNA damage-induced clastogenicity. *International journal of molecular sciences*, 15(10), pp.17256-17269.
- Sánchez, A.M., Malagarie-Cazenave, S., Olea, N., Vara, D., Chiloeches, A. and Díaz-Laviada, I., 2007. Apoptosis induced by capsaicin in prostate PC-3 cells involves ceramide accumulation, neutral sphingomyelinase, and JNK activation. *Apoptosis*, 12(11), pp.2013-2024.
- Stuopelytė, K., Daniūnaitė, K., Jankevičius, F. and Jarmalaitė, S., 2016. Detection of miRNAs in urine of prostate cancer patients. *Medicina*, 52(2), pp.116-124.
- Szeliski, K., Adamowicz, J., Gastecka, A., Drewa, T., & Pokrywczyńska, M. 2018. Modern urology perspectives on prostate cancer biomarkers. *Central European journal of urology*, 71(4), 420.
- Tan, W., Liu, B., Qu, S., Liang, G., Luo, W., & Gong, C. 2018. MicroRNAs and cancer: Key paradigms in molecular therapy. *Oncology letters*, 15(3), 2735-2742.
- Taylor, B.S., Schultz, N., Hieronymus, H., Gopalan, A., Xiao, Y., Carver, B.S., Arora, V.K., Kaushik, P., Cerami, E., Reva, B. and Antipin, Y., 2010. Integrative genomic profiling of human prostate cancer. *Cancer cell*, 18(1), pp.11-22.
- Thermo Scientific. 2012. Interpretation of nucleic acid 260/280 ratios. *T123 Technical Bulletin*. Wilmington, DE, USA: Thermo Scientific.
- Thomas-Charles, C. and Fennell, H., 2019. Anti-Prostate Cancer Activity of Plant-Derived Bioactive Compounds: a Review. *Current Molecular Biology Reports*, 5(3), pp.140-151.
- Uhlen, M., Zhang, C., Lee, S., Sjöstedt, E., Fagerberg, L., Bidkhori, G., Benfeitas, R., Arif, M., Liu, Z., Edfors, F. and Sanli, K., 2017. A pathology atlas of the human cancer transcriptome. *Science*, 357(6352).
- Van Opend Bosch, N. and Lamkanfi, M., 2019. Caspases in cell death, inflammation, and disease. *Immunity*, 50(6), pp.1352-1364.
- Vlachos, I.S., Zagganas, K., Paraskevopoulou, M.D., Georgakilas, G., Karagkouni, D., Vergoulis, T., Dalamagas, T. and Hatzigeorgiou, A.G., 2015. DIANA-miRPath v3. 0: deciphering microRNA function with experimental support. *Nucleic acids research*, 43(W1), pp.W460-W466.
- Wade J, Rosario DJ, Macefield RC, Avery KN, Salter CE,. 2013. Psychological impact of prostate biopsy: physical symptoms, anxiety, and depression. *J Clin Oncol*; 31: 4235–41

- Wang, M., Yu, F., Ding, H., Wang, Y., Li, P., & Wang, K. 2019. Emerging function and clinical values of exosomal micrnas in cancer. *Molecular therapy. Nucleic acids*, 16, 791.
- Wei, K., Pan, C., Yao, G., Liu, B., Ma, T., Xia, Y., Jiang, W., Chen, L. and Chen, Y., 2017. MiR-106b-5p promotes proliferation and inhibits apoptosis by regulating BTG3 in non-small cell lung cancer. *Cellular Physiology and Biochemistry*, 44(4), pp.1545-1558.
- Wu, Y., Zhao, D., Zhuang, J., Zhang, F. and Xu, C., 2016. Caspase-8 and Caspase-9 functioned differently at different stages of the cyclic stretch-induced apoptosis in human periodontal ligament cells. *PloS one*, 11(12), p.e0168268.
- Wu, Y. P., Li, X. D., Ke, Z. B., Chen, S. H., Chen, P. Z., Wei, Y., ... & Xu, N. 2018. Risk factors for infectious complications following transrectal ultrasound-guided prostate biopsy. *Infection and drug resistance*, 11, 1491.
- Xu, R. and Hu, J., 2020. The role of JNK in prostate cancer progression and therapeutic strategies. *Biomedicine & Pharmacotherapy*, 121, p.109679.
- Yang, C., Dou, R., Yin, T., & Ding, J. 2020. MiRNA-106b-5p in human cancers: diverse functions and promising biomarker. *Biomedicine & Pharmacotherapy*, 110211.
- Yang, H., Zhang, H., Zhong, Y., Wang, Q., Yang, L., Kang, H., ... & Zhou, Y. 2017. Concomitant underexpression of TGFBR2 and overexpression of hTERT are associated with poor prognosis in cervical cancer. *Scientific reports*, 7, 41670.
- Yi, Y., Liu, Y., Wu, W., Wu, K., & Zhang, W. 2018. The role of miR-106p-5p in cervical cancer: From expression to molecular mechanism. *Cell death discovery*, 5(1), 36.
- Yin, W., Chen, J., Wang, G. and Zhang, D., 2019. MicroRNA-106b functions as an oncogene and regulates tumor viability and metastasis by targeting LARP4B in prostate cancer. *Molecular Medicine Reports*, 20(2), pp.951-958.
- Yoneda M, Suzuki T, Nakamura T, Ajima R, Yoshida Y *et al* 2009 Deficiency of antiproliferative family protein Ana correlates with development of lung adenocarcinoma. *Cancer Sci* 100: 225-232
- Yu, L., Bhayana, S., Jacob, N.K. and Fadda, P., 2019. Comparative studies of two generations of NanoString nCounter System. *PloS one*, 14(11), p.e0225505.
- Zhang, D.T., Shi, J.G., Liu, Y. and Jiang, H.M., 2014. The prognostic value of Smad4 mRNA in patients with prostate cancer. *Tumor Biology*, 35(4), pp.3333-3337.
- Zhang, N., Li, Z., Bai, F., Ji, N., Zheng, Y., Li, Y., Chen, J. and Mao, X., 2018. MicroRNA expression profiles in benign prostatic hyperplasia. *Molecular medicine reports*, 17(3), pp.3853-3858.
- Zhao, H., Ma, T. F., Lin, J., Liu, L. L., Sun, W. J., Guo, L. X., ... & Zhang, Y. P. 2018. Identification of valid reference genes for mRNA and microRNA normalisation in prostate cancer cell lines. *Scientific reports*, 8(1), 1-13.
- Zhou, H., Wu, G., Ma, X., Xiao, J., Yu, G., Yang, C., Xu, N., Zhang, B., Zhou, J., Ye, Z. and Wang, Z., 2018. Attenuation of TGFBR2 expression and tumour progression in prostate cancer involve diverse hypoxia-regulated pathways. *Journal of Experimental & Clinical Cancer Research*, 37(1), pp.1-13