

## DAFTAR PUSTAKA

- Alsobaai, A. M., Zakaria, R., and Hameed, B. H., 2007, Hydrocracking of Petroleum Gas Oil Over NiW/MCM-48-USY Composite Catalyst, *Fuel Process. Technol.* 88, 921-928.
- Awate S. V., Waghmode, S. B., and Agashe, M. S., 2004, Synthesis, Characterization and Catalytic Evaluation of Zirconia-pillared Montmorillonite for Linear Alkylation of Benzene, *Catal. Commun.* 5, 407-411.
- Bartholomew, C. H., and Farrauto, R. J., 2006, *Fundamentals of Industrial Catalytic Processes*, John Wiley and Sons, Inc., New Jersey.
- Benito, A. M., and Martinez, M. T., 1996, Catalytic Hydrocracking of an Asphaltenic Coal Residue, *Energy and Fuel*, 10, 1235-1240.
- Bergaya, F. And Lagaly, G., 2006, Chapter 1: General Introduction; Clays, Clay Minerals and Clay Science, *Handbook of Clay Science*, Elsevier, 1; 1-18.
- Bindar, Y., Riza, A., Susanto, H., dan Sasongko, D., 2007, Metode Dekomposisi Batubara Berdasarkan Neraca Element dan Teori Devolatilisasi dari Data Analisa Proksimat dan Ultimat, *J. Tek. Kim. Indo.*, 6, 549-562.
- Campbell, I. A., 1998, *Catalyst at Surface*, Chapman & Hall Ltd., London.
- Chew, T. I., and Bathia, S., 2008, Catalytic Processes Towards the Production of Biofuel in a Palm Oil and Oil Palm Biomass-Based Biorefinery, *Bioresour. Technol.*, 99, 7911-7922.
- De-Stefanis, A., and Tomlinson, A. G., 2006, Towards Designing Pillared Clays for Catalysis, *Catal. Today*, 114, 126-141
- Ding, Z., Klopogge, J. T., Frost, R. L., Lu, G. Q., and Zhu, H. Y., 2001, Porous Clays and Pillared Clays-Based Catalyst. Part 2: A Review of The Catalytic and Molecular Sieve Applications, *J. Por. Mater.*, 8, 273-293.
- Egashira, R., Salim, C., and Saito, J., 2005, Separation of Coal Tar Fractions by Solvent Extraction, *J. Jpn Petrol. Inst.*, 48, 1, 60-66.
- Fanani, Z., 2010, *Hydrocracking Tir Batubara Menggunakan Katalis Ni-Mo-S/ZAA untuk Menghasilkan Fraksi Bensin dan Fraksi Kerosin*, *Jurnal Penelitian Sains*.

- Fatimah, I., Wijaya, K., dan Setyawan, K. H., 2008, Synthesis ZrO<sub>2</sub>-Montmorillonite and Application as Catalyst in Catalytic Cracking of Heavy Fraction of Crude Oil, *Bull. Chem. React. Eng. Catal.*, 3 (1-3), 9-13.
- Fei, Y., Baohua, Y., Xueguang, W., Shuhua, G., Xionggang L., and Weizhong, D., 2009, Hydrocracking of Tar Components from Hot Coke Oven Gas Over a Ni/Ce-ZrO<sub>2</sub>/γ-Al<sub>2</sub>O<sub>3</sub> Catalyst at Atmospheric Pressure, *Chin. J. Catal.* 30(7), 690-696.
- Fessenden, R. J., dan Fessenden, J. S., 1986, *Kimia Organik Jilid 1*, Erlangga, Jakarta.
- Gates, B. C., Katzer, J. R., and Schuit, G. C. A., 1979, *Chemistry of Catalytic Processes 1<sup>st</sup> Edition*, McGraw-Hill Book Company, New York.
- Genetti, D., 1999, An Advanced Model of Coal Devolatilization Based on Chemical Structure, *Thesis*, Department of Chemical Engineering Brigham Young University.
- Genetti, D., Pugmire, R. J., and Fletcher, T. H., 1999, Development and Application of a Correlation of <sup>13</sup>C NMR Chemical Structural Analysis of Coal Based on Elemental Composition and Volatile Matter Content, *Energy Fuel*, 13, 1, 60-68.
- Gil, A., Gandia, M., and Vicente, A., 2000, Recent Advances in The Synthesis and Catalytic Applications of Pillared Clays, *Catal. Rev-Sci, Eng.*, 42(1&2), 145-212.
- Gil, A., Korili, S. A., Trujillano, R., and Vicente, M. A., 2011, A Review on Characterization of Pillared Clay by Specific Techniques, *Appl. Clay Sci.*, 53, 97-105.
- Grim. R., E., 1968, *Clay Mineralogy*, 2<sup>nd</sup> Ed; McGraw-Hill: New York, p 79.
- Grosman, A. and Ortega, C., 2008, Capillary Condensation in Porous Material, Hysteresis and Interaction Mechanism without Pore Blocking/Percolation Process , American Chemical Society, *Langmuir*, 24 (8), 3977-3986.
- Guo, F., Fang, Z., Xu, C. C., and Smith, Jr., R. L., 2012, Solid Acid Mediated Hydrolysis of Biomass for Producing Biofuels, *Prog. Energy Combust. Sci.*, 38, 672-690.

- Gu, Z., Na, C., Hou, X., Wang, J., and Liu, Z., 2012, Experimental Study on The Coal Hydrocracking Process in Supercritical Solvents, *Fuel*, 91, 33-39.
- Gyftopoulou, M.E., Millan, M., Bridgwater, A.V., Dugwell, D., Kandiyoti, R., and Hriljac, J.A., 2005, Pillared Clays as Catalysts for Hydrocracking of Heavy Liquid Fuels, *Appl. Cat. A: General*, 282, 205-214.
- Hasanudin, H., 2001, Peningkatan Kualitas Batubara Lignit dengan Metode Pirolisis dan Ekstraksi, *Tesis*, Program Pasca Sarjana UGM, Yogyakarta.
- Hasanudin, Said, M., Faizal, M., Dahlan M. H., dan Wijaya, K., 2012, Hydrocracking of Oil Residue from Palm Oil Mill Effluent to Biofuel, *Sustain. Environ. Res.*, 22 (6), 395-400.
- Hasanudin, Wijaya, K., Addy, R., dan Trisunaryanti, W., 2008, *Hidrorengkah Crude Oil Batubara dengan katalis Ni-Mo/Montmorillonit Terpillar TiO<sub>2</sub>*, semirata BKS MIPA-XVIII/BKS-PT, UNIB, Bengkulu.
- Heriawan, R., 2012, *Statistik Pertambangan Bahan Galian Indonesia*, Badan Pusat Statistik, Jakarta.
- Isaadi, R., Garin, F., Chitour, C. E. and Maire, G., 2001, Catalytic Behaviour of Combined Palladium-acid Catalyst; Use of Al and Zr-pillared Montmorillonite as Supports; Part I. Reactivity of Linear, Branched and Cyclic Hexane Hydrocarbons, *Appl. Catal.*, 207, 323-332.
- Kadarwati, S., Rahmawati, F., Rahayu, P.E., Wahyuni, S., dan Supardi, K.I., 2013, Kinetics and Mechanism of Ni/Zeolite-Catalyzed Hydrocracking of Palm Oil Into Biofuel, *Indo. J. Chem.*, 13 (1), 77-85.
- Kloprogge, J. T., 1998, Synthesis of Smectites and Porous Pillared Clay Catalysts: a Review, *J. Por. Mat.*, 5, 5-41.
- Komadell, P., 2003, Chemically Modified Smectites, *Clay Minerals*, 38, 127-138.
- Kooli, F., and Jones, W., 1997, Systematic Comparison of a Saponite Clay Pillared with Al and Zr Metal Oxides, *Chem. Mater.*, 9, 2913-2920.
- Kou, M. R. S., Mendioroz, S., and Nunoz, V., 2000, Evaluation of The Acidity of Pillared Montmorillonites by Pyridine Adsorption, *Clays Clay Miner.*, 48 (5), 528-536.
- Maisari, U., 2019, Paltina/Nanozirkonia Tersulfatasi: Preparasi, Karakterisasi dan Aplikasinya untuk Konversi Limbah Plastik LDPE Menjadi Bahan Bakar Cair, *Disertasi*, Departemen Kimia, FMIPA UGM, Yogyakarta.

- Moore, J., W., and Pearson, R., G., 1981, *Kinetics and Mechanism, third edition*; John Wiley & Sons, Inc., New York, p 55-56.
- Moreno, S., Kou, S. K., Molina, K., and Poncelet, G., 1999, Al-, Al,Zr-, and Zr-Pillared Montmorillonites and Saponites; Preparation, Characterization, and Catalytic in Heptane Hydroconversion, *J. Catal.*, 182, 174-185.
- Nasikin, M., Susanto, B. H., Hirsaman, M. A., and Wijanarko, A., 2009, Biogasoline from Palm Oil by simultaneous cracking and hydrogenation reaction over NiMo/Zeolite Catalyst, *World Appl. Sci. J.*, 5 (special issue), 74-79.
- Niksa, S., Liu, G., and Hurt, H. H., 2003, Coal Conversion Submodels for Design Application at Elevated Pressure, *Prog. Energy. Combust. Sci.*, 29, 425-437.
- Ohtsuka, K., 1997, Preparation and Properties of Two-Dimensional Microporous Pillared Interlayer Solid, *Chem. Mater.*, 9, 2039-2050.
- Olah, G. A., and Molnar, A., 2003, *Hydrocarbon Chemistry 2<sup>nd</sup> Edition*, New York.
- Page, L. J. F., Cosyns, J., Courty, P., and Freud, E. F., 1987, *Applied Heterogeneous Catalysis, Manufacture, Use of Solid Catalysts*, Editions Technic, Paris.
- Pakma, O., Ozdemir, C., Kariper, A., Ozaydin, C., and Gullu, O., 2016, Wet Chemical Methods for Producing Mixing Crystalline Phase ZrO<sub>2</sub> Thin Film, *Appl. Surf. Sci.*, 377, 159-166.
- Payne, K. R., 1983, *Chemicals from Coal New Developments*, Black Well Scientific Publication, Oxford London Edinburgh.
- Pinnavaia, T. J., 1983, Intercallated Clay Catalyst, *Science*, Vol. 220, Number 4595.
- Pires João, 2014, Nanoporous Materials: Pillared Clays and Regular Silica as an Examples of Synthesis and Their Porosity Characterization by X-Ray Diffraction, *Quim. Nova*, 37 (1), 168-170.
- Prasetyo, T., Nugroho, W. dan Trides, T., 2018, Studi Pencairan Batubara (Coal Liquefaction) Metode Pirolisis pada Batubara Peringkat, Kabupaten Kutai Kartanegara Provinsi Kalimantan Timur, *Jurnal Teknologi Mineral FT UNMUL*, 6, 2, 21-28.

- Radwan, D., Saad, L., Mikhail, S., and Selim, S.A., 2009, Catalytic Evaluation of Sulfated Zirconia Pillared Clay in n-Hexane Transformation, *J. Appl. Sci. Res.*, 5 (12), 2332-2342.
- Sasongko, D., 2011, *Dasar-Dasar Pemanfaatan dan Pengolahan Batubara*, ITB Press-Bandung.
- Shamsi, A., 1996, Catalytic and Thermal Cracking of Coal –Derived Liquid in a Fixed-Bed Reactor, *Ind. Eng. Chem. Res.*, 35, 1251-1256.
- Shui, H., Chen, Z., Wang, Z., and Zhang, D., 2010, Kinetics of Shenhua Coal Liquefaction Catalyzed by SO<sub>4</sub><sup>2-</sup>/ZrO<sub>2</sub>, *Fuel*, 89, 67-72.
- Sie, S. T., 1993, Acid-Catalyzed Cracking of Paraffinic Hydrocracking, 3, Evidence for The Protonated Cyclopropane Mechanism from Hydrocracking/Hydroisomerization Experiments, *Ind. Eng. Chem. Res.*, 32, 3, 403-408.
- Solomon, P. R., Fletcher, T. H., and Pugmire, R. J., 1993, Progress in Coal Pyrolysis, *Fuel*, 72, 587-597.
- Speight, J. G., 1994, *The Chemistry and Technology of Coal*, Marcel Dekker Inc., New York.
- Suyati, L., 2000, Kinetika Reaksi Pirolisis Tir Batubara dengan Menggunakan Katalis Ni-Zeolit, *Tesis*, Program Pasca Sarjana UGM, Yogyakarta.
- Suyati, L., Setiaji, B., dan Triyono, 2007, Perengkahan Produk Cair Batubara dengan Katalis Ni/Zeolit, *JSKA*, Vol. X, No. 1.
- Theng, B. K. G., 2012, *Developments in Clay Science 4: Formation and Properties of Clay-Polymer Complexes*, Academic Press, Elsevier.
- Tomlinson, A. G., 1998, Characterization of Pillared Layered Structures, *J. Por. Mat.* 5, 259-274.
- Tomul, F., 2011, Effect of Ultrasound on The Structural and Textural Properties of Copper-Impregnated Cerium-Modified Zirconium-Pillared Bentonite, *Appl. Surf. Sci.*, 258, 1836-1840.
- Triyono, 2002, *Kimia Katalis*, Jurusan Kimia, FMIPA UGM, Yogyakarta.
- Usui, K., Kidena, K., Murata, S., Nomura, M., and Trisunaryanti, W., 2004, Catalytic Hydrocracking of Petroleum-Derived Asphaltenes by Transition Metal-Loaded Zeolite Catalysts, *Fuel*, 83, 1899-1906.

- Vigouroux, Z. R., 2001, Pyrolysis of Biomass, Royal Institute of Technology, Department of Chemical Engineering and Technology, *Disertation*, Chemistry Technology, Stockholm.
- Vijaya, C., Rengaraj, K., and Sivasankar B., 1999, Surface Characteristics and Cracking Activity of Zirconium Pillared Clays, *Indian J. Chem. Technol.*, 38A, pp. 119-123.
- Wang, Z., Shui, H., Zu, Y., and Gao, J., 2009, Catalysis of SO<sub>4</sub><sup>2-</sup>/ZrO<sub>2</sub> Solid Acid for The Liquefaction of Coal, *Fuel*, 88, 885-889.
- Wang, Z., Shui, H., Gu, X., and Gao, J., 2010, Study on The Direct Liquecfation Reactivity of Shenhua Coal Catalyzed by SO<sub>4</sub><sup>2-</sup>/ZrO<sub>2</sub>, *J. Fuel Chem. Technol.*, 38, 257-263.
- Wijaya, K., Pratiwi, A. S., Sudiono, S., dan Nurahmi, E., 2002, Study of Thermal and Acid Stability of Bentonite Clay, *Indonesian J. Chem.*, 2(1), 20-25.
- Yadav, G. D., and Nair, J. J., 1999, Sulfat Zirconia and Its Modified Versions as Promising Catalyst for Industrial Processes, *Micropor. Mesopor. Mater.*, 33, 1-48.
- Yu, J. L., Lucas, J., and Wall, T., 2006, Formation of The Structure of Chars During Devolatilization of Pulverized Coal and Its Thermoproperties: A Review, *Prog. Energy. Combust. Sci.*, 32 (2), 135-170.
- Yusnitati, 2000, Aspek Pencemaran Lingkungan dari Pabrik Pencairan Batubara, *Jurnal Teknologi Lingkungan*, 1 (1), 63-72.
- Zhou, C. H. and Keeling, J., 2013, Fundamental and Applied Research on Clay Minerals: from Climate and Environment to nanotechnology, *Appl. Clay Sci.*, 74, 3-9.