

DAFTAR PUSTAKA

- Aak. 1983. Hijauan Makanan Ternak. Kanisius. Yogyakarta.
- Abqoriyah., R. Utomo dan B. Suwignyo. 2015. Produktivitas tanaman kaliandra (*Calliandra calothyrsus*) sebagai hijauan pakan pada umur pemotongan yang berbeda. Buletin Peternakan. 39 (2): 103-108.
- Al-Soqeer, A. 2016. The performance of six exotic perennial grass species in the central of Saudi Arabia. Int. Res. J. Plant Sci. 7 (1): 12-19.
- Abraham, E.M., Z.M. Parissi., P. Sklavou., A. Kyriazopoulos dan C. N. Tsiouvaras. 2009. Defoliation frequency effects on winter forage production and nutritive value of different entries of *Dactylis glomerata* L. New Zealand J. Agric. Res. 52: 229-237.
- Ananta, D. 2020. Evaluasi Berbagai *Pennisetum purpureum* sp. Pada Berbagai Fase *Regrowth* Sebagai Sumber Biomassa Pakan dan Substrat Untuk Produksi Bioetanol. Thesis Fakultas Peternakan, Universitas Gadjah Mada.
- Ann, B dan M.R. Ryan. 2018. Advancing *intercropping* research and practices in industrialized agricultural landscapes. Agriculture journal. 80: 2-24.
- Avanita, E., E. Widaryanto dan Y.B.S. Heddy. 2014. Pengaruh pupuk kandang sapi pada pertumbuhan dan hasil tanaman terong (*Solanum melongena* L) pada pola tanam tumpang Sari dengan rumput gajah (*Pennisetum purpureum*) tanaman pertama. Jurnal Produksi Tanaman. 2 (7): 533-541.
- Balabanli, C., S. Albayrak and O. Yuksel. 2010. Effects of nitrogen, phosphorus and potassium fertilization on the quality and yield of native rangeland. Turkish J. Field Crops. 2: 164-168.
- Barry, T.N. 1998. The feeding value of chicory (*Cichorium intybus*) for ruminant livestock. Journal of Agricultural Science. 131: 251-257.
- Baruch, Z dan O. Guenni. 2007. Irradiance and defoliation effects in three species of the forage grass *Brachiaria*. Tropical Grassland. 41: 269-276.
- Basuki, S. 2011. Pengenalan Dasar Tentang Iklim dan Cuaca. Tim SL-PTT BPTP, Litbang Pertanian. Jawa Tengah.
- Bilal, M.Q. 2009. Effect of molasses and corn as silage additives on the characteristics of mott dwarf elephant grass silage at different fermentation periods. Pak Vet J. 29 (1): 19-23.
- BMKG. 2020. Curah Hujan Rata-Rata, Kelembapan Rata-Rata, dan Suhu Rata-Rata di Stasiun Pengamatan BMKG. Tersedia pada: http://dataonline.bmkg.go.id/data_iklim. Diakses pada tanggal 01 Oktober 2020.
- Bortolini, L dan M. Tolomio. 2019. Influence of irrigation frequency on radicchio (*Cichorium intybus* L.) yield. MDPI. 11 (2473): 1-12.
- Buckman, H. O dan N.C. Brady. 1982. Ilmu Tanah. The Macmillan Company. New York.

- Busso, C.A., R.E. Brevedan., A.C. Flemer and A.I. Bolletta. 2005. Morphological and demographic responses of perennial grasses to defoliation under water stress. INTA-EEA. Buenos Aires, Argentina. <http://intagov.ar/bordenave/contact/authors/bolletta>.
- Candrasari, D.P., S. Priyono dan H. Hartadi. 2011. Perlakuan kalsium hidroksida dan urea untuk meningkatkan kualitas bagas tebu. Buletin Peternakan. 35 (3): 165-172.
- Chandra, S., M. Kumar., P. Dwivedi and K. Arti. 2016. Studies on industrial importance and medical value of chicory plant (*Cichorium intybus* L.). Int J. Adv Res. 4 (1): 1060-1071.
- Chuzaemi, S. 2012. Fisiologi Nutrisi Ruminansia. UB Press. Malang.
- Clark, D.A., C.B. Anderson dan T. Berquist. 1990. Growth rates of grasslands puna chicory (*Cichorium intybus* L.) at various cutting intervals and heights and rates of nitrogen. New Zealand J. Agric Res. 33: 213-217.
- Coutinho, P.W.R., P. S. R. Oliveira., M. M. Echer dan J. Vanelli. 2017. Establishment of *intercropping* of beet and chicory depending on soilmanagement. Rev Ciênc Agron. 48: 674-682.
- Cranston, L.M., P.R. Kenyon., S.T. Morris., N. Lopez-Villalobos dan P.D. Kemp. 2015. Morphological and physiological responses of plantain (*Plantago lanceolata*) and chicory (*Cichorium intybus*) to water stress an defoliation frequency. J Agron Crop Sci. 202: 13-24.
- Crowder, L. V and H. R. Cheda. 1982. Tropical Grassland Husbandry 1st. Publish. United States of America. By Longman Inc. New York.
- Daryono, B.S dan S.D. Maryanto. 2018. Keanekaragaman dan Potensi Sumber Daya Genetik Melon. Gadjah Mada University Press. Yogyakarta.
- Das S, Vasudeva N, Sharma S. 2016. *Cichorium intybus*: A concise report on its ethnomedicinal, botanical, and phytopharmacological aspects. *Drug Development and Therapeutics*. 7: 1-12.
- Deak, A., M.H. Hall dan M.A. Sanderson. 2009. *Grazing* schedule effect on forage production and nutritive value of diverse forage mixtures. Agron J. 101 (2): 408-414.
- Desalegn, A. 2017. Effect of manure levels and alfalfa (*Medicago sativa*) cultivars *intercropping* on dry matter yield napier grass (*Pennisetum purpureum* L.) under irrigation in Kobo district, Ethiopia. J Fish Livest Prod.
- Dhamala.N.R., J. Rasmussen., G. Carlsson., K. Søgaard dan J. Eriksen. 2016. N transfer in three-species grass-clover mixtures with chicory, ribwort plantain or caraway. Plant Soil.
- Dryde, G.M. 2008. Animal Nutrition Science. Cambridge University Press. Cambridge.
- Efendi, R., M. Aqil dan M. Pabendon. 2013. Evaluasi genotipe sorgum manis (*Sorghum bicolor* L. Moench) Produksi biomas dan daya ratun tinggi. Penelitian pertanian tanaman pangan. 32 (2).

- Fathul, F dan Wajizah, S. 2009. Penambahan mikromineral Mn dan Cu dalam ransum terhadap biofermentasi rumen domba secara *in vitro*. JITV. 15 (1): 9-15.
- Gebru, H. 2015. A Review on the comparative advantage of *intercropping* system. J Bio Agric Healthcare. 5 (7).
- Getachew, G., E.J. Depeters dan P.H. Robinson. 2004. *In vitro* gas production provides effective method for assessing ruminant feeds. California Agriculture. 58 (1): 54-58.
- Hall, H and G.A. Jung. 2008. Forage Chicory. Penn State Extension. Available <http://extension.psu.edu/plants/crops/forinterval/species/foragechicory/extensionpublicationfile>. Diakses pada 28 Oktober 2019.
- Halim, R.A., Shampazuraini dan A.B.Idris . 2013. Yield and nutritive quality of nine Napier grass varieties in Malaysia. Malaysian Journal Animal Science. 16 (2):37-44.
- Hare, M.D dan M.P. Rolston. 1987. Effect of time of closing and paclobutrazol (PP333) on seed yield of grasslands puna chicory (*Cichorium intybus* L.) New Zealand Journal of Experimental Agriculture. 15: 405-410.
- Harjadi S. S. 2002. Introduction to Agronomy. 13th Printing. PT. Gramedia Pustaka Utama. Jakarta.
- Hofman, G dan O.V. Cleemput. 2004. Soil and plant nitrogen. International Fertilizer Industry Association. Paris.
- Hume, D.E., T.B. Lyons, and R.J.M. Hay. 1995. Evaluation of 'Grasslands Puna' chicory (*Cichorium intybus* L.) in various mixtures under sheep grazing. N.Z. J. Agric. Res. 38:317-328.
- Jan,G., M. Kahan., M. Ahmad., Z. Iqbal., A. Afzal., G.M. Shah. 2011. Nutritional analysis, micronutrients and chorophyll contents of *Cichorium intybus* L. Journal of Medicinal Plants Research. 5 (12): 2452-2456.
- Kabil, F. and F.B. Bareeba. 2008. Herbage biomass production and nutritive value of mulberry (*Morus alba*) and *Calliandra calothyrsus* harvested at different cutting frequencies. Animal Feed Science Technology. 140:178-190.
- Karjadi, A.K dan A. Buchory. 2008. Pengaruh akusin dan sitokinin terhadap pertumbuhan dan perkembangan jaringan meristem kentang kultivar ganola. Jurnal Hortikultura. 18 (4): 380-384.
- Kamlasi, Y., M.L. Mulik dan T. O.D. Dato. 2019. Pola produksi dan nutrisi rumput kume (*Shorgum plumosum*) pada lingkungan alamiahnya. Jurnal Ilmu Peternakan. 24 (2): 31-40.
- Kemp, G.D. L anf J. Hodgson. 1997. Biomass allocation, *regrowth* and root carbohydrate reserves of chicory (*Cichorium intybus*) in response to defoliation in glasshouse conditions. Journal of Agricultural Science, Cambridge. 129: 447-458.
- Knorzer, H., S.G. Honninger., B. Guo.,P.Wang dan W. Claupein. 2009. The rediscovery of *intercropping* in China: A traditional cropping system for

future Chinese Agriculture – A Review. Springer Science and Business Media B.V.

- Kozloski, G.V., J. Perottoni., M.L.S. Ciocca., J.B.T. Rocha., A.G. Raiser dan L.M.B. Sanchez. 2003. Potential nutritional assesment of dwarf elephant grass (*Pennisetum purpureum* Schum. cv. Mott) by chemical composition, digestion and net portal flux of oxigen in cattle. *Animal Feed Science and Technology*. 104: 29-40.
- Kumar, V., J. Singh, A. Yadav., M. Kumar dan R. Kumar. 2012. Mustard-chicory *intercropping*: a farmers innovative technology. *International Agronomy Congress*. 3: 26-30.
- Kusumaningrum, I., R. B. Hastuti and S. Haryanti. 2007. Pengaruh perasan *Sargassum crassifolium* dengan konsentrasi yang berbeda terhadap pertumbuhan tanaman kedelai (*Glycine max* L Meriil). *Buletin Anatomi dan Fisiologi*. 15:17-23.
- Labreveux, M., M.H. Hall dan M.A. Sanderson. 2004. Productivity of chicory and plantain cultivars under *grazing*. *Agronomy Journal*. 96: 710-716.
- Lepcha, I., H.D. Naumann., F.B. Fritschi and R.L.Kallenbach. 2018. Herbage accumulation, nutritive value, and *regrowth* potential of sunn hemp at different harvest regimens and maturity. *Crop Science*. 59. 413-421.
- Li, G.D., P.D. Kemp dan J. Hodgson. 1997. *Regrowth*, morphology and persistence of grasslands puna chicory (*Cichorium intybus* L.) in response to *grazing* frequency and intensity. *Grass and Forage Science*. 52: 33-41.
- Li, G dan P.D. Kempt. 2005. Forage chicory: A review of its agronomy and animl production. *Advances in Agronomy*. 8: 187-222.
- Lithourgidis, A.D., C.A. Dordas., C.A. Damalas and D.N. Vlachostergios. 2011. Annual intercrops: an alternative pathway for sustainable agriculture. *Australian Journal of Crop Science*. 5 (4): 396-410.
- Lounglawan, P., L. Wassana and S. Suksombat. 2014. Effect of cutting interval and cutting height on yield and chemical composition of King Napier grass (*Pennisetum purpureum* x *Pennisetum americanum*). *APCBEE Procedia*. 8: 27-31.
- Mangoendidjojo, W. 2003. *Dasar-dasar Pemuliaan Tanaman*. Kanisius, Yogyakarta.
- Mansyur., H. Djuned., T. Dhalika., S. Hardjosoewignyo dan L. Abdullah. 2005. Pengaruh interval pemotongan dan invasi gulma *Chromolaena odorata* terhadap produksi dan kualitas rumput *Brachiaria humidicola*. *Media Peternakan*. 28 (2): 77-87.
- Mastur., Syafaruddin dan M. Syakir. 2015. Peran dan pengelolaan hara nitrogen pada tanaman rebu untuk peningkatan produktivitas tebu. *Perspektif*. 14 (1): 73-86.
- Mayulu, H. 2014. The nutrient digestibility of locally sheep fed with amofer palm oil byproduct-based complete feed. *International journal of science and engineering*. 7(2): 106-111.

- Matt, A.S., M. Labrevenueux., M.H. Hall dan G.F. Elwinger. 2003. Nutritive value of chicory and english plantain forage. *Crop Science*. 43: 1797-1804.
- Matthews, P.N.P., P.D. Kemp dan G.M Austin. 1990. The effect of *grazing* on the growth and reproductive development of chicory. *Proceedings Agronomy Science of New Zealand*. 41-43.
- McDonald, P., R. A. Edwards, J. F. D. Greenhalg and C. A. Morgan. 2002. *Animal Nutrition 6th.* Pearson Education Limited. England.
- Miguel, P., M. Stig., D. Olivier., V. A. H. Tina dan L. Heidi. 2016. Anthelmintic effects of forage chicory agaains gastrointestinal nematode parasitites in experimentally infected cattle. *Journal Parasitology*. 143. 1279-1293.
- Mulatsih, R.T. 2013. Pertumbuhan kembali rumput gajah dengan interval defoliiasi dan dosis pupuk urea yang berbeda. *Jurnal Indonesia Tropical Animal Agriculture*. 28 (3): 151-157.
- Nicola, C dan B.V. Vincenzo. 2000. Harvesting time on yield and quality of stems chicory (*Cichorium intybus* L.). *Prod. 8th IS on Timing of Field Prod. In Vegetables*. 505-510.
- Nwafor, I. C., K. Shale dan M.C. Achilonu. 2017. Chemical composition and nutritive benefits of chicory (*Cichorium intybus*) as an ideal complementary and alternative livestock feed supplement. A Review. *Journal Scientific World*.
- Oktafiani, D.R., U. H. Tanuwiria and R. Hidayat. 2015. Pengaruh berbagai umur pemotongan tanaman rami (*Boehmeria nivea*) terhadap produksi NH₃ daan VFA cairan rumen (*in vitro*). Universitas Padjadjaran.
- Omed, H. M., D. K. Lovett, dan R. F. E. Axford. 2000. Faeces as a Source of Microbial Enzymes for Estimating Digestibility. School of Agricultural and Forest Sciences, University of Wales, Bangor.
- Ozturk, D., M.A.Bal., A. Erol., M. Sahin., C.O. Ozkan., E. Karakas., M. Ata dan P. Karabay. 2006. Determination of nutritive value of wild chicory (*Cichorium intybus*) forage harvested at different maturity stage using *in vitro* and in situ measurements. *Pakistan Journal of Biological Sciences*. 9 (2): 253-259.
- Palaniapan, S.P. 1985. Cropping system in the tropics. Principles and management chapter 2: prinsiples and basic concept willey eastern Ltd.. And Tamil Nadu Agriculture University pp. 5-38.
- Parish, J.A., J.R.P. Pas., T.F. Best dan J.R.Saunders. 2012. Comparasion of chicory and annual ryegrass for spring stockering of beef steers. *The Professional Animal Scientist*. 28: 579-587.
- Pearson, C. J. dan R. L. Ison. 1997. *Agronomy of Grassland Systems*. Cambridge University Press.
- Pirhofer-Walzl, K., J. Eriksen., J. Rasmussen., J., H. Høgh-Jensen dan K. Søegaard. 2012. Effecr of four plant species on soil 15N-access and herbage yield in temporary agricultural grasslands. *Plant Soil*. 371:313-325.

- Powell, A. M., P.D. Kemp., IK.D. Jaya dan M.A. Osborne. 2007. Establishment, growth and development of plantain and chicory under *grazing*. Proceedings of the New Zealand Grassland Association. 69: 41-45.
- Purbajanti, E.D. 2013. Rumput dan Legum sebagai Hijauan Makanan Ternak. Graha Ilmu. Yogyakarta.
- Putri, A.M dan Y. Adinegoro. 2020. Mekanika Tanah I. Yayasan Kita Menlis.
- Oktafiani, D.R., U. H. Tanuwiria and R. Hidayat. 2015. Pengaruh berbagai umur pemotongan tanaman rami (*Boehmeria nivea*) terhadap produksi NH₃ dan VFA cairan rumen (*in vitro*). Universitas Padjadjaran.
- Rinaldi, A. 2019. Karakteristik morfologi dan produksi biomassa *Panicum coloratum* cv. *Bambatsi*, *Digitaria eriantha* cv, *Premier*, *Brachiaria decumbens* pada *regrowth* kedua dan ketiga. Skripsi Fakultas Peternakan, Universitas Gadjah Mada.
- Reitz, S. R and J. T. Trumble. 1996. Effect cytokinin-containing seaweed extract on *Phaseolus lunatus* L : influence of nutrient availability and apex removal. Botanical Marina. 39: 33-38.
- Rochana,A., N.P. Indriani., B. Ayuningsih., I. Hernaman., T. Dhalika., D. Rachmat dan S. Suryanah. 2016. Feed forage and nutrition value at altitudes during the dry season in West Java. Animal Production. 18 (2): 85-93.
- Roustakhiz, J dan J.T. Majnabadi. 2017. Cultivation of chicory (*Cichorium intybus* L). A extremely useful herb A-Review. International Journal of Farming and Allied Science. 6(1): 14-23.
- Sanderson, M. 2010. Nutritive value and herbage accumulation rates of pastures sown to grass, legum, and chicory mixtures. Agronomy Journal. 102 (2): 728-733.
- Santia., S.D. Anis dan C.L.Kaunang. 2017. Pengaruh tinggi dan jarak waktu pemotongan rumput gajah (*Pennisetum purpureum* cv. *Mott*) terhadap pertumbuhan vegetatif dan produksi bahan kering. Jurnal Zootek. 37 (1): 116-122.
- Sato, S.S and H. Mori. 2001. Control Outgrowth and Dormancy In Axillary Bud. <http://www.plantphysiol.org>.
- Setiyaningrum, E., I.N. Kaca dan N. K.E.Suwtari. 2018. Pengaruh umur pemotongan terhadap produksi dan kualitas nutrisi tanaman indigofera (*Indigofera* Sp). Gema Agro. 23 (1): 59-62.
- Setyanti, Y. H., S. Anwar dan W. Slamet. 2013. Karakteristik fotosintetik dan serapan fosfor hijauan alfalfa (*Medicago sativa*) pada tinggi pemotongan dan pemupukan nitrogen yang berbeda. Animal Agriculture Journal. 2 (1) : 86-96.
- Setyati, S.H. 1979. Pengantar Agronomi. Gramedia. Jakarta
- Silungwe D. 2011. Evaluation of forage yield and quality of *sorghum*, *sudangrass* and *pearl millet* cultivars in Manawatu.Tesis. Palmerston North (NZ). Massey University.
- Sirait, J. 2017. Rumput Gajah Mini (*Pennisetum purpureum* cv. *Mott*) sebagai Hijauan Pakan untuk Ruminansia. Wartazoa. 17(4): 167-176.

- Shehu, Y., W.S. Alhassan dan C.J.C. Phillips. 1997. The effect of *intercropping* with *Stylosanthes hamata* at different row spacings on grain and fodder yields and chemical composition. *Tropical Grasslands*. 31: 227-231.
- Sjofjan, O., M.H. Natsir., S. Chuzaemi dan Hartutik. 2019. Ilmu Nutrisi Ternak Dasar. UB Press. Malang.
- Snafi, A.E.A. 2016. Medical importance of *cichorium intybus* – A review. *IOSR Journal of pharmacy*. 6(3): 41-56.
- Street, R.A., J. Sidana dan G. Prinsloo. 2013. Review Article: *Cichorium intybus*: Traditional uses, phytochemistry, pharmacology and toxicology. Hindawi Publishing Corporation.
- Subagiyo, I dan Kusmartono. 2017. Kultur Padangan. UB Press.
- Suharti, S., D.N. Aliyah dan Suryahadi. 2018.. Karakteristik fermentasi rumen *In vitro* dengan Penambahan Sabun Kalsium Minyak Nabati pada Buffer yang Berbeda. *Jurnal Ilmu Nutrisi dan Teknologi Pakan*. 16 (3). 56-64.
- Suningsih, N., S. Novianti dan J. Aamdayani. 2017. Level larutan McDougall dan asal cairan rumen pada teknik *in vitro*. *Jurnal Sain Peternakan Indonesia*. 12 (3): 341-352.
- Sutanto, R. 2005. Dasar-Dasar Ilmu Tanah. PT. Kanisius. Yogyakarta.
- Taiz L. and E. Zieger. 1998. *Plant Physiology*. Sinauer Associates Inc., Publisher. Sunderland. Massachusetts.
- Thorup-Kristensen, K. 2006. Effect of deep and shallow root systems on the dynamics of soil inorganic N during 3-year crop rotations. *Plant Soil* 288:233–248.
- Tillman, A. D., H Hartadi, S. Reksohadiprodjo, dan S. Lebdosoekojo. 1998. Ilmu Makanan Ternak Dasar. Gadjah Mada University Press, Yogyakarta.
- Tudsri S., S.T. Jorgensen, P. Riddach and A. Pookpakdi. 2002. Effect of cutting height and dry season closing date on yield and quality of five napier grass cultivars in Thailand. *Tropical Grasslands* 36 : 248– 252.
- USDA. 1999. Natural Resources Conservation Servis. Plant propil. *Pennisetum purpureum* Schumach. [https://plants.usda.gov/core/profile?s](https://plants.usda.gov/core/profile?symbol=PEPU2) symbol=PEPU2. (Diakses: 02 Juli 2019).
- Umami, N., B. Suhartanto., A. Agus., B. Suwignyo and N. Suseno. 2017. Morphological characteristics and biomass production of chicory (*Cichorium intybus* L.) in Yogyakarta. International seminar on Tropical Animal Production.
- Umami, N., I. Wiratih., A. Agus dan B. Suhartanto. 2019. Growth and production of *Cichorium intybus* in the second *regrowth* with different planting densities in Yogyakarta, Indonesia. *Earth and Environmental Science*.
- Urribarri, L., A. Ferrer and A. Colina. 2005. Leaf Protein from Ammonia-Treated Dwarf Elephant Grass (*Pennisetum purpureum* Schum cv. Mott). *Applied Biochemistry and Biotechnology* 121- 124 : 721 – 730.

- Utomo, R. 2015. Konservasi Hijauan Pakan dan Peningkatan Kualitas Bahan Pakan Berserat Tinggi. Cetakan pertama. Gadjah Mada University Press. Yogyakarta.
- Vanneste, S and J. Frimi. 2009. Auksin : a trigger for change in plant development. Cell journal. 136: 1005-1016. Elsevier.
- Wang., Quanzhen dan C. Jian. Perspectives and utilization technologies of chicory (*Cichorium intybus* L): A review. African Journal of Biotechnology. 10 (11): 1966-1977.
- Wati, W.S., Mashudi dan A. Irsyammawati. 2018. Kualitas silase rumput odot (*Pennisetum purpureum* cv. Mott) dengan penambahan *Lactobacillus plantarum* dan molasses pada waktu inkubasi yang berbeda. Jurnal Nutrisi Ternak Tropis. 1 (1): 45-53.
- Widodo, S., B. Suhartanto dan N. Umami. 2019. Effect of shading and level nitrogen fertilizer on nutrient quality of *Pennisetum purpureum* cv. Mott during wet season. IOP Conf. Series: Earth and Environmental Science.
- Winarso, S. 2005. Kesuburan Tanah, Dasar Kesehatan dan Kualitas Tanah. Penerbit Gaya Media. Yogyakarta.
- Wijaya, A.K., Muhtarudin, Liman, C. Antika dan D. Febriana. 2018. Produktivitas hijauan yang ditanam pada naungan pohon kelapa sawit dengan tanaman campuran. Jurnal Ilmiah Peternakan. 6 (3): 155-162.
- Woodard, K.R dan G.M. Prine. 1991. Forage yield and nutritive value of elephant grass as affected by harvest frequency and genotype. Agronomy Journal. 83: 541-546.
- Yunus, M. 1997. Pengaruh Umur Pemotongan Spesies Rumput terhadap Produksi Komposisi Kimia, Kecernaan *In vitro* dan *In Sacco*. Thesis Program Pascasarjana, Universitas Gadjah Mada. Yogyakarta.
- Zailan, M.Z., H. Yaakub dan S. Jusoh. 2018. Yield and nutritive quality of napier (*Pennisetum purpureum*) cultivars as fresh and ensiled fodder. The Journal of Animal and Plant Science. 28 (1): 63-72.
- Zakiyyah, D.S. 2012. Karakteristik morfologi, daya adaptasi dan produksi biomassa *Brassica rap* var. *Pillar*, *Brassica rapa* var. *Marco* dan *Cichorium intybus* di Yogyakarta. Skripsi Fakultas Peternakan, Universitas Gadjah Mada. Yogyakarta.
- Zewdie, A.K. 2018. The different methods of Measuring Feed Digestibility. EC Nutrition. 14 (1): 68-74.