



DAFTAR PUSTAKA

- Ahari, M. H., & Pishbin, E. (2014). Reviews in Clinical Medicine Vitamin D and sepsis, 1(4), 225–228.
- Ahmed, Nishaat & Yadav, Vikram & Soni, Rajendra & Nagaraj, Niranjan & Berwal, Pramod & Sengar, Gunshyam. (2016). A study of association between vitamin d deficiency in sepsis. International Journal of Contemporary Pediatrics. 1419-1421. 10.18203/2349-3291.ijcp20163690
- Alves, F. S., Freitas, F. G. R., Bafi, A. T., Azevedo, L. C. P., & Machado, F. R. (2015). Concentrações séricas de vitamina D e disfunção orgânica em pacientes com sepse grave e choque séptico. *Revista Brasileira de Terapia Intensiva*, 27(4), 376–382.
- Amrein, K., Zajic, P., Schnedl, C., Waltensdorfer, A., Fruhwald, S., Holl, A., Dobnig, H. (2014). Vitamin D status and its association with season, hospital and sepsis mortality in critical illness. *Critical Care*, 18(2). doi.org/10.1186/cc13790
- Angus, D. C., & van der Poll, T. (2013). Severe Sepsis and Septic Shock. *New England Journal of Medicine*, 369(9), 840–851. doi.org/10.1056/NEJMra1208623
- Arnson, Y., Gringauz, I., Itzhaky, D. dan Amital, H., 2012. Vitamin D deficiency is associated with poor outcomes and increased mortality in severely ill patients. *Q J Med*; 105:633–639.
- Bochud, P., & Calandra, T. (2003). Clinical review, 326(February), 262–266.
- Burrell, A. R., McLaws, M. L., Fullick, M., Sullivan, R. B., & Sindhusake, D. (2016). SEPSIS KILLS: Early intervention saves lives. *Medical Journal of Australia*, 204(2), 1.e1-1.e7. doi.org/10.5694/mja15.00657
- Chandra G, Selvaraj P, Jawahar MS, Banurekha VV, Narayanan PR. Effect of vitamin D₃ on phagocytic potential of macrophages with live *Mycobacterium tuberculosis* and lymphoproliferative response in pulmonary tuberculosis. *J Clin Immunol*. 2004;24(3):249-257.
- De Haan, K., Groeneveld, A. J., de Geus, H. R., Egal, M., & Struijs, A. (2014). Vitamin D deficiency as a risk factor for infection, sepsis and mortality in the critically ill: systematic review and meta-analysis. *Critical Care*, 18(6), 660. doi.org/10.1186/s13054-014-0660-4
- Dellinger, R., Levy, M., & Rhodes, A. (2013). Surviving Sepsis Campaign: international guidelines for management of severe sepsis and septic shock, 2012. *Intensive Care journal*, 41(2), 580–637. doi.org/10.1097/CCM.0b013e31827e83af
- Djukic, M., Onken, M. L., Schütze, S., Redlich, S., Götz, A., Hanisch, U. K., Bertsch, T., Ribes, S., Hanenberg, A., Schneider, S., Bollheimer, C., Sieber, C., & Nau, R. (2014). Vitamin d deficiency reduces the immune response, phagocytosis rate, and intracellular killing rate of microglial cells. *Infection and immunity*, 82(6), 2585–2594.



- Ginde, A. A., Camargo, C. A., & Shapiro, N. I. (2011). Vitamin D insufficiency and sepsis severity in emergency department patients with suspected infection. *Academic Emergency Medicine*, 18(5), 551–554. doi.org/10.1111/j.1553-2712.2011.01047.
- Grädel, L., Merker, M., Mueller, B., & Schuetz, P. (2016). Screening and Treatment of Vitamin D Deficiency on Hospital Admission: Is There a Benefit for Medical Inpatients? *American Journal of Medicine*, 129(1), 116.e1-116.e34. doi.org/10.1016/j.amjmed.2015.06.034
- Gyawali, B., Ramakrishna, K., & Dhamoon, A. S. (2019). Sepsis: The evolution in definition, pathophysiology, and management. *SAGE Open Medicine*.
- Han., Jenny., Ziegler., R., Thomas., (2014). Vitamin D Supplementation in Sepsis and Critical Illness : Where Are We Now ?, 190, 483–485.
- Harvey, N. C., & Cantorna, M. T. (2013). Vitamin D and the immune system. *Diet, Immunity and Inflammation*, 59(6), 244–263. doi.org/10.1533/9780857095749.2.244
- Höck, A. D. (2014). Vitamin D3 deficiency results in dysfunctions of immunity with severe fatigue and depression in a variety of diseases. *In Vivo*, 28(1), 133–145.
- Katu, S., Suwarto, S., Pohan, H. T., & Abdullah, M. (2015). Faktor-Faktor yang Mempengaruhi Keberhasilan Terapi Antibiotik Empirik pada Pasien Sepsis Berat dan Syok Sepsis di Bangsal Rawat Inap Penyakit Dalam Rumah Sakit Cipto Mangunkusumo. *Jurnal Penyakit Dalam Indonesia*, 2(2), 96–106.
- Kempker., J., Ziegler, T., Tangpricha, V., Guidot, D., & Martin, G. (2012). Vitamin D as a Predictor for Sepsis in the Medical ICU. *CHEST Journal*, 142(4_MeetingAbstracts), 379A. doi.org/10.1378/chest.1389879
- Kempker, J. A., Han, J. E., Tangpricha, V., Ziegler, T. R., & Martin, G. S. (2012). Vitamin D and sepsis: An emerging relationship. *Dermato-Endocrinology*, 4(2), 101–108. doi.org/10.4161/derm.19859
- Keputusan Menteri Kesehatan Republik Indonesia Nomor HK 01.01/Menkes/342/2017 tentang pedoman Nasional Pelayanan Kedokteran Tata laksana Sepsis
- Kim EW, Teles RMB, Haile S, Liu PT, Modlin RL (2018) Vitamin D status contributes to the antimicrobial activity of macrophages against *Mycobacterium leprae*. *PLOS Neglected Tropical Diseases* 12(7)
- László, I., Trásy, D., Molnár, Z., & Fazakas, J. (2015). Sepsis: From Pathophysiology to Individualized Patient Care. *Journal of Immunology Research*, 2015. doi.org/10.1155/2015/510436
- Leaf, D.E., Croy, H.E., Abrahams, S.J., Raed, A., Waikar, S.S. 2015. Cathelicidin antimicrobial protein, vitamin D, and risk of death in critically ill patients. *Crit Care* 2015 Mar 10;19:80.
- Levy, M. M., Evans, L. E., & Rhodes, A. (2018). The Surviving Sepsis Campaign Bundle: 2018 update. *Intensive Care Medicine*, 44(6), 1–4. doi.org/10.1007/s00134-018-5085-0



Lucidarme O, Messai E, Mazzoni T, Arcade M, du Cheyron D. Incidence and risk factors of vitamin D deficiency in critically ill patients: results from a prospective observational study. *Intensive Care Med.* 2010;36:1609–11. doi: 10.1007/s00134-010-1875-8.

Mazahery, H., & Hurst, P. R. Von. (2015). Factors Affecting 25-Hydroxyvitamin D Concentration in Response to Vitamin D Supplementation, 25, 5111–5142. doi.org/10.3390/nu7075111

Medsker, B., Forno, E., Simhan, H., Juan, C., & Sciences, R. (2016). HHS Public Access, 70(12), 773–779. doi.org/10.1097/OGX.0000000000000256.Prenatal.

Merzbach, D., Nora. D., (1975)., Standaritation of The Nitroblue-Tetrazolium Test., Journal Medical Microbiology Vol.8., Haifa., Israel.

Murphy, R., & Decoursey, T. E. (2006). Charge compensation during the phagocyte respiratory burst, 1757, 996–1011. doi.org/10.1016/j.bbabi.2006.01.005

Murray R K, Bender D A, Botham K M, et al (2009). Harper's illustrated biochemistry. 28th Ed. The McGraw Hill Lange: 938-940

Nelson, C. D., Reinhardt, T. A., Beitz, D. C., & Lippolis, J. D. (2010). In Vivo activation of the intracrine vitamin D pathway in innate immune cells and mammary tissue during a bacterial infection. *PLoS ONE*, 5(11), 1–7. doi.org/10.1371/journal.pone.0015469

Neviere R. Pathophysiology of sepsis. [homepage on the internet]. c2008 [updated 2008 May 27; cited 2008 May 27]. Diunduh dari: http://www.uptodate.com/online/content/topic.do?topicKey=c_c_medi/i: May 20, 2018

Pinsky MR. Pathophysiology of sepsis and multiple organ failure: pro-versus antiinflammatory aspects. Dalam: Ronco C, Bellomo R, Brendolan A (eds): Sepsis, Kidney and Multiple Organ Dysfunction. Basel: Karger. 2004;144:31-43.

Ponnappan, S., & Ponnappan, U. (2011). Aging and immune function: Molecular mechanisms to interventions. *Antioxidants and Redox Signaling*, 14(8), 1551–1585. <https://doi.org/10.1089/ars.2010.3228>

Prabawanti, Rastri Mahardhika (2003). Status Seng (ZN) dan Imunitas Seluler : Fkus Pada Fungsi Fagositosis PMN, Pada Pasien Diabetes Melitus Tipe 2 Dengan Regulasi Glukosa Darah Baik dan Buruk. *Jurnal Kedokteran Indonesia*.

Prieltl, B., Treiber, G., Pieber, T. R., & Amrein, K. (2013). Vitamin D and immune function. *Nutrients*, 5(7), 2502–2521. doi.org/10.3390/nu5072502

Quraishi, S. A., & Camargo, C. A. 2012. Vitamin D in acute stress and critical illness. *Current Opinion in Clinical Nutrition and Metabolic Care*, 15(6), 625–634. doi:10.1097/mco.0b013e328358fc2b

Rachmawati, N., & Ihsan, I. (2017). Hubungan status vitamin D dengan mortalitas dan lama rawatan pada anak sakit kritis. *Majalah Kedokteran Andalas*, 40(2), 82.



- Rello, J., Valenzuela-Sánchez, F., Ruiz-Rodriguez, M., & Moyano, S. (2017). Sepsis: A Review of Advances in Management. *Advances in Therapy*, 34(11), 2393–2411. doi.org/10.1007/s12325-017-0622-8
- Remick D. G. (2007). Pathophysiology of sepsis. *The American journal of pathology*, 170(5), 1435–1444.
- Sadeghi, K., Wessner, B., Laggner, U., Ploder, M., Tamandl, D., Friedl, J., Zügel, U., Steinmeyer, A., Pollak, A., Roth, E., Boltz-nitulescu, G., & Spittler, A. (2006). Vitamin D₃ down-regulates monocyte TLR expression and triggers hyporesponsiveness to pathogen-associated molecular patterns. 361–370. <https://doi.org/10.1002/eji.200425995>
- Satheesh Ponnarmeni, Suresh Kumar Angurana, Sunit Singh, Arun Bansal, Devi Dayal, Rajdeep Kaur, Ajay Patial & Savita Verma Attri (2016) Vitamin D deficiency in critically ill children with sepsis, Paediatrics and International Child Health, 36:1, 15-21
- Setiati, S., & Govinda, A. (2015). *Vitamin D pada Wanita Berusia Lebih dari 50 Tahun*. 2(1), 38–48. Fakultas Kedoteran Universitas Indonesia
- Sood, P., & Kaur, M. (2019). CORRELATION OF SERUM VITAMIN D LEVEL WITH MORTALITY IN PATIENTS WITH SEPSIS. *International Journal of Medical and Biomedical Studies*, 3(4).
- Syaify, A. (2016). Pengaruh Level HBA1C Terhadap Fungsi Fagositosis Neutrofil (PMN) pada Penderita Periodontitis Diabetika. *Majalah Kedokteran Gigi Indonesia*.
- Takeuti FAC, Guimaraes FSF, Guimaraes PSF. Applications of vitamin D in sepsis prevention. *Discov Med*. 2018;25(140):291-297.
- Thomas, D. C. (2017). The phagocyte respiratory burst : Historical perspectives and recent advances. *Immunology Letters*, 192(December 2016), 88–96. doi.org/10.1016/j.imlet.2017.08.016
- Tønnesen, R., Hovind, P. H., Jensen, L. T., & Schwarz, P. (2016). Determinants of Vitamin D status in young adults: Influence of lifestyle, sociodemographic and anthropometric factors. *BMC Public Health*, 16(1), 1–11. <https://doi.org/10.1186/s12889-016-3042-9>
- Tsiaras, W. G., & Weinstock, M. A. (2011). Factors Influencing Vitamin D Status, 25(2), 115–124. doi.org/10.2340/00015555-0980
- Tsujimoto, H., Ono, S., Efron, P. A., Scumpia, P. O., Moldawer, L. L., & Mochizuki, H. (2008). Role of Toll Like Receptors In The Development of Sepsis *Review Article*. 29(3). <https://doi.org/10.1097/SHK.0b013e318157ee55>
- Vipul P, Shuchi C, Avinash A, Manish G, Sukriti K, Ved P. Correlation of Serum Vitamin D Level with Mortality in Patients with Sepsis. *Indian J Crit Care Med*. 2017;21(4):199-204. doi:10.4103/ijccm.IJCCM_192_16
- Watkins, Richard R. et al. (2011). The role of vitamin D deficiency in sepsis and potential therapeutic implications. *Journal of Infection*, Volume 63, Issue 5, 321 – 326