



DAFTAR PUSTAKA

- Abdullah, N., Yuzir, A., Curtis, T. P., Yahya, A., & Ujang, Z. (2013). Characterization of aerobic granular sludge treating high strength agro-based wastewater at different volumetric loadings. *Bioresource Technology*, *127*(2013), 181–187. <https://doi.org/10.1016/j.biortech.2012.09.047>
- AFDC. (2018). Alternative Fuels Data Center: Maps and Data - Global Ethanol Production. In *2018*. <https://afdc.energy.gov/data/10331%0Ahttps://www.afdc.energy.gov/data/10331>
- Amann, R., Antón, J., Llobet-Brossa, E., & Rodríguez-Valera, F. (1999). Fluorescence in situ hybridization analysis of the prokaryotic community inhabiting crystallizer ponds. *Environmental Microbiology*, *1*, 517–523. <http://www.scopus.com/inward/record.url?eid=2-s2.0-0033301308&partnerID=MN8TOARS>
- Arshad, M., Abbas, M., & Iqbal, M. (2019). Ethanol production from molasses: Environmental and socioeconomic prospects in Pakistan: Feasibility and economic analysis. *Environmental Technology and Innovation*, *14*, 100317. <https://doi.org/10.1016/j.eti.2019.100317>
- Awasthi, S. K., Joshi, R., Dhar, H., Verma, S., Awasthi, M. K., Varjani, S., Sarsaiya, S., Zhang, Z., & Kumar, S. (2018). Improving methane yield and quality via co-digestion of cow dung mixed with food waste. *Bioresource Technology*, *251*(November 2017), 259–263. <https://doi.org/10.1016/j.biortech.2017.12.063>
- Bala, J. D., Lalung, J., Al-gheethi, A. A. S., & Hossain, K. (2018). *Microbiota of Palm Oil Mill Wastewater in Malaysia Industrial wastewaters are essential habitat for diverse microbes . Generally , some of the microorganisms have been used for biotreatment of wastewaters (Abdel- Raouf et al . 2012 ; Bala et al . 2014a ,. 29(2), 131–163.*
- Balkwill, D. L., Fredrickson, J. K., & Romine, M. F. (2006). Sphingomonas and Related Genera. *The Prokaryotes*, 605–629. https://doi.org/10.1007/0-387-30747-8_23
- Barros, V. G. de, Duda, R. M., Vantini, J. da S., Omori, W. P., Ferro, M. I. T., & Oliveira, R. A. de. (2017). Improved methane production from sugarcane vinasse with filter cake in thermophilic UASB reactors, with predominance of Methanothermobacter and Methanosarcina archaea and Thermotogae bacteria. *Bioresource Technology*, *244*(May), 371–381. <https://doi.org/10.1016/j.biortech.2017.07.106>
- Campanaro, S., Treu, L., Kougias, P. G., Luo, G., & Angelidaki, I. (2018). Metagenomic binning reveals the functional roles of core abundant microorganisms in twelve full-scale biogas plants. *Water Research*, *140*, 123–134. <https://doi.org/10.1016/j.watres.2018.04.043>
- Chen, J. L., Ortiz, R., Steele, T. W. J., & Stuckey, D. C. (2014). Toxicants inhibiting anaerobic digestion: A review. *Biotechnology Advances*, *32*(8), 1523–1534.



- <https://doi.org/10.1016/j.biotechadv.2014.10.005>
- Cruz-Salomon, A., Meza-Gordillo, R., Lagunas-Rivera, S., & Ventura-Canseco, C. (2017). Biogas Production Potential from a Native Beverage Vinasse of Mexico. *Waste Technology*, 5(1), 9–14. <https://doi.org/10.12777/wastech.5.1.%p>
- Dodsworth, J. A., Blainey, P. C., Murugapiran, S. K., Swingley, W. D., Ross, C. A., Tringe, S. G., Chain, P. S. G., Scholz, M. B., Lo, C. C., Raymond, J., Quake, S. R., & Hedlund, B. P. (2013). Single-cell and metagenomic analyses indicate a fermentative and saccharolytic lifestyle for members of the OP9 lineage. *Nature Communications*, 4(May). <https://doi.org/10.1038/ncomms2884>
- Fierer, N., Jackson, J. A., Vilgalys, R., & Jackson, R. B. (2005). Assessment of soil microbial community structure by use of taxon-specific quantitative PCR assays. *Applied and Environmental Microbiology*, 71(7), 4117–4120. <https://doi.org/10.1128/AEM.71.7.4117-4120.2005>
- Fykse, E. M., Aarskaug, T., Madslie, E. H., & Dybwad, M. (2016). Microbial community structure in a full-scale anaerobic treatment plant during start-up and first year of operation revealed by high-throughput 16S rRNA gene amplicon sequencing. *Bioresource Technology*, 222, 380–387. <https://doi.org/10.1016/j.biortech.2016.09.118>
- Goberna, M., Gadermaier, M., Franke-Whittle, I. H., García, C., Wett, B., & Insam, H. (2015). Start-up strategies in manure-fed biogas reactors: Process parameters and methanogenic communities. *Biomass and Bioenergy*, 75, 46–56. <https://doi.org/10.1016/j.biombioe.2015.02.003>
- Gupta, K. K., Aneja, K. R., & Rana, D. (2016). Current status of cow dung as a bioresource for sustainable development. *Bioresources and Bioprocessing*, 3(1). <https://doi.org/10.1186/s40643-016-0105-9>
- Hania, W. Ben, Godbane, R., Postec, A., Hamdi, M., Ollivier, B., & Fardeau, M. L. (2012). Defluviitoga tunisiensis gen. nov., sp. nov., a thermophilic bacterium isolated from a mesothermic and anaerobic whey digester. *International Journal of Systematic and Evolutionary Microbiology*, 62(6), 1377–1382. <https://doi.org/10.1099/ijs.0.033720-0>
- Hendriks, A. T. W. M., van Lier, J. B., & de Kreuk, M. K. (2018). Growth media in anaerobic fermentative processes: The underestimated potential of thermophilic fermentation and anaerobic digestion. *Biotechnology Advances*, 36(1), 1–13. <https://doi.org/10.1016/j.biotechadv.2017.08.004>
- Hoarau, J., Caro, Y., Grondin, I., & Petit, T. (2018). Sugarcane vinasse processing: Toward a status shift from waste to valuable resource. A review. *Journal of Water Process Engineering*, 24(January), 11–25. <https://doi.org/10.1016/j.jwpe.2018.05.003>
- Holland, K. T., Knapp, J. S., & Shoemith, J. G. (2003). *Anaerobic Bacteria*. Chapman and Hall.
- Hoshino, T., Toki, T., Ijiri, A., Morono, Y., Machiyama, H., Ashi, J., Okamura, K., & Inagaki, F. (2017). Atribacteria from the subseafloor sedimentary biosphere disperse to the hydrosphere through submarine mud volcanoes. *Frontiers in Microbiology*, 8(JUN), 1–14. <https://doi.org/10.3389/fmicb.2017.01135>



- Jane B Reece; Lisa A Urry; Michael L Cain; Steven Alexander Wasserman; Peter V Minorsky. (2014). *Campbell Biology*. Pearson.
- Janke, L., Leite, A. F., Batista, K., Silva, W., Nikolausz, M., Nelles, M., & Stinner, W. (2016). Enhancing biogas production from vinasse in sugarcane biorefineries: Effects of urea and trace elements supplementation on process performance and stability. *Bioresource Technology*, *217*, 10–20. <https://doi.org/10.1016/j.biortech.2016.01.110>
- Jünemann, S., Kleinbölting, N., Jaenicke, S., Henke, C., Hassa, J., Nelkner, J., Stolze, Y., Albaum, S. P., Schlüter, A., Goesmann, A., Sczyrba, A., & Stoye, J. (2017). Bioinformatics for NGS-based metagenomics and the application to biogas research. *Journal of Biotechnology*, *261*(March), 10–23. <https://doi.org/10.1016/j.jbiotec.2017.08.012>
- Khalid, A. R., & Mustafa, W. A. W. (1992). External benefits of environmental regulation: Resource recovery and the utilisation of effluents. *The Environmentalist*, *12*(4), 277–285. <https://doi.org/10.1007/BF01267698>
- Lauwers, J., Appels, L., Thompson, I. P., Degrève, J., Van Impe, J. F., & Dewil, R. (2013). Mathematical modelling of anaerobic digestion of biomass and waste: Power and limitations. *Progress in Energy and Combustion Science*, *39*(4), 383–402. <https://doi.org/10.1016/j.peccs.2013.03.003>
- Lee, J., Shin, S. G., Han, G., Koo, T., & Hwang, S. (2017). Bacteria and archaea communities in full-scale thermophilic and mesophilic anaerobic digesters treating food wastewater: Key process parameters and microbial indicators of process instability. In *Bioresource Technology* (Vol. 245). <https://doi.org/10.1016/j.biortech.2017.09.015>
- Liu, X., Huang, X., Wu, Y., Xu, Q., Du, M., Wang, D., Yang, Q., Liu, Y., Ni, B.-J., Yang, G., Yang, F., & Wang, Q. (2020). Activation of nitrite by freezing process for anaerobic digestion enhancement of waste activated sludge: Performance and mechanisms. *Chemical Engineering Journal*, *387*(November 2019), 124147. <https://doi.org/10.1016/j.cej.2020.124147>
- Mahmud, I. (2017). PENGARUH GARAM NaCl TERHADAP KINERJA PROSES BIOLOGIS ANAEROBIK. *Jurnal Air Indonesia*, *1*(1). <https://doi.org/10.29122/jai.v1i1.2295>
- Maus, I., Cibis, K. G., Wibberg, D., Winkler, A., Stolze, Y., König, H., Pühler, A., & Schlüter, A. (2015). Complete genome sequence of the strain *DeFluviitoga tunisiensis* L3, isolated from a thermophilic, production-scale biogas plant. *Journal of Biotechnology*, *203*, 17–18. <https://doi.org/10.1016/j.jbiotec.2015.03.006>
- Merlin Christy, P., Gopinath, L. R., & Divya, D. (2014). A review on anaerobic decomposition and enhancement of biogas production through enzymes and microorganisms. *Renewable and Sustainable Energy Reviews*, *34*, 167–173. <https://doi.org/10.1016/j.rser.2014.03.010>
- Min, H., Choi, Y., & Kan, E. (2017). Bioresource Technology Short Communication Effects of dairy manure-derived biochar on psychrophilic, mesophilic and thermophilic anaerobic digestions of dairy manure. *Bioresource Technology*, *October*, 0–1. <https://doi.org/10.1016/j.biortech.2017.11.074>



- Mohd-Nor, D., Ramli, N., Sharuddin, S. S., Hassan, M. A., Mustapha, N. A., Ariffin, H., Sakai, K., Tashiro, Y., Shirai, Y., & Maeda, T. (2019). Dynamics of microbial populations responsible for biodegradation during the full-scale treatment of palm oil mill effluent. *Microbes and Environments*, 34(2), 121–128. <https://doi.org/10.1264/jsme2.ME18104>
- Nakasaki, K., Koyama, M., Maekawa, T., & Fujita, J. (2019). Changes in the microbial community during the acclimation process of anaerobic digestion for treatment of synthetic lipid-rich wastewater. *Journal of Biotechnology*, 306(September), 32–37. <https://doi.org/10.1016/j.jbiotec.2019.09.003>
- Naskeo Environment. (2009). Biogas renewable energy. In Http://Www.Biogas-Renewable-Energy.Info/Biogas_Composition.Html.
- Niu, Q., Qiao, W., Qiang, H., & Li, Y. Y. (2013). Microbial community shifts and biogas conversion computation during steady, inhibited and recovered stages of thermophilic methane fermentation on chicken manure with a wide variation of ammonia. *Bioresource Technology*, 146, 223–233. <https://doi.org/10.1016/j.biortech.2013.07.038>
- Nzila, A. (2017). Mini review: Update on bioaugmentation in anaerobic processes for biogas production. *Anaerobe*, 46, 3–12. <https://doi.org/10.1016/j.anaerobe.2016.11.007>
- Obata, O., Ditchfield, A., Hatton, A., & Akunna, J. (2020). Investigating the impact of inoculum source on anaerobic digestion of various species of marine macroalgae. *Algal Research*, 46(July 2019). <https://doi.org/10.1016/j.algal.2020.101803>
- Ostrem, K. (2004). Greening waste: anaerobic digestion for treating the organic fraction of municipal solid waste. *Department of Earth and Environmental Engineering Fu Foundation of School of Engineering and Applied Science, Columbia University, The Earth Engineering Center and the Henry Krumb School of Mines*, 1–59.
- Parsaee, M., Kiani Deh Kiani, M., & Karimi, K. (2019). A review of biogas production from sugarcane vinasse. *Biomass and Bioenergy*, 122(January), 117–125. <https://doi.org/10.1016/j.biombioe.2019.01.034>
- Plugge, C. M. (2017). Biogas. *Microbial Biotechnology*, 10(5), 1128–1130. <https://doi.org/10.1111/1751-7915.12854>
- Pramanik, S. K., Suja, F. B., Zain, S. M., & Pramanik, B. K. (2019). The anaerobic digestion process of biogas production from food waste: Prospects and constraints. *Bioresource Technology Reports*, 8(July), 100310. <https://doi.org/10.1016/j.biteb.2019.100310>
- Qamar, W., Khan, M. R., & Arafah, A. (2017). Optimization of conditions to extract high quality DNA for PCR analysis from whole blood using SDS-proteinase K method. *Saudi Journal of Biological Sciences*, 24(7), 1465–1469. <https://doi.org/10.1016/j.sjbs.2016.09.016>
- Ramanauskaitė, R. (2013). European Biogas Association. In *Biogas Market in Europe* (pp. 1–24). <http://european-biogas.eu/wp-content/uploads/2019/03/EBA-Annual-Report-2018.pdf> http://www.biogasin.org/files/pdf/HLC_athens/03_R.Ramanaukskaite_PresentationBiogasIN.pdf



- Randhawa, G. K., & Kullar, J. S. (2011). Bioremediation of Pharmaceuticals, Pesticides, and Petrochemicals with *Gomeya*/Cow Dung. *ISRN Pharmacology, 2011*, 1–7. <https://doi.org/10.5402/2011/362459>
- Rui, J., Li, J., Zhang, S., Yan, X., Wang, Y., & Li, X. (2015). The core populations and co-occurrence patterns of prokaryotic communities in household biogas digesters. *Biotechnology for Biofuels, 8*(1), 1–15. <https://doi.org/10.1186/s13068-015-0339-3>
- Saidu, M., Yuzir, A., Salim, M. R., Salmiati, Azman, S., & Abdullah, N. (2013). Influence of palm oil mill effluent as inoculum on anaerobic digestion of cattle manure for biogas production. *Bioresource Technology, 141*, 174–176. <https://doi.org/10.1016/j.biortech.2013.03.111>
- Santana Junior, A. E., Duda, R. M., & Oliveira, R. A. de. (2019). Improving the energy balance of ethanol industry with methane production from vinasse and molasses in two-stage anaerobic reactors. *Journal of Cleaner Production, 238*, 117577. <https://doi.org/10.1016/j.jclepro.2019.07.052>
- Sawant, A. A., Hegde, N. V., Straley, B. A., Donaldson, S. C., Love, B. C., Knabel, S. J., & Jayarao, B. M. (2007). Antimicrobial-resistant enteric bacteria from dairy cattle. *Applied and Environmental Microbiology, 73*(1), 156–163. <https://doi.org/10.1128/AEM.01551-06>
- Sekiguchi, Y., Kamagata, Y., & Harada, H. (2001). Recent advances in methane fermentation technology. *Current Opinion in Biotechnology, 12*(3), 277–282. [https://doi.org/10.1016/S0958-1669\(00\)00210-X](https://doi.org/10.1016/S0958-1669(00)00210-X)
- Shendure, J., Mitra, R. D., Varma, C., & Church, G. M. (2004). Advanced sequencing technologies: Methods and goals. *Nature Reviews Genetics, 5*(5), 335–344. <https://doi.org/10.1038/nrg1325>
- Shyu, C., Soule, T., Bent, S. J., Foster, J. A., & Forney, L. J. (2007). MiCA: A web-based tool for the analysis of microbial communities based on terminal-restriction fragment length polymorphisms of 16S and 18S rRNA genes. *Microbial Ecology, 53*(4), 562–570. <https://doi.org/10.1007/s00248-006-9106-0>
- Streit, W. R., & Schmitz, R. A. (2004). Metagenomics - The key to the uncultured microbes. *Current Opinion in Microbiology, 7*(5), 492–498. <https://doi.org/10.1016/j.mib.2004.08.002>
- Tabatabaei, M., Aghbashlo, M., Valijanian, E., Kazemi Shariat Panahi, H., Nizami, A. S., Ghanavati, H., Sulaiman, A., Mirmohamadsadeghi, S., & Karimi, K. (2020). A comprehensive review on recent biological innovations to improve biogas production, Part 1: Upstream strategies. *Renewable Energy, 146*, 1204–1220. <https://doi.org/10.1016/j.renene.2019.07.037>
- Walter, A., Franke-Whittle, I. H., Wagner, A. O., & Insam, H. (2015). Methane yields and methanogenic community changes during co-fermentation of cattle slurry with empty fruit bunches of oil palm. *Bioresource Technology, 175*, 619–623. <https://doi.org/10.1016/j.biortech.2014.10.085>
- Wang, S., Yuan, R., Liu, C., & Zhou, B. (2020). Effect of Fe²⁺ adding period on the biogas production and microbial community distribution during the dry anaerobic digestion process. *Process Safety and Environmental Protection, 136*, 234–241. <https://doi.org/10.1016/j.psep.2019.12.031>



- Wardani, N. A., Afiqah, N., Azis, M. M., & Budhijanto, W. (2020). Comparison of Biogas Productivity in Thermophilic and Mesophilic Anaerobic Digestion of Bioethanol Liquid Waste. *IOP Conference Series: Earth and Environmental Science*, 448(1). <https://doi.org/10.1088/1755-1315/448/1/012002>
- Wardani, Nina Anggita. (2020). *Seleksi Inokulum untuk Peruraian Anaerob Termofilik Limbah Vinasse*.
- Weiland, P. (2010). Biogas production: Current state and perspectives. *Applied Microbiology and Biotechnology*, 85(4), 849–860. <https://doi.org/10.1007/s00253-009-2246-7>
- Westerholm, M., & Schnurrer, A. (2019). Microbial Responses to Different Operating Practices for Biogas Production Systems. In *Anaerobic Digestion*. IntechOpen. <https://doi.org/10.5772/intechopen.82815>
- Yacob, S., Shirai, Y., Hassan, M. A., Wakisaka, M., & Subash, S. (2006). Start-up operation of semi-commercial closed anaerobic digester for palm oil mill effluent treatment. *Process Biochemistry*, 41(4), 962–964. <https://doi.org/10.1016/j.procbio.2005.10.021>
- Zhang, L., Duan, H., Ye, L., Liu, L., Batstone, D. J., & Yuan, Z. (2019). Increasing capacity of an anaerobic sludge digester through FNA pre-treatment of thickened waste activated sludge. *Water Research*, 149(2), 406–413. <https://doi.org/10.1016/j.watres.2018.11.008>