

DAFTAR PUSTAKA

- Abdollahi, M. R., V. Ravindran, and B. Svihus, 2013. Influence of grain type and feed form on performance, apparent metabolisable energy and ileal digestibility of nitrogen, starch, fat, calcium and phosphorus in broiler starters. *Anim. Feed Sci. Technol.* 186(3–4): 193–203.
- Adibmoradi, M., B. Navidshad, J. Seifdavati, and M. Royan, 2006. Effect of dietary garlic meal on histological structure of small intestine in broiler chickens. *J. Poult. Sci.* 43: 378–383.
- Aelenei, P., A. Miron, A. Trifan, A. Bujor, E. Gille, and A. C. Aprotosoae, 2016. Essential oils and their components as modulators of antibiotic activity against gram-negative bacteria. *Medicine.* 3(19): 1–34.
- Al-Fataftah, A. R., and A. Abdelqader, 2014. Effects of dietary *Bacillus subtilis* on heat-stressed broilers performance, intestinal morphology and microflora composition. *Anim. Feed Sci. Technol.* 198: 279–285.
- Amrullah, I. K. 2004. *Nutrisi Ayam Broiler*. Gunung Budi. Bogor.
- Awad, W. A., K. Ghareeb, S. Nitsch, S. Pasteiner, S. Abdel-Raheem, and J. Bohm, 2008. Effects of dietary inclusion of prebiotic, probiotic and synbiotic on the intestinal glucose absorption of broiler chickens. *Int. J. Poult. Sci.* 7(7): 686–691.
- Bogucka, J., J. B. Ogucka, A. D. Ankowiakowska, G. E. L. Enda, A. S. Obolewska, A. S. Zczerba, and M. B. Ednarczyk, 2016. Effects of prebiotics and synbiotics delivered in ovo on broiler small intestine histomorphology during the first days after hatching. *Folia Biologica (Krakow)*. 64 (3): 132–143.
- Booth, C., and J. O’Shea, 2002. Isolation and culture of intestinal epithelial cells. in: *Culture of epithelial cells*. Second editions. R. Ian Freshney and Mary G. Freshney Eds. Wiley-Liss, Inc.
- Brenes, A., and E. Roura, 2010. Essential oils in poultry nutrition: Main effects and modes of action. *Anim. Feed Sci. Technol.* 158: 1–14.
- Bulu, S., I. G. Ayu, S. Rejeki, and K. Mardewi, 2018. Pemakaian sorgum (*Sorghum bicolor* L.) sebagai bahan substitusi jagung (*Zea mays* L.) pada ransum terhadap berat bagian bagian karkas ayam broiler umur 6 minggu. *Gema Agro.* 23(2): 124–128.
- Cahyono, E., U. Atmomarsono, and E. Suprijatna, 2012. Pengaruh penggunaan tepung jahe (*Zingiber officinale*) dalam ransum terhadap saluran pencernaan dan hati pada ayam kampung umur 12 minggu. *Animal Agriculture Journal.* 1(1): 65–74.
- Chaichana, J., W. Niwatananun, S. Vejabhikul, S. Somna, and S. Chansakaow, 2009. Volatile constituents and biological activities of *Gardenia jasminoides*. *J. Health Res.* 23(3): 141–145.

- Classen, H. L. 2017. Diet energy and feed intake in chickens. *Anim. Feed Sci. Technol.* 233: 13–21.
- Cross, D. E., R. M. McDevitt, K. Hillman, and T. Acamovic, 2007. The effect of herbs and their associated essential oils on performance, dietary digestibility and gut microflora in chickens from 7 to 28 days of age. *British Poultry Science.* 48: 496–506.
- Diarra, S. S., D. Sandakabatu, D. Perera, P. Tabuaciri, U. Mohammed, D. Sandakabatu, D. Perera, P. Tabuaciri, and U. Mohammed, 2015. Growth performance and carcass yield of broiler chickens fed commercial finisher and cassava copra meal-based diets. *Journal of Applied Animal Research.* 43(3): 352–356.
- Ding, X., Y. Yu, Z. Su, and K. Zhang, 2017. Effects of essential oils on performance, egg quality, nutrient digestibility and yolk fatty acid profile in laying hens. *Animal Nutrition.* 3(2): 127–131.
- Dono, N. D. 2012. Nutritional strategies to improve enteric health and growth performance of poultry in the post antibiotic era. PhD Thesis. University of Glasgow, Glasgow.
- Elaissi, A., Z. Rouis, N. Abid, B. Salem, S. Mabrouk, Y. Salem, K. Bel, H. Salah, M. Aouni, F. Farhat, R. Chemli, F. Harzallah-skhiri, and M. L. Khouja, 2012. Chemical composition of 8 eucalyptus species' essential oils and the evaluation of their antibacterial, antifungal and antiviral activities. *BMC Complementary and Alternative Medicine.* 12(81): 1–15.
- Ertas, O. N, T. Guler, M. Ciftci, B. Dalkilic, and U. G. Simsek, 2005. The effect of an essential oil mix derived from oregano, clove and anise on broiler performance. *Int. J. Poul. Sci.* 4 (11): 879–884.
- Gabriel, I., M. Lessire, S. Mallet, and J. F. Guillot, 2006. Microflora of the digestive tract : critical factors and consequences for poultry. *World's Poultry Science Journal.* 64: 499–511.
- Gadir, S. A., and I. M. Ahmed, 2014. Commiphora myrrha and commiphora Africana essential oils. *J. Chem. Pharm. Res.* 6(7): 151–156.
- Gao, J., H. J. Zhang, S. H. Yu, S. G. Wu, I. Yoon, J. Quigley, Y. P. Gao, and G. H. Qi, 2008. Effects of yeast culture in broiler diets on performance and immunomodulatory functions. *J. Poul. Sci.* 87: 1377–1384.
- Garcia, V., P. C. Gregori, F. Hernandez, M. D. Megias, and J. Madrid, 2007. Effect of formic acid and plant extracts on growth, nutrient digestibility, intestine mucosa morphology, and meat yield of broilers. *J. Appl. Poul. Res.* 16: 555–562.
- Gaskins, H. R., C. T. Collier, and D. B. Anderson, 2006. Antibiotics as growth promotants : mode of action. *Animal Biotechnology.* 13(1): 29–42.

- Ghazanfari, S. 2014. Intestinal morphology and microbiology of broiler chicken fed diets containing myrtle (*Myrtus communis*) essential oil supplementations. Iranian Journal of Applied Animal Science. 4(3): 549–554.
- Grashorn, M. A. 2010. Use of phytobiotics in broiler nutrition - an alternative to infeed antibiotics?. Journal of Animal and Feed Sciences. 19: 338–347.
- Greathead, H. 2003. Plants and plant extracts for improving animal productivity. Proceedings of the Nutrition Society. 62(2): 279–290.
- Hosseini, S., M. Chamani, A. Seidavi, A. A. Sadeghi, and Z. A. Pirsaraei, 2016. Effect of feeding thymol powder on the carcass characteristics and morphology of small intestine of Ross 308 broiler chickens. Jurnal Veteriner. 17: 45–50.
- Hu, X. and Y. Guo, 2008. Corticosterone administration alters small intestinal morphology and function of broiler chickens. Asian-Aust. J. Anim. Sci. 21(12): 1773–1778.
- Ibrahim, S. 2008. Hubungan ukuran-ukuran usus halus dengan berat badan broiler. Agripet. 8(2): 42–46.
- Indarsih, B. and M. H. Tamsil, 2012. Feeding diets containing different forms of duckweed on productive performance and egg quality of ducks. Media Peternakan. 128–132.
- Jang, I. S., Y. H. Ko, S. Y. Kang, and C. Y. Lee, 2007. Effect of a commercial essential oil on growth performance, digestive enzyme activity and intestinal microflora population in broiler chickens. Anim. Feed Sci. Technol. 134(3–4): 304–315.
- Kalsoom, U. M. E., M. Salim, T. Shahzadi, and A. Barlas, 2009. Growth performance and feed conversion ratio (FCR) in hybrid fish (*Catla catla* x *Labeo rohita*) fed on wheat bran, rice broken and blood meal. Pakistan Vet. J. 29: 55–58.
- Karangiya, V. K., H. H. Savsani, S. S. Patil, D. D. Garg, K. S. Murthy, N. K. Ribadiya, and S. J. Vekariya, 2016. Effect of dietary supplementation of garlic, ginger and their combination on feed intake, growth performance and economics in commercial broilers. Veterinary World. 9: 246–250.
- Kartasudjana, R., and E. Suprijatna, 2006. Manajemen Ternak Unggas. Penebar Swadaya. Jakarta.
- Kavoi, B., D. Gakuya, and S. Kiama, 2016. Effects of dietary moringa oleifera leaf meal supplementation on chicken intestinal structure and growth performance. J. Morphol. Sci. 33(4): 184–192.
- Khattak, F., A. Ronchi, P. Castelli, N. Sparks, and B. Trial, 2014. Effects of natural blend of essential oil on growth performance, blood biochemistry, cecal morphology, and carcass quality of broiler chickens. Poultry Science. 93: 132–137.

- Kleczek, K., E. Wilkiewicz-Wawro, K. Wawro, W. Makowski, D. Murawska, and M. Wawro, 2014. The effect of dietary propolis supplementation on the growth performance of broiler chickens. *Pol. J. Natur. Sc.* 29(2): 105–117.
- Krishan, G. and A. Narang, 2014. Use of essential oils in poultry nutrition: A new approach. *J. Adv. Vet. Anim. Res.* 1(4): 156–162.
- Leeson, S., and J. D. Summers, 2009. *Commercial Poultry Nutrition*. Nottingham University Press. Nottingham.
- Lenhardt, L. and S. Mozes, 2003. Morphological and functional changes of the small intestine in growth-stunted broilers. *Acta Vet. Brno.* 72: 353–358.
- Lima, E. B. C., C. N. S. Sousa, L. N. Meneses, N. C. Ximenes, and M. A. S. Júnior, 2015. *Cocos nucifera* (L.) (Arecaceae): a phytochemical and pharmacological review. *Braz. J. Med Biol. Res.* 48(11): 953–964.
- Makki, O. F., N. Afzali, and A. Omid, 2013. Effect of different levels of silybum marianum seeds on growth rate, carcass variables and liver morphology of broilers contaminated with aflatoxin B1. *Poultry Science Journal.* 1(2): 105–116.
- Maradon, G. G., R. Sutrisna, and Erwanto. 2015. Pengaruh ransum dengan kadar serat kasar berbeda terhadap organ dalam ayam jantan tipe medium umur 8 minggu. *Jurnal Ilmiah Peternakan Terpadu.* 3(2): 6–11.
- Marappan, G., K. Kumaragurubaran, H. V. Manjunathachar, P. Tamilmahan, M. Kesavan, M. Dashprakash, B. L. Balaraju, and M. R. Purushothaman, 2014. Essential oils as a feed additive in poultry nutrition. *Advance in Animal and Veterinary Sciences.* 2(1): 1–7.
- Maroof, K., T. Oka, M. Fujihara, and T. Bungo, 2017. Effect of supplemental Japanese pepper seed on the palatability of feed in chicks. *J. Poult. Sci.* 54: 2017.
- Mourao, D. de S. C., T. F. de S. Pereira, D. J. de, A. F. C. Junior Souza, M. S. Dalcin, R. A. Veloso, and E. U. L. Santos, and G. R. dos. 2017. Essential oil of *Cymbopogon citratus* on the control of the *Curvularia* leaf spot disease on maize. *Medicines.* 4(62): 1–11.
- Natsir, M. H., Hartutik, O. Sjoftan, and E. Widodo, 2013. Effect of either powder or encapsulated form of garlic and *Phyllanthus niruri* L. mixture on broiler performances, intestinal characteristics and intestinal microflora. *Int. J. Poult. Sci.* 12(11): 676–680.
- Nkukwana, T. T., V. Muchenje, P. J. Masika, and B. Mushonga, 2015. Intestinal morphology, digestive organ size and digesta pH of broiler chickens fed diets supplemented with or without moringa oleifera leaf meal. *S. Afr. J. Anim. Sci.* 45(4): 363–370.

- Nogata, Y., S. Koji, S. Hiroyuki, T. Ishii, M. Yano, and H. Ohta, 2006. Flavonoid composition of fruit tissues of citrus species. *Biosci. Biotechnol. Biochem.* 70(1): 178–192.
- North, M. O., and D. D. Bell, 1990. *Commercial chicken production manual*. 4th Ed. Chapman and Hall. New York.
- Olugbemi, T. S., S. K. Mutayoba, and F. P. Lekule, 2010. Effect of moringa (*Moringa oleifera*) inclusion in cassava based diets fed to broiler chickens. *Int. J. Poult. Sci.* 9(4): 363–367.
- Ozcan, M. M., and J. C. Chalchat, 2007. Chemical composition of carrot seeds (*Daucus carota* L.) cultivated in Turkey: characterization of the seed oil and essential oil. *Grasas y Aceites.* 58(4): 359–365.
- Paul, S. K., G. Halder, M. K. Mondal, and G. Samanta, 2007. Effects of organic acid salt on the performance and gut health of broiler chickens. *J. Poult. Sci.* 44: 389–395.
- Rahman, M. A., M. S. Parvin, R. R. Sarker, and M. T. Islam, 2012. Effects of growth promoter and multivitamin-mineral supplementation on body weight gain in broiler chickens premix. *J. Bangladesh Agril. Univ.* 10(2): 245–248.
- Rebh, A. Y. 2014. Effect of supplementation of ginger root powder in ration on performance of broilers. *European Academic Research.* 2(3): 4204–4213.
- Rosa, G. do A. da, L. A. Sorbello, R. L. Dittrich, M. T. T. de Moraes, and E. G. de Oliveira, 2011. Blood profile of Japanese quail (*Coturnix japonica*) under thermal stress. *Ciência Rural, Santa Maria.* 41 (9): 1605–1610.
- Ruiz, N., F. de Belalcaza, and G. J. Diaz, 2004. Quality control parameters for commercial full-fat soybeans processed by two different methods and fed to broilers. *J. Appl. Poul. Res.* 13: 443–450.
- Ruttanavut, J., K. Yamauchi, H. Goto, and T. Erikawa, 2009. Effects of dietary bamboo charcoal powder including vinegar liquid on growth performance and histological intestinal change in aigamo ducks. *Int. J. Poult. Sci.* 8(3): 229–236.
- Shih, B. L., B. Yu, and J. C. Hsu, 2005. The development of gastrointestinal tract and pancreatic enzymes in white roman geese. *Asian-Aust. J. Anim. Sci.* 18(6): 841–847.
- Siddiqui, M. Z. 2011. *Boswellia serrata*, a potential antiinflammatory agent: an overview. *Indian Journal of Pharmaceutical Sciences.* 255–261.
- Simol, C. F., A. T. Rew, H. A. K. Humrawali, K. C. John, J. H. K. Patricia, and H. O. Kian, 2012. Performance of chicken broilers fed with diets substituted with mulberry leaf powder. *Afr. J. Biotechnol.* 11(94): 16106–16111.
- Siyal, F. A., R. Wagan, Z. A. Bhutto, M. H. Tareen, M. A. Arain, M. Saeed, S. A. Brohi, and R. N. Soomro, 2016. Effect of orange and banana peels on the

- growth performance of broilers. *Advance Animal Veterinary Science*. 4(7): 376–380.
- Skwizynska, M. A. and D. Szczerbinska, 2017. Use of essential oils in broiler chicken production – a review. *Annals of Animal Science*. 1: 1–31.
- Soeparno. 2005. *Ilmu Teknologi Daging* (edisi ke empat). Gadjah Mada University Press. Yogyakarta.
- Subekti, K. 2009. Pengaruh pola waktu pemberian pakan dengan suplementasi beberapa level vitamin C terhadap performans produksi dan organ fisiologis ayam broiler. *Ilmu-Ilmu Peternakan*. 12(4): 203–213.
- Sugito, W. Manalu, D. A. Astuti, E. Handharyani, and Chairul. 2007. Morfometrik usus dan performa ayam broiler yang diberi cekaman panas dan ekstrak n-Heksana kulit batang “jaloh” (*Salix tetrasperma* Roxb). *Media Peternakan*. 30(3): 198–206.
- Sultan, A., T. Ullah, S. Khan, and R. U. Khan, 2015. Effect of organic acid supplementation on the performance and ileal microflora of broiler during finishing period. *Pakistan J. Zool*. 47(3): 635–639.
- Suprijatna, E., U. Atmomarsono, and R. Kartasudjana, 2005. *Ilmu Dasar Ternak Unggas*. Penebar Swadaya. Jakarta.
- Swastike, W. 2012. Efektifitas antibiotik herbal dan sintetik pada pakan ayam broiler terhadap performance kadar lemak abdominal dan kadar kolesterol dara. *Prosiding SNST*. 3: 1–6.
- Tiihonen, K., H. Kettunen, M. H. L. Bento, M. Saarinen, S. Lahtinen, A. C. Ouwehand, H. Schulze, and N. Rautonen, 2010. The effect of feeding essential oils on broiler performance and gut microbiota. *British Poultry Science*. 51(3): 381–392.
- Tilman, A. D., H. Hartadi, S. Reksohadiprodjo, S. Prawirokusumo, and S. Lebdoesoekojo, 1986. *Ilmu Makanan Ternak Dasar*. Gadjah Mada University Press. Yogyakarta.
- Wahju, J. 2004. *Ilmu Nutrisi Unggas*. Gadjah Mada University Press. Yogyakarta.
- Whitthow, G. 2000. *Sturkies Avian Physiology* (Fifth Edition). Academic press. USA.
- Wirapati, R. D. 2008. Efektivitas pemberian tepung kencur (*Kaempferia galanga* Linn.) pada ransum ayam broiler rendah energi dan protein terhadap performan ayam broiler, kadar kolesterol, presentase hati dan bursa fabrisius. In *Program Nutrisi, Ilmu Makanan, dan Peternakan*, Fakultas Peternakan Institut Pertanian Bogor.
- Xu, Z. R., C. H. Hu, M. S. Xia, X. A. Zhan, and M. Q. Wang, 2003. Effects of dietary fructooligosaccharide on digestive enzyme activities, intestinal microflora and morphology of male broilers. *Poultry Science*. 82: 1030–1036.

- Yang, H. M., W. Wang, Z. Y. Wang, J. Wang, Y. J. Cao, and Y. H. Chen, 2013. Comparative study of intestine length, weight and digestibility on different body weight chickens. *Afr. J. Biotechnol.* 12(32): 5097–5100.
- Yang, X., H. T. Zhao, J. Wang, Q. Meng, H. Zhang, L. Yao, Y. C. Zhang, A. J. Dong, Z. Y. Wang, D. C. Xu, and Y. Ding, 2010. Chemical composition and antioxidant activity of essential oil of pine cones of *Pinus armandii* from the Southwest Region of China. *J. Med. Plants Res.* 4(16): 1668–1672.
- Yang, Y., P. A. Iji, and M. Choct, 2009. Dietary modulation of gut microflora in broiler chickens : a review of the role of six kinds of alternatives to in-feed antibiotics. *World's Poultry Science Journal.* 65: 97–114.
- Yao, J., X. Tian, H. Xi, J. Han, M. Xu, and X. Wu, 2006. Effect of choice feeding on performance, gastrointestinal development and feed utilization of broilers. *Asian-Aust. J. Anim. Sci.* 19(1): 91–96.
- Zaini, M. A. A, Y. Amano, and M. Machida, 2010. Adsorption of heavy metals onto activated carbons derived from polyacrylonitrile fiber. *Journal of Hazardous Materials.* 180(1–3): 552–560.
- Zuprizal. 2006. *Nutrisi Unggas.* Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.