



DAFTAR PUSTAKA

- Aiba S., Humphrey, A. E., dan Millis, N. F. (1965). *Biochemical engineering*. New York: Academic Press.
- Aiba, S., Shoda, M., dan Nagatani, M. (1968). Kinetics of product inhibition in alcohol fermentation. *Biotechnol. Bioeng.* **10**: 845–864.
- Alfenore, S., Cameleyre, X., Benbadis, L., Bideaux, C., Uribelarrea, J.-L., Goma, G., Molina-Jouve, C., dan Guillouet, S. E. (2004). Aeration strategy: A need for very high ethanol performance in *Saccharomyces cerevisiae* fed-batch process. *Appl. Microbiol. Biotechnol.* **63** (5): 537–542.
- Alfenore, S., Molina-Jouve, C., Guillouet, S. E., Uribelarrea, J.-L., Goma, G., dan Benbadis, L. (2002). Improving ethanol production and viability of *Saccharomyces cerevisiae* by a vitamin feeding strategy during fed-batch process. *Appl. Microbiol. Biotechnol.* **60** (1–2): 67–72.
- Amerine, M. A., Cruess, W. V., dan Berg, H. W. (1987). *Technology of wine making*. Westport: The Avi Publishing Company.
- Anastassiadis, S., dan Rehm, H.-J. (2006). Citric acid production from glucose by yeast *Candida oleophila* ATCC 20177 under batch, continuous and repeated batch cultivation. *Electron. J. Biotechnol.* **9** (1).
- Anggraini, E. A. (2017). Formulasi medium fermentasi etanol dengan sumber karbon hidrolisat pati singkong. Fakultas Teknologi Pertanian. Yogyakarta: Universitas Gadjah Mada.
- Ansanay-Galeote, V., Blondin, B., Dequin, S., dan Sablayrolles, J.-M. (2001). Stress effect of ethanol on fermentation kinetics by stationary-phase cells of *Saccharomyces cerevisiae*. *Biotechnol. Lett.* **23** (9): 677–681.
- Anupama, M. P., Mahesh, D. G., dan Ayyanna, C. (2010). Optimization of fermentation medium for the production of ethanol from jaggery using box behnken design. *Int. J. Appl. Biol. Pharm. Technol.* **1** (1): 34–45.
- Ariyajarearnwong, P., Laopaiboon, L., Jaisil, P., dan Laopaiboon, P. (2011). Repeated-batch ethanol fermentation from sweet sorghum juice by free cells of *Saccharomyces cerevisiae* NP 01. *African J. Biotechnol.* **10** (63): 13909–13918.
- Ariyajaroenwong, P., Laopaiboon, P., Salakkam, A., Srinophakun, P., dan Laopaiboon, L. (2016). Kinetic models for batch and continuous ethanol fermentation from sweet sorghum juice by yeast immobilized on sweet sorghum stalks. *J. Taiwan Inst. Chem. Eng.* **66**: 210–216.
- Arshad, M., Hussain, T., Iqbal, M., dan Abbas, M. (2017). Enhanced ethanol production at commercial scale from molasses using high gravity technology by mutant *S. cerevisiae*. *Brazilian J. Microbiol.* **48** (3): 403–409.
- Astuty, E. D. (1991). Fermentasi alkohol kulit buah pisang (*Musa sapientum* Lamb.) dengan berbagai jenis inokulum. Fakultas Teknologi Pertanian. Yogyakarta: Universitas Gadjah Mada.



- Bai, F. W. (2007). Process oscillations in continuous ethanol fermentation with *Saccharomyces cerevisiae*. Chemical Engineering. Canada: University of Waterloo.
- Bai, F. W., Anderson, W. A., dan Moo-Young, M. (2008). Ethanol fermentation technologies from sugar and starch feedstocks. *Biotechnol. Adv.* **26** (1): 89–105.
- Bai, F. W., Chen, L. J., Zhang, Z., Anderson, W. A., dan Moo-Young, M. (2004). Continuous ethanol production and evaluation of yeast cell lysis and viability loss under very high gravity medium conditions. *J. Biotechnol.* **110** (3): 287–293.
- Bailey, J. E., dan Ollis, D. F. (1977). *Biochemical engineering fundamentals*. Tokyo: McGraw-Hill Kogakusha Ltd.
- Balat, M. (2007). Global bio-fuel processing and production trends. *Energy Explor. Exploit.* **25** (3): 195–218.
- Balat, M., Balat, H., dan Oz, C. (2008). Progress in bioethanol processing. *Prog. Energy Combust. Sci.* **34** (5): 551–573.
- Barford, J. P., dan Hall, R. J. (1981). A mathematical model for the aerobic growth of *Saccharomyces cerevisiae* with saturated respiratory capacity. *Biotechnol. Bioeng.* **23**: 1735–1762.
- Bijkerk, A. H., dan Hall, R. J. (1977). A mechanistic model of the aerobic growth of *Saccharomyces cerevisiae*. *Biotechnol. Bioeng.* **19**: 267–296.
- Birch, R. M., dan Walker, G. M. (2000). Influence of magnesium ions on heat shock and ethanol stress responses of *Saccharomyces cerevisiae*. *Enzyme Microb. Technol.* **26** (9–10): 678–687.
- Boekhout, T., dan Kurtzman, C. P. (1996). Principles and methods used in yeast classification, and an overview of currently accepted yeast genera. *Nonconv. Yeasts Biotechnol.* 1–81.
- Bravo, V., Camacho, F., Sánchez, S., dan Castro, E. (1995). Influence of the concentrations of D-xylose and yeast extract on ethanol production by *Pachysolen tannophilus*. *J. Ferment. Bioeng.* **79** (6): 566–571.
- Breisha, G. Z. (2010). Production of 16% ethanol from 35% sucrose. *Biomass Bioenergy* **34** (8): 1243–1249.
- Bykowski, T., Holt, J. F., dan Stevenson, B. (2019). Aseptic Technique. *Curr. Protoc. Essent. Lab. Tech.* **18** (1): 1–13.
- Cao, J. F., Gao, B. P., dan Gu, W. B. (2006). Study on producing alcohol fermentation conditions by sweet sorghum juice. *Acta Agric. Bor.-Occidentalis Sin.* **3**: 201–203.
- Canilha, L., Chandel, A. K., dos Santos Milessi, T. S., Antunes, F. A. F., da Costa Freitas, W. L., das Graças Almeida Felipe, M., dan da Silva, S. S. (2012). Bioconversion of sugarcane biomass into ethanol: An overview about composition, pretreatment methods, detoxification of hydrolysates, enzymatic saccharification, and ethanol fermentation. *J. Biomed. Biotechnol.* 1–15.



- Chandel, A., Chan, E., Rudravaram, R., Narasu, M., Rao, L., Ravinda, P., Es, C., dan Ravindra, P. (2007). Economics and environmental impact of bioethanol production technologies: An appraisal. *Biotechnol. Mol. Biol. Rev.* **2**: 14–32.
- Charoenchai, C., Fleet, G. H., dan Henschke, P. A. (1998). Effects of temperature, pH, and sugar concentration on the growth rates and cell biomass of wine yeasts. *Am. J. Enol. Vitic.* **49** (3): 283–288.
- Chen, J. P., Wu, K. W., dan Fukuda, H. (2008). Bioethanol production from uncooked raw starch by immobilized surface-engineered yeast cells. *Appl. Biochem. Biotechnol.* **145** (1–3): 59–67.
- Chen, Z., dan Wan, C. (2017). Non-sterile fermentations for the economical biochemical conversion of renewable feedstocks. *Biotechnol. Lett.* **39** (12): 1765–1777.
- Cheng, N. G., Hasan, M., dan Kumoro, A. C. (2009). Production of ethanol by fed-batch fermentation. *Pertanika J. Sci. Technol.* **17** (2): 399–408.
- Choi, G. W., Kang, H. W., dan Moon, S. K. (2009). Repeated-batch fermentation using flocculent hybrid, *Saccharomyces cerevisiae* CHFY0321 for efficient production of bioethanol. *Appl. Microbiol. Biotechnol.* **84** (2): 261–269.
- Cot, M., Loret, M. O., François, J., dan Benbadis, L. (2007). Physiological behaviour of *Saccharomyces cerevisiae* in aerated fed-batch fermentation for high level production of bioethanol. *FEMS Yeast Res.* **7** (1): 22–32.
- Deesuth, O., Laopaiboon, P., Jaisil, P., dan Laopaiboon, L. (2012). Optimization of nitrogen and metal ions supplementation for very high gravity bioethanol fermentation from sweet sorghum juice using an orthogonal array design. *Energies* **5** (9): 3178–3197.
- Deesuth, O., Laopaiboon, P., dan Laopaiboon, L. (2016). High ethanol production under optimal aeration conditions and yeast composition in a very high gravity fermentation from sweet sorghum juice by *Saccharomyces cerevisiae*. *Ind. Crops Prod.* **92**: 263–270.
- Dodić, J. M., Vučurović, D. G., Dodić, S. N., Grahovac, J. A., Popov, S. D., dan Nedeljković, N. M. (2012). Kinetic modelling of batch ethanol production from sugar beet raw juice. *Appl. Energy* **99**: 192–197.
- Dombek, K. M., dan Ingram, L. O. (1986). Magnesium limitation and its role in apparent toxicity of ethanol during yeast fermentation. *Appl. Environ. Microbiol.* **52** (5): 975–981.
- Fardiaz, S. (1989). *Fisiologi Fermentasi*. PAU-IPB dan Lembaga Sumber Daya Informasi. Bogor: Institut Pertanian Bogor.
- Fleet, G. H., dan Heard, G. M. (1993). *Yeasts-growth during fermentation*. In Fleet, G.H. (Ed.), Wine microbiology and biotechnology (hal 42-43). Switzerland: Harwood Academic.
- Fornairon-Bonnefond, C., Demaretz, V., Rosenfeld, E., dan Salmon, J. M. (2002). Oxygen addition and sterol synthesis in *Saccharomyces cerevisiae* during enological fermentation. *J. Biosci. Bioeng.* **93** (2): 176–182.



- Govindaswamy, S., dan Vane, L. M. (2007). Kinetics of growth and ethanol production on different carbon substrates using genetically engineered xylose-fermenting yeast. *Bioresour. Technol.* **98** (3): 677–685.
- Hadiyanto, H., Ariyanti, D., Aini, A. P., dan Pinundi, D. S. (2013). Batch and fed-batch fermentation system on ethanol production from whey using *Kluyveromyces marxianus*. *Int. J. Renew. Energy Dev.* **2** (3): 127–131.
- Hapsari, M. A., dan Pramashinta, A. (2013). Pembuatan bioetanol dari singkong karet (*Manihot glaziovii*) untuk bahan bakar kompor rumah tangga sebagai upaya mempercepat konversi minyak tanah ke bahan bakar nabati. *Teknologi Kimia dan Industri* **2** (2): 240–245.
- HMDB. (2018). Ethanol. <http://www.hmdb.ca/metabolites/HMDB00108> diakses pada tanggal 12 Oktober 2018 pukul 12:50.
- Irfan, F. (2016). Isolasi dan seleksi yeast penghasil etanol dari buah nangka (*Artocarpus heterophyllus*). Fakultas Teknologi Pertanian. Yogyakarta: Universitas Gadjah Mada.
- Ivanova, V., Petrova, P., dan Hristov, J. (2011). Application in the ethanol fermentation of immobilized yeast cells in matrix of alginate/magnetic nanoparticles, on chitosan-magnetite microparticles and cellulose-coated magnetic nanoparticles. *Int. Rev. Chem. Eng.* **3** (2): 289–299.
- Jain, V. K. (1970). Relationship between energy metabolism and growth. I. Glucose dependence of the exponential growth rate of *Saccharomyces cerevisiae*. *Arch. Microbiol.* **72**: 252–259.
- Jain, A., dan Chaurasia, S. P. (2014). Bioethanol production in membrane bioreactor (MBR) system: A review. *Int. J. Environ. Res. Dev.* **4** (4): 387–394.
- Jayus, Nurhayati, Mayzuhroh, A., Arindhani, S., dan Caroenchai, C. (2016). Studies on bioethanol production of commercial baker's and alcohol yeast under aerated culture using sugarcane molasses as the media. *Agric. Agric. Sci. Procedia* **9**: 493–499.
- Joannis-Cassan, C., Riess, J., Jolibert, F., dan Taillandier, P. (2014). Optimization of very high gravity fermentation process for ethanol production from industrial sugar beet syrup. *Biomass Bioenergy* **70**: 165–173.
- Jones, A. M., dan Ingledew, W. M. (1994). Fuel alcohol production: appraisal of nitrogenous yeast foods for very high gravity wheat mash fermentation. *Process Biochem.* **29** (6): 483–488.
- Jones, A. M., Thomas, K. C., dan Ingledew, W. M. (1994). Ethanolic fermentation of blackstrap molasses and sugarcane juice using very high gravity technology. *J. Agric. Food Chem.* **42** (5): 1242–1246.
- Kasavi, C., Finore I., Lama L., Nicolaus B., Oliver S. G., Oner E. T., dan Kirdar B. (2012). Evaluation of industrial *Saccharomyces cerevisiae* strains for ethanol production from biomass. *Biomass Bioenergy* **45**: 230–238.
- Khongsay, N., Laopaiboon, L., Jaisil, P., dan Laopaiboon, P. (2012). Optimization of agitation and aeration for very high gravity ethanol fermentation from



- sweet sorghum juice by *Saccharomyces cerevisiae* using an orthogonal array design. *Energies* **5** (3): 561–576.
- Kida, K., Morimura, S., Kume, K., Suruga, K., dan Sonoda, Y. (1991). Repeated-batch ethanol fermentation by a flocculating yeast, *Saccharomyces cerevisiae* IR-2. *J. Ferment. Bioeng.* **71** (5): 340–344.
- Kono, T., dan Asai, T. (1969). Kinetics of fermentation processes. *Biotechnol. Bioeng.* **11** (3): 293–321.
- Kuriyama, H., dan Kobayashi, H. (1993). Effects of oxygen supply on yeast growth and metabolism in continuous fermentation. *J. Ferment. Bioeng.* **75** (5): 364–367.
- Laopaiboon, L., dan Laopaiboon, P. (2012). Ethanol production from sweet sorghum juice in repeated-batch fermentation by *Saccharomyces cerevisiae* immobilized on corncob. *World J. Microbiol. Biotechnol.* **28** (2): 559–566.
- Laopaiboon, L., Nuanpeng, S., Srinophakun, P., Klanrit, P., dan Laopaiboon, P. (2008). Selection of *Saccharomyces cerevisiae* and investigation of its performance for very high gravity ethanol fermentation. *Biotechnology* **7** (3): 493–498.
- Laopaiboon, L., Nuanpeng, S., Srinophakun, P., Klanrit, P., dan Laopaiboon, P. (2009). Ethanol production from sweet sorghum juice using very high gravity technology: Effects of carbon and nitrogen supplementations. *Bioresour. Technol.* **100** (18): 4176–4182.
- Lei, J., Zhao, X., Ge, X., dan Bai, F. (2007). Ethanol tolerance and the variation of plasma membrane composition of yeast floc populations with different size distribution. *J. Biotechnol.* **131** (3): 270–275.
- Leuenberg, H. G. W. (1972). Cultivation of *Saccharomyces cerevisiae* in continuous culture. II. Influence of the Crabtree effect on the growth characteristics of *Saccharomyces cerevisiae* grown in a glucose limited chemostat. *Arch. Microbiol.* **83**: 347–358.
- Liang, L., Zhang, Y. P., Zhang, L., Zhu, M. J., Liang, S. Z., dan Huang, Y. N. (2008). Study of sugarcane pieces as yeast supports for ethanol production from sugarcane juice and molasses. *J. Ind. Microbiol. Biotechnol.* **35** (12): 1605–1613.
- Lin, Y. H., Chien, W. S., Duan, K. J., dan Chang, P. R. (2011). Effect of aeration timing and interval during very-high-gravity ethanol fermentation. *Process Biochem.* **46** (4): 1025–1028.
- Lin, Y., Zhang, W., Li, C., Sakakibara, K., Tanaka, S., dan Kong, H. (2012). Factors affecting ethanol fermentation using *Saccharomyces cerevisiae* BY4742. *Biomass Bioenergy* **47**: 395–401.
- Liu, R., dan Shen, F. (2008). Impacts of main factors on bioethanol fermentation from stalk juice of sweet sorghum by immobilized *Saccharomyces cerevisiae* (CICC 1308). *Bioresour. Technol.* **99** (4): 847–854.
- Mangunwidjaja, D., dan Suryani, A. (1994). *Teknologi bioproses*. Jakarta: Penebar Swadaya.



- Manikandan, K., Saravanan, V., dan Viruthagiri, T. (2008). Kinetics studies on ethanol production from banana peel waste using mutant strain of *Saccharomyces cerevisiae*. *Indian J. Biotechnol.* **7** (1): 83–88.
- Margaritis, A., dan Merchant, F. J. A. (1987). *The technology of anaerobic yeast growth*. In Berry, D. R., Russell, B. I., dan Stewart, G. G. (Eds.), *Yeast biotechnology* (hal. 231–276). London: Unwin Hyman Ltd.
- Merchuk, J. C., dan Asenjo, J. A. (1995). The Monod equation and mass transfer. *Biotech. Bioeng.* **45** (1): 91-94.
- Miller, G. L. (1959). Use of dinitrosalicylic acid reagent for determination of reducing sugar. *Anal. Chem.* **31** (3): 426–428.
- Moat, A. G., Foster, J. W., dan Spector, M. P. (2002). Central pathways of carbohydrate metabolism. *Microb. Physiol.* **15** (3): 295–301.
- Monod, J. (1949). The growth of bacterial culture. *Annual Reviews of Microbiology* **3** (11): 371–394.
- Morimura, S., Ling, Z. Y., dan Kida, K. (1997). Ethanol production by repeated-batch fermentation at high temperature in a molasses medium containing a high concentration of total sugar by a thermotolerant flocculating yeast with improved salt-tolerance. *J. Ferment. Bioeng.* **83** (3): 271–274.
- Moustogianni, A., Bellou, S., Triantaphyllidou, I.-E., dan Aggelis, G. (2015). Feasibility of raw glycerol conversion into single cell oil by zygomycetes under non-aseptic conditions. *Biotechnol. Bioeng.* **112** (4): 827–831.
- Najafpour, G., Younesi, H., dan Ku Ismail, K. S. (2004). Ethanol fermentation in an immobilized cell reactor using *Saccharomyces cerevisiae*. *Bioresour. Technol.* **92** (3): 251–260.
- Novak, M., Strehaino, P., Moreno, M., dan Goma, G. (1981). Alcoholic fermentation: On the inhibitory effect of ethanol. *Biotechnol. Bioeng.* **23**: 201–211.
- Nurulhayah, U. (2017). Isolasi dan identifikasi yeast penghasil etanol dari buah durian (*Durio zibethinus*). Fakultas Teknologi Pertanian. Yogyakarta: Universitas Gadjah Mada.
- Okpokwasili, G. C., dan Nweke, C. O. (2005). Microbial growth and substrate utilization kinetics. *African J. Biotechnol.* **5** (4): 305–317.
- O’Neil, G. D. G., dan Lyberatos, G. (1990). Dynamic model development for a continuous culture of *Saccharomyces cerevisiae*. *Biotechnol. Bioeng.* **36**: 437–445.
- Panchal, C. J., dan Stewart, G. G. (1980). The effect of osmotic pressure on the production and excretion of ethanol and glycerol by a brewing yeast strain. *J. Inst. Brew.* **86** (5): 207–210.
- Patty, A. L. (2011). Produksi etanol dari nira aren dengan penambahan ammonium sulfat sebagai sumber nitrogen. Fakultas Teknologi Pertanian. Yogyakarta: Universitas Gadjah Mada.
- Paustian, T. (2000). *Metabolism-fermentation*. Madison: University of Wisconsin.
- Pederson, C. S. (1971). *Microbiology of food fermentation* (2nd edition). Wesport: The Avi Publishing Company.



- Pereira, F. B., Guimarães, P. M. R., Teixeira, J. A., dan Domingues, L. (2010). Optimization of low-cost medium for very high gravity ethanol fermentations by *Saccharomyces cerevisiae* using statistical experimental designs. *Bioresour. Technol.* **101** (20): 7856–7863.
- Peretó, J. (2011). Embden-Meyerhof-Parnas Pathway. In *Encyclopedia of Astrobiology* (hal. 485). Springer Berlin Heidelberg.
- Peringer, P., Blachere, H., Corrien, G., dan Love, A. G. (1974). A generalized mathematical model for the growth kinetics of *Saccharomyces cerevisiae* with experimental determination of parameters. *Biotechnol. Bioeng.* **6**: 431–454.
- Phisalaphong, M., Srirattana, N., dan Tanthapanichakoon, W. (2006). Mathematical modeling to investigate temperature effect on kinetic parameters of ethanol fermentation. *Biochem. Eng. J.* **28** (1): 36–43.
- Phukoetphim, N., Khongsay, N., Laopaiboon, P., dan Laopaiboon, L. (2019). A novel aeration strategy in repeated-batch fermentation for efficient ethanol production from sweet sorghum juice. *Chinese J. Chem. Eng.* **27** (7): 1651–1658.
- Pirt, S. J. (1975). *Principles of microbe and cell cultivation* (1st edition). London: Blackwell Scientific Publications.
- Pratt, P. L., Bryce, J. H., dan Stewart, G. G. (2003). The effects of osmotic pressure and ethanol on yeast viability and morphology. *J. Inst. Brew.* **109** (3): 218–228.
- Puligundla, P., Smogrovicova, D., Obulam, V. S. R., dan Ko, S. (2011). Very high gravity (VHG) ethanolic brewing and fermentation : a research update. *J. Ind. Microbiol. Biotechnol.* **38** (9): 1133–1144.
- Raposo, S., Pardão, J. M., Díaz, I., dan Lima-costa, M. E. (2009). Kinetic modelling of bioethanol production using agro-industrial by-products. *Int. J. Energy Environ.* **3** (1): 1–8.
- Rattanapan, A., Limtong, S., dan Phisalaphong, M. (2011). Ethanol production by repeated batch and continuous fermentations of blackstrap molasses using immobilized yeast cells on thin-shell silk cocoons. *Appl. Energy* **88** (12): 4400–4404.
- Rorke, D. C. S., dan Kana, E. B. G. (2017). Kinetics of bioethanol production from waste sorghum leaves using *Saccharomyces cerevisiae* BY4743. *Fermentation* **3** (2): 19.
- Rosenfeld, E., dan Beauvoit, B. (2003). Role of the non-respiratory pathways in the utilization of molecular oxygen by *Saccharomyces cerevisiae*. *Yeast* **20** (13): 1115–1144.
- Sánchez, Ó. J., dan Cardona, C. A. (2008). Trends in biotechnological production of fuel ethanol from different feedstocks. *Bioresour. Technol.* **99** (13): 5270–5295.
- Sanda, T., Hasunuma, T., Matsuda, F., dan Kondo, A. (2011). Repeated-batch fermentation of lignocellulosic hydrolysate to ethanol using a hybrid



- Saccharomyces cerevisiae* strain metabolically engineered for tolerance to acetic and formic acids. *Bioresour. Technol.* **102** (17): 7917–7924.
- Setyawan, R. H. (2016). Isolasi dan seleksi yeast dari buah mangga (*Mangifera odorata* Griffith) yang berpotensi sebagai starter fermentasi bioetanol. Fakultas Teknologi Pertanian. Yogyakarta: Universitas Gadjah Mada.
- Shrivastava, N., dan Ananthanarayan, L. (2015). Use of the backslopping method for accelerated and nutritionally enriched idli fermentation. *J. Sci. Food Agric.* **95** (10): 2081–2087.
- Shuler, M. L., dan Kargi, F. (1992). *Bioprocess engineering basic concepts*. New Jersey: Prentice-Hall International Inc.
- Siderius, M., Van Wuytswinkel, O., Reijenga, K. A., Kelders, M., dan Mager, W. H. (2002). The control of intracellular glycerol in *Saccharomyces cerevisiae* influences osmotic stress response and resistance to increased temperature. *Mol. Microbiol.* **36** (6): 1381–1390.
- Sriputorn, B., Laopaiboon, P., Phukoetphim, N., Polsokchuak, N., Butkun, K., dan Laopaiboon, L. (2020). Enhancement of ethanol production efficiency in repeated-batch fermentation from sweet sorghum stem juice: Effect of initial sugar, nitrogen and aeration. *Electron. J. Biotechnol.* **46** : 55–64.
- Stanbury, P. F., Whitaker, A., dan Hall, S.J. (1995). *Principles of Fermentation Technology*. Elsevier Ltd.
- Staniszewski, M., Kujawski, W., dan Lewandowska, M. (2007). Ethanol production from whey in bioreactor with co-immobilized enzyme and yeast cells followed by pervaporative recovery of product - kinetic model predictions. *J. Food Eng.* **82** (4): 618–625.
- Stehlik-Tomas, V., Zetić, V. G., Stanzer, D., Grba, S., dan Vahčić, N. (2004). Zinc, copper and manganese enrichment in yeast *Saccharomyces cerevisiae*. *Food Technol. Biotechnol.* **42** (2): 115–120.
- Thatoi, H., Dash, P. K., Mohapatra, S., dan Swain, M. R. (2016). Bioethanol production from tuber crops using fermentation technology: A review. *Int. J. Sustain. Energy* **35** (5): 443–468.
- Toda, K., Yabe, I., dan Yamagata, T. (1980). Kinetics of biphasic growth of yeast in continuous and fed-batch cultures. *Biotechnol. Bioeng.* **22**: 1805–1827.
- Valero, E., Millán, C., dan Ortega, J. (2001). Influence of oxygen addition during growth phase on the biosynthesis of lipids in *Saccharomyces cerevisiae* (M330-9) in enological fermentations. *J. Biosci. Bioeng.* **92** (1): 33–38.
- van Dijken, J. P., dan Scheffers, W. A. (1986). Redox balances in the metabolism of sugars by yeasts. *FEMS Microbiol. Lett.* **32** (3–4): 199–224.
- van Dijken, J. P., Weusthuis, R. A., dan Pronk, J. T. (1993). Kinetics of growth and sugar consumption in yeasts. *Antonie van Leeuwenhoek* **63** (3–4): 343–352.
- Vazirzadeh, M., Karbalaei-Heidari, H. R., dan Mohsenzadeh, M. (2012). Bioethanol production from white onion by yeast in repeated batch. *Iran. J. Sci. Technol. Trans. A Sci.* **36** (4): 477–480.



- Verduyn, C., Zomerdijk, T. P. L., van Dijken, J. P., dan Scheffers, W. A. (1984). Continuous measurement of ethanol production by aerobic yeast suspensions with an enzyme electrode. *Appl. Microbiol. Biotechnol.* **19**: 181–185.
- Walker, G. M., dan Maynard, A. I. (1997). Accumulation of magnesium ions during fermentative metabolism in *Saccharomyces cerevisiae*. *J. Ind. Microbiol. Biotechnol.* **18** (1): 1–3.
- Walker, G. M. (1998). *Yeast physiology and biotechnology*. Chichester: John Wiley & Sons Ltd.
- Walker, G. M. (2010). *Bioethanol : Science and Technology of Fuel Alcohol*. Walker and Ventus Publishing ApS.
- Wang, D. L. C., Cooney, C. L., Demain, A. L., Dunnill, P., Humphrey, A. E., dan Lilley, M. D. (1979). *Fermentation and enzyme technology*. Chichester dan New York: John Wiley & Sons Ltd.
- Wang, F. Q., Gao, C.-J., Yang, C.-Y., dan Xu, P. (2007). Optimization of an ethanol production medium in very high gravity fermentation. *Biotechnol. Lett.* **29** (2): 233–236.
- Watanabe, I., Miyata, N., Ando, A., Shiroma, R., Tokuyasu, K., dan Nakamura, T. (2012). Ethanol production by repeated-batch simultaneous saccharification and fermentation (SSF) of alkali-treated rice straw using immobilized *Saccharomyces cerevisiae* cells. *Bioresour. Technol.* **123**: 695–698.
- World Energy Council. (2016). World energy resource. www.worldenergy.org diakses pada tanggal 8 Agustus 2018 pukul 14.23.
- Xue, C., Zhao, X. Q., dan Bai, F. W. (2010). Effect of the size of yeast flocs and zinc supplementation on continuous ethanol fermentation performance and metabolic flux distribution under very high concentration conditions. *Biotechnol. Bioeng.* **105** (5): 935–944.
- Xue, C., Zhao, X.-Q., Yuan, W.-J., dan Bai, F.-W. (2008). Improving ethanol tolerance of a self-flocculating yeast by optimization of medium composition. *World J. Microbiol. Biotechnol.* **24** (10): 2257–2261.
- Zabed, H., Faruq, G., Sahu, J. N., Azirun, M. S., Hashim, R., dan Nasrulhaq Boyce, A. (2014). Bioethanol production from fermentable sugar juice. *Sci. World J.* 1–11.
- Zhao, X. Q., Xue, C., Ge, X. M., Yuan, W. J., Wang, J. Y., dan Bai, F. W. (2009). Impact of zinc supplementation on the improvement of ethanol tolerance and yield of self-flocculating yeast in continuous ethanol fermentation. *J. Biotechnol.* **139** (1): 55–60.