



DAFTAR PUSTAKA

- Abbas, A.K., Lichtman, A.H. & Pillai, S. 2017. *Imunologi Dasar Abbas*. Ke 5. H. Kalim, ed. Jakarta: Elsevier.
- Anonim. 2013. Antimicrobial therapy of complicated urinary. https://richtlijnendatabase.nl/en/richtlijn/antimicrobial_therapy_of_uti_in_adults/empirical_treatment_of_uti.html 1 March 2013.
- Arnau-Barrés, I., Güerri-Fernández, R., Luque, S., Sorli, L., Vázquez, O. & Miralles, R. 2019. Serum albumin is a strong predictor of sepsis outcome in elderly patients. *Eur J Clin Microbiol*, 38(4): 743–746.
- Arsita, E. 2014. *Peran Infeksi Sebagai Prediktor Mortalitas pada Pasien Lupus Eritematosus Sistemik yang Dirawat Inap*. Universitas Indonesia.
- Bajpai, T., Bhatambare, G., Pandey, M. & Varma, M. 2014. Mixed flora in the urine of hospitalized and elderly patients: Contamination or True infection? *Niger J Exp Clin Biosci*, 2(1): 20.
- Bharath, G., Kumar, P., Makkar, N., Singla, P., Soneja, M., Biswas, A. & Wig, N. 2019. Mortality in systemic lupus erythematosus at a teaching hospital in India: A 5-year retrospective study. *Fam. Med. Prim. Care Rev*, 6(2): 2511–2515.
- Bonkat, G., Cai, T., Veeratterapillay, R., Bruyère, F., Bartoletti, R., Pilatz, A., Köves, B., Geerlings, S.E., Pradere, B., Pickard, R. & Wagenlehner, F.M.E. 2019. Management of Urosepsis in 2018. *Eur. Urol. Suppl.*, 5(1): 5–9.
- Bono, M.J. & Reygaert, W.C. 2015. Urinary Tract Infection. *StatPearls*. <https://www.ncbi.nlm.nih.gov/books/NBK470195/>.
- Buchori & Prihatini. 2006. Sepsis Diagnosis by Procalcitonin. *IJPML*, 12(3): 131–137.
- Cabral, L., Afreixo, V., Meireles, R., Vaz, M., Marques, M., Tourais, I., Chaves, C., Almeida, L. & Paiva, J.A. 2018. Procalcitonin kinetics after burn injury and burn surgery in septic and non-septic patients - a retrospective observational study. *BMC Anesthesiol*, 18(1): 1–10.
- Chair, M.G., Bartoletti, R., Bjerklund, J.T.E., Cai, T., Çek, M., Köves, B., Naber, K., Pickard, R., Tenke, P., Wagenlehner, F., Wullt, B. & ©. 2015. EAU Guidelines for The Management of Urinary and Male Genital Tract Infections. Urinary Tract Infection (UTI) Working Group of the Health Care Office (HCO) of the European Association of Urology (EAU). *Eur. Urol. Suppl.*, 40(5): 576–588.
- Chin, B.S., Kim, M.S., Han, S.H., Shin, S.Y., Choi, H.K., Chae, Y.T., Jin, S.J., Baek, J.H., Choi, J.Y., Song, Y.G., Kim, C.O. & Kim, J.M. 2011. Risk factors of all-cause in-hospital mortality among Korean elderly bacteremic urinary tract infection (UTI) patients. *J. Gerontol. Geriatr*, 52(1): e50–e55.
- Chiță, T., Licker, M., Sima, A., Vlad, A., Timar, B., Sabo, P. & Timar, R. 2013. Prevalence of urinary tract infections in diabetic patients. *Rom J Diabetes Nutr Metab Dis*, 20(2): 99–105.
- Coggon, C.F., Jiang, A., Goh, K.G.K., Henderson, I.R., Schembri, M.A. & Wells,



- T.J. 2018. A novel method of serum resistance by Escherichia coli that causes urosepsis. *MBIOCL*, 9(3): 1–6.
- Croxall, G., Weston, V., Joseph, S., Manning, G., Cheetham, P. & McNally, A. 2011. Increased human pathogenic potential of Escherichia coli from polymicrobial urinary tract infections in comparison to isolates from monomicrobial culture samples. *J. Med. Microbiol*, 60(1): 102–109.
- David Ginsberg, M. 2013. The epidemiology and Pathophysiology of Neurogenic Bladder. *AM J Manag Care*, 19(10): 191–196.
- Van Delft, S., Goedhart, A., Spigt, M., Van Pinxteren, B., De Wit, N. & Hopstaken, R. 2016. Prospective, observational study comparing automated and visual point-of-care urinalysis in general practice. *BMJ Open*, 6(8): 1–7.
- Dreger, N.M., Degener, S., Ahmad-Nejad, P., Wöbker, G. & Roth, S. 2015a. Urosepsis—Etiology, Diagnosis, and Treatment. *Dtsch Arztebl Int*, 112(2015): 837–847.
- Dreger, N.M., Degener, S., Ahmad-Nejad, P., Wöbker, G. & Roth, S. 2015b. Urosepsis - Etiology, Diagnosis, and Treatment. *Dtsch Arztebl Int*, 112(2015): 837–847.
- Dufke, S., Kunze-Kronawitter, H. & Schubert, S. 2004. Pyelonephritis and urosepsis caused by Streptococcus pneumoniae. *J. Clin. Microbiol.*, 42(9): 4383–4385.
- Ekin, I.H., Ates, S. & Gurturk, K. 2018. The presence and prevalence of Enterococcus faecalis and Enterococcus faecium strains in urine and stool samples. *Turk J Vet Anim Sci*, 2(1): 14–18.
- Flores-Mireles, A.L., Walker, J.N., Caparon, M. & Hultgren, S.J. 2015. Urinary tract infections: epidemiology, mechanisms of infection and treatment options. *Nat Rev Microbiol*, 13(5): 269–284.
- Frydrych, L.M., Fattahi, F., He, K., Ward, P.A. & Delano, M.J. 2017. Diabetes and sepsis: Risk, recurrence, and ruination. *J. Front. Endocrinol*, 8(10): 1–22.
- Ganesh, R., Shrestha, D., Bhattachan, B. & Rai, G. 2019. Epidemiology of urinary tract infection and antimicrobial resistance in a pediatric hospital in Nepal. *BMC Infect. Dis.*, 19(1): 1–5.
- Genao, L. & Buhr, G. 2012. Urinary Tract Infections in Older Adults Residing in Long-Term Care Facilities. *Ann Longterm Care*, 23(1): 1–7.
- Hohn, A., Balfer, N., Heising, B., Hertel, S., Wiemer, J.C., Hochreiter, M. & Schröder, S. 2018. Adherence to a procalcitonin-guided antibiotic treatment protocol in patients with severe sepsis and septic shock. *Ann. Intensive Care*, 8(1): 1–10.
- Hohn, A., Heising, B., Hertel, S., Baumgarten, G., Hochreiter, M. & Schroeder, S. 2015. Antibiotic consumption after implementation of a procalcitonin-guided antimicrobial stewardship programme in surgical patients admitted to an intensive care unit: a retrospective before-and-after analysis. *J. Infect. Prev.*, 43(4): 405–412.
- Hooton, T.M. 2012. Uncomplicated urinary tract infection. *N Engl J Med*, 2(3): 1028–1037.
- Hsiao, C.Y., Yang, H.Y., Hsiao, M.C., Hung, P.H. & Wang, M.C. 2015a. Risk factors for development of acute kidney injury in patients with urinary tract



- infection. *PLoS One*, 10(7): 1–11.
- Hsiao, C.Y., Yang, H.Y., Hsiao, M.C., Hung, P.H. & Wang, M.C. 2015b. Risk factors for development of septic shock in patients with urinary tract infection. *Biomed Res. Int*, 10(7): 1–8.
- Ilmiah, M., Anniwati, L. & Soehartini. 2014. Metode Bromcressol Green (BCG) dan Bromcressol Purple (BCP) pada sirosis hati yang mendapat infus albumin. *IJPML*, 20(4): 73–79.
- Irwan, I., Febyan, F. & Suparto, S. 2018. Sepsis dan Tata Laksana Berdasar Guideline Terbaru. *JAI*, 10(1): 62–73.
- Jentzer, J.C., Bennett, C., Wiley, B.M., Murphree, D.H., Keegan, M.T., Gajic, O., Scott Wright, R. & Barsness, G.W. 2018. Predictive value of the Sequential Organ Failure Assessment score for mortality in a contemporary cardiac intensive care unit population. *J Am Heart Assoc ASSOC*, 7(6): 1–11.
- Jiang, Y., Li, J., Zhang, Y., Hu, X., Zhang, X., Shang, X., Gong, S. & Yu, R. 2019. Clinical Situations of Bacteriology and Prognosis in Patients with Urosepsis. *Biomed Res Int*, 2019: 1–9.
- Jin, M. & Khan, A.I. 2010. Procalcitonin: Uses in the Clinical Laboratory for the Diagnosis of Sepsis. *Lab. Med*, 41(3): 173–177.
- Kendall, H. & Abreu, E. 2019. Serum Albumin Trend Is a Predictor of Mortality in ICU Patients With Sepsis. *Biol Res Nurs*, 21(3): 237–244.
- Kennelly, M., Thiruchelvam, N., Averbeck, M.A., Konstantinidis, C., Chartier-Kastler, E., Trøjgaard, P., Vaabengaard, R., Krassioukov, A. & Jakobsen, B.P. 2019. Adult Neurogenic Lower Urinary Tract Dysfunction and Intermittent Catheterisation in a Community Setting: Risk Factors Model for Urinary Tract Infections. *Adv Urol*, (4): 1–14.
- Kim, M.H., Ahn, J.Y., Song, J.E., Choi, H., Ann, H.W., Kim, J.K., Kim, J.H., Jeon, Y.D., Kim, S.B., Jeong, S.J., Ku, N.S., Han, S.H., Song, Y.G., Choi, J.Y., Kim, Y.S. & Kim, J.M. 2015. The C-reactive protein/albumin ratio as an independent predictor of mortality in patients with severe sepsis or septic shock treated with early goal-directed therapy. *PLoS One*, 10(7): 1–13.
- Kiyatkin, D., Bessman, E. & McKenzie, R. 2016. Impact of antibiotic choices made in the emergency department on appropriateness of antibiotic treatment of urinary tract infections in hospitalized patients. *J. Hosp. Med.*, 11(3): 181–184.
- Koh, G.C.K.W., Peacock, S.J., Van Der Poll, T. & Wiersinga, W.J. 2012. The impact of diabetes on the pathogenesis of sepsis. *Eur J Clin Microbiol Infect Dis*, 31(4): 379–388.
- Kumar, D. & Banerjee, D. 2017. Methods of albumin estimation in clinical biochemistry: Past, present, and future. *Clin Chim Acta*, 469(4): 150–160.
- Lee, H. & Le, J. 2018. Urinary Tract Infections. *Rev. Infect. Dis.*: 7–28.
- Lewis, A.L. & Kline, K.A. 2016. Gram-positive Uropathogens, Polymicrobial Urinary Tract Infection, and the Emerging Microbiota of the Urinary Tract. *Microbiol Spectr*, 4(2): 1–54.
- Lie, K.C., Lau, C.Y., Van Vinh Chau, N., West, T.E., Limmathurotsakul, D., Sudarmono, P., Aman, A.T., Arif, M., Syarif, A.K., Kosasih, H., Karyana, M., Chotpitayasanondh, T., Vandepitte, W.P., Boonyasiri, A., Lapphra, K., Chokephaibulkit, K., Rattanaumpawan, P., Thamlikitkul, V.,



- Laongnualpanich, A., Teparrakkul, P., Srisamang, P., Phuc, P.H., Hai, L.T., Kinh, N. Van, Phu, B.D., Hung, N.T., Thuong, T.C., Tuan, H.M., Yen, L.M., Chau, N.V.V., Thaipadungpanit, J., Blacksell, S., Day, N., Ling, C., Thwaites, G., Wertheim, H., Tan, L. Van, Rahman, M. & van Doorn, H.R. 2018. Utility of SOFA score, management and outcomes of sepsis in Southeast Asia: A multinational multicenter prospective observational study. *J. Intensive Care*, 6(1): 1–8.
- Luo, X., Yang, X., Li, J., Zou, G., Lin, Y., Qing, G., Yang, R., Yao, W. & Ye, X. 2018. The procalcitonin/albumin ratio as an early diagnostic predictor in discriminating urosepsis from patients with febrile urinary tract infection. *J. Clin. Med.*, 97(5): 1–6.
- Malau, U.N. & Adipireno, P. 2019. Uji korelasi leukosit esterase dan nitrit dengan kultur urin pada infeksi saluran kemih. *Intisari Sains Medis*, 10(1): 184–187.
- Mansur, A., Mulwande, E., Steinau, M., Bergmann, I., Frederik Popov, A., Ghadimi, M., Beissbarth, T., Bauer, M. & Hinz, J. 2015. *Chronic kidney disease is associated with a higher 90-day mortality than other chronic medical conditions in patients with sepsis*. Nature Publishing Group.
- Marques, A.G., Doi, A.M., Pasternak, J., Damascena, M.D.S., França, C.N. & Martino, M.D.V. 2017. Performance of the dipstick screening test as a predictor of negative urine culture. *Einstein (Sao Paulo, Brazil)*, 15(1): 34–39.
- Memişogulları, R., Yüksel, H., Yıldırım, H.A. & Yavuz, Ö. 2010. Performance Characteristics of Dipstick and Microscopic Urinalysis for Diagnosis of Urinary Tract Infection. *Eur. J. Gen. Pract.*, 7(2): 174–178.
- Merlot, A.M., Kalinowski, D.S. & Richardson, D.R. 2014. Unraveling the mysteries of serum albumin — more than just a serum protein. *Front Physiol*, 5(8): 1–7.
- Nassar, M.S.M., Hazzah, W.A. & Bakr, W.M.K. 2019. Evaluation of antibiotic susceptibility test results: how guilty a laboratory could be? *J Egypt Public Health Assoc*, 94(1): 1–5.
- Van Nieuwkoop, C., Bonten, T.N., van't Wout, J.W., Kuijper, E.J., Groeneveld, G.H., Becker, M.J., Koster, T., Wattel-Louis, G.H., Delfos, N.M., Ablij, H.C., Leyten, E.M.S. & van Dissel, J.T. 2010. Procalcitonin reflects bacteremia and bacterial load in urosepsis syndrome: a prospective observational study. *Crit care*, 14(6): 1–9.
- Novak-Weekley, S.M. & Wm. Michael Dunne, J. 2018. Blood culture: A key investigation for diagnosis of bloodstream infections. In USA: Biomerieux: 1–36.
- Odoki, M., Aliero, A.A., Tibyangye, J., Nyabayo Maniga, J., Wampande, E., Kato, C.D., Agwu, E. & Bazira, J. 2019. Prevalence of Bacterial Urinary Tract Infections and Associated Factors among Patients Attending Hospitals in Bushenyi District, Uganda. *Int. J. Microbiol*, 2019(2): 1–9.
- Oematan, Y., Manoppo, J.I.C. & Runtunuwu, A.L. 2013. Peran Inflamasi Dalam Patofisiologi Sepsis Dan Syok Septik Pada Anak. *Jbm*, 1(3): 166–173.
- Oka, H., Komiya, K., Ohama, Minoru, Kawano, Y., Uchida, M., Hajime, M., Iwashita, T., Okabe, E., Kawamura, Tadao, Yasuda, K. & Matsumoto, Taisuke, Kadota, J. 2017. Prevalence and prognostic influence of bacterial



- pyuria in elderly patients with pneumonia: A retrospective study. *Geriatr Gerontol Int*, 17(2): 1076–1080.
- Oyaert, M., Van Meensel, B., Cartuyvels, R., Frans, J., Laffut, W., Vandecandelaere, P. & De Beenhouwer, H. 2018. Laboratory diagnosis of urinary tract infections: Towards a BILULU consensus guideline. *J. Microbiol. Methods*, 146(11): 92–99.
- Pal, A. & Jain, AParashar, M. 2017. Serum serial albumin as a prognostic marker in critically ill patients. *Int. J. Sci.*, 5(2): 156–159.
- Pandey S, Sharma M, Gp, N. & Sk, M. 2015. Laboratory Evaluation of Urinalysis Parameters to Predict Urinary Tract Infection. *Int. J. Eng. Res.*, 6(2): 675–680.
- Papagiannopoulos, D., Whelan, P., Ahmad, W., Rybak, J., Hota, B., Deane, L. & Nehra, A. 2016. Procalcitonin is a strong predictor of urine culture results in patients with obstructing ureteral stones: A prospective, pilot study. *Urol Ann*, 8(3): 277–280.
- Pardede, S.O., Tambunan, T., Alatas, H., Trihono, P.P. & Hidayati, E.L. 2011. *Konsensus Infeksi saluran kemih pada Anak*. Jakarta: Unit Kerja Koordinasi Nefrologi (UKK) IDAI.
- Paydaş Hataysal, E., Saraklıgil, B., Türk Dağı, H. & Vatansev, H. 2018. How accurate is the urine dipstick test for diagnosing urinary tract infection? *Eeu Respir J*, 5(4): 613–617.
- Penta, K., Tarmono, S., Noegroho, B.S., Mochtar, C.A., Wahyudi, I., Renaldo, J., Rizal, A., Hamid, A.H., Yudiana, W. & Ghinorawa, T. 2015. *Penatalaksanaan Infeksi Saluran Kemih dan Genitalia Pria 2015*. Edisi ke-2. F. Rakhman, R. Andika, S. Sipahutar, A. Basukarno, A. Ardiani, & F. Akmal, eds. Surabaya: Ikatan Ahli Urologi Indonesia.
- Porat, A. & Kesler, S. 2018. Urosepsis. *StatPearls*. <https://www.ncbi.nlm.nih.gov/books/NBK482344/>.
- Prihartini, Aryati & Hetty. 2007. Identifikasi Cepat Mikroorganisme menggunakan Alat Vitek-2. *IJPML*, 13(3): 129–132.
- Priyantoro, K., Lardo, S. & Yuniadi, Y. 2010. Cardiac Dysfunction due to Sepsis. *J Kardiol Indones*, 31(9): 177–186.
- Purwanto, D.S. & Astrawinata, D.A.W. 2018. Mekanisme Kompleks Sepsis dan Syok Septik. *Jbm*, 10(11): 143–151.
- Putra, I.M.P. 2018. Pendekatan Sepsis dengan Skor SOFA. *Cdk*, 45(8): 1–4.
- Qiang, X.H., Yu, T.O., Li, Y.N. & Zhou, L.X. 2016. Prognosis Risk of Urosepsis in Critical Care Medicine: A Prospective Observational Study. *Biomed Res. Int*, 2016(8): 1–5.
- Rajabnia-chenari, M., Gooran, S., Fazeli, F., Dashipour, A., Student, M., Hospital, S., Science, F. & Sciences, M. 2012. Antibiotic Resistance Pattern in Urinary Tract infections in Imam-Ali Hospital, Zahedan (2010-2011). *Zahedan J Res Med Sci*, 14(8): 74–76.
- Rampengan, S.H. 2015. Disfungsi Miokard Pada Sepsis Dan Syok Septik. *Jbm*, 7(1): 8–22.
- Reinhart, K., Bauer, M., Riedemann, N.C. & Hartog, C.S. 2012. New approaches to sepsis: Molecular diagnostics and biomarkers. *Clin. Microbiol. Rev.*, 25(4): 609–634.



- Rosa, R.G., Moraes, R.B., Lisboa, T.C., Schunemann, D.P. & Teixeira, C. 2017. Does SOFA predict outcomes better than SIRS in Brazilian ICU patients with suspected infection? A retrospective cohort study. *Braz J Inf Dis*, 21(6): 665–669.
- Ryu, K.H., Kim, Y.B., Yang, S.O., Lee, J.K. & Jung, T.Y. 2011. Results of urine culture and antimicrobial sensitivity tests according to the voiding method over 10 years in patients with spinal cord injury. *Korean J Urol*, 52(5): 345–349.
- Samsudin, I. & Vasikaran, S.D. 2017. Clinical utility and measurement of procalcitonin. *Clin Biochem Rev*, 38(2): 59–68.
- Sari, E.K. 2019. Perbandingan qSOFA dan SIRS dalam mengidentifikasi pasien dengan sepsis dan memprediksi mortalitasnya. *Majalah kesehatan*, 6(12): 277–285.
- Sastroasmoro, S. & Ismael, S. 2016. *Dasar-dasar Metodologi Penelitian Klinis*. Edisi Ke-5. Jakarta: Sagung Seto.
- Savitri, F., Pratistha, M., Sudhana, I.W. & Adnyana, I.W.L. 2017. Diagnosis cepat infeksi saluran kemih dengan menghitung jumlah leukosituria pada urinalisis metode flowcytometry sysmex ux-2000 dengan baku emas kultur urin di RSUP Sanglah Denpasar. *JPD*, 1(9): 52–56.
- Schot, M.J.C., Van Delft, S., Kooijman-Buiting, A.M.J., De Wit, N.J. & Hopstaken, R.M. 2015. Analytical performance, agreement and user-friendliness of six point-of-care testing urine analysers for urinary tract infection in general practice. *BMJ Open*, 5(5): 1–9.
- Schuetz, P., Birkhahn, R., Sherwin, R., Jones, A.E., Singer, A., Kline, J.A., Runyon, M.S., Self, W.H., Courtney, D.M., Nowak, R.M., Gaieski, D.F., Ebmeyer, S., Johannes, S., Wiemer, J.C., Schwabe, A. & Shapiro, N.I. 2017. Serial procalcitonin predicts mortality in severe sepsis patients: Results from the multicenter procalcitonin monitoring SEpsis (MOSES) Study. *Crit. Care Med*, 45(5): 781–789.
- Schuetz, P., Castro, P. & Shapiro, N.I. 2011. Diabetes and sepsis: Preclinical findings and clinical relevance. *Diabetes Care*, 34(3): 771–778.
- Setiawan, M.I. 2014. Prokalsitonin Sebagai Penanda Infeksi Bakteri Berat. *J Indon Med Assoc*, 64(4): 197–207.
- Sharew, A., Bodilsen, J., Hansen, B.R., Nielsen, H. & Brandt, C.T. 2020. The cause of death in bacterial meningitis. *BMC Infect. Dis*, 20(1): 1–9.
- Sheldon, I.M. 2016. Detection of Pathogens in Blood for Diagnosis of Sepsis and Beyond. *EBioMedicine*, 9(6): 13–14.
- Shetty, A., MacDonald, S.P.J., Williams, J.M., van Bockxmeer, J., de Groot, B., Esteve Cuevas, L.M., Ansems, A., Green, M., Thompson, K., Lander, H., Greenslade, J., Finfer, S. & Iredell, J. 2017. Lactate ≥ 2 mmol/L plus qSOFA improves utility over qSOFA alone in emergency department patients presenting with suspected sepsis. *Emerg Med Australas*, 29(6): 626–634.
- Shim, B.-S., Yoon, Y.-H., Kim, J.-Y., Cho, Y.-D., Park, S.-J., Lee, E.-S. & Choi, S.-H. 2019. Clinical Value of Whole Blood Procalcitonin Using Point of Care Testing, Quick Sequential Organ Failure Assessment Score, C-Reactive Protein and Lactate in Emergency Department Patients with Suspected



- Infection. *J. Clin. Med.*, 8(6): 833.
- Skare, T.L., Dagostini, J.S., Zanardi, P.I. & Nisihara, R.M. 2016. Infections and systemic lupus erythematosus. *Einstein (Sao Paulo, Brazil)*, 14(1): 47–51.
- Staudinger, T. & Pène, F. 2014. Current insights into severe sepsis in cancer patients. *Rev Bras Ter Intensiva*, 26(4): 335–338.
- Sudhir, U., Venkatachalaiah, R.K., Kumar, T.A., Rao, M.Y. & Kempegowda, P. 2011. Significance of serum procalcitonin in sepsis. *Indian J. Crit. Care Med.*, 15(1): 1–5.
- Takegawa, R., Kabata, D., Shimizu, K., Hisano, S., Ogura, H., Shintani, A. & Shimazu, T. 2019. Serum albumin as a risk factor for death in patients with prolonged sepsis : An observational study. *J. Crit. Care*, 51(2019): 139–144.
- Taverna, M., Marie, A., Mira, J. & Guidet, B. 2013. Specific antioxidant properties of human serum albumin. *Ann. Intensive Care*, 3(4): 1–3.
- Thapa, S., Prasad, P. & Shakya, Y. 2017. Serum Lactate Albumin Ratio as a Predictor of Mortality in Severe Sepsis and Septic Shock at Tribhuwan University Teaching Hospital, Kathmandu. *Birat J. Health Sci*, 2(3): 191–195.
- Thornton, H. V., Hammond, A. & Hay, A.D. 2018. Urosepsis: A growing and preventable problem? *Brit J Gen Pract*, 68(10): 493–494.
- Trends, R., Published, A.M., Online, S.M., Llc, P., Online, S.M., Llc, P., Access, O., Attribution, C.C. & Edition, O. 2015. Urinary Tract Infection: General Considerations. *Behav. Brain Res.*, 281(12): 1–12.
- Vijay Ganapathy, S., Karthikeyan, V.S., Sreenivas, J., Mallya, A. & Keshavamurthy, R. 2017. Validation of APACHE II scoring system at 24 hours after admission as a prognostic tool in urosepsis: A prospective observational study. *Investig Clin Urol*, 58(6): 453–459.
- Vijayan, A.L., Ravindran, S., Saikant, R., Lakshmi, S., Kartik, R. & Manoj, G. 2017. Procalcitonin: A promising diagnostic marker for sepsis and antibiotic therapy. *J. Intensive Care*, 5(1): 1–7.
- Vincent, J.L. 2016. The Clinical Challenge of Sepsis Identification and Monitoring. *PLoS Med.*, 13(5): 1–10.
- Wagenlehner, F.M.E., Pilatz, A., Weidner, W. & Naber, K.G. 2015. Urosepsis: Overview of the Diagnostic and Treatment Challenges. *Microbiol. Spectr.*, 3(5): 1–18.
- Weis, S., Dickmann, P., Pletz, M.W., Coldewey, S.M., Gerlach, H. & Bauer, M. 2017. The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *Dtsch Arztebl Int*, 315(8): 801–810.
- Wiwin. 2017. Prevalensi Infeksi Saluran Kemih Cukup Tinggi. <https://fk.ugm.ac.id/prevalensi-infeksi-saluran-kemih-cukup-tinggi/> 20 February 2017.
- Wowor, E.E., Rompis, J. & Wilar, R. 2013. Hubungan Kadar Albumin Plasma Dan Gula Darah. *eBM*, 1(1): 225–231.
- Yamamichi, F., Shigemura, K., Kitagawa, K., Takaba, K., Tokimatsu, I., Arakawa, S. & Fujisawa, M. 2017. Shock due to urosepsis: A multicentre study. *Can. Urol. Assoc. J.*, 11(3–4): E105–E109.
- Yunus, I., Fasih, A. & Wang, Y. 2018. The use of procalcitonin in the determination of severity of sepsis, patient outcomes and infection characteristics. *PLoS One*,



**RASIO PROKALSITONIN ALBUMIN SEBAGAI PREDIKTOR UROSEPSIS PADA PASIEN INFEKSI
SALURAN KEMIH**
MEKAR PALUPI, Dr.dr.Andaru Dahesihdewi,M.Kes,SpPK(K);Dr.dr.Osman Sianipar,DMM,MSc.,SpPK(K)

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

13(11): 1–11.