

DAFTAR PUSTAKA

- Al-duliamy, M.J., Abdullah, B.H., 2015, Enhancement of orthodontic anchorage and retention by the local injection of strontium : An experimental study in rats, *Saudi Dent J*, 27(1):22–9.
- Alfaqeeh, S.A., Anil, S., 2014, Gingival crevicular fluid flow rate and alkaline phosphatase level as potential marker of active tooth movement, *OHDM*, 13(2): 458–63.
- Alhammadi, M.S., Halboub, E., Fayed, M.S., Labib, A., El-Saaidi, C., 2018, Global distribution of malocclusion traits: A systematic review, *Dental Press J Orthod*, 23(6):1–10.
- Alhashimi, N., Frithiof, L., Brudvik, P., Bakhiet, M., 2001, Orthodontic tooth movement and *de novo* synthesis of proinflammatory cytokines, *Am J Orthod Dentofacial Orthop*, 119: 307–12.
- Alhasyimi, A.A., Pudyani, P.S., Asmara, W., Ana, I.D., 2017, Locally inhibition of orthodontic relapse by injection of carbonated hydroxy apatite-advanced platelet-rich fibrin in a rabbit model, *Key Eng Mater*, 758: 255–63.
- Alhasyimi, A.A., Pudyani, P.S., Asmara, W., Ana, I.D., 2018, Enhancement of post-orthodontic tooth stability by carbonated hydroxyapatite-incorporated advanced platelet-rich fibrin in rabbits, *Orthod Craniofac Res*, 21(2):112–8.
- Alliston, T., Choy, L., Ducey, P., Karsenty, G., Derynck, R., 2001, TGF-beta-induced repression of CBFA1 by Smad3 decreases cbfa1 and osteocalcin expression and inhibits osteoblast differentiation, *EMBO J*, 20(9):2254–72.
- Ana, I.D., Mudjosemedi, M., Sofro, A.S.M., Leeuwenburgh, S.C.G., Wolke, J.G.C., Ishikawa, K., Jansen, J.A., 2008, Development of injectable carbonate apatite bone substitute based on phase transformation of gypsum and calcium hydroxide: preliminary studies on factors influencing carbonate apatite synthesis, *MIKG*, 10(1): 35- 38.
- Ana, I.D., Matsuya, S., Ishikawa, K., 2010, Engineering of carbonate apatite bone substitute based on composition-transformation of gypsum and calcium hydroxide, *Engineering*, 2(1):344–52.
- Andrade, J.R.I., Sousa, A.B.S., Silva, G.G., 2014, New therapeutic modalities to modulate orthodontic tooth movement, *Dental Press J Orthod*, 19(6):123-33.

- Ariani, M.D., Matsuura, A., Hirata, I., Kubo, T., Kato, K., Akagawa, Y., 2013, New development of carbonate apatite-chitosan scaffold based on lyophilization technique for bone tissue engineering, *Dent Mater J.*, 32(2): 317–25.
- Arifianto, Siti, N., Ratih, L., 2006, Pengaruh atmosfer dan suhu sintering terhadap komposisi pelet hidroksiapatit yang dibuat dari sintesis kimia dengan media air dan *Synthetic Body Fluid (SBF)*, *Indonesian J Matter Sci*, 13(9): 166–73.
- Atack, N., Harradine, N., Sandy, J.R., Ireland, A.J., 2007, Which way forward? Fixed or removable lower retainers, *Angle Orthod*, 77(6):954–9.
- Autefage, H., Briand-Mésange, F., Cazalbou, S., Drouet, C., Fourmy, D., Gonçalves, S., Salles, J., Combes, C., Swider, P., Rey, C., 2009, Adsorption and release of BMP-2 on nanocrystalline apatite-coated and uncoated hydroxyapatite/b-tricalcium phosphate porous ceramics. *JBMR Part B: Applied Biomat*, 91(2): 706–15.
- Bansal, C., Bharti, V., 2013. Evaluation of efficacy of autologous platelet - rich fibrin with demineralized - freeze dried bone allograft in the treatment of periodontal intrabony defects, *J Ind Soc Perio*, 17(3): 361–6.
- Batra, P., Kharbanda, O., Duggal, R., Singh, N., Parkash, H., 2006, Alkaline phosphatase activity in gingival crevicular fluid during canine retraction, *Orthod Craniofac Res*, 9: 44-51.
- Berkovitz, B., Moxham, B., Linden, R., Sloan, A., 2011, *Master Dentistry Volume Three; Oral Biology*, Churchill Livingstone Elsevier, China, p. 223-225.
- Bhalaji, S.I., 2006, *Orthodontics, the Art and Science, 3rd edition*. New Delhi: Arya (Medi) Publishing House. 2006. p. 7-8
- Blobe, G.C., Schiemann, W.P., Lodish, H.F., 2000, Role of transforming growth factor beta in human disease, *Engl J Med*, 342(18):1350–8.
- Borie, E., Oliví, D.G., Orsi, I.A., Garlet, K., Weber, B., Beltrán, V., Fuentes, R., 2015, Platelet-rich fibrin application in dentistry: a literature review. *Int J Clin Exp Med* 8(5): 7922–9.
- Bose, S., Roy, M., 2013, Recent Advances in bone tissue engineering scaffolds, *Trends Biotechnol*, 30(10):546–54.
- Boyce, B.F., Xing, L., 2008, Functions of RANKL/RANK/OPG in bone modeling and remodeling, *Arch Biochem Biophys*, 15;473(2):139-46.

- Burnouf, T., Lee, C., Luoc, C., Kuod, Y., Choue, M., Wud, Y., Tseng, Y., 2012, Human blood-derived fibrin releasates: Composition and use for the culture of cell lines and human primary cells, *Biologicals*, 40(1): 21–30.
- Canalis, E., Economides, A.N., Gazzero, E., 2003, Bone morphogenetic proteins, their antagonists, and the skeleton. *Endocr Rev*, 24(2):218–35.
- Centrella, M., Casinghino, S., Kim, J., Pham, T., Rosen, V., Wozney, J., McCarthy, T.L., 1995, Independent changes in type I and type II receptors for transforming growth factor beta induced by bone morphogenetic protein 2 parallel expression of the osteoblast phenotype. *Mol Cell Biol*, 15(6):3273–81.
- Chandran, P., Sivadas, A., 2014, Platelet-rich fibrin: its role in periodontal regeneration, *Saudi J Dent Res*, 5:117–22.
- Chang, Y.C., Zhao, J.H., 2011, Effects of platelet-rich fibrin on human periodontal ligament fibroblasts and application for periodontal infrabony defects, *Aust Dent J*, 56, 365-71.
- Chambers, E.S., Suwannasaen, D., Mann, E.H., Urry, Z., Richards, D.F., Lertmemongkolchai, G., Hawrylowicz, C.M., 2014, 1,25-dihydroxyvitamin D3 in combination with transforming growth factor- β increases the frequency of Foxp3⁺ regulatory T cells through preferential expansion and usage of interleukin-2. *Immunology*.143(1):52–60.
- Chen, Y.P., Han, G.H., Jin, C.W., Shi, R.X., Hou, J.H., 2008, Effect of simvastatin on bone morphogenetic protein-2 expression in the periodontal tissue after rat tooth movement, *Zhonghua Kou Qiang Yi Xue Za Zhi*, 43(1):21–5.
- Chen, G., Deng, C., Li, Y., 2012, TGF- β 1 and BMP signaling in osteoblast differentiation and bone formation, *Int. J. Biol. Sci.*, 8(2):272–88.
- Choukroun, J., Diss, A., Simonpieri, A., Girard, M.O., Shoeffler C, 2006, Platelet-rich fibrin (PRF): a second generation platelet concentrate. Part V: Histologic evaluations of PRF effects on bone allograft maturation in sinus lift. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*; 101: 299–303.
- Chowdhury, E.H., Akaike T, 2007, High performance DNA nano-carriers of carbonate apatite: multiple factors in regulation of particle synthesis and transfection efficiency, *Int J Nanomedicine*, 2(1):101-6.
- Danielsen, P.L., 2008, *Platelet-rich fibrin in human acute wound models*, University of Copenhagen, Denmark. p. 138

- Danz, J. C, Greuter, C., Sifakakis, I., Fayed, M., Pandis, N., Katsaros, C., 2014, Stability and relapse after orthodontic treatment of deep bite cases-a long-term follow-up study, *Eur J Orthod*, 36(2):522–30.
- Devreese, H., De Pauw, G., Van Maele, G., Kuijpers-Jagtman, A.M., Dermaut, L., 2007., Stability of upper incisor inclination changes in Class II division 2 patients, *Eur J Orthod*, 29(5): 314–20.
- Dohan, D.M., Choukroun, J., Diss, A., Dohan, S.L., Dohan, A.J., Mouhyi, J., Gogly, B., 2006, Platelet-rich fibrin (PRF): a second-generation platelet concentrate. Part I: Technological concepts and evolution. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 101:37–44.
- Dolci, G.S., Portela, L.V., de Souza, D.O., Fossatic, A.C.M., 2017, Atorvastatin-induced osteoclast inhibition reduces orthodontic relapse, *Am J Orthod Dentofacial Orthop.*, 51: 528–38.
- Elgendy, E.A., Shady, T.E.A., 2015. Clinical and radiographic evaluation of nHA with or without PRF membrane in the treatment of periodontal intrabony defects, *J Ind Soc Perio*, 19(1):61–5.
- Engler-Pinto, A., Siéssere, S., Calefi, A., 2019, Effects of leukocyte and platelet-rich fibrin associated or not with bovine bone graft on the healing of bone defects in rats with osteoporosis induced by ovariectomy. *Clin Oral Impl Res.* 30:962–76.
- Eric, J., Van-Leeuwun C.J., Kujipers-Jagtman, A.M., 2003, The Effect of retention on orthodontic relapse after the use of small continuous or discontinuous forces. An experimental study in beagle dogs, *J Oral Sci*, 43(1):111–6.
- Esfahani, N.E., Sadeghian, S., Razavi, S.M., Minaiyan, M., Afsari, E., 2013, The effects of Simvastatin on bone remodeling, tooth movement and root resorption in orthodontic treatments. *Biomed Pharmacol J*, 6(2):271–8.
- Fawcett, D. W., 2002, *Buku ajar histologi* (terj.), edisi 12, Jakarta: Penerbit Buku Kedokteran EGC, p.98.
- Feng, S., Chen, W., 2013, TGF-beta1 on osteoimmunology and the bone component cells, *Cell & Biosci*, 3(4):1–7.
- Feng, L., Yang, R., Liu, D., Wang, X., Kou, X., Zhou, Y., 2016, PDL progenitor-mediated PDL recovery contributes to orthodontic relapse. *J Dent Res.* 95(9):1049–56.

- Fernández-Tresguerres-Hernández-Gil, I., Alobera-Gracia, M.A., del Canto-Pingarrón, M., 2006, Physiological bases of bone regeneration II, the remodeling process, *Med Oral Patol Oral Cir Bucal*, 11:E151–E157.
- Franzen, T.F., Brudvik, P., Vandevska-Radunovic, V., 2013, Periodontal tissue reaction during orthodontic relapse in rat molars, *Eur J Orthod*, 35(2):152–9.
- Fox, S.W., Lovibond, A.C., 2005, Current insights into the role of transforming growth factor-beta in bone resorption. *Mol Cell Endocrin*, 243(20):19–26.
- Fujioka-Kobayashi, M., Miron, R.J., Hernandez, M., Kandalam, U., Zhang, Y., Choukroun, J., 2017, Optimized platelet-rich fibrin with the low-speed concept: growth factor release, biocompatibility, and cellular response. *J Periodontol*, 88(1):112–21.
- Galav, S., Chandrashekar, K.T., Mishra, R., Tripathi, V., Agarwal, R., Galav, A., 2016, Comparative evaluation of platelet-rich fibrin and autogenous bone graft for the treatment of infrabony defects in chronic periodontitis: Clinical, radiological, and surgical reentry, *Indian J Dent Res*, 27: 502-7.
- Gazzerro, E., Gangji, V., Canalis, E., 1998, Bone morphogenetic proteins induce the expression of noggin, which limits their activity in cultured rat osteoblast. *J Clin Invest*, 102:2106-14.
- Ghanaati, S., Booms, P., Orłowska, A., Kubesch, A., Lorenz, J., Rutkowski, J., Landes, C., Sader, R., Kirkpatrick, C., Choukroun, J., 2014, Advanced platelet-rich fibrin: a new concept for cell-based tissue engineering by means of inflammatory cells, *J Oral Implantol*, 40:679–89.
- Gill, D.S., Naini, F.B., 2011, *Orthodontics principles and practice*. Wiley Blackwell Publisher, Oxford, p. 273.
- Gokhale, S., Byakod, G., Gupta, G., Muglikar, S., Gupta, S., 2015, Effects of laser-aided circumferential supracrestal fiberotomy on relapse of orthodontically treated teeth: a pilot study. *J Dent Lasers*, 9(1):16–22.
- Guyton, A.C., Hall, J.E., 2010, *Buku ajar fisiologi kedokteran*. Alih bahasa oleh Irawati Setiawan. Edisi 9, Jakarta: Penerbit Buku Kedokteran EGC, p. 27.
- Han, G., Chen, Y., Hou, J., Liu, C., Chen, C., Zhuang, J., Meng, W., 2010, Effects of simvastatin on relapse and remodeling of periodontal tissues after tooth movement in rats, *Am J Orthod Dentofacial Orthop*, 138(5):55–7.
- Hankenson, K.D., Dishowitz, M., Gray, C., Schenker, M., 2011, Angiogenesis in bone regeneration, *Injury*, 42(6):556–61.

- Hartanto, E., Ismaniati, N.A., Krisnawati, 2008, Evaluasi perubahan susunan gigi anterior bawah paska perawatan ortodonti menggunakan *irregularity index* (kajian model studi pada pasien klinik ortodonti RSGM FKG UI), *J Dent Ind*, 12(3):132–8.
- Hasegawa, M., Doi, Y., Uchida, A., 2003, Cell-mediated bioresorption of sintered carbonate apatite in rabbits, *J Bone Joint Surg*, 85: 142–7.
- Hassan, A.H., Al-Hubail, A., Al-Fraidi, A.A., 2010, Bone inductive proteins to enhance post-orthodontic stability, *Angle Orthod*, 80(6):1051–60.
- Hsiong, S.X., Mooney, D.J., 2006, Regeneration of vascularized bone. *Periodontol*. 41:109–22.
- Hudson, J.B., Hatch, N., Hayami, T., Shin, J.M., Stolina, M., Kostenuik, P.J., Kapila, S., 2012, Local delivery of recombinant osteoprotegerin enhances post-orthodontic tooth stability, *Calcif Tissue Int*, 90:330–342.
- Hughes, F.J., Turner, W., Belibasakis, G., Gianluca, M., 2006, Effects of growth factors and cytokines on osteoblast differentiation, *Period 2000*, 41:48–72.
- Irwansyah, M., Erwansyah, E., 2011, Assessment of success rate of orthodontic treatment using removable appliance based on PAR index, *Dentofasial*, 10(3):144–50.
- Iswari, H., 2012, Relaps dan pencegahannya dalam ortodonti, *Kedokteran*, 29(319): 53–8.
- Jadhav, S.B., Jain, G.K., 2006, Statins and osteoporosis: new role for old drugs, *J Pharm Pharmacol*, 58(1): 3–18.
- Jebahi, S., Saoudi, M., Badraoui, R., Rebai, T., Ellouz, Z., Feki, H.E, 2012, Biologic response to carbonated hydroxyapatite associated with orthopedic device: experimental study in a rabbit model, *Korean J Pathol*, 46(1):48–54.
- Junqueira, L.C., Carneiro, J., Kelley, R.O., 2007, *Histologi Dasar* (terj.), Jakarta: Penerbit Buku Kedokteran EGC, p.194
- Kaan, M., Madle´na, M., 2011, Retention and relapse, review of the literature. *Fogorvosi Szemle*, 104:139–46.
- Kamiya, N., Ye, L., Kobayashi, T., Lucas, D.J., Mochida, Y., Yamauchi, M., 2008, Disruption of BMP signaling in osteoblasts through type IA receptor (BMPRIA) increases bone mass. *J Bone Miner Res*. 23:200–17.

- Kanatani, M., Sugimoto, T., Kano, J., Kanzawa, M., Chihara, K., 2003, Effect of high phosphate concentration on osteoclast differentiation as well as bone-resorbing activity. *J Cell Physiol*, 196(1):180–9.
- Kang, Y.H, Jeon, S.H., Park, J., Chung, J., Choung, Y., Choung, H., Kim, E., Choung, P., 2011, Platelet-rich fibrin is a Bioscaffold and reservoir of growth factors for tissue regeneration. *Tissue engineering. Part A*, 17(3-4): 349–59.
- Kanzaki, H., Chiba, M., Takahashi, I., Haruyama, N., Nishimura, M., Mitani, H., 2004, Local OPG gene transfer to periodontal tissue inhibits orthodontic tooth movement, *J Dent Res*, 83:920–5.
- Karina, V.M., 2015, Pengaruh *platelet rich fibrin* kompresi dan *platelet rich fibrin releasate* terhadap proliferasi fibroblas ligamen periodontal, Kajian secara *in vitro*, Thesis, Universitas Gadjah Mada, Yogyakarta.
- Karunakar, P., Prasanna, J.S., Jayadev, M., Shravani, G.S., 2014. Platelet-rich fibrin, a faster healing aid in the treatment of combined lesions: A report of two cases. *J Indian Soc Perio*, 18(5):651–5.
- Kasagi, S., Chen, W., 2013, TGF-beta1 on osteoimmunology and the bone component cells, *Cell Biosci*, 3:4.
- Kassem, M., Kveiborg, M., Eriksen, E.F., 2000, Production and action of transforming growth factor-beta in human osteoblast cultures: dependence on cell differentiation and modulation by calcitriol. *Eur J Clin Invest*, 30(5):429-37.
- Kenkre, J.S., Bassett, J.H.D., 2018, The bone remodelling cycle. *Ann Clin Biochem Intl J Lab Med*. 55(3): 308–27.
- Kierszenbaum, A.L., 2002, *Histology and cell biology an introduction to pathology*, Mosby Elsevier, New York, p. 123.
- Kim, S.J., Letterio, J., 2003, Transforming growth factor-beta signaling in normal and malignant hematopoiesis, *Leukemia*, 17(9):1731–7.
- Kini, U., Nandeesh, U.B., 2012, *Physiology of bone formation, remodeling, and metabolism, in radionuclide and hybrid bone imaging*, Springer, Berlin Heidelberg, p. 29-57.
- Kizildağ, A., Çiçek, Y., Arabaci, T., Köse, O., 2019, The effect of leukocyte-platelet-rich fibrin on bone morphogenetic protein-2 and insulin-like growth factor-1 levels in patients with chronic periodontitis: a randomized split mouth clinical trail, *Growth Factors*, 36(6): 1–7.

- Kobayashi, E., Flückiger, L., Fujioka-Kobayashi, M., Sawada, K., Sculean, A., Schaller, B., Miron, R.J., 2016, Comparative release of growth factors from Comparative release of growth factors from PRP, PRF, and advanced-PRF, *Clin Oral Invest*, 25:1–8.
- Krishnan, V., Davidovitch, Z., 2015, *Biological mechanisms of tooth movement*, John Wiley and Sons, Ltd., United Kingdom. p. 73.
- Krishnan, S., Pandian, S., Kumar, S.A., 2015, Effect of bisphosphonates on orthodontic tooth movement- an update. *J Clin Diagnostic Res*, 9(4):ZE01–ZE05.
- Kumar, R., Shubhashini, N., 2012, Platelet Rich Fibrin: a new paradigm in periodontal regeneration, *Cell Tissue Bank*, 14:453–63.
- Landi, E., Celottia, G., Logroscinob, G., Tampieri, A., 2003, Carbonated hydroxyapatite as bone substitute, *J Eur Ceram Soc* 23: 2931–7.
- Lee, D.E., Kim, J.H., Choi, S.H., Cha, J.H., Bak, E.J., Yoo, Y.J., 2014, Periodontitis mainly increases osteoclast formation via enhancing the differentiation of quiescent osteoclast precursors into osteoclasts, *J Periodontal Res*, 50(2): 256–64.
- Li, X., Li, M., Lu, J., Hu, Y., Cui, L., Zhang, D., 2016, Age-related effects on osteoclastic activities after orthodontic tooth movement, *Bone Joint Res*, 5:492–9.
- Lin, F., Sun, H., Ni, Z., Zheng, M., Yao, L., 2015, A feasible method to improve adherence of Hawley retainer in adolescent orthodontic patients : a randomized controlled trial. *Patient Prefer Adher*, 9:1525–30.
- Littlewood, S.J., Millett, D.T., Doubleday, B., Worthington, H.V., 2016. Retention procedures for stabilising tooth position after treatment with orthodontic braces (Review). *Cochrane Database Syst Rev*, 45(1): 1–4.
- Madhu, V., Li, C.J., Dighe, A.S., Balian, G., Cui, Q., 2019, BMP-Non-responsive Sca1+CD73+CD44+ mouse bone marrow derived osteoprogenitor cells respond to combination of VEGF and BMP-6 to display enhanced osteoblastic differentiation and ectopic bone formation. *PLoS one*, 14(1): e0211782.
- Maeda, S., Hayashi, M., Komiya, S., Imamura, T., Miyazono, K., 2004, Endogenous TGFbeta signaling suppresses maturation of osteoblastic mesenchymal cells, *EMBO J*, 23(3):552–63.

- Maltha, J.C., Kuijpers-Jagtman, A.M., 2015, *Biological background of relapse of orthodontic tooth movement* dalam *Biological mechanisms of tooth movement* edited by Vinod Krishnan and Ze'ev Davidovitch, John Wiley and Sons, Ltd., United Kingdom, p. 201–14.
- Manoranjan, S.J., Faizuddin, M., Hemalatha, M., Ranganath, V., 2012, The effect of platelet derived growth factor-AB on periodontal ligament fibroblast: an in vitro study, *J Indian Soc Periodontol*, 16(1): 49–53.
- Mapara, M., Thomas, B.S., Bhat, K.M., 2012, Rabbit as an animal model for experimental research, *Dent Res J*, 9(1): 111–8.
- Mavrokokki, T., Cheng, A., Stein, B., Goss, A., 2007, Nature and frequency of bisphosphonate-associated osteonecrosis of the jaws in Australia, *J Oral Maxillofac Surg*, 65(3):415–23.
- Mentink, A., Hulsman, M., Groen, N., Licht, R., Dechering, K.J., 2013, Predicting the therapeutic efficacy of MSC in bone tissue engineering using the molecular marker CADM1. *Biomaterials*, 34: 4592–601.
- Mirzakouchaki, B., Shirazi, S., Sharghi, R., Shiraz, S., 2016. Assessment of factors affecting adolescent patients compliance with hawley and vacuum formed retainers, *J Clin Diag Res*, 10(6): ZC24-ZC2.
- Moiolia, E.K., Clark, P.A., Shan Lala, X., Maa, J.J., 2007, Matrices and scaffolds for drug delivery in dental, oral and craniofacial tissue engineering, *Adv Drug Deliv Rev*, 59(1): 308–24.
- Munoz, F., Jiménez, C., Espinoza, D., Vervelle, A., Beugnet, J., Haidar, Z., 2016, Use of leukocyte and platelet-rich fibrin (L-PRF) in periodontally accelerated osteogenic orthodontics (PAOO): Clinical effects on edema and pain. *J Clin Exp Dent*, 8(2):e119-24.
- Nagai, H., Kobayashi-Fujioka, M., Fujisawa, K., 2015, Effects of low crystalline carbonate apatite on proliferation and osteoblastic differentiation of human bone marrow cells, *J Mater Sci Mater Med*, 26: 99-106.
- Nomura, S., 2013, Fabrication of Interconnected Porous Carbonate Apatite Bone Replacement Using Gypsum Spheres as a Precursor, *Thesis*, Kyushu University, Japan.
- Noxon, S.J., King G.J., Gu G., Huang G., 2001, Osteoclast clearance from periodontal tissues during orthodontic tooth movement. *Am J Orthod Dentofacial Orthop*, 120(5): 466–76.

- Nugraha, A.P., Rezkita, F., Putra, K.G., Narmada, I.B., Ernawati, D.S., Rantam, F.A., 2019, Triad tissue engineering: gingival mesenchymal stem cells, platelet rich fibrin and hydroxyapatite scaffold to ameliorate relapse post orthodontic treatment. *Biochem Cell Arch*, 19(2): 3689-93.
- Olive, R. J., Basford, K. E., 2003, A longitudinal index study of orthodontic stability and relapse. *Aus Orthod J*, 19: 47-55.
- Olson, C.E., 2010, Effects of orthodontic tooth movement on osteoblast differentiation markers within the periodontal ligament, *Thesis*, University of Connecticut, USA. p. 112.
- Parfitt, A.M., 2002, Targeted and nontargeted bone remodeling: relationship to basic multicellular unit origination and progression, *Bone*, 30(1):5-7.
- Park, J.B., 2009, The use of simvastatin in bone regeneration, *Med Oral Patol Oral Cir Bucal*, 14(9): 485-8.
- Peng, H., Wright, V., Usas, A., 2002, Synergistic enhancement of bone formation and healing by stem cell-expressed VEGF and bone morphogenetic protein-4, *J Clin Invest*, 110(6): 751-9.
- Peng, A., Usas, A., Olshanski, A., 2005, VEGF improves, whereas sFlt1 inhibits, BMP2-induced bone formation and bone healing through modulation of angiogenesis, *J Bone Mineral Res*, 20(11): 2017-27.
- Phulari, B.S., 2013, *History of orthodontics*. Jaypee Brothers Medical Publishers, New Delhi, p. 15-6.
- Proffit, W.R., Fields, H.W., Sarver D.M., 2012, *Contemporary orthodontics*, 5th ed., Mosby Elsevier, St. Louis, pp. 286-87, 607.
- Pudyani, P.S., Asmara, W., Ana, I.D., Utari, T.R., 2014, Alkaline phosphatase expression during relapse after orthodontic tooth movement, *Dent. J. (Maj. Ked. Gigi)*, 47(1): 25-30.
- Qi, J., Kitaura, H., Shen, W., Kishikawa, A., Ogawa, S., Ohori, F., 2019, Establishment of an orthodontic retention mouse model and the effect of anti-c-Fms antibody on orthodontic relapse, *PLoS One*, 14(6):e0214260.
- Quinn, J.M., Itoh, K., Udagawa, N., Hausler, K., Yasuda, H., Shima, N., 2001, Transforming growth factor beta affects osteoclast differentiation via direct and indirect actions. *J Bone Miner Res*, 16(10):1787-94.
- Rahardjo, P., 2009, *Ortodonsia dasar*, edisi 1, Airlangga University Press, Surabaya, h. 143-59.

- Reitan, K., 1960, Tissue behaviour during orthodontic tooth movement. *Am J Orthod*, 46: 881–900.
- Rutkovskiy, A., Stenslokken, K.O., Vaage, I.J., 2016, Osteoblast differentiation at a glance, *Med Sci Monit Basic Res*, 22(1): 95–106.
- Sakou, T., 1998, Bone morphogenetic proteins: from basic studies to clinical approaches. *Bone*, 22(6):591–603.
- Salim, S., Ariani, M.D., 2015, *In vitro* and *in vivo* evaluation of carbonate apatite-collagen scaffolds with some cytokines for bone tissue engineering, *J Indian Prosthodont Soc*, 15(4):349–55.
- Schär, M.O., Diaz-Romero, J., Kohl, S., Zumstein, M.A., Nestic, D., 2015, Platelet-rich concentrates differentially release growth factors and induce cell migration *in vitro*, *Clin Orthop Rel Res*, 473(5):1635–43.
- Sheibaninia, A., Valaei, N., Vosooghi, M., Noorbakhsh, M., 2010, Incidence of relapse in orthodontics treatments and related factors. *J Res Dent Sci*, 7(2): 32–41.
- Shroff, B., 2016, *Biology of orthodontic tooth movement current concepts and applications in orthodontic practice*, Springer, United States, p. 8.
- Silva, I., Branco, J.C., 2011, RANK/RANKL/OPG: Literature review. *Acta Reumatol Port*, 36: 209–18.
- Sivakumar, M., Rao, K.P., 2002, Preparation, characterization and *in vitro* release of gentamicin from coralline hydroxyapatite-gelatin composite microspheres, *Biomaterials*, 23:3175–81.
- Su, C.Y., Kuo, Y.P., Tseng, Y.H., Su, C., Burnouf, T., 2009, *In vitro* release of growth factors from platelet-rich fibrin (PRF): a proposal to optimize the clinical applications of PRF, *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 108:56–61.
- Sutjiati, R., Rubianto, Narmada, I. B., Sudiana, I. K., Rahayu, R. P., 2017, The inhibition of relapse of orthodontic tooth movement by NaF administration, *Int J Med Health Sci*, 11(10):1-8.
- Suwondo, C.I., Herawati, D., Sudibyso, S., 2018, Effect of advanced platelet-rich fibrin applications on periodontal regeneration in infrabony pocket treatment, *MKGI*, 4(3): 154–160.
- Tada, S., Chowdhury, E.H., Cho, C.S., Akaike, T., 2010, pH-sensitive carbonate apatite as an intracellular protein transporter, *Biomaterials*, 31:1453–9.

- Toffler, M., Toscano, N., Holtzclaw, D., 2009, Introducing Choukroun's platelet-rich fibrin to the reconstructive surgery milieu. *J Implant Adv Clin Dent*, 1(6): 21–32.
- Tsai, C.H., Shen, S.Y., Zhao, J.H., Chang, Y.C., 2009, Platelet-rich fibrin modulates cell proliferation of human periodontally related cells in vitro, *J Dent Sci*, 4(3):130–5.
- Uematsu, S., Mogi, M., Deguchi, T., 1997, Increase of transforming growth factor- β 1 in gingival crevicular fluid during human orthodontic tooth movement. *Arch Oral Biol*. 41(11): 1091–5.
- Utari, T.R., 2014, Pengaruh aplikasi intrasulkuler bifosfonat risendronat hidrogel terhadap aktivitas osteoklas, proses remodeling dan relaps gigi setelah digerakkan secara ortodontik (penelitian eksperimental laboratoris pada marmot), *Disertasi*, Universitas Gadjah Mada, Yogyakarta.
- Venkataramana, S., Chidambaram, B., Reddy, V., Goud, S., Arafath, M., Krishnan, S., 2014, Impact of bisphosphonate on orthodontic tooth movement and osteoclastic count: an animal study, *J Int Oral Health*, 6(2): 1–8.
- Young, L., Binderman, I., Yaffe, A., Beni, L., Vardimon, A.D., 2013, Fiberotomy enhances orthodontic tooth movement and diminishes relapse in a rat model, *Orthod Craniofac Res*, 16(3):161–8.
- Zahrowski, J.J., 2007, Bisphosphonate treatment: An orthodontic concern calling for a proactive approach, *Am J Orthod Dentofacial Orthop*, 131(3):311–20.
- Zhang, W., Wang, X., Wang, S., 2011, The use of injectable sonication-induced silk hydrogel for VEGF165 and BMP-2 delivery for elevation of the maxillary sinus floor, *Biomaterials*, 32(35):9415–24.
- Zhang, Y., Madhu, V., Dighe, A.S., Irvine J.N., Cui, Q., 2012, Osteogenic response of human adipose-derived stem cells to BMP-6, VEGF, and combined VEGF plus BMP-6 *in vitro*, *Growth Factors*, 30(5):333–4



UNIVERSITAS
GADJAH MADA

**PENGARUH INJEKSI INTRASULKULAR HIDROGEL CARBONATE APATITE
ADVANCED-PLATELET-RICH FIBRIN TERHADAP
EKSPRESI TRANSFORMING GROWTH FACTOR-beta 1 DAN BONE MORPHOGENETIC PROTEIN-2
PADA RELAPS GIGI**

KELINCI
ANANTO ALI ALHASYIMI, Dr.drg.Sri Suparwitri, SU, Sp.Ort(K); drg.Christnawati,M.Kes,Sp.Ort(K)
Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>