

DAFTAR PUSTAKA

- Al-Amoush, H., Hammouri, N. A., Zunic, F., & Salameh, E. (2010). Intrinsic Vulnerability Assessment for the Alluvial Aquifer in the Northern Part of Jordan Valley. *Water Resources Management*, 24(13), 3461–3485.
- Al Hanbali, A dan A. Kondoh, 2008. Groundwater Vulnerability Assessment and Evaluation of Human Activity Impact (HAI) Within the Dead Sea Groundwater Basin, Jordan. *Hydrogeology Journal* 16:499-510.
- Al Kuisi, M., El-Naqa, A., Hammouri, N., 2006. *Vulnerability Mapping of Shallow Groundwater Aquifer Using SINTACS Model In The Jordan Valley Area, Jordan. Environ. Geol.* 50 (5), 651–667.
- Albinet, M. dan Margat, J. 1970. Mapping Groundwater Vulnerability to Pollution. *BRGM 2nd Series* 3(4): 13–22.
- Aller, L., Bennet, T., Lehr, i. H., Petty, R. J. & Hackett, G. (1987) *DRASTIC: A Standardized System for Evaluating Ground Water Pollution Potential Using Hydrogeologic Settings. EPA 600/2-87-035*
- Asdak, C. 2010. *Hidrologi dan Pengelolaan Daerah Aliran Sungai (Cetakan Kelima)*. Gadjah Mada University Press, Yogyakarta.
- Antonakos, A.K., Lambrakis, N.J., 2007. *Development and Testing of Three Hybrid Methods for The Assessment of Aquifer Vulnerability to Nitrates, Based on The Drastic Model, An Example from NE Korinthia, Greece. J. Hydrol.* 333, 288–304.
- Badan Pusat Statistik Kabupaten Bantul. 2010. *Kecamatan Banguntapan Dalam Angka Tahun 2010*. Yogyakarta: Badan Pusat Statistik.
- Badan Pusat Statistik Kabupaten Bantul. 2011. *Kecamatan Banguntapan Dalam Angka Tahun 2011*. Yogyakarta: Badan Pusat Statistik.
- Badan Pusat Statistik Kabupaten Bantul. 2012. *Kecamatan Banguntapan Dalam Angka Tahun 2012*. Yogyakarta: Badan Pusat Statistik.
- Badan Pusat Statistik Kabupaten Bantul. 2013. *Kecamatan Banguntapan Dalam Angka Tahun 2013*. Yogyakarta: Badan Pusat Statistik.

- Badan Pusat Statistik Kabupaten Bantul. 2014. *Kecamatan Banguntapan Dalam Angka Tahun 2014*. Yogyakarta: Badan Pusat Statistik.
- Badan Pusat Statistik Kabupaten Bantul. 2015. *Kecamatan Banguntapan Dalam Angka Tahun 2015*. Yogyakarta: Badan Pusat Statistik.
- Badan Pusat Statistik Kabupaten Bantul. 2016. *Kecamatan Banguntapan Dalam Angka Tahun 2016*. Yogyakarta: Badan Pusat Statistik.
- Badan Pusat Statistik Kabupaten Bantul. 2017. *Kecamatan Banguntapan Dalam Angka Tahun 2017*. Yogyakarta: Badan Pusat Statistik.
- Badan Pusat Statistik Kabupaten Bantul. 2018. *Kecamatan Banguntapan Dalam Angka Tahun 2018*. Yogyakarta: Badan Pusat Statistik.
- Badan Pusat Statistik Kabupaten Bantul. 2019. *Kecamatan Banguntapan Dalam Angka Tahun 2019*. Yogyakarta: Badan Pusat Statistik.
- Bailey, T. C. and Gatrell, A. C. 1995. *Interactive Spatial Data Analysis*. Longman. Harlow.
- Barreteau, O., Y. Caballero., S. Hamilton., A.J. Jakeman, dan D. Rinaudo. 2016. *Integrated Groundwater Management: Disentangling the Complexity of Groundwater Dependent Social-ecological Systems*. Switzerland: Springer Nature-Springer International Publishing.
- Bastida, J.J.M., M. Arauzo, dan M. Valladolid. 2009. Intrinsic and Specific Vulnerability of Groundwater in Central Spain: The Risk of Nitrate Pollution. *Hydrogeology Journal* 18:681-698.
- Bianchi, M. dan T. Harter. 2002. *Nonpoint Sources of Pollution in Irrigated Agriculture. Farm Water Quality Planning (FWQP) series 8055*. California: University of California, Division of Agriculture and Natural Resources.
- Busico, G., Kazakis, N., Colombani, N., Mastrocicco, M., Voudouris, K., Tedesco, D., 2017. *A Modified SINTACS Method for Groundwater Vulnerability and Pollution Risk Assessment in Highly Anthropized Regions Based On NO₃ And SO₄ Concentrations*.
- Civita M. 1994. *Aquifer Vulnerability to Pollution: Theory and Practice*. Bologna: Pitagola Editrice.

- Civita, M. 2010. The Combined Approach When Assessing and Mapping Groundwater Vulnerability to Contamination, *J. Water Resource and Protection*, 2: 14-28.
- Civita, M dan M. De Maio. 2004. Assessing and Mapping Groundwater Vulnerability to Contamination: The Italian “Combined” Approach. *Geofisica Internacional* 43: 513-532.
- Chand S, Ashif M, Zargar MY, Ayub BM. 2011. Nitrate Pollution: A Menace to Human, Soil, Water and Plant. *Universal Journal of Environmental Research and Technology*. 1 :22-32
- Comans, R.N.J, van der Weijden, C.H., dan Vried, S.P. 1987. Geochemical Studies in Drainage Basin of the Rio Vouga, Portugal. *Jurnal Enviromental Geology Water Science*, 9(2): 119-129.
- Costudio, E. 2011. Trends in Groundwater Pollution: Loss of Groundwater Quality and Related Services. *Thematic Paper of Groundwater Governance*. Barcelona: Dept. of Geo-Engineering and International Centre for Groundwater Hydrology, Technical University of Ctalonia.
- Darmanto, D. 2014. *Pencemaran Airtanah Studi Kasus Kawasan Sekitar Peternakan Ayam Wedomartani, Sleman*. Yogyakarta: Penerbit Deepublish.
- Effendi, H. 2003. *Telaah Kualitas Air*. Yogyakarta: Kanisius.
- Elsheikh, R., Rashid, A., Shariff, M., Amiri, F., Ahmad, N.B., Balasundram, S.k., dan Soom, M.A.M. 2013. Agriculture Land Suitability Evaluator (ALSE): A Decision and Planning Support Tool for Tropical and Subtropical Crops. *Journal Elsevier Computers and Electronics in Agriculture*, 93: 98-110.
- Fiantis, D. 2015. *Morfologi dan Klasifikasi Tanah*. Padang. Minangkabau E Press.
- Fetter, C.W. 1994. *Applied Hydrogeology. 3rd Edition*. Prentice Hall Inc, Englewood Cliffs, New Jersey.
- Foster, S.S.D., R. Hirata, D. Gomez, M. D’Elia, M. Paris. 2002. *Groundwater Quality Protection: A Guide for Water Utilitie, Municipal Authorities and Environment Agencies*. Washington D.C: The World Bank.

- Ghassemi, F., A.J. Jakeman, dan H.A. Nix. 1995. *Salinisation of Land and Water Resources; Human Causes, Extent, Management and Case Studies*. Canberra: Australian National University, Centre for Resource and Environmental Studies.
- Gogu R dan A. Dassargues. 2000. Sensitivity Analysis for The EPIK Method of Vulnerability Assessment in A Small Karstic Aquifer, Southern Belgium. *Hydrogeology J* 8(3):337–345.
- Gogu, R.C., V. Hallet, A. Dassargues. 2003. Comparison of Aquifer Vulnerability Assessment Techniques: Application to The Ne’blon River Basin (Belgium). *Environmental Geography* 44: 881-892.
- Guastaldi, E., Graziano, L., Liali, G., Brogna, F., Barbagli, A., 2014. *Intrinsic Vulnerability Assessment of Saturnia Thermal Aquifer by Means of Three Parametric Methods SINTACS, GODS and COP*. *Environ. Earth Sci.* 72, 2861–2878.
- Harter, T. 2003. Groundwater Quality and Groundwater Pollution. *Farm Water Quality Planning (FWQP) 8084*. California: Regents of the University of California, Division of Agriculture and Natural Resources.
- Hasiniaina, F., J. Zhou, L. Guoyi. 2010. Regional Assessment of Groundwater Vulnerability in Tamtsag Basin, Mongolia Using DRASTIC Model. *Journal of Am Science* 6 (11): 65–78.
- Hamza, M.H., Added, A., Francés, A., Rodriguez, R., 2007. Validity of the vulnerability methods DRASTIC, SINTACS and SI applied to the study of nitrate pollution in the phreatic aquifer of Metline Ras JebelRaf Raf (northeastern Tunisia). *Compt. Rendus Geosci.* 339: 493–505.
- Heuvelink, G. B. M. 1998. *Error Propagation in Environmental Models with GIS*. Taylor & Francis, London.
- Hendrayana, H. 2011. *Pengantar Kerentanan Airtanah Terhadap Pencemaran dan Pemompaan Airtanah*. Yogyakarta: Fakultas Teknik Universitas Gadjah Mada.
- Hem, J.D. 1985. Study and Interpretation of the Chemical Characteristics of Natural Water. *Water-Supply Paper 2254*. U.S. Geological Survey.

- Indarto. 2010. *Hidrologi Dasar Teori dan Contoh Aplikasi Model Hidrologi*. Jakarta: Bumi Aksara.
- Isnaini, A. 2011. Penilaian Kualitas Air dan Kajian Potensi Situ Salam Sebagai Wisata Air di Universitas Indonesia, Depok. *Tesis*. Depok: Fakultas MIPA Universitas Indonesia.
- Jha, M.K. dan J. Sabastian. 2005. Vulnerability Study of Pollution Upon Shallow Groundwater Using DRASTIC/GIS. *Paper of 8th Annual International Conference and Exhibition*. New Delhi: Map India Geomatics.
- Kasjuaji, K. 2018. Diakses melalui <https://ilmugeografi.com/ilmu-bumi/tanah/akuifer> oleh Kartika Ayu W. pada 1 Maret 2020.
- Kazakis, N. dan Voudouris, K. 2015. Groundwater Vulnerability and Pollution Risk Assessment of Porous Aquifers to Nitrate: Modifying the DRASTIC Method Using Quantitative Parameters. *Journal Hydrology* 525:13–25.
- Knodel, K., Lange, K., Jurgen, V.H. 2007. *Environmental Geology: Handbook of Field Methods and Case Studies*.
- Linsley, R.K. 1985. *Teknik Sumber Daya Air*. Jakarta: Erlangga.
- Magiera, P. 2000. Methods for Assessing Groundwater Sensitivity to Pollution. *Groundwater* 5: 103-114.
- Majandang, J., & Sarapirome, S. 2013. Groundwater Vulnerability Assessment and Sensitivity Analysis in Nong Rua, Khon Kaen, Thailand, Using A GIS-Based SINTACS Model. *Environmental Earth Sciences*, 68(7), 2025–2039.
- Manap, M.A., Sulaiman, W.N., Ramli, M.F., Pradhan, B., Surip, N., 2013. A Knowledge- Driven GIS Modeling Technique for Groundwater Potential Mapping at The Upper Langat Basin, Malaysia. *Arab. J. Geosci.* 6 (5): 1621–1637
- Margat, J. 1968. Vulnerabilite des nappes d'eau souterrune a la pollution (Groundwater Vulnerability to Contamination). *Bases de al cartographie (Doc.)* 68 SGC 198HYD, BRGM, Orleans.
- McDonald dan Partners. 1984. *Greater Yogyakarta Groundwater Resources Study*. Overseas Development Administration. London

- Meybeck, M. dan R. Helmer. 1989. The Quality of Rivers: from Pristine Stage to Global Pollution. *Palaeogeography, Palaeoclimatology, Palaeoecology* 75: 283-309.
- National Research Council, 1993. *Groundwater Vulnerability Assessment, Contamination Potential Under Conditions of Uncertainty*. Committee on Techniques for Assessing Ground Water Vulnerability, Water Science and Technology Board, Commission on Geosciences Environment and Resources. National Academy Press, Washington DC.
- Neshat, A., Pradhan, B., 2015. *An Integrated DRASTIC Model Using Frequency Ratio and Two New Hybrid Methods for Groundwater Vulnerability Assessment*. *Nat. Hazards* 76 (1): 543–563.
- Noori, Roohollah Ghahremanzadeh, Hooman Kløve, Bjørn Adamowski, Jan Franklin Baghvand, Akbar. 2018. Modified-DRASTIC, modified-SINTACS and SI methods for groundwater vulnerability assessment in the southern Tehran aquifer. *Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering*, 54: 89-100.
- Noori, M.S dan K. Ebrahimi. 2016. Groundwater Vulnerability Assessment in Agricultural Areas Using a Modified DRASTIC Model. *Environmental Monitoring Assessment* 188 (19): 1 – 18.
- Nshimiyimana, F.X., Faciu, M.E., El Blidi, S., El Abidi, A., Soulaymani, A., Fekhaoui, M., Lazar, G., 2016. Seasonal Influence and Risk Assessment of Heavy Metals Contamination in Groundwater, Arjaat Village, Morocco. *Environ. Eng. Manag. J.* 15 (3), 579–587.
- Peraturan Pemerintah Republik Indonesia. 2001. *PP No.82 Tahun 2001 tentang Pengelolaan Kualitas Air Dan Pengendalian Pencemaran Air*. Jakarta: Debuti Sekretaris Kabinet Bidang Hukum dan Perundang-undangan..
- Purnama, S., K. Andri, dan Sudaryatno. 2006. *Model Konservasi Air Tanah di Dataran Pantai Kota Semarang*. *Forum Geografi* 20(2): 160-174. Fakultas Geografi UGM
- Purnama, S. 2010. *Hidrologi Airtanah*. Yogyakarta: Kanisius.

- Putranto, T.T. 2013. *Hydrological and Numerical Groundwater Flow Model in Semarang, Indonesia*, Germany: RWTH Aachen University.
- Rahardjo, W., Sukandarrumidi, Rosidi, H. 1995. *Peta Geologi Lembar Yogyakarta, Jawa*. Pusat Penelitian dan Pengembangan Geologi. Bandung.
- Ravbar, N. dan N. Goldcheider. 2009. Comparative Application of Four Methods of Groundwater Vulnerability Mapping in a Slovene Karst Catchment. *Hydrogeology Journal* 17: 725-733.
- Salemi E, Mastrocicco M, Colombani N, Aschonitis VG. 2012. *Comparison of Three Different Methods for Groundwater Intrinsic vulnerability Mapping in the Ferrara Province, Italy*. BALWOIS 2012- Ohrid, Republic of Macedonia.
- Santosa, L. W. 2012. Hidrostatigrafi Akuifer Sebagai Geoindikator Genesis Bentuklahan di Wilayah Kepesisiran Kabupaten Kulonprogo, Daerah Istimewa Yogyakarta. *Jurnal Forum Geografi*. Vol 26 No. 2: 160 – 177.
- Santosa, L.W. dan Adji, T.N.2014. *Karakteristik Akuifer dan Potensi Airtanah Graben Bantul*. Yogyakarta: Gadjah Mada University Press.
- Sinan, M. dan M. Razack. 2008. An Extension to The DRASTIC Model to Assess Groundwater Vulnerability to Pollution: Application to The Houz Aquifer of Morocco. *Journal of Environment Geology* 57: 349-363.
- Sudadi, P. 1985. *Peta Hidrogeologi Indonesia*. Bandung: Direktorat Geologi Tata Lingkungan.
- Sudarmanto, A., Buchori, I., dan Sudarno. 2014. Perbandingan Infiltrasi Lahan terhadap Karakteristik Fisik Tanah, Kondisi Penutupan Tanah dan Kondisi Tegakan Pohon pada Berbagai Jenis Pemanfaatan Lahan. *Jurnal Penelitian Media Informasi Pengembangan Ilmu dan Profesi Kegeografisan Jurusan Geografi UNDIP (11): 1-13*.
- Shiklomanov, I. 1993. *Water in Crisis: A Guide to the World's Fresh Water Resources*. New York: Oxford University Press.
- Smyth, H.R., Hail, R., and Nichols, G.J., 2008, Cenozoic Volcanic Arc History of East Java, Indonesia: The Stratigraphic Record of Eruptions on an Active Continental Margin, in Draut, A.E., Clift, P.D, and Scholl, D.W., eds., Formation

- and Applications of The Sedimentary Record in Arc Collison Zones: *Geological Society of America Special Paper (436):199-222.*
- Spizzico M, Lopez N, Sciannamblo D. 2004. Intrinsic vulnerability assessment for the Apulian aquifer near Brindisi, Ch 22. In: Book—*Groundwater Vulnerability Assessment and Mapping*. Italy.
- Sri Harto. 1993. *Analisis Hidrologi*. Jakarta: Gramedia Pustaka Utama.
- Stigter, T.Y., Ribeiro, L., and Dill, A.M.M.C. 2005. Evaluation of an Intrinsic and a Specific Vulnerability Assessment Method in Comparison with Groundwater Salinisation And Nitrate Contamination Levels in Two Agricultural Regions in the South of Portugal. *Hydrogeology Journal*, 14: 79-99.
- Todd, D.K. 1980. *Groundwater Hydrology*. John Willey & Sons. Inc, New York.
- Triatmodjo, B. 2010. *Hidrologi Terapan (Cetakan Kedua)*. Yogyakarta: Beta Offset.
- Utami, N.D. 2019. Pemanfaatan Metode SINTACS untuk Mengkaji Kerentanan Airtanah terhadap Pencemaran di DAS Opak Hilir, Kabupaten Bantul. *Tesis*. Yogyakarta: Fakultas Geografi, Universitas Gadjah Mada.
- US EPA. 2003. EPA National Primary Drinking Water Standards, *EPA report 816-F-03-016*, US EPA, Washington, DC.
- Van Zuidam, R.A. 1985. *Aerial Photo-Interpretation Terrain Analysis and Geomorphology Mapping*. Smits Publishers, The Hague:442 pp.
- Verstappen, H.Th. 1983. *Applied Geomorphology: Geomorphological Surveys for Environmental Developments*, Elsevier, Amsterdam.
- Vrba J, Zaporozec A. 1994. *Guidebook on Mapping Groundwater Vulnerability, International Association of Hydrogeologists (International Contribution to Hydrogeology 16)*. Heinz Heise, Hannover.
- Worralli F dan Kolpin DW. 2004. Aquifer Vulnerability to Pesticide Pollution-Combining Soil, Land-use and Aquifer Properties with Molecular Descriptors. *J. Hydrol.* 293 (1-4):191-204.



UNIVERSITAS
GADJAH MADA

Studi Kerentanan Airtanah Menggunakan Metode SINTACS di Kecamatan Banguntapan, Kabupaten Bantul

KARTIKA AYU WANDARI, Prof. Dr. Ig. L. Setyawan Purnama, M.Si.

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>