

DAFTAR PUSTAKA

- AhimSYa, Mirza Bintang., P.Basunanda., Supriyanta.2018. Karakterisasi morfologi dan fotoperiodisme padi lokal (*Oryza sativa* l.) Indonesia. *Vegetalika* 7(1): 52-65.
- Akbar, Miftahur Rizqi., B.S. Purwoko., I. S. Dewi., W. B. Suwarno.2018. Penentuan indeks toleransi kekeringan galur dihaploid padi sawah tadah hujan pada fase perkecambahan. *J.Agron. Indonesia* 46(2) : 133-139.
- Amiryousefi A, Hyvonen J, Poczai P. 2018. iMEC: online marker efficiency calculator. *App Plant Sci* 6: 1-4.
- Arifin, J., D. Mulliadi. 2010. Pendugaan keseimbangan populasi heterozigositas menggunakan pola protein albumin darah pada populasi domba ekor tipis (Javanese thin tailed) didaerah ndramayu. *Jurnal Ilmu Ternak* 10(2) : 65-72.
- Aditya, Atanasius. 2020. Identifikasi karakter penciri agronomi untuk analisis keragaman genetic plasma nutfah (*Oryza sativa* L.). Skripsi
- Azrai, Muhammad. 2005. Pemanfaatan markah molekuler dalam proses seleksi pemuliaan tanaman. *Jurnal AgroBiogen* 1(1) : 26-37.
- Azrai, Muhammad. 2006. Sinergi teknologi marka molekuler dalam pemuliaan tanaman jagung. *Jurnal Litbang Pertanian* 25(3) : 81-89.
- Babu, BK., J. Anjeli, S. Sood & PK. Agrawal. 2017. Identification of microsatellite markers for finger millet genomics application through cross transferability of rice genomic SSR markers. *Indian Journal of Genetics and Plant Breeding* 77(1): 92-98.
- Bernier J, Kumar A, Ramaiah V, Spaner D, Atlin G (2007) A largeeffect QTL for grain yield under reproductive stage drought stress in upland rice. *Crop Sci* 47(2): 507-518.
- Boopathi NM, Swapnashri G, Kavitha P, Sathish S, Nithya R, Ratnam W, Kumar A (2013). Evaluation and bulked segregant analysis of major yield QTL *qtll2.1* introgressed into indigenous elite line for low water availability under water stress. *Rice Sci.* 20(1): 25–30.
- BPS, NTB. 2002. NTB Dalam Angka. Badan Pusat Statistik NTB. Balai Pengkajian Teknologi Pertanian Provinsi NTB.
- Breseghello, F. & A.S.G. Coelho. 2013. Traditional and modern plant breeding methods with examples in rice (*Oryza sativa* L.). *Journal of Agricultural and Food Chemistry* 61 : 8277-8236.
- Carsono N. 2008. *Peran Pemuliaan Tanaman dalam Meningkatkan Produksi Pertanian di Indonesia*. Disampaikan dalam *Seminar on Agricultural Sciences* Mencermati Perjalanan Revitalisasi Pertanian, Perikanan dan Kehutanan dalam Kajian Terbatas Bidang Produksi Tanaman, Pangan. Tokyo. Januari 2008.



- Carsono N, Lukman PN, Damayanti F, Susanto U, Sari S. 2014. Identifikasi polimorfis marka marka molekuler yang diduga berkaitan dengan karakter daya hasil tinggi pada 30 genotipe padi. *Chimica et Natura Acta*. Vol 2 (1) : 91-95.
- Collard, B.C.Y., M.Z.Z. Jahufer, J.B., Brouwer, Pang, E. C. K. 2005. An introduction to markers, quantitative trait loci (QTL) mapping and marker-assisted selection for crop improvement : the basic concepts. *Euphytica* 142 : 169-196.
- Chesnokov, Yu. V., A.M. Artemyeva. 2015. Evaluation of the measure of polymorphism information of genetic diversity. *Agricultural Biology* 50(5) : 571-578.
- Donde, Ravindra., J. Kumar., G. Gouda., M. K. Kumar., G. Gouda., M. K. Gupta., M. Mukherje., S. Y. Baskh., P. Mahadani., K.K. Sahoo., L. Behera. 2019. Assessment of genetic diversity of drought tolerant and susceptible rice genotypes using microsatellite markers. *Rice Science* 26(4) : 239-247.
- Dualembang, E., Y. Musa., M. Azrai. 2011. Karakterisasi genetik koleksi plasma nutfah sorgum (*Sorghum bicolor* L.) berbasis marka SSR (*Simple Sequence Repeat*). *Jurnal Balai Penelitian Tanaman Serealia*.
- Enggarini, Wening., Ma'sumah., M. H. Widyawan., P. Basunanda., K. R. Trijatmiko. 2014. Pembentukan populasi awal *chromosome segment substitution lines* (cssl) dari silang balik antara varietas 'Ciherang' dengan tetua donor galur padi tipe baru. *Prosiding Seminar Nasional PERIPI Komda Riau*.
- Fang, Y., L. Xiong. 2015. General mechanism of drought response and their application in drought resistance improvement in plants. *Life Science* 72 : 673-689.
- Fatchiyah. 2011. *Uji Kuantitatif dan Uji Kualitatif*. Hal: 33-41 dalam Arumingtyas EL, Widyarti S, Rahayu S (eds). *Biologi Molekular. Prinsip Dasar Analisis*. Erlangga. Jakarta.
- Freeg, H.A., G.B. Anis., A.A. Abo-Shousha., A. N. El-Banna., A. El-Sabagh. 2016. Genetic diversity among some rice genotypes with different drought tolerance based on SSR markers. *Cercetari Agronomic in Moldova* 49(3) : 39-50.
- Fujita, D., A.G. Tagle, L.A. Ebron, Y. Fukuta, and N. Kobayashi. 2012. Characterization of near-isogenic lines carrying QTL for high spikelet number with the genetic background of an indica rice variety IR64 (*Oryza sativa* L.). *Breed. Sci.* 62:18-26.
- Gupta, P.K., R.K. Varshney and M. Prasad, 2002. *Molecular Markers: Principles and Methodology*. In: Jain, S.M., D.S. Brar, and B.S. Ahloowalia (Eds.). *Molecular Techniques in Crop Improvement*. p.9-54.
- Han, Jae Hyuk., N. H. Shin., J. H. Moon., J. H. Chin., S. C. Yoo. 2016. A simple Phenotyping method for deep rooting rice grown in pots. *Journal Plant Biotechnol* 43: 444-449.



Harahap, Ariani Syahfitri. 2017. Uji kualitas dan kuantitas dna beberapa populasi pohon kapur sumatera. *Journal of Animal Science and Agronomy Panca Budi* 2(02) : 1-6.

IRRI. 1982. International Network for enetic evaluation of rice. 1-8 papers

Kartasapoetra, A.G. 1988. Teknologi Budidaya Tanaman Pangan di Daerah Tropika Bina Aksara. Jakarta. 418 hlm.

Kristantini., Taryono., P. Basunanda., R.H. Murti. 2014. Keragaman genetik kultivar padi beras hitam lokal berdasarkan penanda mikrosatelit. *Jurnal AgroBiogen* 10(2): 69-76.

Ladjao, Holy Ekklesia., R. Sjahril., M. Riadi. Keragaman genetik 22 aksesori padi local toraja utara berbasis marka *simple sequence repeat* (SSR). *Jurnal Bioteknologi & Biosains Indonesia* 5(2) : 230-240.

Lang,N.T., C.T. NHA., P.T.T. HA., B.C.BUU. 2013. Quantitative trait loci (QTLs) associated with drought tolerance in rice (*Oryza sativa* L.). *Sabrao journal* 45 (3) : 409-421.

Lin, Meng Hui., C. W. Lin., J. C. Chen., Y. C. Lin., S. Y. Cheng., T. H. Liu., F. J. Jan., S. T. W., F. S. Thseng., H. M. Ku. 2007. Tagging rice drought related QTL with SSR DNA markers. *Crop Environment & Bioinformatics* (4) : 65-76.

Manickavelu,A., N. Nadarajan., S.K. Ganesh., R.P. Gnanamalar.,R. Chandra Babu. 2006. Drought tolerance in rice : morphological and molecular genetic consideration. *Plant Growth Regul* 50 : 121-138.

Mishra, K. K., Vikram, P., Yadaw, R. B., Swamy, B.P.M., Dixit, S., Cruz, M. T. S. C., Maturan, P., Marker, S., Kumar, A. 2013. qDTY12.1 : a locus with a consistent effect on grain yield under drought in rice. 2013. *BMC Genetics*. 14 : 1471-2156.

Mulsanti, W Indria., M Surahman, S Wahyuni, dan DW Utami. 2013. Identifikasi galur tetua padi hibrida dengan marka SSR spesifik dan pemanfaatannya dalam uji kemurnian benih. *Jurnal Penelitian Pertanian Tanaman Pangan*. 32 (1): 1-8.

Mulyaningsih, E.S., H. Aswidinnoor., D. Sopandie., Pieter B. F., I. H. S.Loedin. 2010. Toleransi genotipe padi gogo dengan marka qtl 12.1 terhadap kekeringan. *Penelitian Pertanian Tanaman Pangan* 29 (2) : 72-81.

Nadeem, Muhammad Azhar., M. A. Nawaz.,M. Q. Shahid., Y. Dogan., G. Comertpay., M. Yildiz., R. Hatipoglu., F. Ahmad., A. Alsaleh., N. Labhane., H. Ozkan., G. Chung., F. S. Baloch. 2018. DNA molecular markers in plant breeding: current status and recent advancements in genomic selection and genome editing. *Biotechnology & biotechnological equipment* 32 (2) : 261–285.



- Najophy, Abdollah., R. A. Parchin., E. Farshadfar. 2011. Evaluating of genetic diversity in wheat cultivars and breeding lines using intersimple sequence repeat markers. *Biotechnology & Biotechnology Equipment* 25(4) : 2634-2638.
- Neeraja, CN, Hariprasad AS, Malathi S, Siddiq EA. 2005. Characterization of tall landraces of rice (*Oryza sativa* L.) using gene-derived simple sequence repeats. *Current Science* 88(1):149–152
- Nicholl, D.S.T. 1996. *An Introduction to Genetic Engineering*. Combridge University Press. London.
- Nuraida, Dede. 2012. Pemuliaan tanaman cepat dan tepat melalui pendekatan molekuler. *Jurnal El-Hayah* Vol. 2 (2):55-67.
- Prasetyono, J., Tasliah, H. Aswidinnoor, and S. Moeijopawiro. 2003. Identifikasi marka mikrosatelit yang terpaut dengan sifat toleransi terhadap keracunan aluminium pada padi persilangan Dupa x ITA131. *Jurnal Bioteknologi Pertanian* Vol 8 (2) : 12-19.
- Pratiwi. 2006. Analisis Budidaya Padi Varietas Lokal dengan Masukan Rendah. Skripsi. Fakultas Pertanian. Universitas Gadjah Mada
- Price, A, and B. Courtois. 1991. Mapping QTLs Associated with Drought Resistance in Rice; Progress Problem and Prospect. Los Banos: International Rice Research Institute.
- Rahayu, wiwit., U. Barokah., R.U. Fajarningsish. 2020. Strategi pengembangan usahatani jagung pada lahan kering di kabupaten wonosobo. *Agrisepe* 19(1) : 207-218.
- Rahman, M.A.A., M.E. El-denary., M.H. Ammar., A.F., Abdelkhalik., A.E. Draz., S.A. Dora. 2015. QTL validation for grain yield and nitrogen use efficiency under different nitrogen levels in rice. *Egypt J. Genet* 44: 235-251
- Ram SG, Thiruvengadam V, Vinod KK. 2007. Genetik diversity among cultivars, landraces and wild relatives of rice as revealed by microsatellite markers. *J Appl Genet* 48(4): 337–345.
- Reflinur., Puji. Lestari. 2015. Penentuan lokus gen dalam kromosom tanaman dengan bantuan marka DNA. *J. Litbang Pertanian* 34(4): 177-186.
- Sambrook, J., E.F. Fritsch, dan T. Maniatis. 1989. *Molecular Cloning. A Laboratory Manual*. Cold Spring Harbour Lab. SCH. New York.
- Seetharam K, Thirumeni S, Paramasivam K. 2009. Estimation of genetik diversity in rice (*Oryza sativa* L.) genotypes using SSR markers and morphological characters. *Afr. J. Biotechnol.* 8(10): 2050–2059.
- Shen, S.Y., dan Tuszyński. (2008), *Theory and Mathematical for Bioinformatic. Biological and Medical Physics*. Biomedical Engineering. Springer.

- Solis, J., Gutierrez, A., Mangu, V., Sanchez, E., Bedre, R., Linscombe, S., Baisakh, N. 2018. Genetic mapping of QTL for grain yield under drought in rice under controlled green house conditions. *Frontiers in chemistry*. 5 (129).
- Spooner, D., R. van Treuren., M.C. de Vicente. 2005. Molecular Marker for Genebank Management. IPGRI Technical Buletin No.10
- Sujinah.,A. Jamil. 2016. Mekanisme respon tanaman padi terhadap cekaman kekeringan dan kultivar toleran. *Iptek Tanaman Pangan* 11 (1): 1-8.
- Swamy, B. P., Ahmed H. U., Henry, A., Mauleon, R., Dixit, S., Vikram, P., Tilatto, R., Verulkar, S. B., Perraju, P., Mandal, N. P., Variar, M., S. Robin., Chandrababu, R., Singh N. O., Dwivedi, J. L., Das, P. S., Mishra, K. K., Yadaw, R. B., Aditya, T. L., Karmakar, B., Satoh, K., Moumeni, A., Kikuchi, S., Leungh, H., Kumar, A. 2013. Genetic, physiological and gene expression analyses reveal that multiple QTL enhance yield of rice megavariety IR64 under drought. *Plusone*. 8. Terryana, Rerenstradika Tizar., K. Nugroho., H. Rijzaani., P. Lestari. 2018. Karakterisasi keragaman genetic 27 genotipe cabai berdasarkan marka SSR (*Simple Sequence Repeat*). *Jurnal Ilmu-ilmu Hayati* 17(2) : 183-194.
- Talukdar,Preeti Rekha., S. Ratih.,K. Pathak.,S.K. Chetia. 2017. Population structure and marker-trait association in indigenous aromatic rice. *Rice Science* 24 (3) : 146-154.
- Taryono. 2014. *Bioteknologi Pemuliaan Tanaman*. UGM Press. Yogyakarta.
- Uga Y, Okuno K, Yano M (2011) Drol, a major QTL involved in deep rooting of rice under upland field conditions. *J Exp Bot* 62:2485–2494.
- Uga, Yusaku., Kazuhiko S., Satoshi O., Jagadish R., Manabu I., Naho H., Yuka K., Yosiai I., Kazuko O., Noriko K., Haruhiko I., Hinako T., Ritsuko M., Yoshiaki N., Jianzhong W., Takashi M., Toshiyuki T., Kazutoshi O., Masahiro Y. 2013. Control of root system architecture by DEEPER ROOTING 1 increases rice yield under drought conditions. *Nature genetic* 45(9): 1097-1101
- Widyawan, Habib W., S. Wulandary., Taryono. 2020. Genetic diversity analysis of yardlong bean genotypes (*Vigna unguiculata* subsp. *sesquipedalis*) based on IRAP marker. *Biodiversitas* 21(3) : 1101-1107.
- Wissuwa, M., M. Yano, N. Ae. 1998. Mapping of QTLs for phosphorus-deficiency tolerance in rice (*Oryza sativa* L.). *Theor. Appl. Genet.* 97:777-783.
- Xu, K., X. Xu, T. Fukao, P. Canlas, R. MaghirangRodriguez, S. Heuer, A.M. Ismail, B.J. Serres., P.C. Ronald, and D.J. Mackill. 2006. Sub1A is an ethylene-response-factor-like gene that confers submergence tolerance to rice. *Nature* 442: 705–708.
- Xu, Yunbi. 2010. *Molecular Plant Breeding*. International Maize and Wheat Improvement Center (CIMMYT). Mexico.
- Yohana, Kesia., Adisyahputra., K.R. Trijatmiko. 2018. Validasi QTL dan aplikasinya untuk perbaikan sifat toleran keracunan Al pada padi. *BIOMA* 14(1): 37-48.



UNIVERSITAS
GADJAH MADA

Aplikasi Penanda Simple Sequence Repeat (SSR) untuk Deteksi Dini Tingkat Toleransi Cekaman Kekeringan pada Padi (*Oryza sativa* L.)
IDAYATUL HANIFA, Rani Agustina Wulandari, S.P., M.P., Ph.D ; Muhammad Habib Widyawan, S.P., M.Si.
Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yullianida., Suwarno., S. W. Ardie.,H. Aswidinnoor. 2014. Uji cepat toleransi tanaman padi terhadap cekaman rendaman pada fase vegetatif. *J. Agron. Indonesia* 42 (2) : 89 – 95.