

DAFTAR PUSTAKA

- Abad, S., Alonso, J.L., Santos, V., dan Parajó, J.C., 1997, Furfural from wood in catalyzed acetic acid media: A mathematical assessment, *Bioresour. Technol.*, 62(3), 115–122.
- Abdel-Halim, E.S. dan Al-Deyab, S.S., 2011, Utilization of hydroxypropyl cellulose for green and efficient synthesis of silver nanoparticles, *Carbohydr. Polym.*, 86(4), 1615–1622.
- Achmadi, E.R., 2016, Sintesis Hydroxy Propyl Celulose (HPC) dari Biji Salak., *Tesis*, Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Adimarta, T., 2016, Isolasi dan Karakterisasi Selulosa dari Tandan Kosong Kelapa Sawit dengan Menggunakan campuran NaOH dan NaOCl, *Tesis*, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada, Yogyakarta.
- Adinugraha, M.P., Marseno, D.W., dan Haryadi, 2005, Synthesis and characterization of sodium carboxymethylcellulose from cavendish banana pseudo stem (*Musa cavendishii* LAMBERT), *Carbohydr. Polym.*, 10(2), 164–169.
- Anonim, 2009, *SNI 01-3751-2009: Tepung Terigu sebagai Bahan Makanan*, Badan Standar Nasional, Jakarta.
- Anonim, 2019, *Statistik Pertanian*, Pusat Data dan Sistem Informasi Pertanian Kementerian Pertanian Republik Indonesia, Jakarta.
- AOAC, 2005, *Official Method of Analysis*, 18th Edition, AOAC Press. Maryland, USA.
- Bezerra, M.A., Santelli, R.E., Oliveira, E.P., Villar, L.S., dan Escalera, L.A., 2008, Response surface methodology (RSM) as a tool for optimization in analytical chemistry, *Talanta*, 76(5), 965–977.
- Bhatt, N., Gupta, P.K., dan Naithani, S., 2011, Hydroxypropyl cellulose from α -cellulose isolated from *Lantana camara* with respect to DS and rheological behavior, *Carbohydr. Polym.*, 86(4), 1519–1524.
- Box, G.E.P. dan Hunter, J.S., 1957, Multi-Factor Experimental Designs for Exploring Response Surfaces, *Ann. Math. Stat.*, 28(1), 195–241.
- Bourne, M.C., 2002, *Food Texture and Viscosity: Concept and Measurement*, Academic Press, New York.
- Browning, B., 1967, *Methods of Wood Chemistry Volume II*, Interscience Publishers a Division of John Wiley and Sons, New York, USA.
- Chau, C.F., Cheung, P.C.K., dan Wong, Y.S., 1997, Functional Properties of Protein Concentrates from Three Chinese Indigenous Legume Seeds, *J. Agric. Food Chem.*, 45(7), 2500–2503.
- Chaudemanche, C. dan Navard, P., 2011, Swelling and dissolution mechanisms of regenerated Lyocell cellulose fibers, *Cellulose*, 18(1), 1–15.
- Chesson, A., 1981, Effects of sodium hydroxide on cereal straws in relation to the enhanced degradation of structural polysaccharides by rumen microorganisms, *J. Sci. Food Agric.*, 32(8), 745–758.

- Dean, J.A., 1999, *Lange's Handbook of Chemistry*, 15th Ed., McGraw-Hill, New York.
- Deejam, P. dan Charuchinda, S., 2015, Mechanical properties of poly(lactic acid) sheet reinforced with microfibrillated cellulose from corn cobs, *MATEC Web of Conferences*.
- Demiral, I., Eryazici, A., dan Şensöz, S., 2012, Bio-oil production from pyrolysis of corncob (*Zea mays L.*), *Biomass and Bioenergy*., 36, 43–49.
- Dence, C.W., 1996, *In Chemistry of Mechanical Pulp Bleaching in Pulp Bleaching: Principles and practice*, Tappi Press, Atlanta.
- Desai, D., Rinaldi, F., Kothari, S., Paruchuri, S., Li, D., Lai, M., et al., 2006, Effect of hydroxypropyl cellulose (HPC) on dissolution rate of hydrochlorothiazide tablets, *Int. J. Pharm.*, 308(1–2), 40–45.
- Dowswell, C.R., Paliwal, R., dan Cantrell, R., 1996, *Maize in the Third World*, Westview Press, Boulder.
- Fauziyyah, A., 2013, Sintesis dan Karakterisasi Karboksi Metil Selulosa Klobot Jagung, *Skripsi*, Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Fennema, O.R., Damodaran, S., dan Parkin, K.L., 2017, *Fennema's food chemistry*, 5th Edition, CRC Press, New York.
- Fithriani, D., Nurbayasari, R., dan Sedayu, B.B., 2007, Ekstraksi Selulosa Dari Limbah Pembuatan Karaginan, *J. Pascapanen dan Bioteknologi Kelaut. dan Perikanan*., 2(2), 91–97.
- Glasser, W.G., Atalla, R.H., Blackwell, J., Brown, M.M., Burchard, W., dan French, A.D., 2012, About the structure of cellulose: Debating the Lindman hypothesis, *Cellulose*., 19(3), 589–598.
- Grabber, J.H., 2005, How do lignin composition, structure, and cross-linking affect degradability? A review of cell wall model studies, *Crop Science*., 45(3), 820–831.
- Guo, H., Miles-Barrett, D.M., Zhang, B., Wang, A., Zhang, T., Westwood, N.J., dan Li, C., 2019, Is oxidation-reduction a real robust strategy for lignin conversion? A comparative study on lignin and model compounds, *Green Chem.*, 21(4).
- Hariyadi, T., 2018, Pengaruh Suhu Operasi terhadap Penentuan Karakteristik Pengeringan Busa Sari Buah Tomat Menggunakan Tray Dryer, *J. Rekayasa Proses*, 12, 46.
- Haryanti, P., 2009, Sintesis dan Karakterisasi Hydroxypropylcellulose dari Tandan Kosong Kelapa Sawit serta Aplikasinya sebagai Pengental Saos Tomat, *Tesis*, Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Ho, F.F., Kohler, R.R., Ward, G.A., dan Incorporated, H., 1972, Determination of Molar Substitution and Degree of Substitution, 44, 1970–1973.
- Hutomo, G.S., 2012, Sintesis dan Karakterisasi Turunan Selulosa dari Pod Husk Kakao (*Theobroma Cacao L.*), *Disertasi*, Fakultas Teknologi Pangan, Universitas Gadjah Mada, Yogyakarta.
- Iriany, N.R., Yasin, M.H.G., dan Takdir, A.M., 2009, Asal, Sejarah, Evolusi, dan Taksonomi Tanaman Jagung dalam *Buku Sorgom Jagung Tek. Produksi dan Pengemb.*, Badan Penelitian dan Pengembangan Pertanian, Jakarta.

- Johnson, D.P., 1969, Spectrophotometric Determination of the Hydroxypropyl Group in Starch Ethers, *Anal. Chem.*, 41(6), 859–860.
- Joshi, G., Rana, V., Naithani, S., Varshney, V.K., Sharma, A., dan Rawat, J.S., 2019, Chemical modification of waste paper: An optimization towards hydroxypropyl cellulose synthesis, *Carbohydr. Polym.*, 223(1), 2-12.
- Kahr, H., Pointner, M., Krennhuber, K., Wallner, B., dan Jäger, A., 2015, Lipid production from diverse oleaginous yeasts from steam exploded corn cobs, *Agron. Res*, 13(2), 318–327.
- Kasryno, F., Pasandaran, E., Suyanto., dan Adnyana, M.O., 2008, *Jagung Teknologi Produksi dan Pengembangan*, Badan Penelitian dan Pengembangan Pertanian, Jakarta.
- Klemm, D., Philipp, B., Heinze, T., Heinze, U., dan Wagenknecht, W., 1998, *Comprehensive Cellulose Chemistry Volume I: Fundamentals and Analytical Methods*, Wiley-VCH, New York.
- Lee, H.V., Hamid, S.B.A., dan Zain, S.K., 2014, Conversion of lignocellulosic biomass to nanocellulose: Structure and chemical process, *Sci. World J.*, 2014,1–21.
- Lestari, P., 2013, Sintesis dan Karakterisasi Karboksi Metil Selulosa Tongkol Jagung, *Skripsi*, Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Lindman, B., Karlström, G., dan Stigsson, L., 2010, On the mechanism of dissolution of cellulose, *J. Mol. Liq.*, 156(1), 76–81.
- Lu, J.-J., Chen, W.-H., 2014, Product yields and characteristics of corncob waste under various torrefaction atmospheres, *Energies*, 7(1), 13–27.
- Marseno, D.W., Haryanti, P., Adiseno, B., dan Haryadi, 2014, Synthesis and Characterization of Hydroxypropylcellulose from Oil Palm Empty Fruit Bunches (*Elaeis guineensis* Jacq), *Indones. Food Nutr. Prog.*, 13(1), 24–30.
- Martina, D., Hastuti, R., dan Widodo, D.S., 2016, Peran Adsorben Selulosa Tongkol Jagung (*Zea mays*) dengan Polivinil Alkohol (PVA) untuk Penyerapan Ion Logam Timbal (Pb^{2+}), *J. Kim. Sains dan Apl.*, 19(3), 77–82.
- Matin, H.R.H., Shariatmadari, F., dan Torshizi, M. a K., 2013, Various Physico-chemical Properties of Dietary Fiber Sources of Poultry Diets, *Int. J. Agric. Crop Sci.*, 6(18), 1239–1245.
- Melisa, Bahri, S., dan Nurhaeni, 2014, Optimasi Sintesis Karboksimetil Selulosa Dari Tongkol Jagung Manis (*Zea mays* L. *Saccharata*), *Online J. Nat. Sci.*, 3(2), 70–78.
- Mezdour, S., Lepine, A., Erazo-Majewicz, P., Ducept, F., dan Michon, C., 2008, Oil/water surface rheological properties of hydroxypropyl cellulose (HPC) alone and mixed with lecithin: Contribution to emulsion stability, *Colloids and Surfaces A Physicochem. Eng. Asp.*, 331(1–2), 76–83.
- Miles-Barrett, D.M., Montgomery, J.R.D., Lancefield, C.S., Cordes, D.B., Slawin, A.M.Z., Lebl, T., et al., 2017, Use of bisulfite processing to generate high- β -O-4 content water-soluble liginosulfonates, *ACS Sustain. Chem. Eng.*, 5(2), 1831–1839.
- Montgomery, D.C., 2012, *Design and Analysis of Experiments*, 8th Edition, John Wiley and Sons, New York.

- Nuringtyas, T.R., 2010, *Karbohidrat*, Gadjah Mada University Press, Yogyakarta.
- Oh, S.J., Jung, S.H., dan Kim, J.S., 2013, Co-production of furfural and acetic acid from corncob using $ZnCl_2$ through fast pyrolysis in a fluidized bed reactor, *Bioresour. Technol.*, 144, 172–178.
- Phillips, G.O. dan Williams, P.A., 2009, *Handbook of Hydrocolloids: Second Edition*, CRC Press, New York.
- Pomeranz, Y., Meloan, C.E., Pomeranz, Y., dan Meloan, C.E., 1994, Ash and Minerals, *Food Analysis*, Chapman and Hall, U.S.A.
- Pushpamalar, V., Langford, S.J., Ahmad, M., dan Lim, Y.Y., 2006, Optimization of reaction conditions for preparing carboxymethyl cellulose from sago waste, *Carbohydr. Polym.*, 64(2), 312–318.
- Radojkovic, M., Zekovic, Z., Jokic, S., and Vidovic, S., 2012, Determination of optimal extraction parameters of mulberry leaves using Response Surface Methodology (RSM), *Rom. Biotechnol. Lett.*, 17(3), 7295–7308.
- Richana, N., Irawadi, T., Nur, M., Sailah, I., Syamsu, K., dan Arkenan, Y., 2007, Ekstraksi Xilan dari Tongkol Jagung, *Indones. J. Agric. Postharvest Res.*, 4(1), 38–43.
- Shariff, A., Aziz, N.S.M., Ismail, N.I., dan Abdullah, N., 2016, Corn cob as a potential feedstock for slow pyrolysis of biomass, *J. Phys. Sci.*, 27(2), 123–137.
- Sjostrom, E., 1998, *Kimia Kayu Dasar-dasar dan Penggunaan*, Edisi Kedua, Gadjah Mada University Press, Yogyakarta.
- Sjostrom, E., 1993, *Wood Chemistry Fundamentals and Applications*, 2nd Edition, CA Academic Press, San Diego.
- Sun, Y. dan Cheng, J., 2002, Hydrolysis of lignocellulosic materials for ethanol production: A review, *Bioresour. Technol.*, 83(1), 1–11.
- Susana, 2011, Ekstraksi Selulosa Limbah Mahkota Nanas, *J. Vokasi*, 7(1), 87–94.
- Tangendjaja, B. dan Wina, E., 2006, *Jagung Teknologi Produksi dan Pengembangan*, Badan Penelitian dan Pengembangan Pertanian, Jakarta.
- Toğrul, H. dan Arslan, N., 2003, Production of carboxymethyl cellulose from sugar beet pulp cellulose and rheological behaviour of carboxymethyl cellulose, *Carbohydr. Polym.*, 54(1), 73–82.
- Umiyasih, U. dan Wina, E., 2008, Pengolahan dan nilai nutrisi limbah tanaman jagung sebagai pakan ternak ruminansia, *Wartazoa*, 18(3), 127–136.
- Vincent, P.L.D., 2012, *Zea mays* (Maize, Corn), *eLS*, John Wiley and Sons, Lichester.
- Wang, R., Zhou, B., dan Wang, Z., 2019, Study on the Preparation and Application of Lignin-Derived Polycarboxylic Acids, *J. Chem.*, 2019(1), 1–8.
- Wüstenberg, T., 2015, *Cellulose and Cellulose Derivatives in the Food Industry Fundamental and applications*, Wiley-VCH, New York.
- Yaşar, F., Toğrul, H., dan Arslan, N., 2007, Flow properties of cellulose and carboxymethyl cellulose from orange peel, *J. Food Eng.*, 81(1), 187–199.
- Zhang, D., Barri, S.A.I., dan Chadwick, D., 2011, Dehydration of 1,2-propanediol to propionaldehyde over zeolite catalysts, *Appl. Catal. A Gen.*, 400(1–2), 148–155.