

DAFTAR PUSTAKA

- Allard, C., Carignan, A., Bergevin, M., Boulais, I., Tremblay, V., Robichaud, P., Duperval, R. and Pepin, J., 2008, Secular changes in incidence and mortality associated with *Staphylococcus aureus* bacteraemia in Quebec, Canada, 1991–2005., *Clin. Microbiol. Infect.*, 14, 421–428.
- Allen, D. and McWhinney, B., 2019, Quadrupole Time-of-Flight Mass Spectrometry: A Paradigm Shift in Toxicology Screening Applications, *Clin. Biochem. Rev.*, 40, 135–146.
- Amagata, T., Usami, Y., Minoura, K., Ito, T., and Numata, A., 1998, Cytotoxic Substances Produced by a Fungal Strain from a Sponge: Physico-chemical Properties and Structures., *J. Antibiot. (Tokyo)*, 51, 33–40.
- Amir, I. dan Budiyanto, A., 1996, Mengenal Spons Laut (Demospongiae) Secara Umum, *Oseana*, 21, 15–31.
- Andryukov, B., Mikhailov, V., and Besednova, N., 2019, The biotechnological potential of secondary metabolites from marine bacteria, *J. Mar. Sci. Eng.*, 7, 1–16.
- Anjum, K., Abbas, S.Q., Shah, S.A.A., Akhter, N., Batool, S., and Hassan, S. S., 2016, Marine Sponges as a Drug Treasure, *Biomol. Ther. (Seoul)*, 24, 347–362.
- Balouiri, M., Sadiki, M., and Ibensouda, S.K., 2016, Methods for in vitro evaluating antimicrobial activity: A review, *J. Pharm. Anal.*, 6, 71–79.
- Bell, J.J., McGrath, E., Biggerstaff, A., Bates, T., Cárdenas, C.A., and Bennett, H., 2015, Global conservation status of sponges, *Conserv. Biol.*, 29, 42–53.
- Bibi, F., Imran Naseer, M., Yasir, M., Khalaf Al Ghamdi, A.A., and Azhar, E.I., 2017, LC-MS based identification of secondary metabolites from marine antagonistic endophytic bacteria, *Genet. Mol. Res.*, 16, .
- Blackman, A.J., Matthews, D.J., and Narkowicz, C.K., 1987, β -Carboline Alkaloids from the Marine Bryozoan *Costaticella hastata*, *J. Nat. Prod.*, 50, 494–496.
- Bonev, B., Hooper, J., and Parisot, J., 2008, Principles of assessing bacterial susceptibility to antibiotics using the agar diffusion method, *J. Antimicrob. Chemother.*, 61, 1295–1301.
- Breijyeh, Z., Jubeh, B., and Karaman, R., 2020, Resistance of gram-negative bacteria to current antibacterial agents and approaches to resolve it, *Molecules*, 25(6), 1340.
- Brinkmann, C.M., Marker, A., and Kurtböke, D.I., 2017, An overview on marine sponge-symbiotic bacteria as unexhausted sources for natural product discovery, *Diversity*, 9, 1–31.
- Caesar, L.K. and Cech, N.B., 2019, Synergy and antagonism in natural product extracts: when 1 + 1 does not equal 2, *Nat. Prod. Rep.*, 36, 869–888.

- Carballo, J.L., Cruz-Barraza, J.A., Vega, C., Nava, H., and Chávez-Fuentes, M. del C., 2019, Sponge diversity in Eastern Tropical Pacific coral reefs: an interoceanic comparison, *Sci. Rep.*, 9, 9409.
- Choma, I. and Jesionek, W., 2015, *Effects-Directed Biological Detection: Bioautography*, Elsevier Inc., New York.
- Choma, I.M. and Grzelak, E.M., 2011, Bioautography detection in thin-layer chromatography, *J. Chromatogr. A*, 1218, 2684–2691.
- Cid-Hernández, M., López Dellamary-Toral, F.A., González-Ortiz, L.J., Sánchez-Peña, M.J., and Pacheco-Moisés, F.P., 2018, Two-Dimensional Thin Layer Chromatography-Bioautography Designed to Separate and Locate Metabolites with Antioxidant Activity Contained on *Spirulina platensis*, *Int. J. Anal. Chem.*, 2018, 1–9.
- Citarasu, T., 2012, Natural antimicrobial compounds for use in aquaculture,. In, *Infectious Disease in Aquaculture*. Elsevier, Cambridge.
- Dewanjee, S., Gangopadhyay, M., Bhattacharya, N., Khanra, R., and Dua, T.K., 2015, Bioautography and its scope in the field of natural product chemistry, *J. Pharm. Anal.*, 5, 75–84.
- Elliot, T., Casey, A., Lambert, P., and Sandoe, J., 2011, *Medical Microbiology and Infection 5th Edition*, Blackwell Publishing, Oxford.
- Eloff, J.N., 2019, Avoiding pitfalls in determining antimicrobial activity of plant extracts and publishing the results., *BMC Complement. Altern. Med.*, 19, 106.
- Favre-Godal, Q., Pinto, S., Dorsaz, S., Rutz, A., Marcourt, L., Gupta, M., Sanglard, D., Queiroz, E. F. and Wolfender, J. L., 2019, Identification of Antifungal Compounds from the Root Bark of *Cordia anisophylla* J.S. Mill., *J. Braz. Chem. Soc.*, 30, 472–478.
- Finehout, E.J. and Lee, K.H., 2004, An introduction to mass spectrometry applications in biological research, *Biochem. Mol. Biol. Educ.*, 32, 93–100.
- Friedman, N.D., Temkin, E., and Carmeli, Y., 2016, The negative impact of antibiotic resistance, *Clin. Microbiol. Infect.*, 22, 416–422.
- Gibbons, S., 2006, An Introduction to Planar Chromatography,. In, *Natural Products Isolation*. Humana Press, Totowa.
- Hentschel, U., Usher, K.M., and Taylor, M.W., 2006, Marine sponges as microbial fermenters, *FEMS Microbiol. Ecol.*, 55, 167–177.
- Van Hieu, T., Ngan, T.B., Huong, D.T.M., Quyen, V.T., Minh, L.T.H., Murphy, B.T., and Van Cuong, P., 2019, Secondary metabolites from marine actinomycete *Streptomyces* sp. G330, *Vietnam J. Chem.*, 57, 480–484.
- Honda, T., Takahashi, R., and Namiki, H., 2005, Syntheses of (+)-Cytisine, (–)-Kuraramine, (–)-Isokuraramine, and (–)-Jussiaeine A, *J. Org. Chem.*, 70, 499–504.
- Hostettmann, K. and Marston, A., 1994, Search for new antifungal compounds from

- higher plants, *Pure Appl. Chem.*, 66, 2231–2234.
- Jesionek, W., Majer-Dziedzic, B., and Choma, I., 2017, TLC–direct bioautography as a method for evaluation of antibacterial properties of *Thymus vulgaris* L. and *Salvia officinalis* L. essential oils of different origin, *J. Liq. Chromatogr. Relat. Technol.*, 40, 1–5.
- Jordaan, A., Du Plessis, M., and Joynt, V.P., 1986, The structure and synthesis of pavettine, an alkaloid from *Pavetta lanceolata* Eckl. (Rubiaceae), *South African J. Chem.*, 21, 22–25.
- Kapoor, G., Saigal, S., and Elongavan, A., 2017, Action and resistance mechanisms of antibiotics: A guide for clinicians, *J. Anaesthesiol. Clin. Pharmacol.*, 33, 300.
- Kasanah, N. and Hamann, M., 2004, Development of antibiotics and the future of marine microorganisms to stem the tide of antibiotic resistance, *Curr. Opin. Investig. Drugs*, 5, 827–837.
- Kirmusaoglu, S., Gareayaghi, N., and S. Kocazeybek, B., 2019, Introductory Chapter: The Action Mechanisms of Antibiotics and Antibiotic Resistance,. In, *Antimicrobials, Antibiotic Resistance, Antibiofilm Strategies and Activity Methods*. IntechOpen.
- König, G.M., Kehraus, S., Seibert, S.F., Abdel-Lateff, A., and Müller, D., 2006, Natural products from marine organisms and their associated microbes, *ChemBioChem*, 7, 229–238.
- Krasilnikov, N.A., 1960, The biological role of microbes-antagonists, producers of antibiotic substances, *Soil Sci. Plant Nutr.*, 5, 184–193.
- Kumar, S.N., Mohandas, C., Siji, J.V., Rajasekharan, K.N., and Nambisan, B., 2012, Identification of antimicrobial compound, diketopiperazines, from a *Bacillus* sp. N strain associated with a rhabditid entomopathogenic nematode against major plant pathogenic fungi, *J. Appl. Microbiol.*, 113, 914–924.
- Lancini, G., Parenti, F., and Gallo, G.G., 1995, The Mechanism of Action of Antibiotics,. In, *Antibiotics*. Springer, Boston.
- Laport, M., Santos, O., and Muricy, G., 2009, Marine Sponges: Potential Sources of New Antimicrobial Drugs, *Curr. Pharm. Biotechnol.*, 10, 86–105.
- Lee, Y.K., Lee, J.H., and Lee, H.K., 2001, Microbial symbiosis in marine sponges, *J. Microbiol.*, 39, 254–264.
- Lim, C.-K. and Lord, G., 2002, Current Developments in LC-MS for Pharmaceutical Analysis, *Biol. Pharm. Bull.*, 25, 547–557.
- Magaldi, S., Mata-Essayag, S., Hartung de Capriles, C., Perez, C., Colella, M.T., Olaizola, C., and Ontiveros, Y., 2004, Well diffusion for antifungal susceptibility testing, *Int. J. Infect. Dis.*, 8, 39–45.
- Mehbub, M.F., Lei, J., Franco, C., and Zhang, W., 2014, Marine sponge derived natural products between 2001 and 2010: trends and opportunities for

- discovery of bioactives, *Mar. Drugs*, 12, 4539–4577.
- Mohrig, J.R., Alberg, D.G., Hofmeister, G.E., Schatz, P.F., and Hammond, C.N., 2014, *Laboratory Techniques in Organic Chemistry Fourth Edition*, W. H. Freeman, New York.
- Móricz, M. and Ott, P.G., 2016, *Conventional and Modern Bioassays - Detection, Isolation, and Identification*, Elsevier Inc., New York.
- Motomasa, K., 1998, *Search for Biologically Active Substances from Marine Sponges*, Puslit Oseanologi LIPI, Jakarta.
- Mukherjee, P.K., 2019, *Qualitative Analysis for Evaluation of Herbal Drugs*, Elsevier, New York.
- Mulyani, H., Dewi, R.T., and Chaidir, 2019, Antibacterial Compound from *Aspergillus elegans* SweF9 an Endophytic Fungus from Macroalgae *Euchema* sp., *Indones. J. Pharm.*, 30, 217–224.
- Murakoshi, I., Kidoguchi, E., Haginiwa, J., Ohmiya, S., Higashiyama, K., and Otomasu, H., 1981, (+)-Kuraramine, a possible metabolite of (–)-N-methylcytisine in flowers of *Sophora flavescens*, *Phytochemistry*, 20, 1407–1409.
- Nagai, K., Kamigiri, K., Arao, N., Suzumura, K.-I., Kawano, Y., Yamaoka, M., et al., 2003, YM-266183 and YM-266184, Novel Thiopeptide Antibiotics Produced by *Bacillus cereus* Isolated from a Marine Sponge. I. Taxonomy, Fermentation, Isolation, Physico-chemical Properties and Biological Properties., *J. Antibiot. (Tokyo)*, 56, 123–128.
- Nurjannah, D., 2019, Identifikasi Senyawa Berdasarkan Potensi Antibakteri dari Ekstrak Mikroorganisme Simbion Spons Laut *Halichondria* sp. Asal Perairan Kupang, *Skripsi*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Oclarit, J.M., Okada, H., Ohta, S., Kaminura, K., Yamaoka, Y., Iizuka, T., et al., 1994, Anti-bacillus substance in the marine sponge, *Hyatella* species, produced by an associated *Vibrio* species bacterium, *Microbios*, 78, 7–16.
- Penesyan, A., Kjelleberg, S., and Egan, S., 2010, Development of Novel Drugs from Marine Surface Associated Microorganisms, *Mar. Drugs*, 8, 438–459.
- Percival, S.L. and Williams, D.W., 2014, *Escherichia coli*, Elsevier, New York.
- Prinsep, M.R., Blunt, J.W., and Munro, M.H.G., 1991, New Cytotoxic β -Carboline Alkaloids from the Marine Bryozoan, *Cribricellina cribraria*, *J. Nat. Prod.*, 54, 1068–1076.
- Ravi, L., Ragunathan, A., and Krishnan, K., 2017, Marine *Streptomyces paradoxus* VITALK03 derived gancidin W mediated cytotoxicity through Ras-Raf-MEK-ERK signalling pathway, *Indian J. Biotechnol.*, 16, 164–175.
- Regueiras, A., Alex, A., Costa, M.S., Pereira, S., and Vasconcelos, V., 2019, Diversity of intertidal marine sponges from the western coast of Portugal (North-east Atlantic), *J. Mar. Biol. Assoc. United Kingdom*, 99, 1253–1265.

- Reid, R.G. and Sarker, S.D., 2012, Isolation of Natural Products by Low-Pressure Column Chromatography,. In, *Natural Products Isolation*. Humana Press Inc., Totowa.
- Ribeiro, D., 2013, A Short Overview of the Components in Mass Spectrometry Instrumentation for Proteomics Analyses,. In, *Tandem Mass Spectrometry - Molecular Characterization*, InTech, London.
- Santhanam, R., Ramesh, S., and Sunilson, A.J., 2018, *Biology and Ecology of Pharmaceutical Marine Sponges*, CRC Press, Boca Raton.
- Schlackow, I., Stoesser, N., Walker, A.S., Crook, D.W., Peto, T.E.A., Wyllie, D.H., et al., 2012, Increasing incidence of *Escherichia coli* bacteraemia is driven by an increase in antibiotic-resistant isolates: Electronic database study in Oxfordshire 1999-2011, *J. Antimicrob. Chemother.*, 67, 1514–1524.
- Schneemann, I., Kajahn, I., Ohlendorf, B., Zinecker, H., Erhard, A., Nagel, K., Wiese, J. and Imhoff, J. F., 2010, Mayamycin, a cytotoxic polyketide from a streptomyces strain isolated from the marine sponge *halichondria panicea*, *J. Nat. Prod.*, 73, 1309–1312.
- Seal, B.S., Drider, D., Oakley, B.B., Brüssow, H., Bikard, D., Rich, J.O., et al., 2018, Microbial-derived products as potential new antimicrobials, *Vet. Res.*, 49, 66.
- Shindo, K., Asagi, E., Sano, A., Hotta, E., Minemura, N., Mikami, K., Tamesada, E., Misawa, N., and Maoka, T., 2008, Diapolycopenedioic acid xylosyl esters A, B, and C, novel antioxidative glyco-C30-carotenoic acids produced by a new marine Bacterium *Rubritalea Squalenifaciens*, *J. Antibiot. (Tokyo)*., 61, 185–191.
- Siuzdak, G., 2004, An introduction to mass spectrometry ionization: An excerpt from *The Expanding Role of Mass Spectrometry in Biotechnology*, 2nd ed.; MCC Press: San Diego, 2005, *J. Assoc. Lab. Autom.*, 9, 50–63.
- Steckel, A. and Schlosser, G., 2019, An Organic Chemist's Guide to Electrospray Mass Spectrometric Structure Elucidation, *Molecules*, 24, 611.
- Subagio, I.B. and Aunurohim, 2013, Struktur Komunitas Spons Laut (Porifera) di Pantai Pasir Putih, Situbondo, *J. Sains dan POMITS*, 2, 159–163.
- Suharsono, 2014, *Biodiversitas Biota Laut Indonesia: Kekayaan Jenis, Sebaran, Kelimpahan, Manfaat dan Nilai Ekonomis*, Indonesian Institute of Sciences (LIPI) Pusat Penelitian Oseanografi, Jakarta.
- Suleiman, M., McGaw, L., Naidoo, V., and Eloff, J., 2010, Detection of antimicrobial compounds by bioautography of different extracts of leaves of selected South African tree species, *African J. Tradit. Complement. Altern. Med.*, 7, .
- Sun, W., Wu, W., Liu, X., Zaleta-Pinet, D.A., and Clark, B.R., 2019, Bioactive Compounds Isolated from Marine-Derived MSun, W., Wu, W., Liu, X., Zaleta-Pinet, D.A., and Clark, B.R., 2019, Bioactive Compounds Isolated from

- Marine-Derived Microbes in China: 2009–2018, *Mar. Drugs*, 17, 339.
- in China: 2009–2018, *Mar. Drugs*, 17, 339.
- Thomas, T.R.A., Kavlekar, D.P., and Lokabharathi, P.A., 2010, Marine drugs from sponge-microbe association--a review, *Mar. Drugs*, 8, 1417–1468.
- Tong, H., Bell, D., Tabei, K., and Siegel, M. M., 1999, Automated data massaging, interpretation, and e-mailing modules for high throughput open access mass spectrometry, *J. Am. Soc. Mass Spectrom.*, 10, 1174–1187.
- Tong, S.Y.C., Davis, J.S., Eichenberger, E., Holland, T.L., and Fowler, V.G., 2015, *Staphylococcus aureus* infections: Epidemiology, pathophysiology, clinical manifestations, and management, *Clin. Microbiol. Rev.*, 28, 603–661.
- Tortora, G.J., Funke, B.R., and Case, C.L., 2010, *Microbiology: An Introduction 10th Edition*, Pearson Benjamin Cummings, New York.
- Turon, X., Tarjuelo, I., and Uriz, M.J., 1998, Growth dynamics and mortality of the encrusting sponge *Crambe crambe* (Poecilosclerida) in contrasting habitats: correlation with population structure and investment in defence, *Funct. Ecol.*, 12, 631–639.
- Undap, N.I., Sumilat, D.A., and Bara, R., 2019, Antibacterial substances of sponges, *Agelas tubulata* and *Phyllospongia* sp., from Manado Bay, against the growth of several bacterial strains, *Aquat. Sci. Manag.*, 5, 23.
- Valgas, C., de Souza, S. M., Smânia E. F. A. and Smânia Jr., A., 2007, Screening methods to determine antibacterial activity of natural products, *Brazilian J. Microbiol.*, 38, 369–380.
- Ventola, C.L., 2015, The antibiotic resistance crisis: causes and threats., *P T J.*, 40, 277–283.
- Veron, J., Devantier, L., Turak, E., Green, A., Kininmonth, S., Stafford-Smith, M., and Peterson, N., 2009, Delineating the Coral Triangle, *Galaxea, J. Coral Reef Stud.*, 11, 91–100.
- De Vijlder, T., Valkenburg, D., Lemièrre, F., Romijn, E.P., Laukens, K., and Cuyckens, F., 2018, A tutorial in small molecule identification via electrospray ionization-mass spectrometry: The practical art of structural elucidation, *Mass Spectrom. Rev.*, 37, 607–629.
- Wang, L., Chai, Y., Tu, P., Sun, C., and Pan, Y., 2011, Formation of $[M + 15]^+$ ions from aromatic aldehydes by use of methanol: in-source aldolization reaction in electrospray ionization mass spectrometry, *J. Mass Spectrom.*, 46, 1203–1210.
- Yayli, N., 1994, Novel Polyaromatic compounds from The Starfish *Pteraster militaris*, *Indian J. Chem., Sec. B*, 35, 556–561.
- Yulianty, R., Rante, H., Alam, G., and Tahir, A., 2015, Screening and TLC-Bioautography Analysis of Antimicrobial Compounds from Some Sponge Extracts Originated From Barrang Lompo Sea Island, South Sulawesi, *Maj.*

Obat Tradis., 16, 88–94.