

## DAFTAR PUSTAKA

- Abhay, P., Josep, P. and Melba, N. (2013) 'Biomaterial Science (Third Edition): A - Titanium and Nitinol (NiTi)', *Science Direct*, 3, pp. 120–14. Available at: <https://doi.org/10.1016/B978-0-08-087780-8.00014-0>.
- Akhlaghi, N. M. *et al.* (2014) 'Effect of master apical file size and taper on irrigation and cleaning of the apical third of curved canals.', *Journal of dentistry (Tehran, Iran)*, 11(2), pp. 188–95. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/24910695> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC4043551>.
- AL-Ethary, S. T. and Hassan, A. M. (2019) 'Evaluation the Antimicrobial Efficacy of NaOCL-EDTA, MTAD and NaOCL-citric Acid Against Enterococcus faecalis in Root Canals of Primary Teeth (an in vitro study)', *Indian Journal of Public Health Research & Development*, 10(5), p. 1300. doi: 10.5958/0976-5506.2019.01176.8.
- Al-Khafaji, H. A. and Al-Huwaizi, H. F. (2019) 'Cleaning Efficiency of Root Canals using Different Rotary Instrumentation Systems: A Comparative In vitro Study', *International Journal of Medical Research & Health Sciences*, 8(1), pp. 89–93.
- Amda, N. *et al.* (2015) 'Penilaian kebersihan sepertiga apikal dinding saluran akar dari smear layer dengan menggunakan rotary instrumen dengan disain convex triangular dan rectangular cross section (Hygiene assessment on apical third of root canal wall of smear layer using rotary instru', *Journal of Dentomaxillofacial Science*, 14(1), p. 65. doi: 10.15562/jdmfs.v14i1.429.
- Arvaniti, I. S. and Khabbaz, M. G. (2011) 'Influence of root canal taper on its cleanliness: A scanning electron microscopic study', *Journal of Endodontics*, 37(6), pp. 871–874. doi: 10.1016/j.joen.2011.02.025.
- Atmeh, A. R. and Watson, T. F. (2016) 'Root dentine and endodontic instrumentation: Cutting edge microscopic imaging', *Interface Focus*, 6(3), pp. 1–6. doi: 10.1098/rsfs.2015.0113.
- Bartols, A. *et al.* (2018) 'Assessment of different root canal preparation techniques with rotary nickel-titanium instruments by novice students', *Dentistry Journal*, 6(3), pp. 3–11. doi: 10.3390/dj6030046.
- Brunson, M. *et al.* (2010) 'Effect of Apical Preparation Size and Preparation Taper on Irrigant Volume Delivered by Using Negative Pressure Irrigation System', *Journal of Endodontics*, 36(4), pp. 721–724. doi: 10.1016/j.joen.2009.11.028.

- Cahyadi, A. R. *et al.* (2013) 'Mtwo Single Length , Protaper Crown Down , Dan Protaper Hybrid', 4(2), pp. 31–38.
- Çapar, I. D. and Arslan, H. (2016) 'A review of instrumentation kinematics of engine-driven nickel-titanium instruments', *International Endodontic Journal*, 49(2), pp. 119–135. doi: 10.1111/iej.12432.
- Caicedo, D. R. and Clark, S. J. (2016) 'Clinical HyFlex ® CM rotary files : an excellent innovation for endodontic treatment', *Endodontic practice*, 4(6), pp. 10–17.
- Chandler, N. P. *et al.* (2010) *Harty's Endodontics in Clinical Practice*. sixth. Edited by B. S. Chong. St Louis: Elsevier Inc.
- Chaudhury, T., Shankar, V. and Sagar, R. (2019) 'Comparative Evaluation of Apically Extruded Debris with Protaper Universal , Protaper Gold and Twisted File Adaptive Rotary Instrumens- An In-Vitro Study', *Acta Scientific Dental Science*, 3(6), pp. 60–65. doi: 10.31080/ASDS.2019.03.0546.
- Chen, X. *et al.* (2018) 'Effects of Endodontic Sealers and Irrigation Systems on Smear Layer Removal after Post Space Preparation', *Journal of Endodontics*. Elsevier Inc, 44(8), pp. 1293–1297. doi: 10.1016/j.joen.2018.05.014.
- Choudhary, O. P. and ka, P. (2017) 'Scanning Electron Microscope: Advantages and Disadvantages in Imaging Components', *International Journal of Current Microbiology and Applied Sciences*, 6(5), pp. 1877–1882. doi: 10.20546/ijcmas.2017.605.207.
- Dagna, A. *et al.* (2016) 'Debris Evaluation after Root Canal Shaping with Rotating and Reciprocating Single-File Systems', *Journal of Functional Biomaterials*, 7(4), p. 28. doi: 10.3390/jfb7040028.
- Elbakyan, A. (2015) 'Scanning Electron Microscope (Techniques for Oral Microbiology)', *Science Direct*, pp. 15–40. doi: 10.1016/b978-0-12-802234-4.00002-1.
- Elnaghy, A. M. and Elsaka, S. E. (2014) 'Assessment of the mechanical properties of ProTaper next nickel-titanium rotary files', *Journal of Endodontics*. Elsevier Ltd, 40(11), pp. 1830–1834. doi: 10.1016/j.joen.2014.06.011.
- Felippe, M. C. S. *et al.* (2006) 'Effectiveness of NaOCl alone or in combination with edta on the diffusion of hydroxyl ions released by calcium hydroxide paste', *Journal of Applied Oral Science*, 14(1), pp. 1–5. doi: 10.1590/s1678-77572006000100001.
- Gagliardi, J. *et al.* (2015) 'Evaluation of the shaping characteristics of ProTaper

- Gold, ProTaper NEXT, and ProTaper Universal in curved canals', *Journal of Endodontics*, 41(10), pp. 1718–1724. doi: 10.1016/j.joen.2015.07.009.
- Garg, N. and Garg, A. (2013) *Textbook of Operative Dentistry second edition*.
- Ghoneim, W. M. *et al.* (2014) 'Cleaning efficacy of different root canal preparation systems and irrigation regimens', *Tanta Dental Journal*. Faculty of Dentistry, Tanta University, 11(1), pp. 36–41. doi: 10.1016/j.tdj.2014.02.001.
- Giraki, M. *et al.* (2019) 'Shaping ability of rotary instrumentation techniques and their limitations in simulated root canals', *Journal of Dental Problems and Solutions*, 6(2), pp. 049–055. doi: 10.17352/2394-8418.000073.
- Gray, J., Waldmann, S. and Tardy, Y. (2016) 'ProTaper Gold Global Presentation Materials', *Dentsply Sirona*. Available at: [jim.gray@dentsply.com](mailto:jim.gray@dentsply.com).
- Guerreiro-Tanomaru, J. M. *et al.* (2013) 'Efficacy of four irrigation needles in cleaning the apical third of root canals', *Brazilian Dental Journal*, 24(1), pp. 21–24. doi: 10.1590/0103-6440201302153.
- Gulabivala, K. and Ng, Y. L. (2014) 'Endodontics (fourth edition): Non-surgical root-canal treatment', *Endodontics: Fourth Edition*, 4, pp. 174–236. doi: 10.1016/B978-0-7020-3155-7.00008-4.
- Haapasalo, M. *et al.* (2014) 'Irrigation in endodontics', *British Dental Journal*. Nature Publishing Group, 216(6), pp. 299–303. doi: 10.1038/sj.bdj.2014.204.
- Hema, B. S., Chandu, G. S. and Shiraguppi, V. L. (2014) 'Scanning electron microscopic evaluation of root canal surfaces prepared with lightspeed & endowave rotary system', *Journal of Clinical and Diagnostic Research*, 8(12), pp. ZC35–ZC38. doi: 10.7860/JCDR/2014/10034.5279.
- Hema, B. S., Chandu, G. S. and Shiraguppi, V. L. (2015) 'Scanning electron microscopic evaluation of root canal surfaces prepared with three rotary endodontic systems: Lightspeed, ProTaper and EndoWave', *Nigerian Journal of Clinical Practice*, 18(1), pp. 130–136. doi: 10.4103/1119-3077.147001.
- Ingle, J. I. and Leif K. Baklaand (2008) *Ingle's Endodontics 6*.
- Jasim, A. A. and Al-Gharrawi, H. A. S. (2019) 'Evaluation of the Canal Transportation and Centering Ratio at Different Levels of Simulated Curved Canals Prepared by OneShape, Protaper Next, Protaper Gold and TwoShape Nickel Titanium Rotary Files', *International Journal of Medical Research & Health Sciences*, 8(8), pp. 91–97.

- Kansal, R. and Rajput, A. (2018) 'Comparison of Root Canal Cleaning Ability of Rotary and Reciprocating File Techniques : A SEM Study', *JSM dent Surg*, 3(April), pp. 1–4.
- Kataia, M. M. and Kataia, E. M. (2016) 'Cutting efficiency of different cross sectional design protaperrotary instruments - in-vitro study', *Journal of Innovations in Pharmaceuticals and Biological Sciences*, 3(1), pp. 116–122. doi: 10.23959/sfjc-1000003.
- Kim, H.-C. (2011) 'Mechanical and geometric features of endodontic instruments and its clinical effect', *Journal of Korean Academy of Conservative Dentistry*, 36(1), p. 1. doi: 10.5395/jkacd.2011.36.1.1.
- Kim, H. C. *et al.* (2012) 'Cyclic fatigue and torsional resistance of two new nickel-titanium instruments used in reciprocation motion: Reciproc Versus WaveOne', *Journal of Endodontics*. Elsevier Ltd, 38(4), pp. 541–544. doi: 10.1016/j.joen.2011.11.014.
- Koch K, B. D. (2002) 'Real world endo: design features of rotary files and how they affect clinical performance.', *Oral Health*, 92(February), pp. 39–49.
- Kwak, S. W. *et al.* (2019) 'Comparison of Screw-In Forces during Movement of Endodontic Files with Different Geometries, Alloys, and Kinetics', *MDPI*, 12(9), pp. 10–16.
- Mehlawat, R. *et al.* (2019) 'Comparative evaluation of instrumentation timing and cleaning efficacy in extracted primary molars using manual and NiTi rotary technique – Invitro study', *Journal of Oral Biology and Craniofacial Research*. Elsevier, 9(2), pp. 151–155. doi: 10.1016/j.jobcr.2019.03.003.
- Nathan, A. J. and Scobell, A. (2012) *Cohen's Pathways of the Pulp Tenth Edition, Foreign Affairs*. doi: 10.1017/CBO9781107415324.004.
- Nishan, V., Kulkarni, M. and Desai, N. (2019) 'Retrieval of a Separated Nickel–titanium Instrument and a Stainless Steel H-file Using a Novel Tube, Loop and File Technique', *J Int Clin Dent Res Organ*, 11, pp. 83–89. doi: 10.4103/jicdro.jicdro.
- Nurliza, C. *et al.* (2014) 'Prinsip-Prinsip Dasar Preparasi Saluran Akar ( Basic Principles of Chemomechanical Preparation of Root', *Dentika Dental Journal*, 18(2), pp. 177–184.
- Palareti, G. *et al.* (2016) 'Evaluation of Apical Transportation and Centering Ability of Five Thermally Treated NiTi Rotary System', *International Journal of Laboratory Hematology*, 38(1), pp. 42–49. doi: 10.1111/ijlh.12426.
- Pedrinha, V. F. *et al.* (2018) 'Influence of File Motion on Shaping, Apical Debris

Extrusion and Dentinal Defects: A Critical Review', *The Open Dentistry Journal*, 12(1), pp. 189–201. doi: 10.2174/1874210601812010189.

Paraskevopoulou, M. T. and Khabbaz, M. G. (2016) 'Influence of Taper of Root Canal Shape on the Intracanal Bacterial Reduction', *The Open Dentistry Journal*, 10(1), pp. 568–574. doi: 10.2174/1874210601610010568.

Patturaja, K., Leelavathi, L. and Jayalakshmi, S. (2018) 'Choice of rotary instrumen usage among endodontists-a questionnaire study', *Biomedical and Pharmacology Journal*, 11(2), pp. 851–856. doi: 10.13005/bpj/1441.

Plotino, G. *et al.* (2019) 'Influence of size and taper of basic root canal preparation on root canal cleanliness: a scanning electron microscopy study', *International Endodontic Journal*, 52(3), pp. 343–351. doi: 10.1111/iej.13002.

Rad, M. A. *et al.* (2017) 'Application of environmental scanning electron microscope-nanomanipulation system on spheroplast yeast cells surface observation', *Hindawi*, 2017, pp. 19–23. doi: 10.1155/2017/8393578.

Rajakeerthi, R. and Nivedhitha, M. S. (2020) 'Comparative evaluation of canal preparation time by using three different shape memory files -an in-vitro study', *Journal of International Dental and Medical Research*, 13(1), pp. 106–110.

Rubio, J., Zarzosa, J. I. and Pallarés, A. (2017) 'Comparison of Shaping Ability of 10 Rotary and Reciprocating Systems: an In Vitro Study with AutoCAD', *Acta Stomatologica Croatica*, 51(3), pp. 207–216. doi: 10.15644/asc51/3/4.

Ruddle, C. J. (2015) 'Endodontic triad for success: The role of minimally invasive technology', *Dentistry Today*, 34(5), pp. 1–7. doi: 10.1038/sj.bdj.2015.844.

Rzhanov, E. A. and Belyaeva, T. S. (2012) 'Design features of rotary root canal instruments, Introduction', *29 ENDO (Lond Engl)*, 6(1), pp. 29–39. Available at: [http://www.rzhanov.ru/nauka/04\\_2012.pdf](http://www.rzhanov.ru/nauka/04_2012.pdf).

Saber, S. E. D. M., Nagy, M. M. and Schäfer, E. (2015) 'Comparative evaluation of the shaping ability of ProTaper Next, iRaCe and Hyflex CM rotary NiTi files in severely curved root canals', *International Endodontic Journal*, 48(2), pp. 131–136. doi: 10.1111/iej.12291.

Al Shehadat, S. (2017) 'Smear layer in endodontics: role and management', *Journal of Clinical Dentistry and Oral Health*, 01(01), pp. 5–6. doi: 10.35841/oral-health.1.1.1-2.

- Sandhya, A. K., Prem, P. K. and Apoorva, Kamal ayaprakash, D. P. (2018) 'Rotary science and its impact on instrument separation: A focused review', *journal of conservative dentistry*, 21(2).
- Soerachman, B., Sukartini, E. and Aripin, D. (2014) 'The advantage using Ni - Ti rotary instrumens as the smoothness of one-third apical root canal wall', *Padjadjaran Journal of Dentistry*, 26(3), pp. 147–152. doi: 10.24198/pjd.vol26no3.14004.
- Sowmya, H. K. *et al.* (2014) 'Quantitative assessment of apical debris extrusion and intracanal debris in the apical third, using hand instrumentation and three rotary instrumentation systems', *Journal of Clinical and Diagnostic Research*, 8(2), pp. 206–210. doi: 10.7860/JCDR/2014/7353.4061.
- Sung, H.-J., Ha, J.-H. and Kim, S.-K. (2010) 'Influence of taper on the screw-in effect of nickel-titanium rotary files in simulated resin root canal', *Journal of Korean Academy of Conservative Dentistry*, 35(5), p. 380. doi: 10.5395/jkacd.2010.35.5.380.
- Tabrizizadeh, M. and Shareghi, A. (2015) 'The effect of preparation size on efficacy of smear layer removal; a scanning electron microscopic study', *Iranian Endodontic Journal*, 10(3), pp. 169–173. doi: 10.7508/iej.2015.03.005.
- Torabinejad, M., Waiton, R. E. and Fouad, A. F. (2012) *Endodontics Principles and Practice, Elsevier Saunders*. doi: 10.1017/CBO9781107415324.004.
- Y Mamatha, Suma Ballal, V Gopikrishna, D. K. (2006) 'Comparison of sodium hypochlorite and edta irrigants with an indigenous solution as an alternative to mtad', *journal of conservative dentistry*, 9(1), pp. 48–52.
- Yuanita, T. (2017) 'The cleanliness differences of root canal walls after irrigated with East Java propolis extract and sodium hypochlorite solutions', *Dental Journal (Majalah Kedokteran Gigi)*, 50(1), p. 6. doi: 10.20473/j.djmk.v50.i1.p6-9.
- Yusman, R., Mulyawati, E. and Hadriyanto, W. (2013) 'Perbedaan Kebocoran Apikal Pada Obturasi Saluran Akar Menggunakan Tiga Siler Berbahan Resin', *Jurnal Online Universitas Gadjah Mada*, 4(2), pp. 122–128.
- Zulfi, A. B. (2016) 'Perawatan Saluran Akar Pada Gigi Permanen Anak Dengan Bahan Gutta Percha.', *Jurnal PDGI*, 65 (2)(2), pp. 60–67.
- Zupanc, J., Vahdat-Pajouh, N. and Schäfer, E. (2018) 'New thermomechanically treated NiTi alloys – a review', *International Endodontic Journal*, 51(10), pp. 1088–1103. doi: 10.1111/iej.12924.