

DAFTAR PUSTAKA

- Ahmed, A.T., Khalid, H.A., Ahmed, A.A., and Chen, D., 2010, A Lysimeter Experimental Study and Numerical Characterization of The Leaching of Incenerator Bottom Ash Waste, *Waste Manage.*, 30, 1536-1543.
- Al-Busafi, S.N., Suliman, F. E. O., and Al-Alawi, Z. R., 2014, 8-Hydroxyquinoline and Its Derivatives: Synthesis and Applications, *J. Chem.*, 3(1), 1-10.
- Al Ichsan, G.M.H., 2015, Adsorpsi Logam Co(II) dengan Zeolit dari Abu Dasar Batubara Terimobilisasi Ditizon, *Skripsi*, Program Studi Kimia Fakultas Sains dan Teknologi UIN Sunan Kalijaga, Yogyakarta.
- Alinnor, I.J., 2007, Adsorption of Heavy Metal Ions from Aqueous Solution by Fly Ash, *Fuel*, 86, 853-857.
- Angel, R.J. and Prewitt, C.T., 1986, Crystal Structure of Mullite: A Re-examination of The Average Structure, *Amer. Miner.*, 71, 1476-1482.
- Asokbunyarat, V., Lens, P.N.L., van Hullebusch, E.D., and Annachhatre, A.P., 2015, Coal Bottom Ash as Sorbing Material for Fe(II), Cu(II), Mn(II), and Zn(II) Removal from Aqueous Solutions, *Water Air Soil Pollut.*, 226(143), 1-17.
- Ayawei, N., Ebelegi, A.N., and Wankasi, D., 2017, Review Article Modelling and Interpretation of Adsorption Isotherms, *J. Chem.*, 2017, 1-11.
- Bada, S.O. and Potgieter-Vermaak, S., 2008, Evaluation and Treatment of Coal Fly Ash for Adsorption Application, *Leonardo El. J. Pract. Technol.*, 12, 37-48.
- Badie, A., Goldooz, H., and Ziarani, G. , 2011, A Novel Method for Preparation of 8-Hydroxyquinoline Functionalized Mesoporous Silica: Aluminum Complexes and Photoluminescence Studies, *Appl. Surf. Sci.*, 257, 4912-4918.
- Bahgat, K. and Ragheb, A.G., 2006, Analysis of Vibrational Spectra of 8-hydroxyquinoline and Its 5,7-dichloro, 5,7-dibromo, 5,7-diiodo and 5,7-dinitro Derivatives Based on Density Functional Theory Calculations, *Cent. Eur. J. Chem.*, 5(1), 201-220.
- Barros, F.C.F., Sousa, F.W., Cavalcante, R.M., Carvalho, T.V., Dias, F.S., Queiroz, D.C., Vasconcellos, L.C.G., and Nascimento, R.F., 2008, Removal of Copper, Nickel and Zinc Ions from Aqueous Solution by Chitosan-8-hydroxyquinoline Beads, *Clean*, 36(3), 292-298.
- Belchinskaya, L., Novikova, L., Khokhlov, V., and Tkhi, J.L., 2013, Contribution of Ion-Exchange and Non-Ion-Exchange Reactions to Sorption of Ammonium Ions by Natural and Activated Aluminosilicate Sorbent, *J. Appl. Chem.*, 2013, 1-9.
- Bridgen, K., Santillo, D., and Stringer, R., 2002, *Hazardous Emission from Thai Coal-fired Power Plants: Toxic and Potentially Toxic Elements in Fly Ashes*

Collected from Mae Moh and Thai Petrochemical Industry Coal-fired Power Plants in Thailand, Greenpeace Research Laboratories: Department of Biological Sciences, University of Exeter, Devon.

- Chang, Y.S., Au, P.I., Mubarak, N.M., Khalid, M., Jagadish, P., Walvekar, R., and Abdullah, E.C., 2020, Adsorption of Cu(II) and Ni(II) Ion from Wastewater onto Bentonite and Bentonite/GO Composite, *Environ. Sci. Pollut. Res.*, 27(26), 33270-33296.
- Chatterjee, A. and Abraham, J., 2019, Desorption of Heavy Metals from Metal Loaded Sorbent and E-wastes: A Review, *Biotechnol. Lett.*, 41(2019), 319-333.
- Chatterjee, A., Basu, J.K., and Jana, A.K., 2019, Alumina-silica Nano-sorbent from Plant Fly Ash and Scrap Aluminium Foil in Removing Nickel Through Adsorption, *Powder Technol.*, 354, 792-803.
- Dai, Y.D., Shah, K.J., Huang, C.P., Kim, H., and Chiang, P.C., 2018, Adsorption of Nonylphenol to Multi-Walled Carbon Nanotubes: Kinetics and Isotherm Study, *Appl. Sci.*, 8(11), 1-13.
- Damayanti, R., 2018, Abu Batubara dan Pemanfaatannya: Tinjauan Teknis Karakteristik secara Kimia dan Toksikologinya, *Jurnal Teknologi Mineral dan Batubara*, 3(14), 213-231.
- Daneshfar, A., Ghaedi, M., Vafafard, S., Shiri, L., Sahrai, R., and Soylak, M., 2012, Amberlite IR-120 Modified with 8-Hydroxyquinoline as Efficient Adsorbent for Solid-phase Extraction and Flame Atomic Absorption Determination of Trace Amounts of Some Metal Ions., *Biol. Trace Elem. Res.*, 145, 240-247.
- David, J.R., 2001, *Copper and Copper Alloys*, ASM International, Geauga County.
- Deraman, L.M., Abdullah, M.M.A.B., Ming, L.Y., Hussin, K., Yahya, Z., and Kadir, A.A., 2015, Utilization of Bottom Ash for Alkali-Activated (Si-Al) Materials: A Review, *ARPN J. Eng. Appl. Sci.*, 18(10), 8351-8357.
- Diantariani, N.P., Sudiarta, I.W., dan Elantiani, N.K., 2008, Proses Biosorpsi dan Desorpsi Ion Cr(VI) pada Biosorben Rumput Laut *Euclidean spinosum*, *Jurnal Kimia*, 2(1), 45-52.
- Dos Santos, V.C.G., De Souza, J.V.T.M., Tarley, C.R.T., Caetano, J., and Dragunski, D.C., 2011, Copper Ions Adsorption from Aqueous Medium Using The Biosorbent Sugarcane Bagasse in Natura and Chemically Modified, *Water Air Soil Pollut.*, 216, 351-359.
- Ellingsen, D.G., Moller, L.B., and Aaseth, J., 2015, *Copper*, in Nordberg, G.F., Fowler, B.A., and Nordberg, M., *Handbook on The Toxicology of Metals*, Volume II, Fourth Edition, Academic Press, San Diego.
- Eskani, I.N. dan de Carlo, I., 2007, Pengolahan Limbah Cair Industri Tembaga, *Dinamika Kerajinan dan Batik*, 24, 10-16.

- Ettinger, M.J., 2018, *Copper Metabolism and Diseases of Copper Metabolism*, in Lontie, R., *Copper Proteins and Copper Enzymes*, Volume III, CRC Press, Boca Raton.
- Fauzi, A., Nuruddin, M.F., Malkawi, A.B., and Abdullah, M.M.A.B., 2016, Study of Fly Ash Characterization as A Cementitious Material, *Procedia Eng.*, 148, 487-493.
- Fil, B.A., Boncukcuoglu, R., Karakas, Z.K., and Yilmas, A.E., 2013, Removal of Cationic Dye (Basic Red 18) from Aqueous Solution Using Natural Turkish Clay, *Global NEST J.*, 4(15), 529-541.
- Fost, S.D. and Aly, M.O., 1981, *Adsorption Processes for Water Treatment*, Betterworth Publications, Stoneharm.
- Gershon, H., Clarke, D.D., and Gershon, M., 1994, Evidence of Steric Factors in The Fungitoxic Mechanism of 8-quinolinol and Its 2-,3-,4-,5-,6- and 7-chloro and Bromo Analogs, *Monats. Chem.*, 125(1), 51-59.
- Gorman, M., 1957, The Evidence from Infrared Spectroscopy for Hydrogen Bonding, *J. Chem. Educ.*, 6(34), 304-306.
- Gorme, J.B., Maniquiz, M.C., Kim, S.S., Son, Y.G., Kim, Y.T., and Kim, L.H., 2010, Characterization of Bottom Ash as An Adsorbent of Lead from Aqueous Solutions, *Environ. Eng. Res.*, 15(4), 207-213.
- Goswami, A., Singh, A.K., and Venkataramani, B., 2003, 8-Hydroxyquinoline Anchored to Silica Gel via New Moderate Size Linker: Synthesis and Applications as A Metal Ion Collector for Their Flame Atomic Absorption Spectrometric Determination, *Talanta*, 60, 1141-1154.
- Guo, W., Meng, X., Liu, Y., Ni, L., Hu, Z., Chen, R., Meng, M., Wang, Y., Han, J., and Luo, M., 2015, Synthesis and Application of 8-Hydroxyquinoline Modified Magnetic Mesoporous Carbons for Adsorption of Multivariate Metal Ions from Aqueous Solutions, *J. Ind. Eng. Chem.*, 21, 340-349.
- Hamdaoui, O. and Naffrechoux, E., 2007, Modelling of Adsorption Isotherms of Phenol and Chlorophenols onto Granular Activated Carbon Part I Two-Parameter Models and Equations Allowing Determination of Thermodynamic Parameters, *J. Hazard. Mater.*, 147, 381-394.
- Husak, V., 2015, Copper and Copper-containing Pesticides: Metabolism, Toxicity and Oxidative Stress, *J. Vasyk Stefanyk Precarpathian National University*, 1(2), 38-50.
- Kant, U., Saxena, V.K., Sarkar, A., Varma, A.K., and Mishra, K.K., 2012, Characterization of Coal Ash from A Captive Power Plant for Potential End Uses, *Proceedings of The Eurocoalash 2012 Conference*, 25-27 September 2012, Thessaloniki.
- Kosa, S.A., Al-Zhrani, G., and Salam, M.A., 2012, Removal of Heavy Metals from

- Aqueous Solution by Multi-walled Carbon Nanotubes Modified with 8-Hydroxyquinoline, *Chem. Eng. J.*, 181-182, 159-168.
- Kuntari, Aprilita, N.H., dan Suherman, Utilization of Coal Bottom Ash a Low-cost Adsorbent for The Removal Acid Red 114 Dye, *Eksakta: Jurnal Ilmu-ilmu MIPA*, 11-19.
- Largitte, L. and Pasquier, R., 2016, A Review of The Kinetics Adsorption Models and Their Application to The Adsorption of Lead by An Activated Carbon, *Chem. Eng. Res. Des.*, 109, 495-504.
- Laus, R. and de Favere, V.T., 2011, Competitive Adsorption of Cu(II) and Cd(II) Ions by Chitosan Crosslinked with Epichlorohydrin-triphosphate, *Bioresour. Technol.*, 102, 8769-8776.
- Lestiani, D.D., Muhayatun, dan Adventini, N., 2010, Karakteristik Unsur pada Abu Dasar dan Abu Terbang Batubara Menggunakan Analisis Aktivasi Neuron Instrumental, *Jurnal Sains dan Teknologi Nuklir Indonesia*, 1(11), 27-34.
- Liu, C., Sun, X., Liu, L., Liu, J., Qi, M., and An, H., 2015, Synthesis of 8-Hydroxyquinoline-functionalized Polyglycidyl Methacrylate Resin and Its Efficient Adsorption and Desorption for Pb(II), *DESALIN. WATER TREAT.*, 2015, 1-13.
- Lontie, R., 2018, *Copper Proteins and Copper Enzymes*, CRC Press, Boca Raton.
- Luckey, T.D. and Venugopal, B., 1979, *Metal Toxicity in Mammals: Physiologic and Chemical Basis for Metal Toxicity*, Plenum Press, New York.
- Mahmoud, M.E., Kana, M.T.H.A., and Hendy A.A., 2015, Synthesis and Implementation of Nano-Chitosan and Its Acetophenone Derivative for Enhanced Removal of Metals, *Int. J. Biol. Macromol.*, 81, 672-680.
- Marita, M., 2018, Modifikasi Abu Dasar Batubara dengan 8-Hidroksikuinolin untuk Adsorpsi Ion Logam Cu(II) dan Ni(II), *Skripsi*, Program Studi Kimia FMIPA Universitas Gadjah Mada, Yogyakarta.
- Masel, R.I., 1951, *Principles of Adsorption and Reaction on Solid Surfaces*, John & Sons, Inc., New York.
- Meawad, A., Bojinova, D., and Pelovski, Y., 2010, Study on Elements Leaching from Bottom Ash of Enel Maritsa East 3 Thermal Power Plant in Bulgaria, *J. Univ. Chem. Technol. Metal*, 45, 275-282.
- Mohadi, R., Hidayati, N., Saputra, A., dan Lesbani, A., 2013, Kajian Interaksi Co²⁺ dengan Selulosa dari Serbuk Gergaji Kayu, *Cakra Kimia (Indonesian E-Journal of Applied Chemistry)*, 2(1), 8-15.
- Mohan, S. and Gandhimathi, R., 2009, Removal of Heavy Metals Ions from Municipal Solid Waste Leachate Using Coal Fly Ash as An Adsorbent, *J. Hazard. Mater.*, 169, 351-359.

- Murniati, Hidayat, N., dan Mudasir, 2009, Pemanfaatan Limbah Abu Dasar Batubara sebagai Bahan Dasar Sintesis Zeolit dan Aplikasinya sebagai Adsorben Logam Berat Cu(II), *Prosiding Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA*, 16 Mei 2009, Yogyakarta.
- Mustafa, S.K. and AlSharif, M.M., 2018, Copper (Cu) An Essential Redox-Active Transition Metal in Living System- A Review Article, *Am. J. Analyt. Chem.*, 9, 15-26.
- Nurhidayati, 2015, Modifikasi Abu Dasar Batubara Menggunakan 8-Hidroksikuinolin sebagai Adsorben Ion Cu(II) dan Cd(II), *Tesis*, Program Studi Kimia FMIPA Universitas Gadjah Mada, Yogyakarta.
- P. Krishnamurthi, P., Ramalingam, H.B., and K. Raju, 2015, FTIR Studies of Hydrogen Bonding Interaction between The Hydroxyl and Carbonyl Liquids, *Adv. Appl. Sci. Res.*, 6(12), 44-52.
- Panda, H., Tiadi, N., Mohanty, M., and Mohanty, C.R., 2017, Studies on Adsorption Behavior of An Industrial Waste for Removal of Chromium from Aqueous Solution, *S. Afr. J. Chem.*, 23, 132-138.
- Pearson, R.G., 1963, Hard and Soft Acids and Bases, *J. Am. Chem. Soc.*, 85, 3533-3539.
- Pooresmaeil, M., Mansoori, Y., Mirzaeinejad, M., and Khodayari, A., 2016, Efficient Removal of Methylene Blue by Novel Magnetic Hydrogel Nanocomposites of Poly(Acrylic Acid), *Adv. Polim. Technol.*, 1(37), 262-274.
- Powell, K.J., Brown, P.L., Byrne, R.H., Gajda, T., Hefter, G., Sjöberg, S., and Wanner, H., 2007, Chemical Speciation of Environmentally Significant Metals with Inorganic Ligands, *Pure Appl. Chem.*, 5(79), 895-950.
- Purbalia, W.A., 2018, Modifikasi Abu Dasar Batubara dengan Natrium Dodesil Sulfat sebagai Adsorben Ion Logam Cu²⁺, *Skripsi*, Program Studi Kimia FMIPA Universitas Gadjah Mada, Yogyakarta.
- Putra, R., Khamidinal, Krisdiyanto, D., dan Nugraha, I., 2015, Adsorpsi Ion Mn(II) pada Zeolit dari Abu Dasar Batubara Termomodifikasi Ditizon, *Jurnal Kimia Terapan Indonesia*, 2(17), 87-99.
- Rashidi, N.A. and Yusup, S., 2016, Overview on The Potential of Coal-based Bottom Ash as Low-cost Adsorbents, *ACS Sustainable Chem. Eng.*, 4(4), 1870-1884.
- Said, N.I., 2010, Metoda Penghilangan Logam Berat (As, Cd, Cr, Ag, Cu, Pb, Ni, dan Zn) di dalam Air Limbah Industri, *Jurnal Air Indonesia*, 2(6), 136-148.
- Salam, M.A., Al-Zhrani, G., and Kosa, S.A., 2013, Removal of Heavy Metal Ions from Aqueous Solution by Multi-walled Carbon Nanotubes Modified with 8-Hydroxyquinoline: Kinetic Study, *J. Ind. Eng. Chem.*, 1366, 1-9.
- Sandhya, K., Prakash, N.B., and Meunier, J.D., 2018, Diatomaceous Earth as

Source of Silicon on The Growth and Yield of Rice in Contrasted Soils of Southern India, *J. Soil Sci. Plant Nutr.*, 18(2), 344-360.

Schwantes, D., Goncalves Jr, A.C., Coelho, G.F., Campagnolo, M.A., Dragunski, D.C., Tarley, C.R.T., Miola, A.J., and Leismann, E.A.V., 2016, Chemical Modifications of Cassava Peel as Adsorbent Material for Metal Ions from Wastewater, *J. Chem.*, 2016, 1-15.

Sekarwati, N., Murachman, B., dan Sunarto, 2015, Dampak Logam Berat Cu (Tembaga) dan Ag (Perak) pada Limbah Cair Industri Perak terhadap Kualitas Air Sumur dan Kesehatan Masyarakat serta Upaya Pengendaliannya di Kota Gede Yogyakarta, *Jurnal EKOSAINS*, 1(7), 64-76

Setiaka, J., Ulfia, I., dan Widiastuti, N., 2011, Adsorpsi Ion Logam Cu(II) dalam Larutan pada Abu Dasar Batubara Menggunakan Metode Kolom, *Prosiding Skripsi*, Jurusan Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Institut Teknologi Sepuluh November, Surabaya.

Sgarlata, C., Arena, G., Bonomo, R.P., Giuffrida, A., and Tabbi, G., 2018, Simple and Mixed Complexes of Copper(II) with 8-Hydroxyquinoline Derivatives and Amino Acids: Characterization in Solution and Potential Biological Implications, *J. Inorg. Biochem.*, 180, 89-100.

Shah, S., Dalecki, A.G., Malalasekera, A.P., Crawford, C.L., Michalek, S.M., Kutsch, O., Sun, J., Bossmann, S.H., and Wolschendorf, F., 2016, 8-Hydroxyquinoline are Boosting Agents of Copper-related Toxicity in *Mycobacterium tuberculosis*, *Antimicrob. Agents and Chemother.*, 10(60), 5765-5776.

Shahata, M.M., 2011, Adsorption of Some Heavy Metal Ions by Used Different Immobilized Substances on Silica Gel, *Arab. J. Chem.*, 9, 755-763.

Singh, M., 2018, *Coal Bottom Ash*, in Siddique, R. and Cachim, P., *Waste and Supplementary Cementitious Materials in Concrete: Characterisation, Properties and Applications*, Woodhead Publishing, Oxfordshire.

Soco, E. and Kalembkiewicz, J., 2013, Adsorption of Nickel(II) and Copper(II) Ions from Aqueous Solution by Coal Fly Ash, *J. Environ. Chem. Eng.*, 1, 581-588.

Srivastava, S.L., Prasad, M., and Rohitashava, 1984, Spectra of 8-hydroxyquinoline, *Spectrochim. Acta*, 7(40A), 681-685.

Taxiarchou, M., Pnias, D., Douni, I., Paspaliaris, I., and Kontopoulos, A., 1997, Removal of Iron from Silica Sand by Leaching with Oxalic Acid, *Hydrometallurgy*, 46, 215-227.

Wang, N., Hao, L., Chen, J., Zhao, Q., and Xu, H., 2018, Adsorptive Removal of Organics from Aqueous Phase by Acid-activated Coal Fly Ash: Preparation, Adsorption, and Fenton Regenerative Valorization of "Spent" Adsorbent, *Environ. Sci. Pollut. Res.*, 25, 12481-12490.

- Weerasuriya, D.R.K., Wijesinghe, W.P.S.L., and Rajapakse, R.M.G., 2016, Encapsulation of Anticancer Drug Copper Bis(8-hydroxyquinoline) in Hydroxyapatite for pH-sensitive Targeted Delivery and Slow Release, *Mater. Sci. Eng. C.*, 71, 206-213.
- Xie, S., Wen, Z., Zhan, H., and Jin, M., 2018, An Experimental Study on The Adsorption and Desorption of Cu(II) in Silty Clay, *Geofluids*, 2018, 1-12.
- Xing, B. and Pignatello, J.J., 2005, *Organic Chemicals*, in Hillel, D., *Encyclopedia of Soils in The Environment*, Academic Press, New York.
- Xue, H., Kistler, D., and Sigg, L., 1995, Competition of Copper and Zinc for Strong Ligands in A Eutrophic Lake, *Limnol. Oceanogr.*, 40(6), 1142-1152.
- Yulianis, Mahidin, dan Muhammad, S., 2017, Adsorpsi Ion Logam Tembaga Menggunakan Nano Zeolit Alam yang Diaktivasi, *Jurnal Litbang Industri*, 1(7), 61-69.
- Zhang, M., Yin, Q., Ji, X., Wang, F., Gao, X., and Zhao, M., 2020, High and Fast Adsorption of Cd(II) and Pb(II) Ions from Aqueous Solutions by A Waste Biomass Based Hydrogel, *Sci. Rep.*, 3285(10), 1-13.
- Zhu, Z., Wang, X., Dai, S., Huang, B., and He, Q., 2013, Fractional Characteristics of Coal Fly Ash for Beneficial Use, *J. Mater. Civ. Eng.*, 25, 63-69.