

DAFTAR PUSTAKA

- Abadin, H., Ashizawa, A., Stevens, Y., Lladós, F., Diamond, G., Sage, G., dkk., 2007, *Toxicological Profile for Lead*, Agency for Toxic Substance and Disease Registry, Atlanta.
- Acharya, J., Sahu, J.N., Mohanty, C.R., dan Meikap, B.C., 2009, Removal of lead(II) from wastewater by activated carbon developed from Tamarind wood by zinc chloride activation, *Chem. Eng. J.*, 149, 249–262.
- Akpan, U.G. dan Hameed, B.H., 2009, Parameters affecting the photocatalytic degradation of dyes using TiO₂-based photocatalysts: A review, *J. Hazard. Mater.*, 170, 520–529.
- Ansari, S.A., Khan, M.M., Ansari, M.O., dan Cho, M.H., 2016, Nitrogen-doped titanium dioxide (N-doped TiO₂) for visible light photocatalysis, *New J. Chem.*, 40, 3000–3009.
- Arbabi, M., Hemati, S., dan Amiri, M., 2015, Removal of lead ions from industrial wastewater: A review of Removal methods, *Int. J. Epidemiol. Res.*, 2, 105–109.
- Asahi, R., Morikawa, T., Irie, H., dan Ohwaki, T., 2014, Nitrogen-Doped Titanium Dioxide as Visible-Light-Sensitive Photocatalyst : Designs , Developments , and Prospects, *Chem. Rev.*, 114, 9824–9852.
- Asuquo, E., Martin, A., Nzerem, P., Siperstein, F., dan Fan, X., 2017, Adsorption of Cd(II) and Pb(II) ions from aqueous solutions using mesoporous activated carbon adsorbent: Equilibrium, kinetics and characterisation studies, *J. Environ. Chem. Eng.*, 5, 679–698.
- Chainarong, S., Sikong, L., Pavasupree, S., dan Niyomwas, S., 2011, Synthesis and characterization of nitrogen-doped TiO₂ nanomaterials for photocatalytic activities under visible light, *Energy Procedia*, 9, 418–427.
- Chekir, N., Benhabiles, O., Tassalit, D., Laoufi, N.A., dan Bentahar, F., 2016, Photocatalytic degradation of methylene blue in aqueous suspensions using TiO₂ and ZnO, *Desalin. Water Treat.*, 57, 6141–6147.
- Chen, H., Zhao, J., Dai, G., Wu, J., dan Yan, H., 2010, Adsorption characteristics of Pb(II) from aqueous solution onto a natural biosorbent, fallen Cinnamomum camphora leaves, *Desalination*, 262, 174–182.
- Chen, X. dan Mao, S.S., 2007, Titanium dioxide nanomaterials: Synthesis, properties, modifications and applications, *Chem. Rev.*, 107, 2891–2959.
- Cong, Y., Zhang, J., Chen, F., dan Anpo, M., 2007, Synthesis and characterization of nitrogen-doped TiO₂ nanophotocatalyst with high visible light activity, *J.*

Phys. Chem. C, 111, 6976–6982.

- Demirbas, A., Pehlivan, E., Gode, F., Altun, T., dan Arslan, G., 2005, Adsorption of Cu(II), Zn(II), Ni(II), Pb(II), and Cd(II) from aqueous solution on Amberlite IR-120 synthetic resin, *J. Colloid Interface Sci.*, 282, 20–25.
- Dozzi, M.V. dan Selli, E., 2013, Doping TiO₂ with p-block elements: Effects on photocatalytic activity, *J. Photochem. Photobiol. C Photochem. Rev.*, 14, 13–28.
- Elghniji, K., Ksibi, M., dan Elaloui, E., 2012, Sol-gel reverse micelle preparation and characterization of n-doped TiO₂ : Efficient photocatalytic degradation of methylene blue in water under visible light, *J. Ind. Eng. Chem.*, 18, 178–182.
- Ferguson, M.A., Hoffmann, M.R., dan Hering, J.G., 2005, TiO₂-photocatalyzed As(III) oxidation in aqueous suspensions: Reaction kinetics and effects of adsorption, *Environ. Sci. Technol.*, 39, 1880–1886.
- Flora, G., Gupta, D., dan Tiwari, A., 2012, Toxicity of lead : A review with recent updates, *Interdisciplinary Toxicol.*, 5, 47–58.
- Grivé, M., Domènech, C., Montoya, V., García, D., dan Duro, L., 2010, Determination and assessment of the concentration limits to be used in SR-Can, Supplement to TR-06-32, R-10-50, 32.
- Han, C., Pelaez, M., Likodimos, V., Kontos, A.G., Falaras, P., O'Shea, K., dan Dionysiou, D.D., 2011, Innovative visible light-activated sulfur doped TiO₂ films for water treatment, *Appl. Catal. B Environ.*, 107, 77–87.
- Higarashi, M.M. dan Jardim, W.F., 2002, Remediation of pesticide contaminated soil using TiO₂ mediated by solar light, *Catal. Today*, 76, 201–207.
- Iyer, S., Sengupta, C., dan Velumani, A., 2015, Lead toxicity: An overview of prevalence in Indians, *Clin. Chim. Acta*, 451, 161–164.
- Jin, X., Zhou, X., Sun, P., Lin, S., Cao, W., Li, Z., dan Liu, W., 2019, Photocatalytic degradation of norfloxacin using N-doped TiO₂: Optimization, mechanism, identification of intermediates and toxicity evaluation, *Chemosphere*, 237.
- Jo, W.K. dan Kim, J.T., 2009, Application of visible-light photocatalysis with nitrogen-doped or unmodified titanium dioxide for control of indoor-level volatile organic compounds, *J. Hazard. Mater.*, 164, 360–366.
- Kadam, A.N., Dhabbe, R.S., Kokate, M.R., Gaikwad, Y.B., dan Garadkar, K.M., 2014, Preparation of N doped TiO₂ via microwave-assisted method and its photocatalytic activity for degradation of Malathion, *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.*, 133, 669–676.

- Kalantari, K., Kalbasi, M., Sohrabi, M., dan Royae, S.J., 2016, Synthesis and characterization of N-doped TiO₂ nanoparticles and their application in photocatalytic oxidation of dibenzothiophene under visible light, *Ceram. Int.*, 42, 14834–14842.
- Karunakaran, C., Abiramasundari, G., Gomathisankar, P., Manikandan, G., dan Anandi, V., 2010, Cu-doped TiO₂ nanoparticles for photocatalytic disinfection of bacteria under visible light, *J. Colloid Interface Sci.*, 352, 68–74.
- Keramati, N., Nasernejad, B., dan Fallah, N., 2014, Synthesis of N-TiO₂ : Stability and Visible Light Activity for Aqueous Styrene Degradation, *J. Dispers. Sci. Technol.*, 35, 1476–1482.
- Li, H., Hao, Y., Lu, H., Liang, L., Wang, Yuanyang, Qiu, J., dkk., 2015, Applied Surface Science A systematic study on visible-light N-doped TiO₂ photocatalyst obtained from ethylenediamine by sol – gel method, *Appl. Surf. Sci.*, 344, 112–118.
- Lin, Y.H., Weng, C.H., Srivastav, A.L., Lin, Y.T., dan Tzeng, J.H., 2015, Facile Synthesis and Characterization of N-Doped TiO₂ Photocatalyst and Its Visible-Light Activity for Photo-Oxidation of Ethylene, *J. Nanomater.*, 2015.
- Liu, B., Zhao, X., Zhao, Q., He, X., dan Feng, J., 2005, Effect of heat treatment on the UV-vis-NIR and PL spectra of TiO₂ films, *J. Electron Spectros. Relat. Phenomena*, 148, 158–163.
- Liu, H., Korshin, G. V., dan Ferguson, J.F., 2009, Interactions of Pb(II)/Pb(IV) solid phases with chlorine and their effects on lead release, *Environ. Sci. Technol.*, 43, 3278–3284.
- Liu, H., Kuznetsov, A.M., Masliy, A.N., Ferguson, J.F., dan Korshin, G. V., 2012, Formation of Pb(III) intermediates in the electrochemically controlled Pb(II)/PbO₂ system, *Environ. Sci. Technol.*, 46, 1430–1438.
- Liu, Y., Chen, X., Li, J., dan Burda, C., 2005, Photocatalytic degradation of azo dyes by nitrogen-doped TiO₂ nanocatalysts, *Chemosphere*, 61, 11–18.
- Luttrell, T., Halpegamage, S., Tao, J., Kramer, A., Sutter, E., dan Batzill, M., 2015, Why is *anatase* a better photocatalyst than *rutile*? - Model studies on epitaxial TiO₂ films, *Sci. Rep.*, 4, 1–8.
- Luu, C.L., Nguyen, Q.T., dan Ho, S.T., 2010, Synthesis and characterization of Fe-doped TiO₂ photocatalyst by the sol-gel method, *Adv. Nat. Sci. Nanosci. Nanotechnol.*, 1, 0–5.
- Matos, J., García, A., Zhao, L., dan Titirici, M.M., 2010, Solvothermal carbon-doped TiO₂ photocatalyst for the enhanced methylene blue degradation under visible light, *Appl. Catal. A Gen.*, 390, 175–182.

- Mishra, T., Hait, J., Aman, N., Jana, R.K., dan Chakravarty, S., 2007, Effect of UV and visible light on photocatalytic reduction of lead and cadmium over titania based binary oxide materials, *J. Colloid Interface Sci.*, 316, 80–84.
- Murrini, L., Leyva, G., dan Litter, M.I., 2007, Photocatalytic removal of Pb(II) over TiO₂ and Pt –TiO₂ powders, *Catal. Today*, 129, 127–135.
- Nasirian, M., Lin, Y.P., Bustillo-Lecompte, C.F., dan Mehrvar, M., 2018, Enhancement of photocatalytic activity of titanium dioxide using non-metal doping methods under visible light: a review, *Int. J. Environ. Sci. Technol.*, 15, 2009–2032.
- Nassar, N.N., 2010, Rapid removal and recovery of Pb (II) from wastewater by magnetic nanoadsorbents, *J. Hazard. Mater.*, 184, 538–546.
- Pambudi, T., Wahyuni, E.T., dan Mudasir, M., 2020, Recoverable Adsorbent of Natural Zeolite / Fe₃O₄ for Removal of Pb(II) in Water, *J. Mater. Environ. Sci.*, 11, 69–78.
- Pelaez, M., Nolan, N.T., Pillai, S.C., Seery, M.K., Falaras, P., Kontos, A.G., dkk, 2012, A review on the visible light active titanium dioxide photocatalysts for environmental applications, *Appl. Catal. B Environ.*, 125, 331–349.
- Peng, Y.H., Huang, G.F., dan Huang, W.Q., 2012, Visible-light absorption and photocatalytic activity of Cr-doped TiO₂ nanocrystal films, *Adv. Powder Technol.*, 23, 8–12.
- Qian, J., Cui, G., Jing, M., Wang, Y., Zhang, M., dan Yang, J., 2012, Hydrothermal synthesis of nitrogen-doped titanium dioxide and evaluation of its visible light photocatalytic activity, *Int. J. Photoenergy*, 2012.
- Rincón, A.G. dan Pulgarin, C., 2004, Effect of pH, inorganic ions, organic matter and H₂O₂ on E. coli K12 photocatalytic inactivation by TiO₂: Implications in solar water disinfection, *Appl. Catal. B Environ.*, 51, 283–302.
- Sacco, O., Stroller, M., Vaiano, V., Ciambelli, P., Chianese, A., dan Sannino, D., 2012, Photocatalytic Degradation of Organic Dyes under Visible Light on N-Doped TiO₂ Photocatalysts, *Int. J. Photoenergy*, 2012, .
- Sathish, M., Viswanathan, B., Viswanath, R.P., dan Gopinath, C.S., 2005, Synthesis, Characterization, Electronic Structure , and Photocatalytic Activity of Nitrogen-Doped TiO₂ Nanocatalyst, *Chem. Mater.*, 17, 6349–6353.
- Sato, S., Nakamura, R., dan Abe, S., 2005, Visible-light sensitization of TiO₂ photocatalysts by wet-method N doping, *Appl. Catal. A Gen.*, 284, 131–137.
- Singh, C.K., Sahu, J.N., Mahalik, K.K., Mohanty, C.R., Mohan, B.R., dan Meikap, B.C., 2008, Studies on the removal of Pb(II) from wastewater by activated

carbon developed from Tamarind wood activated with sulphuric acid, *J. Hazard. Mater.*, 153, 221–228.

Singh, J. dan Kalamdhad, A.S., 2011, Effects of Heavy Metals on Soil, Plants, Human Health and Aquatic Life Making bricks using variety of solid waste View project Anaerobic digestion View project, *Int. J. Res. Chem. Environ.*, 1, 15–21.

Smirniotis, P.G., Boningari, T., Damma, D., dan Inturi, S.N.R., 2018, Single-step rapid aerosol synthesis of N-doped TiO₂ for enhanced visible light photocatalytic activity, *Catal. Commun.*, 113, 1–5.

Soares, G.B., Bravin, B., Vaz, C.M.P., dan Ribeiro, C., 2011, Facile synthesis of N-doped TiO₂ nanoparticles by a modified polymeric precursor method and its photocatalytic properties, *Appl. Catal. B Environ.*, 106, 287–294.

Sobik-Szołtysek, J., Wystalska, K., dan Grobelak, A., 2017, Effect of addition of sewage sludge and coal sludge on bioavailability of selected metals in the waste from the zinc and lead industry, *Environ. Res.*, 156, 588–596.

Soliman, A.M., Elwy, H.M., Thiemann, T., Majedi, Y., Labata, F.T., dan Al-Rawashdeh, N.A.F., 2016, Removal of Pb(II) ions from aqueous solutions by sulphuric acid-treated palm tree leaves, *J. Taiwan Inst. Chem. Eng.*, 58, 264–273.

Su, Y. and Deng, Y., 2011, Effect of structure on the photocatalytic activity of Pt-doped TiO₂ nanotubes, *Appl. Surf. Sci.*, 257, 9791–9795.

Suwarnkar, M.B., Dhabbe, R.S., Kadam, A.N., dan Garadkar, K.M., 2014, Enhanced photocatalytic activity of Ag doped TiO₂ nanoparticles synthesized by a microwave assisted method, *Ceram. Int.*, 40, 5489–5496.

Tahir, M. dan Tahir, B., 2016, Dynamic photocatalytic reduction of CO₂ to CO in a honeycomb monolith reactor loaded with Cu and N doped TiO₂ nanocatalysts, *Appl. Surf. Sci.*, 377, 244–252.

Taşar, Ş., Kaya, F., dan Özer, A., 2014, Biosorption of lead(II) ions from aqueous solution by peanut shells: Equilibrium, thermodynamic and kinetic studies, *J. Environ. Chem. Eng.*, 2, 1018–1026.

Velasco, A., Ramírez, M., Volke-Sepúlveda, T., González-Sánchez, A., dan Revah, S., 2008, Evaluation of feed COD/sulfate ratio as a control criterion for the biological hydrogen sulfide production and lead precipitation, *J. Hazard. Mater.*, 151, 407–413.

Verma, P. dan Kumar, J., 2014, Degradation and Microbiological Validation of Meropenem Antibiotic in Aqueous Solution Using UV, UV/H₂O₂, UV/TiO₂ and UV/TiO₂/H₂O₂. *Int. Journal of Engineering Research and Applications*, 4,

58–65.

- Wahyuni, E.T., Supraba, D., Raharjo, S., dan Siswanta, D., 2019, Jurnal Kimia Sains dan Aplikasi Kajian Metode foto-Fenton untuk Penurunan Konsentrasi Ion, *Jurnal Kimia Sains dan Aplikasi*, 22, 192–199.
- Wang, Y., Wu, J., Wang, Z., Terenyi, A., dan Giammar, D.E., 2013, Kinetics of lead(IV) oxide (PbO_2) reductive dissolution: Role of lead(II) adsorption and surface speciation, *J. Colloid Interface Sci.*, 389, 236–243.
- Wang, Z., Cai, W., Hong, X., Zhao, X., Xu, F., dan Cai, C., 2005, Photocatalytic degradation of phenol in aqueous nitrogen-doped TiO_2 suspensions with various light sources, *Appl. Catal. B Environ.*, 57, 223–231.
- Wirojanagud, W., Tantemsapya, N., dan Tantriratna, P., 2004, Precipitation of heavy metals by lime mud waste of pulp and paper mill, *Songklanakarin J. Sci. Technol.*, 26, 45–53.
- Yang, S. dan Gao, L., 2004, New Method to Prepare Nitrogen-Doped Titanium Dioxide and Its Photocatalytic Activities Irradiated by Visible Light, 1805, 1803–1805.
- Yilleng, M.T., Gimba, E.C., Ndukwe, G.I., Bugaje, I.M., Rooney, D.W., dan Manyar, H.G., 2018, Batch to continuous photocatalytic degradation of phenol using TiO_2 and Au-Pd nanoparticles supported on TiO_2 , *J. Environ. Chem. Eng.*, 6, 6382–6389.
- Zhang, J., Zhou, P., Liu, J., dan Yu, J., 2014, New understanding of the difference of photocatalytic activity among anatase, rutile and brookite TiO_2 , *Phys. Chem. Chem. Phys.*, 16, 20382–20386.
- Zhang, Q., Gao, L., dan Guo, J., 2000, Effects of calcination on the photocatalytic properties of nanosized TiO_2 powders prepared by TiCl_4 hydrolysis, *Appl. Catal. B Environ.*, 26, 207–215.
- Zheng, R., Guo, Y., Jin, C., Xie, J., Zhu, Y., dan Xie, Y., 2010, Novel thermally stable phosphorus-doped TiO_2 photocatalyst synthesized by hydrolysis of TiCl_4 , *J. Mol. Catal. A Chem.*, 319, 46–51.