



## DAFTAR PUSTAKA

- Azim, H., Azim, H.A., 2013. Targeting RANKL in breast cancer: Bone metastasis and beyond. *Expert Review of Anticancer Therapy* 13:195-201.
- Bonilla, F.A., Oettgen, H.C., 2010. Adaptive immunity. *Journal of Allergy and Clinical Immunology* 125:33-40.
- Brachtel, E., 2012. Molecular pathology of the breast. *Surgical Pathology* 5: 793-19.
- Bronkhorst, I.H.G., Vu, T.H.K., Jordanova, E.S., Luyten, G.P.M., van der Burg, S.H., Jager, M.J., 2012. Different subsets of tumor infiltrating lymphocytes correlate with macrophage influx and monosomy 3 in uveal melanoma. *Investigative Ophthalmology and Visual Science* 53(9):5370-78
- Burugu, S., Asleh-Aburaya, K., Nielsen, T. O., 2017. Immune infiltrates in the breast cancer microenvironment: detection, characterization and clinical implication. *Breast Cancer* 24(1):3–15.
- Chanmee, T., Ontong, T., Kanno, K., Itano, N., 2014. Tumor-associated macrophages as major players in the tumor microenvironment. *Cancer* 6:1670-90.
- Chen, T., Chen, J., Zhu, Y., Li, Y., Wang, Y., Chen, H., et al., 2019. CD163, a novel therapeutic target, regulates the proliferation and stemness of glioma cells via casein kinase 2. *Oncogene* 38(8):1183-99.
- Curigliano, G., Burstein, H.J., Winer, E.P., Gnant, M., Dubsky, P., Loibl, S., et al., 2017. De-escalating and escalating treatments for early-stage breast cancer: the St. Gallen International Expert Consensus Conference on the primary therapy of early breast cancer 2017. *Annals of Oncology* 28:1700-12.
- Denkert, C., Minckwitz, G. V., Darb-Esfahani, S., Lederer, B., Hepner, B. I., Weber, K. E., et al., 2018. Tumor-infiltrating lymphocytes and prognosis in different subtypes of breast cancer: a pooled analysis of 3771 patients treated with neoadjuvant therapy. *Lancet Oncology* 19:40-50.
- Eftekhari, R., Esmaeili, R., Mirzaei, R., Bidad, K., de Lima, S., Ajami, M., et al., 2017. Study of the tumor microenvironment during breast cancer progression. *Cancer Cell International* 17:123-32.
- Glajcar, A., Szpor, J., Hodorowicz-Zaniewska, D., Tyrak, K.E., Okon, K., 2019. The composition of T cell infiltrates varies in primary invasive breast cancer of different molecular subtypes as well as according to tumor size and nodal status. *Virchows Archiv* 475:13-23.
- Goldhirsch A, Wood WC, Coates, A.S, Gelber, R.D, Thurlimann, B, Senn, H.J, et al., 2011. Strategies for subtypes dealing with the diversity of breast cancer: highlights of the St. Gallen International Expert Consensus on the Primary Therapy of Early Breast Cancer 2011. *Annals of Oncology* 22(8):1736–47.
- Golstein, P., Griffiths, G.M., 2018. An early history of T cell-mediated cytotoxicity. *Immunology* 18. 527-35.
- Gorp, H.V., Delputte, P.L., Nauwynck, H.J., 2010. Scavenger receptor CD163, a jack-of-all-trades and potential target for cell-directed therapy. *Molecular*



*Immunology* 47:1650-60.

- Goswami, K.K., Ghosh, T., Sarkar, M., Bose, A., Baral, R., 2017. Tumor promoting role of anti-tumor macrophages in tumor microenvironment. *Cellular Immunology* 316:1-10.
- Guo, L., Akahori, H., Harari, E., Smith, S.L., Polavarapu, R., Karmali, V., et al., 2018. CD163 macrophages promote angiogenesis and vascular permeability accompanied by inflammation in atherosclerosis. *Journal of Clinical Investigation* 128(3): 1106-24.
- Gwak, J.M., Jang, M.H., Kim, D.I., Seo, A.N., Park, S.Y., 2015. Prognostic value of tumor-associated macrophages according to histologic locations and hormone receptor status in breast cancer. *PLoS ONE* 10(4):1-14.
- Harlin, H., Meng, Y., Peterson, A.C., Zha, Y., Tretiakova, M., Slingluff, C., et al., 2009. Chemokine expression in melanoma metastases associated with CD8+ T cell recruitment. *Cancer Research* 69(7):1-24.
- Hung, C., Chen, F., Lin, Y., Tsai, M., Wang, S., Chen, Y., et al., 2018. Altered monocyte differentiation and macrophage polarization patterns in patients with breast cancer. *BMC Cancer* 18(1):1-9.
- International Agency for Research on Cancer (IARC). 2018. GLOBOCAN 2018: Latest global cancer data. Press release No 263., (September), 13–15. Retrieved from <http://gco.iarc.fr/>.
- Jang, N., Kwon, H.J., Park, M.H., Kang, S.H., Bae, Y.K., 2018. Prognostic value of tumor infiltrating lymphocyte density assessed using a standardized method based on molecular subtypes and adjuvant chemotherapy in invasive breast cancer. *Annals of Surgical Oncology* 25(4):937-46.
- Jensen, T.O., Schmidt, H., Moller, H.J., Hoyer, M., Maniecki, MB., Sjoegren, P., et al., 2009. Macrophage markers in serum and tumor have prognostic impact in American Joint Committee on Cancer Stage I/II melanoma. *Journal of Clinical Oncology* 27(20):3330-37.
- Jeong, H., Hwang, I., Kang, S.H., Shln, H.C., Kwon, S.Y., 2019. Tumor-associated macrophages as potential prognostic biomarkers of invasive breast cancer. *Breast Cancer* 22(1):38-51.
- Klingen, T.A., Chen, Y., Aas, H., Wik, E., Akslen, L.A., 2017. Tumor-associated macrophages are strongly related to vascular invasion, non-luminal subtypes, and interval breast cancer. *Human Pathology* 69:72-80.
- Koh, J., Kim, M.J., 2019. Introduction of a new staging system of breast cancer for radiologist: an emphasis on the prognostic stage. *Korean J. Radiol* 20(1):69-82.
- Kowal, K., Silver, R., Slawinska, E., Bielecki, M., Chyczewski, L., Kowal-Bielecka, O., 2011. CD163 and its role in inflammation. *Folia Histochemical et Cytobiologica* 49(3): 365-74.
- Krishnamurti, U., Wetherilt, C.S., Yang, J., Peng, L., Li, X., 2017. Tumor-infiltrating lymphocytes are significantly associated with better overall survival and disease-free survival in triple negative but not estrogen receptor positive breast cancer. *Human Pathology* Doi:10.1016/j.humpath.2017.01.004.
- Li, H., Fan, X., Houghton, J., 2007. Tumor microenvironment: the role of the tumor stroma in cancer. *Journal of Cellular Biochemistry* 101:805-15.



- Li, J., Chen, Z., Su, K., Zeng, J., 2015. Cliniopathological classification and traditional prognostic indicators of breast cancer. *International Journal of Clinical and Experimental Pathology* 8(7):8500-05.
- Li, Z., Hu, P., Tu, J., Yu, N., 2016. Luminal B breast cancer: patterns of recurrence and clinical outcome. *Oncotarget* 7(40): 65024-33.
- Logarajah, S., Hunter, P., kraman, M., Steele, D., lakhani, S., Bobrow, L., et al. 2003. BCL-6 expressed in breast cancer and prevents mammary epithelial differentiation . *Oncogene* 22:5572-78.
- Lucas, A., Price, L.S.L., Schorzman, A.,Zamboni, W.C., 2017. Complex effects of tumor microenvironment on the tumor disposition of carier-mediated agents. *Nanomedicine* 12(16): 2021-42.
- Mardekian, S.K., Bombonati, A., palazzo, J.P., 2016. Ductal carcinoma in situ of the breast: the importance of morphologic and molecular interactions. *Human Pathology* 49:114-23.
- Masood, S. 2016. Breast cancer subtypes: morphologic and biologic characterization. *Women's Health* 12(1): 103-19.
- Matsushita, H., Hosoi, A., Uehe, S., Abe, J., Fujieda, N., Tomura, M., et al., 2014. Cytotoxic T lymphocytes block tumor growth both by litic activity and IFN- $\gamma$  dependent cell cycle arrest. *Cancer Immunology Research* Doi:10.1158/2326-6066.CIR-14-0098.
- Medrek, C., Pontén, F., Jirström, K., Leandersson, K., 2012. The presence of tumor associated macrophages in tumor stroma as a prognostic marker for breast cancer patients. *BioMed Central Cancer* 12(1):1-9.
- Meng, S., Li, L., Zhou, M., Jiang, W., Niu, H., Yang, K., 2018. Distribution and prognostic value of tumor infiltrating T cells in breast cancer. *Molecular Medicine Reports* 18:4247-4258.
- Miligy., Mohan, P., Gaber, A., Aleskandarany, M.A., Nolan, C.C., Diez-Rodriguez, M., et al., 2017. Prognostic significance of tumor infiltrating B-lymphocyte in breast ductal carcinoma in situ. Doi: 10.1111/his.13217.
- Mohamed, M., Sarwath, H., Salih, N., Bansal, D., Chandra, P., Husain, N.E., et al., 2016. CD8+ tumor infiltrating lymphocytes strongly correlate with molecular subtype and clinicopathological characteristics in breast cancer patients from sudan. *Translational Medicine Communication* 1:4-10.
- Nagorsen, D., Voight, S., Berg, E., Stein, H., Thiel, E., Loddenkemper, C., 2007. Tumor infiltrating macrophage and dendritic cells in human colorectal cancer: relation to local regulatory T cells, systemic T-cell response against tumor-associated antigens and survival. *Journal of Translation Medicine* 5:62-9.
- Najafi, M., Farhood, B., Mortezaee, K., 2018. Contribution of regulatory T cells to cancer: A review. *Journal of Cellular Physiology*. 1–11.
- Obeid, E., Nanda, R., Fu, Y., Olopade, O.I., 2013. The role of tumor-associated macrophages in breast cancer progression (Review). *International Journal of Oncology* 43:5-12.
- Ooft, M.L., Ipenburg, J.A., Sanders, M.E., Kranendonk, M., Hofland, I., de Bree, R., et al., 2017. Prognostic role of tumour-associated macrophages and regulatory T cells in EBV-positive and EBV- negative nasopharyngeal carcinoma. *Journal of Clinical Pathology* 2017 0: 1–8.



- Pelekanou, V., Villarroel-Espindola, F., Schalper, K.A., pusztai, L., Rimm, D.L., 2018. CD68, CD163, and matrix metaloproteinase 9 (MMP-9) co-localization in breast tumor microenvironment predicts survival differently in ER-positive and-negative cancers. *Breast Cancer Research* 20:154-63
- Pourhoseingholi, M.A., Vahedi, M., Rahimzadeh, M., 2013. Sample size calculation in medical studies. *Gastroenterology and Hepatology* 16(1): 14-17.
- Qiu, S., Waaijer, S.J.H., Zwager, M.C., de Vries, E.G.E., Vegt, B.V.D., Schroder, C.P., 2018. Tumor-associated macrophages in breast cancer innocent bystander or important player. *Cancer Treatment Reviews* 70:178-89.
- Rahmawati, Y., Setyawati, Y., widodo, I., Ghozali, A., Purnomosari, D., 2018. Molecular subtype of indonesian breast carcinoma- Lack of association with patient age and tumor size. *Asian Pacific Journal of Cancer Prevention* 19: 161-66.
- Rakha, E.A., Reis-filho, J.S., Baehner, F., Dabbs, D.J., Decker, T., Eusebi, V., et.al., 2010. Breast cancer prognostic classification in the molecular era : the role of histological grade. *Breast Cancer Research*. 12: 1–12.
- Raschioni, C., Bottai, G., Sagona, A., Errico, V., Testori, A., Gatzemeier, W., et al., 2018. CXCR4/CXCL12 Signaling and protumor macrophages in primary tumors and sentinel lymph nodes are involved in luminal b breast cancer progression. *Disease Markers*. 5018671.
- Rustamadji, P., 2012. NM23HI as marker of metastasis in invasive ductal breast cancer. *Acta medica Indonesiana* 44(1): 40-6.
- Sabatier, R., Finetti, P., Mamessier, E., Adelaide, J., Chaffanet, M., Ali, H.R., et al, 2014. Prognostic and predictive value of PDL1 expression in breast cancer. *Oncotarget* 6 (7): 5449-64.
- Sakarofas, G.H., Tsiotou, A.G.H., 2000. Ductal carcinoma in situ (DCIS) of the breast: evolving perspective. *Cancer Treatment Reviews* 26:103-25.
- Salgado, R., Denkert, C., Demaria, S., Sirtaine, N., Klauschen, F., Pruneri, G., et al., 2015. The evaluation of tumor- infiltrating lymphocytes (TILs) in breast cancer: recommendations by an international TILs Working Group 2014. *Annals of Oncology* 26:259-71.
- Santoni, M., Romagnoli, E., Saladino, T., Foghini, L., Guarino, S., Capponi, M., et al., 2018. Triple negative breast cancer: Key role of tumor-associated macrophages in regulating the activity of anti-PD-1/PD-L1 agents. *BBA-Review on Cancer* 1869:78-84. <https://doi.org/10.1016/j.bbcan.2017.10.007>.
- Sawant, D.V., Vignali, D.A.A., 2014. Once a Treg, always a Treg?. *Immunology Reviews* 259 (1):173-91.
- Schatten, H., 2013. Cell and Molecular Biology of Breast Cancer, 1st Editio. ed. Springer US, Columbia.
- Setyawati, Y., Rahmawati, Y., Widodo, I., Ghozali, A., Purnomosari, D., 2018. The association between molecular subtypes of breast cancer with histological grade and lymph node metastases in indonesian women. *Asian Pacific Journal of Cancer Prevention* 19(5):1263-68.
- Shiraishi, D., Fujiwara, Y., Horold, H., Saito, Y., Iriki, T., Tsuboki, J., et al., 2018. CD163 is required for protumoral activation of macrophages in human and murine sarcoma. *Cancer Research* 78(12):3255-66.



- Shirinifard, A., Gens, J.S., Zaitlen, B.L., Popławska, N.J., Swat, M., James, A., 2009. 3D Multi-Cell Simulation of Tumor Growth and Angiogenesis. *PLoS One* 4: 1–11.
- Simonson, W.T.N., Allison, K.H., 2010. Tumor-infiltrating lymphocytes in cancer: implications for diagnostic pathologists. *Diagnostic Histopathology* 17: 80-90.
- Solinas, C., Carbognin, L., De Silva, P., Criscitiello, C., Lambertini, M., 2017. Tumor-infiltrating lymphocytes in breast cancer according to tumor subtype: current state of the art. *The Breast* 35:142-150.
- Soysal, S.D., Tzankov, A., Muenst, S., 2015. Role of the tumor microenvironment in breast cancer. *Pathobiology* 82:142-52.
- Syah, S.P., Roth, A., Goya, R., Oloumi, A., Ha, G., Zhao, Y., et al., 2012. The clonal and mutational evolution spectrum of primary triple negative breast cancer. *Nature* 486(7403): 395–9.
- Tamma, R., Ruggieri, S., Annese, T., Simone, G., Mangia, A., Rega, S., et al., 2018. Bcl6/p53 expressioan, macrophagages/ mast cells infiltration and microvascular density in invasive breast carcinoma. *Oncotarget* 9 (32):22727-40.
- Tan, W., Zhang, W., Strasner, A., Grivennikov, S., Cheng, J.Q., Hoffman, R.M.,et al., 2011. Tumor infiltrating regulatory T cells stimulate mammary cancer metastasis through RANKL-RANK signaling. *Nature* 470 (7335):548-53.
- Tian, T., Ruan, M., Yang, W., Shui, R., 2016. Evaluation of the prognostic value of tumor-infiltrating lymphocytes in triple negative breast cancer. *Oncotarget* 7(28):44395-405.
- Walch-Ruchkheim, B., Mavrova, R., Henning, M., Vicinus, B., Kim, Y., Bohle, R.M., et al., 2015. Stromal fibroblasts induce CCL20 through IL6/C/EBP $\beta$  to support the recruitment of Th17 cells during cervical cancer progression. *Cancer Research* 75(24):5248-59.
- Wang, M., Zhao, J., Zhang, L., Wei, F., Lian, Y., Wu, Y., et al., 2017. Role of tumor microenvironment in tumorigenesis. *Journal of Cancer* 8(5):761–73.
- Wang, N., Liu, W., Zheng, Y., Wang, S., Yang, B., Li, M., et al., 2018.CXCL1 derived from tumor-associated macrophages promotes breast cancer metastasis via activating NF- $\kappa$ B/SOX4 signaling. *Cell Death & Disease* 9: 880-97
- West, N.R., Martin, S.E.K., Milne, K., Deleeuw, R.J., Nelson, B.H., Watson, P.H., 2013. Tumor-infiltrating FOXP3+ lymphocytes are associated with cytotoxic immune responses and good clinical outcome in estrogen receptor-negative breast cancer. *British Journal of Cancer* 108:155-62.
- Widodo, I., Dwianingsih, E.K., Triningsih, E., Utomo, T., Soeripto, 2014. Clinicopathological features of indonesian breast cancers with different molecular subtypes. *Asian Pacific Journal Cancer Prevention* 15: 6109-13.
- Widodo, I., Dwianingsih, E.K., Anwar, S.L., Triningsih, F.E., Utomo, T., Aryandono, T., et al., 2017. Prognostic value of clinicopathological factors for indonesian breast carcinomas of different molecular subtypes. *Asian Pacific Journal Cancer Prevention* 18(5):1251:56.
- Wolff, A., Hammond, M.E.H., Hicks, D.G., Dowsett, M., McShane, L.M., Allison,



- K.H., 2018. Recommendations for human epidermal growth factor receptor 2 testing in breast cancer: American Society of Clinical Oncology/College of American Pathologists clinical practice focused update. *J. Clin. Oncol* 36:2105- 22.
- Wolff, A., Hammond, M.E.H., Hicks, D.G., Dowsett, M., McShane, L.M., Allison, K.H., 2013. Recommendations for human epidermal growth factor receptor 2 testing in breast cancer: American Society of Clinical Oncology/College of American Pathologists clinical practice focused update. *J. Clin. Oncol* 31:3997- 4013.
- Yang, M., Li, Z., Ren, M., Li, S., Zhang, L., Zhang, X., Liu, F., 2018. Stromal infiltration of tumor-associated macrophages conferring poor prognosis of patients with basal-like breast carcinoma. *Journal of Cancer*. 9(13): 2308–16.
- Yamaguchi, R., Tanaka, M., Yano, A., Tse, G. M., Yamaguchi, M., Koura, K., et al. 2012. Tumor-infiltrating lymphocytes are important pathologic predictors for neoadjuvant chemotherapy in patients with breast cancer. *Human Pathology* 43(10):1688-94.
- Youlden DR, Cramb SM., Yip CH, Baade, P.D., 2014. Incidence and mortality of female breast cancer in the Asia-Pasific region. *Cancer Biology & Medicine* 11(12):101-15.
- Yu, J.M., Sun, W., Hua, F., Xie, J., Lin, H., Zhou, D.D., et al. 2015. BCL6 induces EMT by promoting the ZEB1-mediated transcription repression of E-cadherin in breast cancer cells. *Cancer Letters* 365:190-200.
- Yuan, Y., Jiang, Y., Sun, C., Chen, Q., 2016. Role of the tumor microenvironment in tumor progression and the clinical applications ( Review ). *Oncology Reports*. 35: 2499–2515.
- Zhao, X., Qu, J., Sun, Y., Wang, J., Liu, X., Wang, F., et al., 2017. Prognostic significance of tumor-associated macrophages in breast cancer: a meta-analysis of the literature. *Oncotarget*. 8(18): 30576-86.
- Zheng, K., Tan, J., Li, F., Li, H., 2018. Clinicopathologic Factors Related to the Histological Tumor Grade of Breast Cancer in Western China : An Epidemiological Multicenter Study of 8619 Female Patients. *Translational Oncology*. 11: 1023–1033.