



DAFTAR PUSTAKA

- Agustina, F. and Alfiah, T., 2019, Perbandingan kemampuan *Sargassum sp.* dan alginat sebagai adsorben logam Cu dengan variasi pH,. In, *Seminar Nasional Sains dan Teknologi Terapan VII.*, Surabaya.
- Alipanahpour Dil, E., Ghaedi, M., Ghezlbash, G.R., Asfaram, A., and Purkait, M.K., 2017, Highly efficient simultaneous biosorption of Hg^{2+} , Pb^{2+} and Cu^{2+} by Live yeast *Yarrowia lipolytica* 70562 following response surface methodology optimization: Kinetic and isotherm study, *J. Ind. Eng. Chem.*, 48, 162–172.
- Anonim, 2011, Lead in drinking-water: background document for development of WHO guidelines for drinking-water quality, World Health Organization, Geneva.
- Anonim, 2013, Lead in drinking water, US EPA.
- Apriyanti, H., Candra, I.N., and Elvinawati, 2018, Karakteristik isoterm adsorpsi dari ion logam besi (Fe) pada tanah di Kota Bengkulu, *ALOTROP J. Pendidik. dan Ilmu Kim.*, 2, 14–19.
- Aroua, M.K., Leong, S.P.P., Teo, L.Y., Yin, C.Y., and Daud, W.M.A.W., 2008, Real-time determination of kinetics of adsorption of lead(II) onto palm shell-based activated carbon using ion selective electrode, *Bioresour. Technol.*, 99, 5786–5792.
- Bai, R., Zhang, Y., Zhao, Z., Liao, Q., Chen, P., Zhao, P., Guo, W., Yang, F., and Li, L., 2018, Rapid and highly selective removal of lead in simulated wastewater of rare-earth industry using diglycolamic-acid functionalized magnetic chitosan adsorbents, *J. Ind. Eng. Chem.*, 59, 416–424.
- Bedê, P.M., Da Silva, M.H.P., Da Silva Figueiredo, A.B.H., and Finotelli, P.V., 2017, Nanostructured magnetic alginate composites for biomedical applications, *Polimeros*, 27, 267–272.
- Bée, A., Talbot, D., Abramson, S., and Dupuis, V., 2011, Magnetic alginate beads for Pb(II) ions removal from wastewater, *J. Colloid Interface Sci.*, 362, 486–492.
- Chang, Y.-H., Huang, C.-F., Hsu, W.-J., and Chang, F.-C., 2007, Removal of Hg^{2+} from aqueous solution using alginate gel containing chitosan, *J. Appl. Polym. Sci.*, 104, 2896–2905.
- Chen, J.H., Liu, Q.L., Hu, S.R., Ni, J.C., and He, Y.S., 2011, Adsorption mechanism of Cu(II) ions from aqueous solution by glutaraldehyde crosslinked humic acid-immobilized sodium alginate porous membrane adsorbent, *Chem. Eng. J.*, 173, 511–519.
- Chen, R., Zhang, Y., Shen, L., Wang, X., Chen, J., Ma, A., and Jiang, W., 2015,



- Lead(II) and methylene blue removal using a fully biodegradable hydrogel based on starch immobilized humic acid, *Chem. Eng. J.*, 268, 348–355.
- Choe, S.R., Haldorai, Y., Jang, S.C., Rethinasabapathy, M., Lee, Y.C., Han, Y.K., Jun, Y.S., Roh, C., and Huh, Y.S., 2018, Fabrication of alginate/humic acid/Fe-aminoclay hydrogel composed of a grafted-network for the efficient removal of strontium ions from aqueous solution, *Environ. Technol. Innov.*, 9, 285–293.
- Christl, I. and Kretzschmar, R., 2001, Relating ion binding by fulvic and humic acids to chemical composition and molecular size, *Environ. Sci. Technol.*, 35, 2505–2511.
- Crini, G. and Badot, P.M., 2008, Application of chitosan, a natural aminopolysaccharide, for dye removal from aqueous solutions by adsorption processes using batch studies: A review of recent literature, *Prog. Polym. Sci.*, 33, 399–447.
- Daemi, H. and Barikani, M., 2012, Synthesis and characterization of calcium alginate nanoparticles, sodium homopolymannuronate salt and its calcium nanoparticles, *Sci. Iran.*, 19, 2023–2028.
- Dursun, G., Çiçek, H., and Dursun, A.Y., 2005, Adsorption of phenol from aqueous solution by using carbonised beet pulp, *J. Hazard. Mater.*, 125, 175–182.
- Gong, M., Nanda, S., Romero, M.J., Zhu, W., and Kozinski, J.A., 2017, Subcritical and supercritical water gasification of humic acid as a model compound of humic substances in sewage sludge, *J. Supercrit. Fluids*, 119, 130–138.
- Gotoh, T., 2004, Preparation of alginate – chitosan hybrid gel beads and adsorption of divalent metal ions, 55, 135–140.
- Gotoh, T., Matsushima, K., and Kikuchi, K.I., 2004, Adsorption of Cu and Mn on covalently cross-linked alginate gel beads, *Chemosphere*, 55, 57–64.
- Guo, Z., Zhang, J., Kang, Y., and Liu, H., 2017, Rapid and efficient removal of Pb(II) from aqueous solutions using biomass-derived activated carbon with humic acid in-situ modification, *Ecotoxicol. Environ. Saf.*, 145, 442–448.
- Helal, Aly A., Murad, G.A., and Helal, A. A., 2011, Characterization of different humic materials by various analytical techniques, *Arab. J. Chem.*, 4, 51–54.
- Ho, Y.S., Wase, D.A.J., Forster, C.F., 1996, Removal of lead ions from aqueous solution using sphagnum moss peat as adsorbent, *Water S.A.*, 22, 219-224.
- Jana, Sougata and Jana, Subrata, 2017, Natural polymeric biodegradable nanoblend for macromolecules delivery, Elsevier Ltd.
- Krishnani, K.K., Meng, X., Christodoulatos, C., and Boddu, V.M., 2008, Biosorption mechanism of nine different heavy metals onto biomatrix from rice husk, *J. Hazard. Mater.*, 153, 1222–1234.
- Kulig, D., Zimoch-Korzycka, A., Jarmoluk, A., and Marycz, K., 2016, Study on alginate-chitosan complex formed with different polymers ratio, *Polymers*



(*Basel*), 8, 1–17.

- Kushwaha, A., Rani, R., and Patra, J.K., 2020, Adsorption kinetics and molecular interactions of lead [Pb(II)] with natural clay and humic acid, *Int. J. Environ. Sci. Technol.*, 17, 1325–1336.
- Liu, Q. and Liu, Y., 2003, Distribution of Pb(II) species in aqueous solutions, *J. Colloid Interface Sci.*, 268, 266–269.
- Mahapatro, A. and Singh, D.K., 2011, Biodegradable nanoparticles are excellent vehicle for site directed in-vivo delivery of drugs and vaccines., *J. Nanobiotechnology*, 9, 55.
- Mall, I.D., Srivastava, V.C., and Agarwal, N.K., 2006, Removal of Orange-G and Methyl Violet dyes by adsorption onto bagasse fly ash - Kinetic study and equilibrium isotherm analyses, *Dye. Pigment.*, 69, 210–223.
- Martins, A.F., Bueno, P.V.A., Almeida, E.A.M.S., Rodrigues, F.H.A., Rubira, A.F., and Muniz, E.C., 2013, Characterization of N-trimethyl chitosan/alginate complexes and curcumin release, *Int. J. Biol. Macromol.*, 57, 174–184.
- Masalova, O., Kulikouskaya, V., Shutava, T., and Agabekov, V., 2013, Alginate and chitosan gel nanoparticles for efficient protein entrapment, *Phys. Procedia*, 40, 69–75.
- Mazaheri, H., Ghaedi, M., Asfaram, A., and Hajati, S., 2016, Performance of CuS nanoparticle loaded on activated carbon in the adsorption of methylene blue and bromophenol blue dyes in binary aqueous solutions: Using ultrasound power and optimization by central composite design, *J. Mol. Liq.*, 219, 667–676.
- De Melo, B.A.G., Motta, F.L., and Santana, M.H.A., 2016, Humic acids: Structural properties and multiple functionalities for novel technological developments, *Mater. Sci. Eng. C*, 62, 967–974.
- Miretzky, P. and Cirelli, A.F., 2009, Hg(II) removal from water by chitosan and chitosan derivatives: A review, *J. Hazard. Mater.*, 167, 10–23.
- Mousa, N.E., Simonescu, C.M., Pătescu, R.E., Onose, C., Tardei, C., Culiță, D.C., Oprea, O., Patroi, D., and Lavric, V., 2016, Pb²⁺ removal from aqueous synthetic solutions by calcium alginate and chitosan coated calcium alginate, *React. Funct. Polym.*, 109, 137–150.
- Muliaty, E., 2010, Imobilisasi asam humat oleh kitosan sebagai adsorben ion logam Fe(II), *Skripsi*, FMIPA, Universitas Negeri Semarang.
- Nastaj, J., Przewłocka, A., and Rajkowska-Myśliwiec, M., 2016, Biosorption of Ni(II), Pb(II) and Zn(II) on calcium alginate beads: Equilibrium, kinetic and mechanism studies, *Polish J. Chem. Technol.*, 18, 81–87.
- Ngah, W.S.W. and Fatinathan, S., 2008, Adsorption of Cu(II) ions in aqueous solution using chitosan beads, chitosan-GLA beads and chitosan-alginate beads, *Chem. Eng. J.*, 143, 62–72.



- Ngah, W.S.W. and Fatinathan, S., 2010, Pb(II) biosorption using chitosan and chitosan derivatives beads: Equilibrium, ion exchange and mechanism studies, *J. Environ. Sci.*, 22, 338–346.
- Pandey, A.K., Pandey, S.D., Misra, V., and Devi, S., 2003, Role of humic acid entrapped calcium alginate beads in removal of heavy metals, *J. Hazard. Mater.*, 98, 177–181.
- Papageorgiou, S.K., Katsaros, F.K., Kouvelos, E.P., Nolan, J.W., Le Deit, H., and Kanellopoulos, N.K., 2006, Heavy metal sorption by calcium alginate beads from *Laminaria digitata*, *J. Hazard. Mater.*, 137, 1765–1772.
- Park, H.G., Kim, T.W., Chae, M.Y., and Yoo, I.K., 2007, Activated carbon-containing alginate adsorbent for the simultaneous removal of heavy metals and toxic organics, *Process Biochem.*, 42, 1371–1377.
- Park, J.J., Luo, X., Yi, H., Valentine, T.M., Payne, G.F., Bentley, W.E., Ghodssi, R., and Rubloff, G.W., 2006, Chitosan-mediated in situ biomolecule assembly in completely packaged microfluidic devices, *Lab Chip*, 6, 1315–1321.
- Pavan, A., Mazzocato, A.C., Jacques, A., and Dias, S.L.P., 2008, Ponkan peel : A potential biosorbent for removal of Pb(II) ions from aqueous solution, *Biochem. Eng. J.*, 40, 357–362.
- Prado, A.G.S., Pertusatti, J., and Nunes, A.R., 2011, Aspects of protonation and deprotonation of humic acid surface on molecular conformation, *J. Braz. Chem. Soc.*, 22, 1478–1483.
- Queiroz, M.F., Melo, K.R.T., Sabry, D.A., Sasaki, G.L., and Rocha, H.A.O., 2015, Does the use of chitosan contribute to oxalate kidney stone formation?, *Mar. Drugs*, 13, 141–158.
- Rehman, S., Ranjha, N.M., Raza, M.R., Hanif, M., Majed, A., and Ameer, N., 2020, Enteric-coated Ca-alginate hydrogel beads: a promising tool for colon targeted drug delivery system, *Polym. Bull.*.
- Sahu, M.K., Mandal, S., Dash, S.S., Badhai, P., and Patel, R.K., 2013, Removal of Pb(II) from aqueous solution by acid activated red mud, *J. Environ. Chem. Eng.*, 1, 1315–1324.
- Salisu, A., Sanagi, M.M., Abu Naim, A., Wan Ibrahim, W.A., and Abd Karim, K.J., 2016, Removal of lead ions from aqueous solutions using sodium alginate-graft-poly(methyl methacrylate) beads, *Desalin. Water Treat.*, 57, 15353–15361.
- Santosa, S.J., Sudiono, S., and Sujandi, S., 2006, Peat soil humic acid immobilization on silica gel and its application as an adsorbent for the selective adsorption of copper, *e-Journal Surf. Sci. Nanotechnol.*, 4, 602–608.
- Sehol, M., Juari Santosa, S., and Siswanta, D., 2018, Imobilisasi asam humat pada kitin dan aplikasinya sebagai adsorben Cr(III), *Indo. J. Chem. Res.*, 5, 63–68.
- Seki, H., Suzuki, A., and Kashiki, I., 1990, Adsorption of lead ions on immobilized



- humic acid, *J. Colloid Interface Sci.*, 134, 59–65.
- Sivashankari, P.R. and Prabakaran, M., 2017, Deacetylation modification techniques of chitin and chitosan, Elsevier.
- Šmejkalová, D. and Piccolo, A., 2008, Aggregation and disaggregation of humic supramolecular assemblies by NMR diffusion ordered spectroscopy (DOSY-NMR), *Environ. Sci. Technol.*, 42, 699–706.
- Soares, M.A.R., Marto, S., and Quinta-ferreira, R., 2016, Evaluation of eggshell-rich compost as biosorbent for removal of Pb(II) from aqueous solutions, *Water, Air, Soil Pollut.*, 227, 150.
- Stevenson, F.J., 1994, Humus chemistry: genesis, composition, reactions, Wiley, New York
- Sun, T., Khan, T.H., and Sultana, N., 2014, Fabrication and in vitro evaluation of nanosized hydroxyapatite/chitosan- based tissue engineering scaffolds, *J. Nanomater.*, 2014, .
- Sureshkumar, M.K., Das, D., Mary, G., and Nuwad, J., 2013, Adsorption of Pb(II) ions using humic acid coated chitosan-tripolyphosphate (HA-CTPP) Beads, *Sep. Sci. Technol.*, 48, 1132–1139.
- Sushil, P., Bharti, K., and Kumar, N., 2018, Kinetic study of lead Pb²⁺ removal from battery manufacturing wastewater using bagasse biochar as biosorbent, *Appl. Water Sci.*, 8, 1–13.
- Tao, Q., Xu, Z., Wang, J., Liu, F., Wan, H., and Zheng, S., 2010, Adsorption of humic acid to aminopropyl functionalized SBA-15, *Microporous Mesoporous Mater.*, 131, 177–185.
- Tseng, R.L., Wu, F.C., and Juang, R.S., 2010, Characteristics and applications of the Lagergren's first-order equation for adsorption kinetics, *J. Taiwan Inst. Chem. Eng.*, 41, 661–669.
- Wang, Z., Jin, P., Wang, M., Wu, G., Sun, J., Zhang, Y., Dong, C., and Wu, A., 2018, Highly efficient removal of toxic Pb²⁺ from wastewater by an alginat–chitosan hybrid adsorbent, *J. Chem. Technol. Biotechnol.*, 93, 2691–2700.
- Wu, F.C., Tseng, R.L., and Juang, R.S., 2010, A review and experimental verification of using chitosan and its derivatives as adsorbents for selected heavy metals, *J. Environ. Manage.*, 91, 798–806.
- Yantyana, I., Amalia, V., and Fitriyani, R., 2018, Adsorpsi ion logam Timbal(II) menggunakan mikrokapsul Ca-Alginat, *al-Kimiya*, 5, 17–26.
- Yuvaraja, G., Krishnaiah, N., and Venkata, M., 2014, Colloids and Surfaces B: Biointerfaces Biosorption of Pb(II) from aqueous solution by *Solanum melongena* leaf powder as a low-cost biosorbent prepared from agricultural waste, *Colloids Surfaces B Biointerfaces*, 114, 75–81.
- Zeng, L., Li, X., and Liu, J., 2004, Adsorptive removal of phosphate from aqueous solutions using iron oxide tailings, *Water Res.*, 38, 1318–1326.