

DAFTAR PUSTAKA

- American Association of Cereal Chemists. (2001). The Definition of Dietary Fiber. *Cereal Fds. World*, 4(3), 112-126
- Andrade, E. F., Lima, A. R. V., Nunes, I. E., Orlando, D. R., Gondim, P. N., Zangeronimo, M. G., Alves, F. H. F., & Pereira, L. J. (2016). Exercise and Beta-Glucan consumption (*Saccharomyces cerevisiae*) improve the metabolic profile and reduce the atherogenic index in Type 2 diabetic rats (HFD/STZ). *Nutrients*, 8(12), 792.
- Basciano, H., Federico, L., & Adeli, K. (2005). Fructose, insulin resistance, and metabolic dyslipidemia. *Nutrition & Metabolism*, 2(1), 5.
- Bays, H. E. (2011). Adiposopathy: is "sick fat" a cardiovascular disease?. *Journal of the American College of Cardiology*, 57(25), 2461-2473.
- Bays, H., & Ballantyne, C. (2006). Adiposopathy: why do adiposity and obesity cause metabolic disease?. *Future Lipidology*, 1(4), 389-420.
- Bender, D.A. & Mayes, P.A.. (2006). *The Pentose Phosphate Pathway & Other Pathways of Hexose Metabolism*. In: Murray RK, Granner DK, Mayes PA, Rodwell VW. 2006. *Harper's Illustrated Biochemistry 25th ed* (p.181). New York: Mac Graw Hill
- Ble-Castillo, J. L., Aparicio-Trapala, M. A., Juárez-Rojop, I. E., Torres-Lopez, J. E., et al. (2012). Differential effects of high-carbohydrate and high-fat diet composition on metabolic control and insulin resistance in normal rats. *International Journal of Environmental Research and Public Health*, 9(5), 1663-1676.
- Boden, G. (2008). Obesity and free fatty acids. *Endocrinology and Metabolism Clinics*, 37(3), 635-646.
- Brownlee, I.A., Dettmar, P.W., Strugala, V. dan Pearson, J.P. (2006). The interaction of dietary fibres with the colon. *Current Nutrition and Food Science* 2, 243-264.
- Colpo, A. (2005). LDL Cholesterol: "Bad" Cholesterol or Bad Science?. *Journal of American Physicians and Surgeons*, 10(3), 83.
- Cox, M. M. & Nelson, D.L. (2008). *Principle of Biochemistry 5th ed*. New York: W.H. Freeman and Company, pp.648-649, 838-839
- Davidson, M. H., Dugan, L. D., Hansen, J. M., Sulier, M. L., Bova, J. L., & Drennan, K. B. (1990). The hypocholesterolemic effects of B-glucan in oatmeal and oat bran: A dose controlled study. *Journal of the American College of Cardiology*, 15(2SA), A156-A156.

- Davidson, M. H., & McDonald, A. (1998). Fiber: forms and functions. *Nutrition Research*, 18(4), 617-624.
- Dashty, M. (2013). A quick look at biochemistry: carbohydrate metabolism. *Clinical Biochemistry*, 46(15), 1339-1352.
- Deeb, S. S., Zambon, A., Carr, M. C., Ayyobi, A. F., & Brunzell, J. D. (2003). Hepatic lipase and dyslipidemia interactions among genetic variants, obesity, gender, and diet. *Journal of lipid research*, 44(7), 1279-1286.
- Della Vedova, M. C., Muñoz, M. D., Santillan, L. D., Plateo-Pignatari, M. G., Germanó, M. J., Tosi, M. E. R., Gracia, S., Gomez, N. N., Fornes, M.W., Gomez Mejiba, S.E. & Ramirez, D. C. (2016). A mouse model of diet-induced obesity resembling most features of human metabolic syndrome. *Nutrition and metabolic insights*, 9, NMI-S32907.
- Den Besten, G., van Eunen, K., Groen, A. K., Venema, K., Reijngoud, D. J., & Bakker, B. M. (2013). The role of short-chain fatty acids in the interplay between diet, gut microbiota, and host energy metabolism. *Journal of lipid research*, 54(9), 2325-2340.
- Devi, S. A., & Jyothi, B. (2017). Dyslipidemia in Metabolic Syndrome: an Overview of Lipoprotein-Related Disorders. *International Journal of Cardiology*, 4(1), 7.
- Dhingra, D., Michael, M., Rajput, H., & Patil, R. T. (2012). Dietary fibre in foods: a review. *Journal of Food Science and Technology*, 49(3), 255-266.
- Dobiášová, M. (2004). Atherogenic index of plasma [log (triglycerides/HDL-cholesterol)]: theoretical and practical implications. *Clinical Chemistry*, 50(7), 1113-1117
- Dobiasova, M. (2006). AIP--atherogenic index of plasma as a significant predictor of cardiovascular risk: from research to practice. *Vnitřní Lekarství*, 52(1), 64-71.
- Dobiášová, M., & Frohlich, J. (2001). The plasma parameter log (TG/HDL-C) as an atherogenic index: correlation with lipoprotein particle size and esterification rate in apob-lipoprotein-depleted plasma (FERHDL). *Clinical Biochemistry*, 34(7), 583-588.
- Dobiášová, M., Frohlich, J., Šedová, M., Cheung, M. C., & Brown, B. G. (2011). Cholesterol esterification and atherogenic index of plasma correlate with lipoprotein size and findings on coronary angiography. *Journal of Lipid Research*, 52(3), 566-571.

- Eastwood, M. A., & Hamilton, D. (1968). Studies on the adsorption of bile salts to non-absorbed components of diet. *Biochimica et Biophysica Acta (BBA)-Lipids and Lipid Metabolism*, 152(1), 165-173.
- Ebihara, K., & Schneeman, B. O. (1989). Interaction of bile acids, phospholipids, cholesterol and triglyceride with dietary fibers in the small intestine of rats. *The Journal of nutrition*, 119(8), 1100-1106.
- Ellegård, L., & Andersson, H. (2007). Oat bran rapidly increases bile acid excretion and bile acid synthesis: an ileostomy study. *European journal of clinical nutrition*, 61(8), 938-945.
- Galisteo, M., Duarte, J., & Zarzuelo, A. (2008). Effects of dietary fibers on disturbances clustered in the metabolic syndrome. *The Journal of nutritional biochemistry*, 19(2), 71-84.
- German, J. B., Smilowitz, J. T., & Zivkovic, A. M. (2006). Lipoproteins: When size really matters. *Current Opinion in Colloid & Interface Science*, 11(2-3), 171-183
- Ghibaudi, L., Cook, J., Farley, C., Van Heek, M., & Hwa, J. J. (2002). Fat intake affects adiposity, comorbidity factors, and energy metabolism of sprague-dawley rats. *Obesity research*, 10(9), 956-963.
- Hamam, F. (2013). Specialty lipids in health and disease. *Food and Nutrition Sciences*, 4(09), 63.
- Heriansyah, T. (2013). Pengaruh berbagai durasi pemberian diet tinggi lemak terhadap profil lipid tikus putih (*Rattus norvegicus* strain wistar) jantan. *Jurnal Kedokteran Syiah Kuala*, 13(3), 144-150.
- Indra, P., Roy, I., & Panunggal, B. Pengaruh Pemberian Selai Kacang Tanah Dengan Substitusi Bekatul Terhadap Kadar Kolesterol LDL Dan HDL Tikus Hiperkolesterolemia. *Journal of Nutrition College*, 4(2), 171-179.
- Jain JL, Jain S, Jain N. 2005. *Fundamentals of Biochemistry*. 6th ed. New Delhi, pp.232, 244
- Johnson, R. J., Perez-Pozo, S. E., Sautin, Y. Y., Manitius, J., Sanchez-Lozada, L. G., Feig, D. I., ... & Roncal, C. (2009). Hypothesis: could excessive fructose intake and uric acid cause type 2 diabetes?. *Endocrine Reviews*, 30(1), 96-116
- Kanthe, P. S., Patil, B. S., Bagali, S., Deshpande, A., Shaikh, G. B., & Aithala, M. (2012). Atherogenic index as a predictor of cardiovascular risk among women with different grades of obesity. *Int J Collab Res Int Med Public Health*, 4(10), 1767-1774.

- Kaur, N., & Gupta, A. K. (2002). Applications of inulin and oligofructose in health and nutrition. *Journal of Biosciences*, 27(7), 703-714.
- Keenan, M. J., Zhou, J., McCutcheon, K. L., Raggio, A. M., Bateman, H. G., Todd, E., Jones, C.K., Tulley, R.T., Melton, S., Martin, R.J., & Hegsted, M. (2006). Effects of resistant starch, a non-digestible fermentable fiber, on reducing body fat. *Obesity*, 14(9), 1523-1534.
- Kementrian Kesehatan RI. (2013). *Riset Kesehatan Dasar; RISKESDAS*. Jakarta: Balitbang
- Klop, B., Elte, J. W. F., & Cabezas, M. C. (2013). Dyslipidemia in obesity: mechanisms and potential targets. *Nutrients*, 5(4), 1218-1240.
- Kok, N., Roberfroid, M., & Delzenne, N. (1996). Dietary oligofructose modifies the impact of fructose on hepatic triacylglycerol metabolism. *Metabolism-Clinical and Experimental*, 45(12), 1547-1550.
- Kolderup, A., & Svihus, B. (2015). Fructose metabolism and relation to atherosclerosis, type 2 diabetes, and obesity. *Journal of Nutrition and Metabolism*, 2015, 1-12
- Kolovou, G. D., Anagnostopoulou, K. K., & Cokkinos, D. V. (2005). Pathophysiology of dyslipidaemia in the metabolic syndrome. *Postgraduate Medical Journal*, 81(956), 358-366.
- Kritchevsky, D., & Story, J. A. (1974). Binding of bile salts in vitro by nonnutritive fiber. *The Journal of Nutrition*, 104(4), 458-462.
- Kusharto, C. M. (2006). Serat makanan dan perannya bagi kesehatan. *Jurnal Gizi dan Pangan*, 1(2), 45-54.
- Kustiyah, L., Widhianti, M. U., & Dewi, M. (2014). Hubungan asupan serat dengan status gizi dan profil lipid darah pada orang dewasa dislipidemia. *Jurnal Gizi dan Pangan*, 8(3), 195-200.
- Kwan, B. C., Kronenberg, F., Beddhu, S., & Cheung, A. K. (2007). Lipoprotein metabolism and lipid management in chronic kidney disease. *Journal of the American Society of Nephrology*, 18(4), 1246-1261.
- Lairon, D., Arnault, N., Bertrais, S., Planells, R., Clero, E., Hercberg, S., & Boutron-Ruault, M. C. (2005). Dietary fiber intake and risk factors for cardiovascular disease in French adults—. *The American Journal of Clinical Nutrition*, 82(6), 1185-1194.
- Larsson, K., Quinn, P., Sato, K., & Tiberg, F. (2006). *Lipids: structure, physical properties and functionality* (Vol. 19). Bridgwater, UK: Oily Press, p.1

- Lattimer, J. M., & Haub, M. D. (2010). Effects of dietary fiber and its components on metabolic health. *Nutrients*, 2(12), 1266-1289.
- Lê, K. A., & Tappy, L. (2006). Metabolic effects of fructose. *Current Opinion in Clinical Nutrition & Metabolic Care*, 9(4), 469-475.
- Lia, A., Hallmans, G., Sandberg, A. S., Sundberg, B., Aman, P., & Andersson, H. (1995). Oat beta-glucan increases bile acid excretion and a fiber-rich barley fraction increases cholesterol excretion in ileostomy subjects. *The American journal of clinical nutrition*, 62(6), 1245-1251.
- Lichtenstein AH, Appel LJ, Brands M, Carnethon M, Daniels S, Franch HA *et al.* (2006). Diet and lifestyle recommendations revision 2006: a scientific statement from the American Heart Association Nutrition Committee. *Circulation*, 114(1),82-96.
- López, L. V., Torres, A. V. M., Peña, C. G., Alarcón, M. L., Andrade, S. I., & de la Peña, J. E. (2016). Fiber in diet is associated with improvement of glycated hemoglobin and lipid profile in Mexican patients with type 2 diabetes. *Journal of diabetes research*, 2016.
- Mahley, R. W., Innerarity, T. L., Rall, S. C., & Weisgraber, K. H. (1984). Plasma lipoproteins: apolipoprotein structure and function. *Journal of Lipid Research*, 25(12), 1277-1294.
- Marlett, J. A., & Fischer, M. H. (2002). A poorly fermented gel from psyllium seed husk increases excreta moisture and bile acid excretion in rats. *The Journal of nutrition*, 132(9), 2638-2643.
- Masoro, E.J. (1977). Lipids and Lipid Metabolism. *Annu. Rev. Physiol*, 39, 301-321
- Mayes, P. A. (1993). Intermediary metabolism of fructose. *The American journal of clinical nutrition*, 58(5), 754S-765S.
- Mayes PA. (2006). Lipid Transport and Storage. In: Murray RK, Granner DK, Mayes PA, Rodwell VW. *Harper's Illustrated Biochemistry 25th ed* (p. 271). New York: Mac Graw Hill
- McPherson, R., Frohlich, J., Fodor, G., & Genest, J. (2006). Canadian Cardiovascular Society position statement—recommendations for the diagnosis and treatment of dyslipidemia and prevention of cardiovascular disease. *Canadian Journal of Cardiology*, 22(11), 913-927.
- Mooradian, A. D. (2009). Dyslipidemia in type 2 diabetes mellitus. *Nature Reviews Endocrinology*, 5(3), 150.

- Muchtadi, Deddy. (2001). Sayuran sebagai Sumber Serat Pangan untuk Mencegah Timbulnya Penyakit Degenaratif. *Jurnal Teknologi dan Industri Pangan*, 21(1), 61-71
- Mudgil, D., & Barak, S. (2013). Composition, properties and health benefits of indigestible carbohydrate polymers as dietary fiber: a review. *International Journal of Biological Macromolecules*, 61, 1-6.
- Muntafiah, A., Ernawati, D. A., Suryandhana, L., Pratiwi, R. D., & Marie, I. A. (2017). Pengaruh Sari Markisa Ungu (*Passiflora Edulis* Var *Edulis*) Berbagai Dosis terhadap Profil Lipid Tikus Wistar Model Hiperkolesterolemia. *The Journal of Nutrition and Food Research*, 40(1), 1-8.
- National Institutes of Health. (2001). ATP III guidelines at-a-glance quick desk reference. *NIH Publication*, (01-3305).
- Naumann, E., VaN Rees, A. B., Önning, G., Öste, R., Wydra, M., & Mensink, R. P. (2006). β -Glucan incorporated into a fruit drink effectively lowers serum LDL-cholesterol concentrations. *The American Journal of Clinical Nutrition*, 83(3), 601-605.
- Nichols, A. V. (1969). Functions and interrelationships of different classes of plasma lipoproteins. *Proceedings of the National Academy of Sciences*, 64(3), 1128-1137.
- Niroumand, S., Khajedaluae, M., Khadem-Rezaiyan, M., Abrishami, M., Juya, M., Khodae, G., & Dadgarmoghaddam, M. (2015). Atherogenic Index of Plasma (AIP): a marker of cardiovascular disease. *Medical Journal of the Islamic Republic of Iran*, 29, 240.
- Nwagha, U. I., Ikekpeazu, E. J., Ejezie, F. E., Neboh, E. E., & Maduka, I. C. (2010). Atherogenic index of plasma as useful predictor of cardiovascular risk among postmenopausal women in Enugu, Nigeria. *African Health Sciences*, 10(3), 248-252.
- Panchal, S. K., Poudyal, H., Iyer, A., Nazer, R., Alam, A., Diwan, V., Kauter, K., Sernia, C., Campbell, F., Ward, L., Gobe, G., Fenning, A., & Brown, L. (2011). High-carbohydrate high-fat diet-induced metabolic syndrome and cardiovascular remodeling in rats. *Journal of cardiovascular pharmacology*, 57(1), 51-64.
- Parinita, K., Madhuri, K. V., & Sreekanth, V. (2012). Study of serum lipid profile in individuals residing in and around Nalgonda. *Int J pharm Bio Sci*, 2, 110-116.

- Paulina, A. J., Asni, E., & Gaffar, M. (2015). Pengaruh Lama Pemberian Diet Aterogenik Terhadap Indeks Aterogenik Serum Rattus Novergicus Strain Wistar Jantan. *Jurnal Online Mahasiswa (JOM) Bidang Kedokteran*, 2(2), 1-15.
- Perhimpunan Dokter Spesialis Kardiovaskular Indonesia (PERKI). (2013). *Pedoman Tatalaksana Dislipidemia di Indonesia*. Edisi ke 1. Jakarta: Centra Communication
- Ponziani, F. R., Pecere, S., Gasbarrini, A., & Ojetti, V. (2015). Physiology and pathophysiology of liver lipid metabolism. *Expert Review of Gastroenterology & Hepatology*, 9(8), 1055-1067.
- Prahastuti, S. (2012). Konsumsi Fruktosa Berlebihan dapat Berdampak Buruk bagi Kesehatan Manusia. *Jurnal Kedokteran Maranatha*, 10(2), 174-189
- Reeves, P. G., Nielsen, F. H., & Fahey Jr, G. C. (1993). AIN-93 purified diets for laboratory rodents: final report of the American Institute of Nutrition ad hoc writing committee on the reformulation of the AIN-76A rodent diet. *The Journal of Nutrition*, 123(11), 1939-51.
- Santoso, I. A. (2011). Serat pangan (dietary fiber) dan manfaatnya bagi kesehatan. *Magistra*, 23(75), 35-40.
- Sartika, R. A. D. (2008). Pengaruh asam lemak jenuh, tidak jenuh dan asam lemak trans terhadap kesehatan. *Kesmas: National Public Health Journal*, 2(4), 154-160.
- Sasidharan, S. R., Joseph, J. A., Anandakumar, S., Venkatesan, V., Madhavan, A., Nair, C., & Agarwal, A. (2013). An experimental approach for selecting appropriate rodent diets for research studies on metabolic disorders. *BioMed Research International*, 2013, 1-9.
- Schlenker, E.D., Roth, S.L., (2011). *Essentials of Nutrition and Diet Therapy*. America: Elsevier Mosby, pp. 63,72.
- Stanhope, K., Griffen, S., Keim, N., Ai, M., Otokozawa, S., Nakajima, K., Schaefer, E.J., Havel, P.T., & Krauss, R. M. (2007). Consumption of fructose-, but not glucose-sweetened beverages produces an atherogenic lipid profile in overweight/obese men and women. *Diabetes*, 56.
- Stanhope, K. L., & Havel, P. J. (2008). Fructose consumption: potential mechanisms for its effects to increase visceral adiposity and induce dyslipidemia and insulin resistance. *Current Opinion in Lipidology*, 19(1), 16-24
- Stanhope KL, Schwarz JM, Keim NL, Griffen SC, Bremer AA, Graham JL, et al. (2009). Consuming fructose-sweetened, not glucose-sweetened, beverages increases visceral adiposity and lipids and decreases insulin

- sensitivity in overweight/obese humans. *The Journal of Clinical Investigation*, 119(5), 1322-1334.
- Subramanian, S., & Chait, A. (2012). Hypertriglyceridemia secondary to obesity and diabetes. *Biochimica et Biophysica Acta (BBA)-Molecular and Cell Biology of Lipids*, 1821(5), 819-825.
- Surampudi, P., Enkhmaa, B., Anuurad, E., & Berglund, L. (2016). Lipid lowering with soluble dietary fiber. *Current atherosclerosis reports*, 18(12), 75.
- Teff KL, Keim NL, Tschop M, Kieffer TJ, Rader D, Heiman M, et al. (2004). Dietary fructose reduces circulating insulin and leptin, attenuates post prandial suppression of ghrelin and increases triglycerides in women. *J Clin Endocrinol Metab*, 89(6), 2963-2972.
- Theuwissen, E., & Mensink, R. P. (2008). Water-soluble dietary fibers and cardiovascular disease. *Physiology & Behavior*, 94(2), 285-292.
- Trowell, H. U. G. H., Burkitt, D. E. N. I. S., & Heaton, K. E. N. N. E. T. H. (1985). Definitions of dietary fibre and fibre-depleted foods and disease. *Academic, London*, 21-30.
- Tucker, L. A., & Thomas, K. S. (2009). Increasing total fiber intake reduces risk of weight and fat gains in women. *The Journal of nutrition*, 139(3), 576-581.
- Turner, N. D., & Lupton, J. R. (2011). Dietary fiber. *Advances in Nutrition*, 2(2), 151-152.
- Vos, M. B., Kimmons, J. E., Gillespie, C., Welsh, J., & Blanck, H. M. (2008). Dietary fructose consumption among US children and adults: the Third National Health and Nutrition Examination Survey. *The Medscape Journal of Medicine*, 10(7), 160.
- Weissglas-Volkov, D., & Pajukanta, P. (2010). Genetic causes of high and low serum HDL-cholesterol. *Journal of Lipid Research*, 51(8), 2032-2057.
- Whitney, E. N., & Rolfes, S. R. (2013). *Understanding Nutrition*. Australia: Wadsworth, Cengage Learning, pp.138-140
- Zurao, P., Iandge, S., Jaiswal, S.B., Chandewar, A.V. (2011). Lipids – The Instrumental Excipient in Pharmaceutical Dosages Form. *International Journal of Research in Pharmacy and Chemistry*, 1(4), 992-997