

## DAFTAR PUSTAKA

- Abu Bakar AF, Yusoff I, Fatt NgT, Othman F, Ashraf MA. 2013. Arsenic, zinc, and aluminium removal from gold mine wastewater effluents and accumulation by submerged aquatic plants (*Cabomba piauhyensis*, *Egeria densa*, and *Hydrilla verticillata*). *Biomed Res Int*, 2013:1–7.
- Al-Gabr HM, Ye C, Zhang Y, Khan S, Lin H, Zheng T. 2013. Effect of carbon, nitrogen and pH on the growth of *Aspergillus parasiticus* and aflatoxins production in water. *J Environ Biol*, 34:353–358.
- Al-Zurfi SKL, Alisaw AY, Al-Shafai GAA. 2018. Anatomical and physiological effects of Cadmium in aquatic plant *Hydrilla verticillata*. *Plant Archives*, 18(1):839–846.
- Ancibor E. 1979. Systematic anatomy of vegetative organs of the Hydrocharitaceae. *Bot J Linn Soc*, 78(4): 237–266.
- Arikan S, Ostrosky-Zeichner L, Lozano-Chiu M, Paetznick V, Gordon D, Wallace T, Rex JH. 2002. In vitro activity of nystatin compared with those of liposomal nystatin, amphotericin B, and fluconazole against clinical *Candida* isolates. *J. Clin. Microbiol.*, 40(4):1406–1412.
- Astolfi S, Zuchi S, Passera C. 2005. Effect of cadmium on H<sup>+</sup>ATPase activity of plasma membrane vesicles isolated from roots of different S-supplied maize (*Zea mays* L.) plants. *Plant Science*, 169:361–368.
- Azbar N, Yonar T, Kestioglu K. 2004. Comparison of various advanced oxidation processes and chemical treatment methods for COD and color removal from a polyester and acetate fiber dyeing effluent. *Chemosphere*, 55(1):35–43.
- Bai L, Liu XL, Hu J, Li J, Wang ZL, Han G, Li SL, Liu CQ. 2018. Heavy metal accumulation in common aquatic plants in rivers and lakes in the Taihu Basin. *Int. J Environ Res and Public Health*, 15:1–12.
- Baniszewski J, Cuda JP, Gezan SA, Sharma S, Weeks ENI. Stem fragment regrowth of *Hydrilla verticillata* following desiccation. *J Aquat Plant Manage*, 54:53–60.
- Bansal P, Sharma P, Goyal V. 2002. Impact of lead and cadmium on enzyme of citric acid cycle in germinating pea seeds. *Biol. Plant*, 45:125–127.
- Baryl A, Carrier P, Franck F, Coulomb C, Sahut C, Havaux M. 2001. Leaf chlorosis in oilseed rape plants (*Brassica napus*) grown on cadmium-polluted soil: causes and consequences for photosynthesis and growth. *Planta*, 212:696–709.

- Besson-Bard A, Pugin A, Wendehenne D. 2008. New insights into nitric oxide signaling in plants. *Annu Rev Plant Biology*, 59:21–39.
- Bodhipadma K, Noichinda S, Maneeruang T, Nathalang K, Punnakanta L, Leung DWM. 2013. Effect of paclobutrazol on three different aquatic macrophytes under in vitro monoculture or polyculture conditions. *African Journal of Biotechnology*, 12(39):5809–5813.
- Brown SL, Chaney RL, Angle JS, Baker AJM. 1995. Zinc and cadmium uptake by hyperaccumulator *Thlaspi caerulescens* and metal tolerant *Silene vulgaris* grown on sludge-amended soils. *Environ Sci Technol*, 29:1581–1585.
- Carvalho KM, Martin DF. 2001. Removal of aqueous selenium by four aquatic plants. *J Aquat Plant Manage*, 39:33–36.
- Couto SR. 2009. Dye removal by immobilised fungi. *Biotechnol Adv*, 27(3):227–235.
- Crowley DE, Wang YC, Reid CPP, Szaniszlo PJ. 1991. Mechanisms of iron acquisition from siderophores by microorganisms and plants. *Plant Soil*, 130:179–198.
- Das P, Samantaray S, Rout GR. 1997. Studies on cadmium toxicity in plants: a review. *Environ Pollution*, 98(1):29–36.
- Darmono. 1999. Kadmium (Cd) dalam lingkungan dan pengaruhnya terhadap kesehatan dan produktivitas ternak. *Wartazoa*, 8(1):28–32.
- Di Cagno R, Guidi L, De Gara L, Soldatini GF. 2001. Combined cadmium and ozone treatments affect photosynthesis and ascorbate-dependent defences in sunflower. *New Phytologist*, 151:627–636.
- Dickison WC. 2000. *Integrative Plant Anatomy*. California: Academic Press, pp.309–310.
- Elobeid M, Göbel C, Feussner I, Polle A. 2012. Cadmium interferes with auxin physiology and lignification in poplar. *Journal of Experimental Botany*, 63:1413–1421.
- Evert RF. 2006. *Esau's Plant Anatomy*, 3<sup>rd</sup> ed. New Jersey: John Wiley & Sons, Inc., p.270.
- Gussarson M, Asp H, Adalsteinsson S, Jensén P. 1996. Enhancement of cadmium effect on growth and nutrient composition of birch (*Betula pendula*) by buthionine sulfoximine (BSO). *Journal of Experimental Botany*, 47:211–215.
- Jamil A, Darundiati YH, Dewanti NAY. 2016. Pengaruh variasi lama waktu kontak dan jumlah tanaman kayu apu (*Pistia stratiotes*) terhadap penurunan kadar

cadmium (Cd) limbah cair batik *home industry* “x” di Magelang. *JKM*, 4(4):763–770.

Jin-hui J, Chang-fang Z, Shu-qing A, Baohua G, Ying C. 2008. Vast propagation of submerged tool species *Hydrilla verticillata* with tissue culture method. *J. Lake Sci.*, 20(2):215–220.

Kahara SN, Vermaat JE. 2003. The effect of alkalinity on photosynthesis–light curves and inorganic carbon extraction capacity of freshwater macrophytes. *Aquat Bot*, 75:217–227.

Kameswaran S, Vatsala TM. 2017. Efficacy of bioaccumulation of heavy metals by aquatic plant *Hydrilla verticillata* Royle. *IJSR*, 6(9):535–538.

Kapoor D, Kaur S, Bhardwaj R. 2014. Physiological and biochemical changes in *Brassica juncea* plants under Cd-induced stress. *Biomed. Res. Int.*, 2014:1–13.

Kepmen LH No. KEP-51/MENLH/10/1995, Tanggal 23 Oktober 1995 Tentang Baku Mutu Limbah Cair Bagi Kegiatan Industri.

Khan MIR, Nazir F, Asgher M, Per TS, Khan NA. 2015. Selenium and sulfur influence ethylene formation and alleviate cadmium-induced oxidative stress by improving proline and glutathione production in wheat. *J Plant Physiol*, 173:9-18.

Koosdaryani MM, Purwanto SE. 2019. Water purification technology, the use of water hyacinth microorganism and organic waste product in improving the quality of water from batik waste treatment. *IJCIET*, 10(1):1817–1824.

Krika F, Azzouz N, Ncibi MC. 2016. Adsorptive removal of cadmium from aqueous solution by cork biomass: equilibrium, dynamic and thermodynamic studies. *Arabian Journal of Chemistry*, 9(2):S1077-S1083

Kumar GR, Reddy CRK, Thirupathi S, Dipakkore S, Eswaran K, Rao PVS, Jha B. 2004. Tissue culture and regeneration of thallus from callus of *Gelidiella acerosa* (Gelidiales, Rhodophyta). *Phycologia*, 43(5):596-602.

Leegood RC. 2002. C<sub>4</sub> photosynthesis: principles of CO<sub>2</sub> concentration and prospects for its introduction into C<sub>3</sub> plants. *Journal of Experimental Botany*, 53(369):581–590.

Lux A, Martinka M, Vaculík M, White PJ. 2011. Root responses to cadmium in the rhizosphere: a review. *J Exp Bot*, 62(1):21–37.

Mahajan P, Kaushal J. 2016. Phytoremediation potential of *Hydrilla verticillata* for the degradation of contaminants from textile effluent. *TRJ*, 2(2):69–74.

Michele RD, Vurro E, Rigo C, Costa A, Elviri L, Valentin MD, Careri M, Zottini M, Sanità di Toppi L, Lo Schiavo F. 2009. Nitric oxide is involved in

cadmium-induced programmed cell death in *Arabidopsis* suspension cultures. *Plant Physiol.*, 150:217–228.

Moen MD, Lyseng-Williamson KA, Scott LJ. 2009. Liposomal amphotericin B: a review of its use as empirical therapy in febrile neutropenia and in the treatment of invasive fungal infections. *Drugs*, 69:361–392.

Nimick DA, Gammons CH, Cleasby TE, Madison JP, Skaar D, Brick CM. 2003. Diel cycles in dissolved metal concentrations in streams: occurrence and possible causes. *Water Resour Res*, 39:333–342.

Nugroho R, Ikbali. 2005. Pengolahan air limbah berwarna industri tekstil dengan proses AOPs. *JAI*, 1(2):163–172.

Peraturan Pemerintah Republik Indonesia Nomer 82 Tahun 2001 tentang Pengelolaan Kualitas Air dan Pengendalian Pencemaran Air

Phukan P, Phukan R, Phukan SN. 2015. Heavy metal uptake capacity of *Hydrilla verticillata*: A commonly available Aquatic Plant. *Int Res J Environment Sci*, 4(3):35–40.

Pu JB, Li JH, Khadka MB, Martin JB, Zhang T, Yu S, Yuan DX. 2017 In-stream metabolism and atmospheric carbon sequestration in a groundwater-fed karst stream. *Sci Total Environ*, 579:1343–1355.

Rascio N, Dalla Vecchia F, La Rocca N, Barbato R, Pagliano C, Raviolo M, Gonnelli C, Gabbriellini R. 2008. Metal accumulation and damage in rice (cv. Vialone nano) seedlings exposed to cadmium. *Environmental and Experimental Botany*, 62:267–278.

Reiskind JB, Madsen TV, van Ginkel LC, Bowes G. 1997. Evidence that inducible C<sub>4</sub>-type photosynthesis is a chloroplastic CO<sub>2</sub>-concentrating mechanism in *Hydrilla*, a submersed monocot. *Plant, Cell and Environment*, 20:211–220.

Retrieved [10, 25<sup>th</sup>, 2019], from the Integrated Taxonomic Information System (ITIS) (<http://www.itis.gov>)

Romero-Oliva CS, Contardo-Jara V, Pflugmacher S. 2015. Time dependent uptake, bioaccumulation and biotransformation of cell free crude extract microcystins from Lake Amatitlán, Guatemala by *Ceratophyllum demersum*, *Egeria densa* and *Hydrilla verticillata*. *Toxicon*, 105:62–73.

Salvucci ME, Bowes G. 1981. Induction of reduced photorespiratory activity in submerged and amphibious aquatic macrophytes. *Plant Physiology*, 67:335–340.

Schellingen K, Van Der Straeten D, Vandenbussche F, Prinsen E, Remans T, Vangronsveld J, Cuypers A. 2014. Cadmium-induced ethylene production

and responses in *Arabidopsis thaliana* rely on ACS2 and ACS6 gene expression. *BMC Plant Biol.*, 14:214.

Selim HM. 2013. *Competitive Sorption and Transport of Heavy Metals in Soils and Geological Media*. Boca Raton: CRC Press, p.283.

Seregin IV, Ivanov VB. 1997. Histochemical investigation of Cadmium and Lead distribution in plants. *Russian Journal of Plant Physiology*, 44(6):791–796.

Seregin IV, Kozhevnikova AD. 2004. Strontium transport distribution and toxic effects on maize seedling growth. *Russ J Plant Physiol*, 51(2):215–221.

Seregin IV, Kozhevnikova AD. 2011. Histochemical Methods for Detection of Heavy Metals and Strontium in the Tissues of Higher Plants. *Russian Journal of Plant Physiology*, 58(4):721–727.

Seth CS, Remans T, Keunen E, Jozefczak M, Gielen H, Opdenakker K, Weyens N, Vangronsveld J, Cuypers A. 2012. Phytoextraction of toxic metals: A central role for glutathione. *Plant Cell Environ.*, 35:334–346.

Sharba FYJ, Motar AA, Al-Zurfi SKL. 2020. The effect of excess nutrients on anatomical traits in the stem of two species of aquatic plants. *Plant Archives*, 20(1):66–74

Sidhu GPS, Singh HP, Batish DR, Kohli RK. 2017. Tolerance and hyperaccumulation of cadmium by a wild, unpalatable herb *Coronopus didymus* (L.) Sm. (Brassicaceae). *Ecotoxicol. Environ. Saf.*, 135:209–215.

Singh A, Kumar CS, Agarwal A. 2011. Phytotoxicity of Cadmium and Lead in *Hydrilla verticillata* (L.f.) Royle. *J Phytol*, 3:1–4.

Singh K, Pandey SN. 2011. Effect of nickel-stresses on uptake, pigments and antioxidative responses of water lettuce, *Pistia stratiotes* L. *J Environ Biol*, 32:391–394.

Sobrino-Plata J, Meyssen D, Cuypers A, Escobar C, Hernández LE. 2014. Glutathione is a key antioxidant metabolite to cope with mercury and cadmium stress. *Plant Soil*, 377:369–381.

Somasundaran P, Hubbard AT. *Encyclopedia of Surface and Colloid Science*. New York: Marcel Dekker, pp.43–44.

Song Y, He X-J, Chen M, Zhang L-L, Li J, Deng Y. 2018. Effect of pH on the submerged macrophyte *Hydrilla verticillata*. *Russian Journal of Plant Physiology*, 65(4):611–619

Song Y, Jin L, Wang X. 2017. Cadmium absorption and transportation pathways in plants. *International Journal of Phytoremediation*, 19(2):133–141.

- Sundar S, Chakravarty J. 2010. Liposomal amphotericin B and leishmaniasis: dose and response. *J. Global Infect. Dis.*, 2:159–166.
- Szalai G, Kellös T, Galiba G, Kocsy G. 2009. Glutathione as an antioxidant and regulatory molecule in plants subjected to abiotic stresses. *J. Plant Growth Regul.*, 28:66–80.
- Tran TA, Popova LP. 2013. Functions and toxicity of cadmium in plants: recent advances and future prospects. *Turk J. Bot.*, 37:1-13
- Urry LA, Cain ML, Wasserman SA, Minorsky PV, Reece JB. 2016. Campbell Biology, 11<sup>th</sup> edition. Hoboken: Pearson Higher Education, p.808.
- Wang P, Zhang X, Wang D, Wu Z, Cao J. 2020. Experimental study on growth of *Hydrilla verticillata* under different concentrations of bicarbonate and its implication in karst aquatic ecosystem. *Carbonates and Evaporites*, 35:83
- Xiong J, Lu H, Lu K, Duan Y, An L, Zhu C. 2009. Cadmium decreases crown root number by decreasing endogenous nitric oxide, which is indispensable for crown root primordia initiation in rice seedlings. *Planta*, 230(4):599–610.
- Xu Z, Chang L. 2017. *Identification and Control of Common Weeds*. Hangzhou: Zhejiang University Press, p.754.
- Xu J, Yin H, Liu X, Li X. 2010. Salt affects plant Cd-stress responses by modulating growth and Cd accumulation. *Planta*, 231:449–459.
- Yuan H, Huang X. 2016. Inhibition of root meristem growth by cadmium involves nitric oxide-mediated repression of auxin accumulation and signalling in *Arabidopsis*. *Plant Cell Environ*, 39:120–135.
- Zhu XF, Shi YZ, Lei GJ, Fry SC, Zhang BC, Zhou YH, Braam J, Jiang T, Xu XY, Mao CZ. 2012. XTH31, encoding an in vitro XEH/XET-active enzyme, regulates aluminum sensitivity by modulating in vivo XET action, cell wall xyloglucan content, and aluminum binding capacity in *Arabidopsis*. *Plant Cell*, 24(11):4731–47.
- Zhu XF, Wang ZW, Dong F, Lei GJ, Shi YZ, Li GX, Zheng SJ. 2013. Exogenous auxin alleviates cadmium toxicity in *Arabidopsis thaliana* by stimulating synthesis of hemicellulose 1 and increasing the cadmium fixation capacity of root cell walls. *J Hazard Mater*, 263:98–403.
- Zoghalmi LB, Djebali W, Abbes Z, Hediji H, Maucourt M, Moing A, Brouquisse R, Chaïbi W. 2011. Metabolite modifications in *Solanum lycopersicum* roots and leaves under cadmium stress. *Afr. J. Biotechnol.*, 10:567–579.