DAFTAR PUSTAKA

Abrar, A. dan A. Fariani. 2018. Pengaruh penambahan ekstrak tanin dari biji sorgum terhadap produksi gas dan metana secara in vitro. Jurnal Peternakan Sriwijaya. 7(1):40-52.

Addisu, S. 2016. Effect of dietary tannin source feeds on ruminal fermentation and production of cattle: a review. Online Journal of Animal and Feed Research. 6(2): 45-56.

AOAC. 2005. Official Methods of Analysis. Assosiation of Official Chemist. Inc. Virginia.

Arifin, M., Liman, dan K. Adhianto. 2012. Pengaruh penambahan konsentrat dengan kadar protein kasar yang berbeda pada ransum basal terhadap performans kambing boerawa pasca sapih. Jurnal Ilmiah Peternakan Terpadu. 1(1):1-7.

Atmojo, F. A., Kustantinah, Zuprizal, N. D. Dono, E. Indarto, I. H. Zulfa, dan C. T. Noviandi. 2018. Pengaruh senyawa tanin terhadap nilai degradasi berdasarkan produksi gas hasil fermentasi beberapa spesies hijauan pakan ternak. Prosiding Simposium Nasional. Fakultas Peternakan UGM.

Bennick, A. 2002. Interaction action of plant polyphenols with salivary proteins. Crit. Rev. Oral. Biol. Med. 13(2):184-196.

Brooker. J. D., L. O. Donovan, I. Skene, and Sellick. 1993. Mechanism of tannin resistence detoxification in the rumen. Animal Science Departemen. University of Adelaide. Australia.

Cakra, I. G. L. O., 2016. Ruminologi. Fakultas Peternakan. Universitas Udayana. Denpasar.

Chen, X. B and E.R. Ørskov. 2004. Research on urinary excretion of purine derivatives in ruminants: past, present and future. International Feed Resources Unit, Macaulay Land Use Research Institute. Aberdeen. United Kingdom.

Chen, X. B and M. J. Gomes. 1992. Estimation of microbial protein supply to sheep and cattle based on urinary excretion of purine derivatives: An overview of technical details. Occasional publication. International feed resources unit. Rowett Research Institute. Aberdeen, UK.

Chen, X. B. and M. J. Gomes. 1995. Estimation of microbial protein supply to sheep and cattle based on urinary excretion of purine derivatives. An overview of the technical details. Rowett Research Institute. Bucksburn.Aberdeen.

Cronquist, A. 1981. *An Integrated System of Classification Flowering Plants, Colombia*. University Press. New York.

Dehority, B. A. 2005. Effect of pH on viability of *Entodinium caudatum*, *Entodinium exiguum*, *Epidinium caudatum*, and *Ophryoscolex purkynjei* in vitro. J. Eukaryotic Microbiol. 52(4):339-342.

Devant, M., A. Ferret, S. Calsamiglia, R. Casals and J. Gasa. 2001. Effect of nitrogen source in high concentrate, low-protein beef cattle diets on microbial fermentation studied in vivo and in vitro. J. Anim. Sci. 79: 1944-1953.

Dey, A., N. Dutta, K. Sharma, dan A. K. Pattanaik. 2007. Effect of dietary inclusion of Ficus infectoria leaves as a protectant of proteins on the performance of lambs. Small. Rum. Res. 75: 105–114.

Dipu, M .T., P. Singh, A. K. Verma, and U. R. Mehra. 2008. Metabolism of purine derivatives and microbial nitrogen supply in sheep fed different protein supplements. J. Appl. Anim. Sci. 34:65-70.

Durai, M. V., G, Balamuniappan, dan S, Geetha. 2016. Phytochemical screening and antimicrobial activity of leaf, seed and central-fruits-axis crude extract of *Swietenia macrophylla King*. Journal of Pharmacognosy and Phytochemistry. 5(3):181-186.

Frutos, P., G. Hervás, F. J. Giráldez, A. R. Mantecón. 2004. Review. Tannins and ruminant nutrition. Spanish J. of Agri. Res. 2(2):191-202.

Getachew, G., W. Pittroff, H. Putnam, A. Dandekar, S. Goyal, E. J. De Peters. 2008. The influence of addition of gallic acid, tannic acid, or quebracho tannins to alfalfa hay on in vitro rumen fermentation and microbial protein synthesis. Anim. Feed. Sci. Technol. 140:444-461.

Gosselink, J.M.J., C. Poncet, J.P. Dulphy and J.W. Cone. 2003. Estimation of the duodenal flow of microbial nitrogen in ruminants based on the chemical composition of forages. Anim. Res. 52: 229-243.INRA, IDP Sciences.

Haslam, E. 1979. Vegetable tannins, in biochemistry of plant phenolics. Recent Adv. Phytochemistry. 12:475-523.

Henkea, A., U. Dickhoefera, E. Westreicher-Kristen, K. Knappsteinc, J. Molkentinc, M. Haslerd, and A. Susenbetha. 2016. Effect of dietary Quebracho tannin extract on feed intake, digestibility, excretion of urinary purine derivatives and milk production in dairy cows. Archives of Animal Nutrition. Archives of Animal Nutrition.

Hervas, G., P. Frutos, F. J. Giráldez, A. R. Mantecón, M. C. A. Del Pino. 2003. Effect of different doses of quebracho tannins extract on rumen fermentation in ewes. Anim. Feed. Sci. Technol. 109: 65-78.

Husnaeni, Sunarso, dan L. K. Nuswantara. 2015. Perkiraan pasokan nitrogen mikrob pada domba ekor tipis yang diberi bungkil kedelai terproteksi tanin. Jurnal Veteriner. (16)2:212-219.

Indrajaya, Y. dan A. Z. Sudomo. 2016. Karbon tersimpan dalam biomassa hutan rakyat jamblang di Kabupaten Bantul dan Gunung Kidul, Yogyakarta. Prosiding Seminar Nasional Penelitian dan PKM Sains dan Teknologi. 6(1):23-29.

Jayanegara, A. dan A. Sofyan. 2008. Penentuan aktivitas biologis tanin beberapa hijauan secara *in vitro* menggunakan '*Hohenheim* Gas Test' dengan polietilen glikol sebagai determinan. Media Peternakan. 31(1):44-52.

Karsli, M.A. and J.R Russell. 2001. Effect of some dietary factors on ruminal microbial protein synthesis. Turk. J. Vet. Anim. Sci. 25: 681-686.

Komolong, M. K., D. G. Barber, and D. M. McNeill. 2001. Post-ruminal protein supply and N retention of weaner sheep fed on a basal diet of lucerne hay (*Medicago sativa*) with increasing levels of quebracho tannins. Anim. Feed Sci. Technol. 92(1-2):59-72.

Kondo, M., K. Kita, and H. Yokota. 2004. Feeding value to goats of whole-crop oat ensiled with green tea waste. Anim. Feed Sci. Technol. 113:71-81.

Krause, D. O., W. J. M. Smith, J. D. Brooker, and C. S. McSweeney. 2005. Tolerance mechanisms of streptococci to hydrolysable and condensed tannins. Anim. Feed. Sci. Technol. 121: 59-75.

Kumar, R. and S. Vaithiyanathan. 1990. Occurrence, nutritional significance and effect on animal productivity of tannins in tree leaves. Anim. Feed Sci. Technol.. 30(1-2): 21-38.

Laconi, E. B., A. Jayanegara, E. Wina, dan P. Yuliana. 2014. Ekstraksi Senyawa Tanin dan Saponin dari Tanaman serta Efeknya Terhadap Fermentasi Rumen dan Metanogenesis In Vitro. Institut Pertanian Bogor. Bogor.

Liang, J. B., M. Matsumoto, dan B. A. Young. 1994. Purine derivative excretion and ruminal microbial yield in Malaysian cattle and swamp bufflo. Anim. Feed Sci. Technol. 47(3-4):189-199.

Ma, T., K. Deng, C. Jiang, Y. Tu, N. Zhang, J. Liu, Y. Zhao, and Q. Diao. 2013. The relationship between microbial N synthesis and urinary excretion of purine derivatives in Dorper x thin-tailed Han crossbred sheep. Small ruminant research. 112:49-55.

Mahaputra, S., P. Kurniadhi, Rohhman, dan Kadiran. 2003. Analisis biaya pemeliharaan domba dengan complete feed. Buletin Teknik Pertanian. 8(2):47-48.

Makkar, H. P. S. 1993. Antinutritional Factor in Food for Livestock in Animal Producting in Developing Country. Britsh Society of Animal Production.

Makkar, H. P. S. 2003. Effects and fate of tannins in ruminant animals, adaptation to tannins, and strategies to overcome detrimental effects of feeding tannin-rich feeds. Small Rum. Res. 49(3): 241-256.

Makkar, H. P. S., M. Bluemmel, N. K. Borowy, dan K. Becker. 1993. Gravimetric determination of tannins and their correlations with chemical and protein precipitation methods. J. Sci. Food Agric. 61(2):161-165.

Maldonado, R. A. P. 1994. The Chemical Nature and Biologycal Activity of Tannins in Forages Legumes Fed to Sheep and Goat. Thesis. Departement of Agriculture Australia. University of Quensland Australia. Australia.

Matin, S. A., S. M. N. Harque, T. Ahmed, and H. Hossain. 2013. Total tannin content, microbiological investigation and acute toxicity studies of ethanolic extract of Swiethenia mahagoni leaves. International Journal of Pharmaceutical and Chemical Sciences. 2(2):243-248.

Mc.Donald, P., Edwards, R.A., and J.F.D. Greenhalgh. 1994. Animal Nutrition, Fourth Edition. Longman London and New York.

McDonald, P., R. A. Edwards, J. F. D. Greenhalgh, and C. A. Morgan. 2002. Animal Nutrition. 6th Ed. Pretice Hall, London.

Min, B. R, G. T. Attwood, K. Reilly, W. Sun, J. S. Peters, T. N Barry TN, W. C. Mcnabb. 2002. Lotus corniculatus condensed tannins decrease in vivo populations of proteolytic bacteria and effect nitrogen metabolism in the rumen of sheep. Can. J. Microbiol. 48: 911-921

Min, B. R, W. C. Mcnabb, T. N. Barry, and J.S. Peters. 2000. Solubilization and degradation of ribulose-1,5- bisphosphate carboxylase/oxygenase (EC 4.1.1.39; Rubisco) proteinfrom white clover (Trifolium repens) and Lotus corniculatus by rumen microorganisms and the effect of condensed tannins on these processes. J. Agric. Sci. 134: 305–317.

Muslim, G., J.E. Sihombing, S. Fauziah, A. Abrar, dan A. Fariani. 2014. Aktivitas proporsi berbagai cairan rumen dalam mengatasi tanin dengan teknik in vitro. Jurnal Peternakan Sriwijaya. 3(1)25-36.

Nsahlai, I. V., N. N. Umunna, and P. O. Osuji. 1999. Influence of feeding sheep on oilseed cake following the consumption of tanniferous feeds. Livest. Prod. Sci. 60:59-69.

Nugroho, A. R. P. dan Andy. 2012. Estimasi suplai protein mikrob pada ternak kambing dengan tingkat konsumsi berpengaruh berdasarkan ekskresi turunan purin pada urin. Jurnal Agrisistem. 8(1):36-43.

Nurdin, E. 2004. Pemberian Bioplus-Sc dan receplatum bunga matahari terhadap ekologi rumen sapi perah fries hollad penderita mastitis subklinis. Jurnal Peternakan dan Lingkungan. 1(02):58-63.

Oliveira, F. R. A., F. A. Oliveira, I. P. Guimaraes, J. F. Medeiros, M. K. T. Oliveira, A. V. L. Freitas, and M. A. Medeiros. 2009. Emergency of seedlings of *Moringa oleifera* Lam irrigated with water of different levels of salinity. Biosci. J., 25 (5): 66-74.

Pathak, A. K., N. Dutta, A. K. Pattanaik, V. B. Chaturvedi, and K. Sharma. 2017. Effect of condensed tannins from *Ficus infectoria* and *Psidium guajava* leaf meal mixture on nutrient metabolism, methane emission and performance of lambs. Asian-Australas J. Anim. Sci. 30(12): 1702–1710.

Perez-Maldonado, R. A., and B. W. Norton. 1996. The effects of condensed tannins from *Desmodium intortum* and *Calliandra calothyrsus* on protein and carbohydrate digestion in sheep and goats. Br. J. Nutr., 76(4):515-533.

Prasetyono, D. S. 2012. A-Z Daftar Tanaman Obat Ampuh di Sekitar Kita. Flashbooks. Yogyakarta.

Qodri, U. L., Masruri, dan Edi P. U. 2014. Skrining fitokimia metabolit sekunder ekstrak metanol dari kulit batang mahoni (*Swietenia mahagony* jacq.). Jurnal Kimia. 2(2): 480-484.

Rastogi, S. C. 2010. Biochemistry-Third Edition. Tata Mcgraw Hill. New York.

Riswandi, L. Priyanto, A. Imsya, Meilia, dan Nopiyanti. 2017. Kecernaan in vitro ransum berbasis rumput kumpai (*Hymenachne acutigluma*) fermentasi disuplementasi legum berbeda. Jurnal Veteriner. 18(2):303-311.

Robinson, T. 1995. Kandungan Organik Tumbuhan Tinggi (Terjemahan) Padmawinata, K. Institut Teknologi Bandung. Bandung.

Russell, J. B., R. E. Muck, and P. J. Weimer. 2009. Quantitative analysis of cellulose degradation and growth of cellulolytic bacteria in the rumen. FEMS Microbiol Ecol. 67:183-197.

Santosa, M. P. S. 2013. Impact of Tannins on Digestibility and Fecal Nitrogen Excretion in Goats. Thesis. Semarang. Diponegoro University.

Seigler, D. S. 1998. Plant Secondary Metabolism. Springer. New York

Sugoro, I. dan I. Yunianto. 2006. Pertumbuhan protozoa dalam cairan rumen kerbau yang disuplementasi tanin secara in vitro. Jurnal Ilmiah Aplikasi Isotop dan Radiasi. 2(2):48-57.

Sulistyo, T. D. 2014. Potensi dan Upaya Pengembangan Kawasan Taman Hutan Raya Bunder Kabupaten Gunungkidul sebagai Laboratorium Alam Geografi. Skripsi. Program Studi Pendidikan Geografi. Fakultas Ilmu Sosial. Universitas Negeri Yogyakarta. Yogyakarta.

Suprayogi, W. P. S. 2003. Sintesis protein mikroba sapi pernakan ongole yang diberi pakan berserat. J. Indon. Trop. Anim. Agric. 28(3):115-118.

Suryani, N. N., I. K. M. Budiasa, dan I. P. A. Astawa. 2014. Fermentasi rumen dan sintesis protein mikroba kambing peranakan ettawa yang diberi pakan dengan komposisi hijauan beragam dan level konsentrat berbeda. Majalah Ilmiah Peternakan. 17(2):56-60.

Trisnadewi, A. A. A. S dan I. G. L. O. Cakra. 2015 kecernaan in-vitro tanaman kaliandra (*Calliandra calothyrsus*) berbunga merah dan putih. Pastura. 5(1):39-41.

Veth, M.J., & E.S. Kolver. 2001. Diurnalvariation in pH reduces digestion and synthesis of microbial protein when pasture is fermented in continuous culture. J. Dairy Sci. 84(9):2066-2072.

Waghorn, G. C., and I. D. Shelton. 1992. The nutritive value of Lotusfor sheep. Proc. N.Z. Soc. Anim. Prod. 52:89-92.

Wina, E., D. Yulistiani, I. W. R. Susana, and B. Tangendjaja. 2012. Improving Microbial Protein Synthesisin the Rumenof Sheep Fed Fresh Tofu Wasteby Crude Tannin Extractof Acacia mangium. JITV. 17(3):207-214.

Yu, P., A. R. Egan, L. Boonek, and B. J. Leury. 2002. Purine derivatives excretion and ruminal microbial yield ingrowing lambs fed raw and dry roasted legume seeds asprotein supplements. Anim. Feed. Sci. Technol. (95):33-48.

Yusiati, L. M. 2002. Pengembangan Metode Sintesis Protein Mikroba Rumen Mengunakan Ekskresi Derivat Purin Dalam Urin Berbagai Ternak Ruminansia Indonesia. Disertasi. Fakultas Peternakan Universitas Gadjah Mada. Yogyakarta.

Zamsari, M. Sunarso dan Sutrisno. 2012. Pemanfaatan tanin alami dalam memproteksi protein bungkil kelapa ditinjau dari fermentabilitas protein secara in vitro. Animal Agriculture Journal. 1(1):405-416.