



DAFTAR PUSTAKA

- Akpan, U.G. and Hameed, B.H., 2010, The Advancements in Sol-Gel Method of doped-TiO₂ Photocatalysts, *Appl. Catal. A Gen.*, 375, 1–11.
- Andita, K.R., Kurniawan, R., and Syoufian, A., 2019, Synthesis and Characterization of Cu-doped Zirconium Titanate as a Potential Visible-light Responsive Photocatalyst, *Indones. J. Chem.*, 19, 761–766.
- Berthomieu, C. and Hienerwadel, R., 2009, Fourier Transform Infrared (FTIR) Spectroscopy, *Photosynth. Res.*, 101, 157–170.
- Binas, V.D., Sambani, K., Maggos, T., Katsanaki, A., and Kiriakidis, G., 2012, Synthesis and Photocatalytic Activity of Mn-doped TiO₂ Nanostructured Powders Under UV and Visible Light, *Appl. Catal. B Environ.*, 113–114, 79–86.
- Chen, X. and Mao, S.S., 2007, Titanium Dioxide Nanomaterials : Synthesis, Properties, Modifications, and Applications, *Chem. Rev.*, 107, 2891–2959.
- Cheng, R., Shen, L., Wang, Q., Xiang, S., Shi, L., Zheng, X., and Lv, W., 2018, Photocatalytic Membrane Reactor (PMR) for Virus Removal in Drinkingwater: Effect of Humic Acid, *Catalysts*, 8, 1–12.
- Choi, W., Termin, A., and Hoffmann, M.R., 1994, The Role of Metal Ion Dopants in Quantum-Sized TiO₂: Correlation Between Photoreactivity and Charge Carrier Recombination Dynamics, *J. Phys. Chem.*, 98, 13669–13679.
- Colón, G., Hidalgo, M.C., and Navío, J.A., 2002, Effect of ZrO₂ Incorporation and Calcination Temperature on The Photocatalytic Activity of Commercial TiO₂ for Salicylic Acid and Cr(VI) Photodegradation, *Appl. Catal. A Gen.*, 231, 185–199.
- Deng, Q.R., Xia, X.H., Guo, M.L., Gao, Y., and Shao, G., 2011, Mn-doped TiO₂ Nanopowders With Remarkable Visible Light Photocatalytic Activity, *Mater. Lett.*, 65, 2051–2054.
- García-López, E., Marcì, G., Pomilla, F.R., Paganini, M.C., Gionco, C., Giamello, E., and Palmisano, L., 2018, ZrO₂ Based Materials as Photocatalysts for 2-Propanol Oxidation by Using UV and Solar Light Irradiation and Tests for CO₂ Reduction, *Catal. Today*, 313, 100–105.
- Gionco, C., Paganini, M.C., Giamello, E., Burgess, R., Di Valentin, C., and Pacchioni, G., 2014, Cerium-doped Zirconium Dioxide, a Visible-Light-Sensitive Photoactive Material of Third Generation, *J. Phys. Chem. Lett.*, 5, 447–451.
- Gota, K.R. and Suresh, S., 2014, Preparation and Its Application of TiO₂/ZrO₂ and TiO₂/Fe Photocatalysts: A Perspective Study, *Asian J. Chem.*, 26, 7087–7101.



- Hagen, J. and Santen, V., 2015, Industrial Catalysis: A Practical Approach, Third Comp. Wiley-VCH, Weinheim.
- Han, Y. and Zhu, J., 2013, Surface Science Studies on the Zirconia-Based Model Catalysts, *Top. Catal.*, 56, 1525–1541.
- He, X. and Zhang, C., 2019, Recent Advances in Structure Design for Enhancing Photocatalysis, *J. Mater. Sci.*, 54, 8831–8851.
- Kambur, A., Pozan, G.S., and Boz, I., 2012, Preparation, Characterization and Photocatalytic Activity of TiO₂-ZrO₂ Binary Oxide Nanoparticles, *Appl. Catal. B Environ.*, 115–116, 149–158.
- Kanade, K.G., Kale, B.B., Baeg, J.O., Lee, S.M., Lee, C.W., Moon, S.J., and Chang, H., 2007, Self-Assembled Aligned Cu doped ZnO Nanoparticles for Photocatalytic Hydrogen Production Under Visible Light Irradiation, *Mater. Chem. Phys.*, 102, 98–104.
- Kapusuz, D., Park, J., and Ozturk, A., 2013, Sol-gel Synthesis and Photocatalytic Activity of B and Zr co-doped TiO₂, *J. Phys. Chem. Solids*, 74, 1026–1031.
- Khan, M.M., Adil, S.F., and Al-Mayouf, A., 2015, Metal Oxides as Photocatalysts, *J. Saudi Chem. Soc.*, 19, 462–464.
- Kowsari, E. jbes, 2016, Semiconductor Nanocomposites for Application of Photocatalysis, *Nanocomposites Visible Light. Photocatal.*, 203–249.
- Kumar, A., Yadav, N., Bhatt, M., Mishra, N.K., Chaudhary, P., and Singh, R., 2015, Sol-Gel Derived Nanomaterials and It's Applications: A Review, *Res. J. Chem. Sci.*, 5, 98–105.
- Kumar, S. and Ojha, A.K., 2016, Room Temperature Ferromagnetism in Undoped and Mn doped t-ZrO₂ Nanostructures Originated Due to Oxygen Vacancy and Effect of Mn Doping on Its Optical Properties, *Mater. Chem. Phys.*, 169, 13–20.
- Kumar, S., Verma, N.K., and Singla, M.L., 2012, Size Dependent Reflective Properties of TiO₂ Nanoparticles and Reflectors Made Thereof, *Dig. J. Nanomater. Biostructures*, 7, 607–619.
- Kurniawan, R., Sudiono, S., Trisunaryanti, W., and Syoufian, A., 2019, Synthesis of Iron-Doped Zirconium Titanate as a Potential Visible-Light Responsive Photocatalyst, *Indones. J. Chem.*, 19, 454–460.
- Li, W., Ni, C., Lin, H., Huang, C.P., and Shah, S.I., 2004, Size Dependence of Thermal Stability of TiO₂ Nanoparticles, *J. Appl. Phys.*, 96, 6663–6668.
- Lin, C.P., Chen, H., Nakaruk, A., Koshy, P., and Sorrell, C.C., 2013, Effect of Annealing Temperature on the Photocatalytic Activity of TiO₂ Thin Films,



Energy Procedia, 34, 627–636.

- Liu, G., Wang, L., Yang, H.G., Cheng, H.M., and Lu, G.Q., 2010, Titania-Based Photocatalysts - Crystal Growth, Doping and Heterostructuring, *J. Mater. Chem.*, 20, 831–843.
- Ma, X., Zhou, W., and Chen, Y., 2017, Structure and Photocatalytic Properties of Mn-Doped TiO₂ Loaded on Wood-Based Activated Carbon Fiber Composites, *Materials (Basel)*., 10, 1–10.
- Momenzadeh, L., Belova, I. V., and Murch, G.E., 2020, Prediction of The Lattice Thermal Conductivity of Zircon and The Cubic and Monoclinic Phases of Zirconia by Molecular Dynamics Simulation, *Comput. Mater. Sci.*, 176, 109522.
- Monshi, A., Foroughi, M.R., and Monshi, M.R., 2012, Modified Scherrer Equation to Estimate More Accurately Nano-Crystallite Size Using XRD, *World J. Nano Sci. Eng.*, 02, 154–160.
- Mutalib, M.A., Rahman, M.A., Othman, M.H.D., Ismail, A.F., and Jaafar, J., 2017, Scanning Electron Microscopy (SEM) and Energy-Dispersive X-Ray (EDX) Spectroscopy,. In, *Membrane Characterization*. Elsevier B.V., pp. 161–179.
- Ong, C.B., Ng, L.Y., and Mohammad, A.W., 2018, A Review of ZnO Nanoparticles as Solar Photocatalysts: Synthesis, Mechanisms and Applications, *Renew. Sustain. Energy Rev.*, 81, 536–551.
- Pan, L., Xu, G., Guo, T., Zhang, B., Xiang, S., Fang, G., and Li, J., 2020, Study on thermochromic-emissivity performance of Mn doped TiO₂ under temperature fluctuations, *Infrared Phys. Technol.*, 105, 103192.
- Parra, M.R. and Haque, F.Z., 2014, Aqueous Chemical Route Synthesis and The Effect of Calcination Temperature on The Structural and Optical Properties of ZnO Nanoparticles, *J. Mater. Res. Technol.*, 3, 363–369.
- Pirzada, B.M., Mir, N.A., Qutub, N., Mehraj, O., Sabir, S., and Muneer, M., 2015, Synthesis, Characterization and Optimization of Photocatalytic Activity of TiO₂/ZrO₂ Nanocomposite Heterostructures, *Mater. Sci. Eng. B Solid-State Mater. Adv. Technol.*, 193, 137–145.
- Rajeshwar, K., Osugi, M.E., Chanmanee, W., and Chenthamarakshan, C.R., 2008, Heterogeneous Photocatalytic Treatment of Organic Dyes in Air and Aqueous Media, *J. Photochem. Photobiol. C Photochem. Rev.*, 9, 171–192.
- Reddy, C.V., Reddy, I.N., Akkinepally, B., Harish, V.V.N., Reddy, K.R., and Jaesool, S., 2019, Mn-doped ZrO₂ Nanoparticles Prepared By A Template-free Method for Electrochemical Energy Storage and Abatement of Dye Degradation, *Ceram. Int.*, 45, 15298–15306.



- Singh, J., Sahu, K., Satpati, B., and Mohapatra, S., 2019, Facile Synthesis, Structural, Optical and Photocatalytic Properties of Anatase/Rutile Mixed Phase TiO₂ Ball-Like Sub-Micron Structures, *Opt. - Int. J. Light Electron Opt.*, 188, 270–276.
- Stella, C., Soundararajan, N., and Ramachandran, K., 2014, Structural, optical, dielectric and magnetic properties of Mn_{1-x}Co_xO₂ nanowires, *Superlattices Microstruct.*, 71, 203–210.
- Sulaikhah, E.F., Kurniawan, R., Pradipta, M.F., Trisunaryanti, W., and Syoufian, A., 2020, Cobalt Doping on Zirconium Titanate as a Potential Photocatalyst with Visible-Light-Response, *Indones. J. Chem.*, 20, 911–918.
- Ünlü, B. and Özcar, M., 2020, Effect of Cu and Mn Amounts Doped to TiO₂ on The Performance of DSSCs, *Sol. Energy*, 196, 448–456.
- Verma, S., Rani, S., Kumar, S., and Khan, M.A.M., 2018, Rietveld Refinement, Micro-Structural, Optical and Thermal Parameters of Zirconium Titanate Composites, *Ceram. Int.*, 44, 1653–1661.
- Wan, L., Gao, Y., Xia, X.H., Deng, Q.R., and Shao, G., 2011, Phase Selection and Visible Light Photo-catalytic Activity of Fe-doped TiO₂ Prepared by The Hydrothermal Method, *Mater. Res. Bull.*, 46, 442–446.
- Wang, D., Xiao, L., Luo, Q., Li, X., An, J., and Duan, Y., 2011, Highly Efficient Visible Light TiO₂ Photocatalyst Prepared by Sol-Gel Method at Temperatures Lower Than 300°C, *J. Hazard. Mater.*, 192, 150–159.
- Wang, H., Zhang, L., Chen, Z., Hu, J., Li, S., Wang, Z., et al., 2014, Semiconductor heterojunction photocatalysts: Design, construction, and photocatalytic performances, *Chem. Soc. Rev.*, 43, 5234–5244.
- Xie, W., Li, R., and Xu, Q., 2018, Enhanced Photocatalytic Activity of Se-doped TiO₂ Under Visible Light Irradiation, *Sci. Rep.*, 8, 1–10.
- Yamashita, H., Harada, M., Misaka, J., Takeuchi, M., Ikeue, K., and Anpo, M., 2002, Degradation of Propanol Diluted in Water Under Visible Light Irradiation Using Metal Ion-Implanted Titanium Dioxide Photocatalysts, *J. Photochem. Photobiol. A Chem.*, 148, 257–261.