

DAFTAR PUSTAKA

- Ahmad, S., Khan, W., and Raushan, A., 2015, Synthesis and Characterization of Ni Doped TiO₂ Nanoparticles by Sol-Gel Method, *J. Appl. Chem.*, 22–24.
- Ai, H.Y., Shi, J.W., Duan, R.X., Chen, J.W., Cui, H.J., and Fu, M.L., 2014, Sol-Gel to Prepare Nitrogen Doped TiO₂ Nanocrystals with Exposed {001} Facets and High Visible-Light Photocatalytic Performance, *Int. J. Photoenergy*, 2014, .
- Ansari, S.A., Khan, M.M., Ansari, M.O., and Cho, M.H., 2016, Nitrogen-Doped Titanium Dioxide (N-doped TiO₂) for Visible Light Photocatalysis, *New J. Chem.*, 40, 3000–3009.
- Asahi, R., Morikawa, T., Ohwaki, T., Aoki, K., and Taga, Y., 2001, Visible-light Photocatalysis in Nitrogen-Doped Titanium Oxides, *Science (80-.)*, 293, 269–271.
- Azami, M.S., Nawawi, W.I., Jawad, A.H., Ishak, M.A.M., and Ismail, K., 2017, N-Doped TiO₂ Synthesised via Microwave Induced Photocatalytic on RR4 Dye Removal under LED Light Irradiation, *Sains Malaysiana*, 46, 1309–1316.
- Bagheri, S., Shameli, K., and Abd Hamid, S.B., 2013, Synthesis and Characterization of Anatase Titanium Dioxide Nanoparticles using Egg White Solution Via Sol-Gel method, *J. Chem.*, 2013, 6–11.
- Banerjee, S., Dionysiou, D.D., and Pillai, S.C., 2015, Self-cleaning Applications of TiO₂ by Photo-induced Hydrophilicity and Photocatalysis, *Appl. Catal. B Environ.*, 177, 396–428.
- Basavarajappa, P.S., Patil, S.B., Ganganagappa, N., Reddy, K.R., Raghu, A. V., and Reddy, C.V., 2020, Recent Progress in Metal-doped TiO₂, Non-metal Doped/Codoped TiO₂ and TiO₂ Nanostructured Hybrids for Enhanced Photocatalysis, *Int. J. Hydrogen Energy*, 45, 7764–7778.
- Budi, I.S., Kartini, I., and Kunarti, E.S., 2020, Photoreduction of Pb(II) Using TiO₂ Catalyst Modified with Fe₃O₄ Nanoparticles, *Key Eng. Mater.*, 840, 79–83.
- Butler, E., Hung, Y.-T., Yeh, R.Y.-L., and Suleiman Al Ahmad, M., 2011, Electrocoagulation in Wastewater Treatment, *Water*, 3, 495–525.
- Byrappa, K. and Yoshimura, M., 2013, Hydrothermal Technology for Nanotechnology- A Technology for Processing of Advanced Materials, *Handb. Hydrothermal Technol.*, 615–762.
- Caratto, V., Setti, L., Campodonico, S., Carnasciali, M.M., Botter, R., and Ferretti, M., 2012, Synthesis and Characterization of Nitrogen-Doped TiO₂ Nanoparticles Prepared by Sol-gel Method, *J. Sol-Gel Sci. Technol.*, 63, 16–22.

- Carocci, A., Catalano, A., Lauria, G., Sinicropi, M.S., and Genchi, G., 2015, *Lead Toxicity, Antioxidant Defense and Environment*, In: Gunther F.A., de Voogt P. (eds) *Reviews of Environmental Contamination and Toxicology*, Springer, Boston
- Chainarong, S., Sikong, L., Pavasupree, S., and Niyomwas, S., 2011, Synthesis and Characterization of Nitrogen-Doped TiO₂ Nanomaterials for Photocatalytic Activities Under Visible Light, *Energy Procedia*, 9, 418–427.
- Cheng, X., Yu, X., Xing, Z., and Wan, J., 2012, Enhanced Photocatalytic Activity of Nitrogen Doped TiO₂ Anatase Nano-Particle under Simulated Sunlight Irradiation, *Energy Procedia*, 16, 598–605.
- Choi, W., Yeo, J., Ryu, J., Tachikawa, T., and Majima, T., 2010, Photocatalytic Oxidation Mechanism of As(III) on TiO₂: Unique Role of As(III) as a Charge Recombinant Species, *Environ. Sci. Technol.*, 44, 9099–9104.
- Choquette-Labbé, M., Shewa, W.A., Lalman, J.A., and Shanmugam, S.R., 2014, Photocatalytic Degradation of Phenol and Phenol derivatives using a Nano-TiO₂ catalyst: Integrating Quantitative and Qualitative Factors using Response Surface Methodology, *Water (Switzerland)*, 6, 1785–1806.
- Cleveland, L.M., Minter, M.L., Cobb, K.A., Scott, A.A., and German, V.F., 2008, Lead Hazards for Pregnant Women and Children: Part 1 and Children: Part 1: Immigrants and the Poor Shoulder Most of the Burden of Lead Exposure in this Country. Part 1 of a Two-Part Article Details How Exposure Happens, Whom it Affects, and the Harm it Can Do, *Am. J. Nurs.*, 108, 40–49.
- Dariani, R.S., Esmaeili, A., Mortezaali, A., and Dehghanpour, S., 2016, Photocatalytic Reaction and Degradation of Methylene Blue on TiO₂ Nano-sized Particles, *Optik (Stuttg.)*, 127, 7143–7154.
- Dawson, M., Soares, G.B., and Ribeiro, C., 2014, Influence of Calcination Parameters on the Synthesis of N-doped TiO₂ by the Polymeric Precursors Method, *J. Solid State Chem.*, 215, 211–218.
- Dhanya, T.P. and Sugunan, S., 2013, Preparation, Characterization and Photocatalytic Activity of N doped TiO₂, *J. Appl. Chem.*, 4, 27–33.
- Di Valentin, C. and Pacchioni, G., 2013, Trends in Non-Metal Doping of Anatase TiO₂: B, C, N and F, *Catal. Today*, 206, 12–18.
- Di Valentin, C., Pacchioni, G., Selloni, A., Livraghi, S., and Giamello, E., 2005, Characterization of Paramagnetic Species in N-doped TiO₂ powders by EPR Spectroscopy and DFT Calculations, *J. Phys. Chem. B*, 109, 11414–11419.
- Dunnill, C.W. and Parkin, I.P., 2011, Nitrogen-doped TiO₂ Thin Films: Photocatalytic Applications for Healthcare Environments, *Dalt. Trans.*, 40, 1635–1640.
- Elmolla, E.S. and Chaudhuri, M., 2010, Photocatalytic Degradation of Amoxicillin,

Ampicillin and Cloxacillin Antibiotics in Aqueous Solution Using UV/TiO₂ and UV/H₂O₂/TiO₂ Photocatalysis, *Desalination*, 252, 46–52.

Eren, E., Afsin, B., and Onal, Y., 2009, Removal of lead ions by acid activated and Manganese Oxide-Coated Bentonite, *J. Hazard. Mater.*, 161, 677–685.

Farghali, A.A., Bahgat, M., Enaiet Allah, A., and Khedr, M.H., 2013, Adsorption of Pb(II) ions from aqueous solutions using copper oxide nanostructures, *Beni-Suef Univ. J. Basic Appl. Sci.*, 2, 61–71.

Fatehizadeh, A., Rahimi, S., Ahmadian, M., Barati, R., Yousefi, N., and Moussavi, S., 2014, Photocatalytic Removal of Cadmium (II) and Lead (II) from Simulated Wastewater at Continuous and Batch System, *Int. J. Environ. Health Eng.*, 3, 31.

Hoffmann, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W., 1995, Environmental Applications of Semiconductor Photocatalysis, *Chem. Rev.*, 95, 69–96.

Hosseini, F. and Mohebbi, S., 2020, High Efficient Photocatalytic Reduction of Aqueous Zn²⁺, Pb²⁺ and Cu²⁺ Ions Using Modified Titanium Dioxide Nanoparticles with Amino Acids, *J. Ind. Eng. Chem.*, 1–6.

Ioannidis, T.A., Kyriakis, N., Zouboulis, A.I., and Akrivos, P., 2007, Lead and Bromide Precipitation from Aqueous Acidic Solutions. Potential Exploitation in Industrial Applications, *Desalination*, 211, 272–285.

Ismail, A.A. and Bahnemann, D.W., 2014, Photochemical Splitting of Water for Hydrogen Production by Photocatalysis, *Sol. Energy Mater. Sol. Cells*, 128, 85–101.

Jiang, Z., Yang, F., Luo, N., Chu, B.T.T., Sun, D., and Shi, H., 2008, Solvothermal Synthesis of N-doped TiO₂ Nanotubes for Visible-Light-Responsive Photocatalysis, *Chem. Commun.*, 1, 6372–6374.

Kamaraj, R., Ganesan, P., and Vasudevan, S., 2013, Removal of lead from aqueous Solutions by Electrocoagulation: Isotherm, Kinetics and Thermodynamic Studies, *Int. J. Environ. Sci. Technol.*, 12, 683–692.

Karunakaran, C., Abiramasundari, G., Gomathisankar, P., Manikandan, G., and Anandi, V., 2010, Cu-doped TiO₂ Nanoparticles for Photocatalytic disinfection of bacteria under visible light, *J. Colloid Interface Sci.*, 352, 68–74.

Katoueizadeh, E., Zebarjad, S.M., and Janghorban, K., 2018, Synthesis and Enhanced Visible-Light Activity of N-doped TiO₂ Nano-Additives Applied Over Cotton Textiles, *J. Mater. Res. Technol.*, 7, 204–211.

Kavak, D., 2013, Removal of Lead From Aqueous Solutions by Precipitation: Statistical Analysis and Modeling, *Desalin. Water Treat.*, 51, 1720–1726.

Kitano, M., Matsuoka, M., Ueshima, M., and Anpo, M., 2007, Recent

Developments in Titanium Oxide-based Photocatalysts, *Appl. Catal. A Gen.*, 325, 1–14.

- Koozegar Kaleji, B. and Gorgani, M., 2020, Comparison of Sol-Gel and Hydrothermal Synthesis Methods on the Structural, Optical and Photocatalytic Properties of Nb/Ag Codoped TiO₂ Mesoporous Nanoparticles, *Int. J. Environ. Anal. Chem.*, 00, 1–16.
- Lee, S.Y. and Park, S.J., 2013, TiO₂ Photocatalyst for Water Treatment Applications, *J. Ind. Eng. Chem.*, 19, 1761–1769.
- Levin, R., 2014, Lead in Drinking Water, *Econ. Anal. EPA Assess. Regul. Impact*, 205–232.
- Liang, D., Liu, S., Wang, Z., Guo, Y., Jiang, W., and Liu, C., 2019, Coprecipitation Synthesis of N, Fe Doped Anatase TiO₂ Nanoparticles and Photocatalytic Mechanism, *J. Mater. Sci. Mater. Electron.*, 30, 12619–12629.
- Liu, X., Bai, X., Dong, L., Liang, J., Jin, Y., and Wei, Y., 2018, Composting Enhances the Removal of Lead Ions in Aqueous Solution by Spent Mushroom Substrate: Biosorption and Precipitation, *J. Clean. Prod.*, 200, 1–11.
- Malakootian, M., Nasiri, A., and Amiri Gharaghani, M., 2020, Photocatalytic Degradation of Ciprofloxacin Antibiotic by TiO₂ Nanoparticles Immobilized on a Glass Plate, *Chem. Eng. Commun.*, 207, 56–72.
- Malič, B., Kupec, A., Uršič, H., and Kosec, M., 2012, *Ferroelectric thin films for energy conversion applications*, In: Aparicio M., Jitianu A., Klein L. *Sol-Gel Processing for Conventional and Alternative Energy*, Springer, Boston
- Manivannan, M. and Rajendran, S., 2011, Investigation of inhibitive action of urea-Zn²⁺ System in the Corrosion Control of Carbon Steel in Sea Water, *Int. J. Eng. Sci. Technol.*, 3, 8048–8060.
- Marques, J., Gomes, T.D., Forte, M.A., Silva, R.F., and Tavares, C.J., 2019, A New Route for the Synthesis of Highly-Active N-Doped TiO₂ Nanoparticles for Visible Light Photocatalysis using Urea as Nitrogen Precursor, *Catal. Today*, 36–45.
- Mouni, L., Merabet, D., Bouzaza, A., and Belkhiri, L., 2011, Adsorption of Pb(II) from Aqueous Solutions using Activated Carbon Developed from Apricot Stone, *Desalination*, 276, 148–153.
- Noerpel, M.R., Lee, S.S., and Lenhart, J.J., 2016, X-ray Analyses of Lead Adsorption on the (001), (110), and (012) Hematite Surfaces, *Environ. Sci. Technol.*, 50, 12283–12291.
- Nosaka, Y. and Nosaka, A.Y., 2017, Generation and Detection of Reactive Oxygen Species in Photocatalysis, *Chem. Rev.*, 117, 11302–11336.
- Pawar, M., Sendogdular, S.T., and Gouma, P., 2018, A Brief Overview of TiO₂ Photocatalyst for Organic Dye Remediation: Case Study of Reaction

- Mechanisms Involved in Ce-TiO₂ Photocatalysts System, *J. Nanomater.*, 2018, .
- Pelaez, M., Nolan, N.T., Pillai, S.C., Seery, M.K., Falaras, P., and Kontos, A.G., 2012, A Review on the Visible Light Active Titanium Dioxide Photocatalysts for Environmental Applications, *Appl. Catal. B Environ.*, 125, 331–349.
- Pérez, E., Torres, M.F., Morales, G., Murgia, V., and Sham, E., 2015, Synthesis of N-TiO₂ Effect of the Concentration of Nitrogen in the Band Gap, *Procedia Mater. Sci.*, 8, 649–655.
- Pookmanee, P., Promwana, K., Narong, K., Thanachayanont, C., Junin, C., Ananpattaracai, J., and Panichphant, S., 2018, Titanium Dioxide Doped with Nitrogen Nanopowder Prepared by Hydrothermal Method, *Solid State Phenomen.*, 283, 167-172.
- Rehman, S., Ullah, R., Butt, A.M., and Gohar, N.D., 2009, Strategies of Making TiO₂ and ZnO Visible Light Active, *J. Hazard. Mater.*, 170, 560–569.
- Ruzmanova, Y., Stoller, M., Bravi, M., and Chianese, A., 2015, A Novel Approach for the Production of Nitrogen Doped TiO₂ Nanoparticles, *Chem. Eng. Trans.*, 43, 721–726.
- Samsudin, E.M., Abd Hamid, S.B., Juan, J.C., Basirun, W.J., Kandjani, A.E., and Bhargava, S.K., 2015, Controlled Nitrogen Insertion in Titanium Dioxide for Optimal Photocatalytic Degradation of Atrazine, *RSC Adv.*, 5, 44041–44052.
- Sanchez-Martinez, A., Ceballos-Sanchez, O., Koop-Santa, C., López-Mena, E.R., Orozco-Guareño, E., and García-Guaderrama, M., 2018, N-doped TiO₂ Nanoparticles Obtained by a Facile Coprecipitation Method at Low Temperature, *Ceram. Int.*, 44, 5273–5283.
- Shaban, M., Abukhadra, M.R., Ibrahim, S.S., and Shahien, M. G., 2017, Photocatalytic Degradation and Photo-Fenton Oxidation of Congo Red Dye Pollutants in Water using Natural Chromite—Response Surface Optimization, *Appl. Water Sci.*, 7, 4743–4756.
- Soler-Illia, G.J.D.A.A., Louis, A., and Sanchez, C., 2002, Synthesis and Characterization of Mesostructured Titania-Based Materials Through Evaporation-Induced Self-Assembly, *Chem. Mater.*, 14, 750–759.
- Souza, R.P., Freitas, T.K.F.S., Domingues, F.S., Pezoti, O., Ambrosio, E., Ferrari-Lima, A.M., and Garcia, J.C., 2016, Photocatalytic Activity of TiO₂, ZnO and Nb₂O₅ Applied to Degradation of Textile Wastewater, *J. Photochem. Photobiol. A Chem.*, 329, 9–17.
- Suwannaruang, T., Kamonsuangkasem, K., Kidkhunthod, P., Chirawatkul, P., Saiyasombat, C., Chanlek, N., and Wantala, K., 2018, Influence of Nitrogen Content Levels on Structural Properties and Photocatalytic Activities of Nanorice-like N-Doped TiO₂ with Various Calcination Temperatures, *Mater. Res. Bull.*, 105, 265–276.

- Suwarnkar, M.B., Dhabbe, R.S., Kadam, A.N., and Garadkar, K.M., 2014, Enhanced Photocatalytic Activity of Ag doped TiO₂ Nanoparticles Synthesized by a Microwave Assisted Method, *Ceram. Int.*, 40, 5489–5496.
- Uzoh, C.F., Nwabanne, J.T., and Ozofo, I.H., 2020, Electrocoagulation of Pb²⁺, Co²⁺, and Mn²⁺ from Simulated Wastewater: An Algorithmic Optimization using Hybrid RSM–GA–PSO, *Environ. Prog. Sustain. Energy*, 39, 1–10.
- Varley, J.B., Janotti, A., and Van De Walle, C.G., 2011, Mechanism of Visible-Light Photocatalysis in Nitrogen-Doped TiO₂, *Adv. Mater.*, 23, 2343–2347.
- Wahyuni, E., Aprilita, N., Hatimah, H., Wulandari, A., and Mudasir, M., 2015, Removal of Toxic Metal Ions in Water by Photocatalytic Method, *Am. Chem. Sci. J.*, 5, 194–201.
- Wahyuni, E.T., Siswanta, D., Kunarti, E.S., Supraba, D., and Budiraharjo, S., 2019, Removal of Pb(II) Ions in the Aqueous Solution by Photo-Fenton Method, *Glob. Nest J.*, 21, 180–186.
- Wang, S.Q., Liu, W.B., Fu, P., and Cheng, W.L., 2017, Enhanced Photoactivity of N-Doped TiO₂ for Cr(VI) removal: Influencing Factors and Mechanism, *Korean J. Chem. Eng.*, 34, 1584–1590.
- Wu, D. and Long, M., 2012, Low-Temperature Synthesis of N-TiO₂ Sol and Characterization of N-TiO₂ Coating on Cotton Fabrics, *Surf. Coatings Technol.*, 206, 3196–3200.
- Wunderlich, W., 2004, Electronic Properties of Nano-porous TiO₂ and ZnO-Thin Films-Comparison of Simulations and Experiments, *J. Ceram. Process Res.*, 5, 343-354.
- Yu, J.C., Zhang, L., Zheng, Z., and Zhao, J., 2003, Synthesis and Characterization of Phosphated Mesoporous Titanium Dioxide with High Photocatalytic Activity, *Chem. Mater.*, 15, 2280–2286.