

DAFTAR PUSTAKA

- Abdel-Ghani, N. T., El-Chaghaby, G. A., Rawash, E. A., dan Lima, E. C., 2017, Adsorption of Coomassie Brilliant Blue R-250 dye onto novel activated carbon prepared from *Nigella sativa* L. waste: Equilibrium, kinetics and thermodynamics Running title: Adsorption of Brilliant Blue dye onto *Nigella sativa* L. waste activated carbon, *J. Chil. Chem. Soc.*, 62 (2), 3505-3511.
- Agustiani, T.D., 2015, Adsorpsi Simultan Ion Logam Cu(II) dan Mg(II) pada Abu Dasar Batu Bara Terimobilisasi Dithizon, *Skripsi*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Ahmad, A., Rafatullah, M., Sulaiman, O., Ibrahim, M.H., Chii, Y.Y., and Siddique, B.M., 2009, Removal of Cu(II) and Pb(II) ions from aqueous solutions by adsorption on sawdust of Meranti wood, *Desalination*, 247, 636–646.
- Al-Aoh, H. A., Yahya, R., Jamil Maah, M., and Radzi Bin Abas, M. (2013), Adsorption of methylene blue on activated carbon fiber prepared from coconut husk: isotherm, kinetics and thermodynamics studies, *Desalination and Water Treatment*, 52(34-36), 6720–6732.
- Allen, S.J., McKay, G. and Porter, J.F., 2004, Adsorption Isotherm Models for Basic Dye Adsorption by Peat in Single and Binary Component Sytem, *J. Colloid Interface Sci.*, 259, 650-656.
- Anonim, 1995, *Keputusan Menteri Negara Lingkungan Hidup No 51 tentang Baku Mutu Limbah Cair Bagi Kegiatan Industri*.
- Ansari, R. and Mosayebzadeh, Z., 2010, Removal of basic dye methylene blue from aqueous solutions using sawdust and sawdust coated with polypyrrole, *J. Iran. Chem. Soc.*, 7, 339–350.
- Ata, S., Imran Din, M., Rasool, A., Qasim, I., & Ul Mohsin, I., 2012, Equilibrium, Thermodynamics, and Kinetic Sorption Studies for the Removal of Coomassie Brilliant Blue on Wheat Bran as a Low-Cost Adsorbent, *J. Anal. Methods Chem*, 2012, 1–8.
- Ayyangar, N.R. and Tilak B.D., 1951, *Basic Dye: Chemistry of Synthetic Dyes*, Volume IV, Academic Press Inc., India.
- Azlan, K., Wan, S. W. N., and Lay, K. L., 2009, Chitosan and Chemically Modified Chitosan Beads for Acid Dyes Sorption, *J. Environ. Sci.*, 21 (3), 296-302.

- Bulut, E., Ozacar, M. and Sengil, I. A., 2008, Adsorption of Malachite Green onto Bentonite: Equilibrium and Kinetic Studies and Process Design Microporous and Mesoporous, *Materials*, 115, 234-246.
- Chiou, M.S. and Chuang, G.S., 2006, Competitive Adsorption of Dye Metanil Yellow and RB15 in Acid Solutions on Chemically Cross-Linked Chitosan Beads, *Chemosphere*, 62, 731-740.
- Christina M., Mu'nisatun S, Rany Saptaaji, dan Djoko Marjanto, 2007, Studi Pendahuluan Mengenai Degradasi Zat Warna Azo (Metil Orange) Dalam Pelarut Air Menggunakan Mesin Berkas Elektron 350 keV/10 mA, *JFN*, Vol 1 (1), 31–44.
- Crini, G., 2006, Non-conventional low-cost adsorbents for dye removal: A review, *Bioresour. Technol.*, 97, 1061–1085.
- Dhananasekaran, S., Palanivel, R., & Pappu, S., 2016, Adsorption of Methylene Blue, Bromophenol Blue, and Coomassie Brilliant Blue by α -chitin nanoparticles, *Journal of Advanced Research*, 7(1), 113–124.
- Dinçer, A.R., Güneş, Y., and Karakaya, N., 2007, Coal-based bottom ash (CBBA) waste material as adsorbent for removal of textile dyestuffs from aqueous solution, *J. Hazard. Mater.*, 141, 529–535.
- Gupta, V.K., Mittal, A., Krishnan, L., and Gajbe, V., 2004, Adsorption kinetics and column operations for the removal and recovery of malachite green from wastewater using bottom ash, *Sep. Purif. Technol.*, 40, 87–96.
- Hamdaoui, O. and Chiha, M., 2006, Removal of Methylene Blue from Aqueous Solution by Wheat Bran, *Acta. Chin. Slov.*, 54, 407-418.
- Ho, Y.S., 2006, Review of second-order models for adsorption systems, *J. Hazard. Mater.*, 136, 681–689.
- Ho, Y.S. and McKay, G., 1998, A Comparison of chemisorption kinetic models applied to pollutant removal on various sorbents, *Process Saf. Environ. Prot.*, 76, 332–340.
- Ho, Y.S. and McKay, G., 1999, Pseudo-second Order Model for Sorption Processes, *Process Biochem.*, 34 (5), 451-465.
- Hsu, T.C., 2008, Adsorption of an acid dye onto coal fly ash, *Fuel*, 87, 3040–3045.
- Jarusiripot, C., 2014, Removal of Reactive Dye by Adsorption over Chemical Pretreatment Coal based Bottom Ash, *Procedia Chem.*, 9, 121–130.
- Jawad, N.H. and Najim, S.T., 2018, Removal of Methylene Blue by Direct Electrochemical Oxidation Method Using a Graphite Anode, *IOP Conf. Ser. Mater. Sci. Eng.*, 454, 1-9.

- Kusmiyati, Listyanto, P.A., Vitasary, D., Indra, R., Islamica, D., and Hadiyanto, 2017, Coal bottom ash and activated carbon for removal of vertigo blue dye in batik textile waste water: Adsorbent characteristic, isotherms, and kinetics studies, *Walailak J. Sci. Technol.*, 14, 427–439.
- Magsino, A.J.A., Carlos, C.J.T., Torio, M.A.O., Villar, T.D.C., Rodriguez, M.S., and Aguila, M.J.B., 2020, Removal of Coomassie Brilliant Blue R-250 Using Iron Oxide-Graphene Oxide Composite via Fenton-like Reaction, *Philipp. J. Sci.*, 149, 1083–1094.
- Mall, I.D., Srivastava, V.C., Agarwal, N.K. and Misha, I.M., 2005, Adsorptive Removal of Malachite Green Dye from Aqueous Solution by Bagasse Fly Ash and Activated Carbon-Kinetic Study and Equilibrium Isotherm Analyses, *Colloids and Surfaces A :Physicochem. Eng. Aspects*, 264, 17-28.
- Mittal, A., 2006, Adsorption Kinetic of Removal of a Toxic Dye, Malachite Geen, from Wastewater by Using Hen Feathers, *J. Hazard. Mater.*, 133, 196.
- Nesic, A.R., Velickovic, S.J. dan Antonovic, D.G., 2014, Novel Composite Film Based on Amidated Pektin for Cationic Dye Adsorption, *J. Colloid. Surf. B.*, 116, 620-626.
- Nidheesh, P.V., Gandhimathi, R., Ramesh, S.T., and Anantha Singh, T.S., 2012, Kinetic analysis of crystal violet adsorption on to bottom ash, *Turkish J. Eng. Environ. Sci.*, 36, 249–262.
- Pan, S.C., Lin, C.C., and Tseng, D.H., 2003, Reusing sewage sludge ash as adsorbent for copper removal from wastewater, *Resources Conservat. Recycling*, 39, 79–90.
- Purnomo, S.E., 2010, Pembuatan Arang Aktif dari Kulit Biji Kopi dan Aplikasinya sebagai Adsorben Zat Warna Metilen Biru dan Naphtol Yellow, Fakultas Sains dan Teknologi, *Skripsi*, Universitas Islam Negeri Sunan Kalijaga, Yogyakarta.
- Priya, Kaith, B.S., Shanker, U., Gupta, B., and Bhatia, J.K., 2018, RSM-CCD optimized In-air synthesis of photocatalytic nanocomposite: Application in removal-degradation of toxic brilliant blue, *React. Funct. Polym.*, 131, 107–122.
- Rahmadhani, P.F., 2014, Adsorpsi Zn (II) pada Abu Dasar Batu Bara Terimobilisasi Dithizon, *Skripsi*, Departemen KIMIA FMIPA UGM, Yogyakarta.
- Rivera-Utrilla, J. and Sánchez-Polo, M., 2003, Degradation and removal of naphthalenesulphonic acids by means of adsorption and ozonation catalyzed by activated carbon in water, *Water Resour. Res.*, 39 (9), 1-13.

- Robinson, T., McMullan, G., Marchant, R., dan Nigam, P., 2001. Remediation of dyes in textile effluent: a critical review on current treatment technologies with a proposed alternative. *Bioresour. Technol.*, 77, 247-255.
- Shenvi, S.S., Isloor, A.M., Ismail, A.F., Shilton, S.J. and Al Ahmed, A., 2015, Humic Acid Based Biopolymeric Membrane for Effective Removal of Methylene Blue and Rhodamine B., *Ind. Eng. Chem. Res.*, 54(18), 4965-4975.
- Singh, M. dan Siddique, R., 2013, Effect of Coal Bottom Ash as Partial Replacement of Sand on Properties of Concrete, *J. Res. Cons. Rec.*, 72, 20-32.
- Sivakumar, S. and Brindha, R., 2017, Application of Activated Carbon Towards the Repeal of Coomassie Brilliant Blue, *International Journal for Research in Applied Science & Engineering Technology*, 5 (8), 2129-2134.
- Stumm, W. dan Morgan, J.J., 1996, *Aquatic Chemistry: Chemical Equilibrium and Rates in Natural Waters*, Edisi ke-3, Wiley, New York.
- Sujitha, R. and Ravindhranath, K., 2016, Removal of Coomassie brilliant blue dye from waste waters using active carbon derived from barks of Ficus racemosa plant, *Der Pharm. Lett.*, 8, 72–83.
- Sukandarrumidi, 2006, *Batu bara dan Pemanfaatannya, Pengantar Teknologi Batu bara Menuju Lingkungan Bersih*, Gadjah Mada University Press, Yogyakarta.
- Sunarti, 2008, Pembuatan Adsorben Termodifikasi dari Abu Dasar Batubara dan Aplikasinya untuk Adsorpsi Logam Berat Timbal (Pb), *Tesis*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Tanasale, M., Killay, A. dan Laratmase, M., 2012, Kitosan dari Limbah Kulit Kepiting Rajungan (*Portunus Sanginolenus L.*) sebagai Adsorben Zat Warna Biru Metilena, *J. Nat. Ind.*, 14 (2), 165-171.
- Tong, Z., Zheng, P., Bai, B., Wang, H. and Suo, Y., 2016, Adsorption Performance of Methyl Violet via α -Fe₂O₃ @ Porous Hollow Carbonaceous Microspheres and Its Effective Regeneration through a Fenton-Like Reaction, *Catalysts*, 6 (58), 1-17.
- Uddin, M.T., Rahman, M.A., Rukanuzzaman, M., and Islam, M.A., 2017, A potential low cost adsorbent for the removal of cationic dyes from aqueous solutions, *Appl. Water Sci.*, 7, 2831–2842.
- Wiyono, H., 2009, Studi Adsorpsi Zat Warna Metil Violet Oleh Abu Dasar Batu Bara, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.

- Wu, Y., Zhang, L., Gao, C., Ma, J., Ma, X., and Han, R., 2009, Adsorption of copper ions and methylene blue in a single and binary system on wheat straw, *J. Chem. Eng. Data*, 54, 3229–3234.
- Yao, Y., Gao, B., Inyang, M., Zimmerman, A.R., Cao, X., Pullammanappallil, P., and Yang, L., 2011, Removal of phosphate from aqueous solution by biochar derived from anaerobically digested sugar beet tailings, *J. Hazard. Mater.*, 190, 501–507.
- Zhuannian, L., Zhou, A., Wang, G., and Zhao, X., 2009, Adsorption Behavior of Methyl Orange onto Modified Ultrafine Coal Powder, *Chinese J. Chem. Eng.*, 17, 942–948.