

DAFTAR PUSTAKA

- Aizat, H. (2015). *Comparison Fine Spray Nozzle For Two Phase Flow Within Experimental and Simulation*.
- Aliabadi, A. A., Rogak, S. N., Green, S. I., & Bartlett, K. H. (2010). CFD simulation of human coughs and sneezes: A study in droplet dispersion, heat, and mass transfer. *ASME International Mechanical Engineering Congress and Exposition, Proceedings (IMECE)*, 7(PARTS A AND B), 1051–1060. <https://doi.org/10.1115/IMECE2010-37331>
- Arun, S., & Rakesh, P. (2015). *Computational Evaluation of Spray Characteristics in Pressure Swirl Atomizers*. 5(7), 804–809.
- Born, D. S., Prof, B. W., & Munz, C. (2009). *Diesel Nozzle Flow and Spray Formation : Coupled Simulations with Real Engine Validation*. April.
- Bourouiba, L., Dehandschoewercker, E., & Bush, J. W. M. (2014). *Violent expiratory events : on coughing and sneezing*. 537–563. <https://doi.org/10.1017/jfm.2014.88>
- Dennison Himmelfarb, C. R., & Baptiste, D. (2020). Coronavirus Disease (COVID-19). *Journal of Cardiovascular Nursing, Publish Ah*(May). <https://doi.org/10.1097/jcn.0000000000000710>
- Dinc, M., Gray, D. D., Hillen, N. L., Taylor, S., Kuhlman, J. M., & Wv, M. (2013). *Spray Simulations to Support the Development of a Monte Carlo-Based Spray Cooling Model*. 1–24.
- Faraj, A., & Mohamed, A. (2017). *Scholarship @ Western Experimental Measurements of Far Field Cough Airflows Produced by Healthy and Influenza- Infected Human Subjects*.
- Gupta, J. K., Lin, C. H., & Chen, Q. (2009). Flow dynamics and characterization of a cough. *Indoor Air*, 19(6), 517–525. <https://doi.org/10.1111/j.1600-0668.2009.00619.x>

- Hu, H. H. (2012). Computational Fluid Dynamics. In *Fluid Mechanics* (Fifth Edit). Elsevier. <https://doi.org/10.1016/B978-0-12-382100-3.10010-1>
- Ikeuchi USA, I. (2008). *Spray Nozzles Technical Information Catalogue*.
- Javorka, Tomori, & Zavaraska. (1982). Mechanics of breathing during sneezing and crying in premature newborns. *European Journal of Respiratory Diseases*, 63(5), 442–448.
- Kotb, H., & E. Khalil, E. (2020). Sneeze and cough pathogens migration inside aircraft cabins. *REHVA*, 57(April), 36–45.
- Kumar, V., Nallamothe, S., Shrivastava, S., Jadeja, H., Nakod, P., Andrade, P., Doshi, P., & Kumaraswamy, G. (2020). *On the utility of cloth facemasks for controlling ejecta during respiratory events*.
- Lefebvre, A. H., & Mcdonell, V. G. (1989). *Atomization and Sprays*.
- Malet, J., Vetrano, M. R., Mimouni, S., & Simonin, O. (2011). *Droplet size and velocity measurements at the outlet of a hollow cone spray nozzle. March 2014*. <https://doi.org/10.1615/AtomizSpr.2012004171>
- Maurya, D., Kumar, M., Utkarsha, G., Dhananjay, S., & Anuj, K. (2020). Development of Autonomous Advanced Disinfection Tunnel to Tackle External Surface Disinfection of COVID - 19 Virus in Public Places. *Transactions of the Indian National Academy of Engineering*, 0123456789. <https://doi.org/10.1007/s41403-020-00141-7>
- Patnaik, G., Boris, J. P., Grinstein, F. F., & Iselin, J. P. (2003). Large scale urban simulations with the miles approach. *16th AIAA Computational Fluid Dynamics Conference, June*.
- PNR. (2007). *Spray Engineering Handbook. Europe. Commercial Catalogues*.
- Scott, B. (2013). *Spray Droplet Size Monitor*.
- Spraying System Co. (2004). *A Guide and Conditioning in Cement Manufacturing USA: Trade Brochure*.



- Svennberg, K. (2004). *Sorption isotherms for textile fabrics and foam used in the indoor environment*. 1–3.
- Tang, J. W., Nicolle, A. D., Klettner, C. A., Pantelic, J., & Wang, L. (2013). *Airflow Dynamics of Human Jets : Sneezing and Breathing - Potential Sources Airflow Dynamics of Human Jets : Sneezing and Breathing - Potential Sources of Infectious Aerosols*. May 2014. <https://doi.org/10.1371/journal.pone.0059970>
- van Doremalen, N., Bushmaker, T., & Dylan H., M. (2020). *C o r r e s p o n d e n c e Aerosol and Surface Stability of SARS-CoV-2 as Compared with SARS-CoV-1*. 1–3.
- Versteeg, H. K., & Malalasekera, W. (2007). *An Introduction to Computational Fluid Dynamics: Vol. M*.
- Vikram Singh, P. (2020). *Ultraviolet radiation*. https://www.who.int/health-topics/ultraviolet-radiation#tab=tab_1
- Wickriamatillake, A., & Kurukularatne, C. (2020). *SARS-CoV-2 human disinfection chambers : a critical analysis*. <https://doi.org/10.1093/occmed/kqaa078>
- Wiley, J. (2010). *Characterizing exhaled airflow from breathing and talking*. 31–39. <https://doi.org/10.1111/j.1600-0668.2009.00623.x>
- Xie, Li, Chwang, Ho, & Seto. (2007). *How far droplets can move in indoor environments – revisiting the Wells evaporation – falling curve*. 211–225. <https://doi.org/10.1111/j.1600-0668.2006.00469.x>
- Zhang, B. (2016). *Aerosol transport by coughing in a depressurized and air-conditioned chamber Copyright Warning & Restrictions*.