



DAFTAR PUSTAKA

- Ahmed, N., and Garnett, S. T. 2011. Integrated rice-fish farming in Bangladesh : Meeting the challenges of food Integrated rice-fish farming in Bangladesh : meeting the challenges of food security. *Food Security*, 3, 81–92.
- Alfiansah, Y. R., Hassenrück, C., Kunzmann, A., Taslihan, A., Harder, J., and Gärdes, A. 2018. Bacterial abundance and community composition in pond water from shrimp aquaculture systems with different stocking densities. *Frontiers in Microbiology*, 9, 2457.
- Altinok, I., Kayis, S., and Capkin, E. 2006. Pseudomonas putida infection in rainbow trout. *Aquaculture*, 261, 850–855.
- APHA. 2005. *Standard Methods for the Examination of Water and Wastewater, 20th Edition*. Washington DC: APHA American Public Health Association. Retrieved from <https://books.google.co.id/books?id=2BcoYAAACAAJ>
- Aslam, Z., Park, J. H., Kim, S. W., Jeon, C. O., and Chung, Y. R. 2009. *Arenimonas oryzae* sp. nov., isolated from a field of rice (*Oryza sativa* L.) managed under a no-tillage regime, and reclassification of *Aspromonas composti* as *Arenimonas composti* comb. nov. *International Journal of Systematic and Evolutionary Microbiology*, 59(12), 2967–2972.
- Aslam, Z., Yasir, M., Yoon, H. S., Jeon, C. O., and Chung, Y. R. 2013. Diversity of the Bacterial Community in the Rice Rhizosphere Managed Under Conventional and No-tillage Practices. *Journal of Microbiology*, 51(6), 747–756.
- Baskaran, V., Patil, P. K., Antony, M. L., Avunje, S., Nagaraju, V. T., Ghate, S. D., Nathamuni, S., Dineshkumar, N., Alavandi, S. V., and Vijayan, K. K. 2020. Microbial community profiling of ammonia and nitrite oxidizing bacterial enrichments from brackishwater ecosystems for mitigating nitrogen species. *Scientific Reports*, 10(1), 1–11.
- Behrendt, U., Augustin, J., Spröer, C., Gelbrecht, J., Schumann, P., and Ulrich, A. 2015. Taxonomic characterisation of *Proteus terrae* sp. nov., a N₂O-producing, nitrate-ammonifying soil bacterium. *Antonie van Leeuwenhoek, International Journal of General and Molecular Microbiology*, 108(6), 1457–1468.
- Bentzon-tilia, M., and Sonnenschein, E. C. 2016. Monitoring and managing microbes in aquaculture – Towards a sustainable industry. *Microbial Biotechnology*, 9, 576–584.
- Berthe, F. C. J., Michel, C., and Bernardet, J. 1995. *Pseudomonas anquiliseptica*. *Diseases of Aquatic Organisms*, 21, 151–155.
- Caporaso, J. G., Lauber, C. L., Walters, W. A., Berg-Lyons, D., Lozupone, C. A., Turnbaugh, P. J., Fierer, N., and Knight, R. 2011. Global patterns of 16S rRNA diversity at a depth of millions of sequences per sample. *Proceedings of the National Academy of Sciences of the United States of America*, 108, 4516–4522.
- Cardona, E., Gueguen, Y., Magré, K., Lorgeoux, B., Piquemal, D., Pierrat, F., Noguier, F., and Saulnier, D. 2016. Bacterial community characterization of water and intestine of the shrimp *Litopenaeus stylirostris* in a biofloc system.



- BMC Microbiology*, 16(1), 1–9.
- Chen, R., Deng, M., He, X., and Hou, J. 2017. Enhancing nitrate removal from freshwater pond by regulating carbon/nitrogen ratio. *Frontiers in Microbiology*, 8(1712), 1–9.
- Chen, Y. P., Rekha, P. D., Arun, A. B., Shen, F. T., Lai, W. A., and Young, C. C. 2006. Phosphate solubilizing bacteria from subtropical soil and their tricalcium phosphate solubilizing abilities. *Applied Soil Ecology*, 34, 33–41.
- Chen, Z., Jiang, Y., Chang, Z., Wang, J., Song, X., Huang, Z., Chen, S., and Li, J. 2020. Denitrification characteristics and pathways of a facultative anaerobic denitrifying strain, *Pseudomonas denitrificans* G1. *Journal of Bioscience and Bioengineering*, 129(6), 715–722.
- Dai, L., Liu, C., Yu, L., Song, C., Peng, L., Li, X., Tao, L., and Li, G. 2018. Organic matter regulates ammonia-oxidizing bacterial and archaeal communities in the surface sediments of Ctenopharyngodon idellusaquaculture ponds. *Frontiers in Microbiology*, 9, 1–15.
- De Mandal, S., Panda, A. K., Bisht, S. S., and Kumar, N. S. 2015. Microbial Ecology in the Era of Next Generation Sequencing. *Journal of Next Generation Sequencing & Applications*, 01(S1), 1–6.
- Deng, B., Fu, L., Zhang, X., Zheng, J., Peng, L., Sun, J., Zhu, H., Wang, Y., Li, W., Wu, X., and Wu, D. 2014. The denitrification characteristics of *pseudomonas stutzeri* SC221-M and its application to water quality control in grass carp aquaculture. *PLoS ONE*, 9(12), e114886.
- Deng, M., Dai, Z., Senbati, Y., Li, L., Song, K., and He, X. 2020. Aerobic Denitrification Microbial Community and Function in Zero-Discharge Recirculating Aquaculture System Using a Single Biofloc-Based Suspended Growth Reactor: Influence of the Carbon-to-Nitrogen Ratio. *Frontiers in Microbiology*, 11, 1760.
- Elferink, S. J. W. H., Vilet, W. M. A., Bogte, J. J., and Stams, A. J. M. 1999. *Desulfobacca acetoxidans* gen. nov., sp. nov., a novel acetate-degrading sulfate reducer isolated from sulfidogenic granular sludge. *International Journal of Systematic Bacteriology*, 49, 345–350.
- Fan, L., Barry, K., Hu, G., Meng, S., Song, C., Qiu, L., Zheng, Y., Wu, W., Qu, J., Chen, J., and Xu, P. 2017. Characterizing bacterial communities in tilapia pond surface sediment and their responses to pond differences and temporal variations. *World Journal of Microbiology and Biotechnology*, 33(1), 1–12.
- Fan, L., Chen, J., Meng, S., Song, C., Qiu, L., Hu, G., and Xu, P. 2015. Characterization of microbial communities in intensive GIFT tilapia (*Oreochromis niloticus*) pond systems during the peak period of breeding. *Aquaculture Research*, 48(2), 459–472.
- Fan, L., Hu, G., Qiu, L., Meng, S., Wu, W., Zheng, Y., Song, C., Li, D., and Chen, J. 2020. Variations in bacterioplankton communities in aquaculture ponds and the influencing factors during the peak period of culture. *Environmental Pollution*, 258, 113656.
- Fan, L. M., Barry, K., Hu, G. D., Meng, S., Song, C., Wu, W., Chen, J. Z., and Xu, P. 2016. Bacterioplankton community analysis in tilapia ponds by Illumina high-throughput sequencing. *World Journal of Microbiology and*



- Biotechnology*, 32(1), 1–11.
- FAO. 2020. *The State of World Fisheries and Aquaculture 2020*. Food and Agriculture Organization of the United Nations, Fisheries Department, Rome, Italy.
- Feng, J., Li, F., Zhou, X., Xu, C., and Fang, F. 2016. Nutrient removal ability and economical benefit of a rice-fish co-culture system in aquaculture pond. *Ecological Engineering*, 94(359), 315–319.
- Frei, M., and Becker, K. 2005. Integrated rice-fish culture: Coupled production saves resources. *Natural Resources Forum*, 29, 135–143.
- García-López, R., Cornejo-Granados, F., Lopez-Zavala, A. A., Sánchez-López, F., Cota-Huizar, A., Sotelo-Mundo, R. R., Guerrero, A., Mendoza-Vargas, A., Gómez-Gil, B., and Ochoa-Leyva, A. 2020. Doing more with less: A comparison of 16S hypervariable regions in search of defining the shrimp microbiota. *Microorganisms*, 8(1).
- Germida, J. J., and Siciliano, S. D. 2001. Taxonomic diversity of bacteria associated with the roots of modern, recent and ancient wheat cultivars. *Biology and Fertility of Soils*, 33(5), 410–415.
- Ghai, R., Mizuno, C. M., Picazo, A., and Camacho, A. 2014. Key roles for freshwater Actinobacteria revealed by deep metagenomic sequencing. *Molecular Ecology*, 23(24), 6073–6090.
- Green, J. L., Bohannan, B. J. M., and Whitaker, R. J. 2008. Microbial biogeography: From taxonomy to traits. *Science*, 320(5879), 1039–1043.
- Guan, X., Wang, B., Duan, P., Tian, J., Dong, Y., Jiang, J., Sun, B., and Zhou, Z. 2020. The dynamics of bacterial community in a polyculture aquaculture system of *Penaeus chinensis*, *Rhopilema esculenta* and *Sinonovacula constricta*. *Aquaculture Research*, 51(5), 1789–1800.
- Gupta, R. S. 2000. The phylogeny of proteobacteria: Relationships to other eubacterial phyla and eukaryotes. *FEMS Microbiology Reviews*, 24(4), 367–402.
- Hahn, M. W. 2006. The microbial diversity of inland waters. *Current Opinion in Biotechnology*, 17, 256–261.
- Hal, A. M., and El-Barbary, M. I. 2020. Gene expression and histopathological changes of Nile tilapia (*Oreochromis niloticus*) infected with *Aeromonas hydrophila* and *Pseudomonas fluorescens*. *Aquaculture*, 526, 735392.
- Halwart, M., and Gupta, M. V. 2004. *Culture of fish in rice fields*. FAO and The WorldFish Center.
- Hargreaves, J. A. 1998. Nitrogen biogeochemistry of aquaculture ponds. *Aquaculture*, 166, 181–212.
- Hargreaves, J. A., and Tucker, C. S. 2004. Managing Ammonia in Fish Ponds. *SRAC Publication*, , 4603.
- Heylen, K., Vanparys, B., Peirsegaele, F., Lebbe, L., and De Vos, P. 2007. *Stenotrophomonas terrae* sp. nov. and *Stenotrophomonas humi* sp. nov., two nitrate-reducing bacteria isolated from soil. *International Journal of Systematic and Evolutionary Microbiology*, 57(9), 2056–2061.
- Hooper, A. B., Vannelli, T., Bergmann, D. J., and Arciero, D. M. 1997. Enzymology of the oxidation of ammonia to nitrite by bacteria. *Antonie van*



- Leeuwenhoek, International Journal of General and Molecular Microbiology*, 71, 59–67.
- Horz, H., Barbrook, A., Field, C. B., and Bohannan, B. J. M. 2004. Ammonia-oxidizing bacteria respond to multifactorial global change. *PNAS*, 101(42), 15136–15141.
- Hou, D., Huang, Z., Zeng, S., Liu, J., Wei, D., Deng, X., Weng, S., He, Z., and He, J. 2017. Environmental factors shape water microbial community structure and function in shrimp cultural enclosure ecosystems. *Frontiers in Microbiology*, 8, 1–12.
- Isoni, W., Setyawati, D., and Maulida, N. 2019. Studi komunitas bakteri pada sistem resirkulasi pada budidaya lele dumbo (*Clarias gariepinus*). *Journal of Aquaculture and Fish Health*, 8(3), 159.
- Jana, B. B. 2002. Distribution pattern and role of phosphate solubilizing bacteria in the enhancement of fertilizer value of rock phosphate in aquaculture ponds: state-of-the-art. *First International Meeting on Microbial Phosphate Solubilization*, 287, 229–238.
- Jin, T., Zhang, T., and Yan, Q. 2010. Characterization and quantification of ammonia-oxidizing archaea (AOA) and bacteria (AOB) in a nitrogen-removing reactor using T-RFLP and qPCR. *Applied Microbiology and Biotechnology*, 87, 1167–1176.
- Jinsheng, S., Fei, G., Xuyun, G., Junli, W., Xiang, L., and Jingjing, L. 2011. Seasonal changes and diversity of bacteria in Bohai Bay by RFLP analysis of PCR-amplified 16S rDNA gene fragments. *World Journal of Microbiology and Biotechnology*, 27(2), 275–284.
- Kawahara, N., Shigematsu, K., Miyadai, T., and Kondo, R. 2009. Comparison of bacterial communities in fish farm sediments along an organic enrichment gradient. *Aquaculture*, 287(1–2), 107–113.
- Keil, R. G., and Mayer, L. M. 2014. Mineral Matrices and Organic Matter. *Treatise on Geochemistry*, 12, 337–359.
- Ki, B., Huh, I. A., Choi, J., and Cho, K. 2017. Relationship of nutrient dynamics and bacterial community structure at the water–sediment interface using a benthic chamber experiment. *Journal of Environmental Science and Health, Part A*, 0(0), 1–10.
- Kim, M., Jeong, S. Y., Yoon, S. J., Cho, S. J., Kim, Y. H., Kim, M. J., Ryu, E. Y., and Lee, S. J. 2008. Aerobic Denitrification of *Pseudomonas putida* AD-21 at Different C/N Ratios. *Journal of Bioscience and Bioengineering*, 106(5), 498–502.
- Kirchman, D. L. 2002. The ecology of Cytophaga-Flavobacteria in aquatic environments. *FEMS Microbiology Ecology*, 39(2), 91–100.
- Kumar, S., Baudhh, K., Barman, S. C., and Singh, R. P. 2014. Amendments of microbial biofertilizers and organic substances reduces requirement of urea and DAP with enhanced nutrient availability and productivity of wheat (*Triticum aestivum* L.). *Ecological Engineering*, 71, 432–437.
- Lampky, J. R. 1971. Distribution of *Sorangium cellulosum*. *Applied Microbiology*, 22(5), 937–938.
- Lapidus, A., Clum, A., LaButti, K., Kaluzhnaya, M. G., Lim, S., Beck, D. A. C.,



- del Rio, T. G., Nolan, M., Mavromatis, K., Huntemann, M., Lucas, S., Lidstrom, M. E., Ivanova, N., and Chistoserdova, L. 2011. Genomes of three methylotrophs from a single niche reveal the genetic and metabolic divergence of the methylphilaceae. *Journal of Bacteriology*, 193(15), 3757–3764.
- Li, B., Lv, R., Xiao, Y., Hu, W., Mai, Y., Zhang, J., Lin, L., and Hu, X. 2019. A Novel Nitrite-Base Aerobic Denitrifying Bacterium *Acinetobacter* sp. YT03 and Its Transcriptome Analysis. *Frontiers in Microbiology*, 10, 2580.
- Liu, S., Ren, H., Shen, L., Lou, L., Tian, G., Zheng, P., and Hu, B. 2015. pH levels drive bacterial community structure in the Qiantang River as determined by 454 pyrosequencing. *Frontiers in Microbiology*, 6, 285.
- Liu, Z., Iqbal, M., Zeng, Z., Lian, Y., Zheng, A., Zhao, M., Li, Z., Wang, G., Li, Z., and Xie, J. 2020b. Comparative analysis of microbial community structure in the ponds with different aquaculture model and fish by high-throughput sequencing. *Microbial Pathogenesis*, 142, 104101.
- Lovley, D. R., Ueki, T., Zhang, T., Nikhil, S., Shrestha, P. M., Flanagan, K. A., Butler, J. E., Giloteaux, L., Holmes, D. E., Franks, A. E., Orellana, R., Risso, C., and Nevin, K. P. 2011. *Geobacter*: The Microbe Electric's Physiology, Ecology, and Practical Applications. *Advances in Microbial Physiology*, 59, 1–100.
- Ming, H., Fan, J., Chen, Q., Su, J., Song, J., and Yuan, J. 2020. Diversity and Abundance of Denitrifying Bacteria in the Sediment of a Eutrophic Estuary. *Geomicrobiology Journal*, .
- Molina, V., Ulloa, O., Farias, L., Urrutia, H., Ramirez, S., Junier, P., and Witzel, K. P. 2007. Ammonia-oxidizing B-proteobacteria from the oxygen minimum zone off Northern Chile. *Applied and Environmental Microbiology*, 73(11), 3547–3555.
- Nayak, P. K., Nayak, A. K., Panda, B. B., Lal, B., Gautam, P., Poonam, A., Shahid, M., Tripathi, R., Kumar, U., Mohapatra, S. D., and Jambhulkar, N. N. 2018. Ecological mechanism and diversity in rice based integrated farming system. *Ecological Indicators*, 91, 359–375.
- Newton, R. J., Jones, S. E., Eiler, A., McMahon, K. D., and Bertilsson, S. 2011. A Guide to the Natural History of Freshwater Lake Bacteria. *Microbiology and Molecular Biology Reviews*, 75(1), 14–49.
- Newton, R. J., Kent, A. D., Triplett, E. W., and McMahon, K. D. 2006. Microbial community dynamics in a humic lake: differential persistence of common freshwater phylotypes. *Environmental Microbiology*, 8(6), 956–970.
- Nie, S., Zhu, G., Singh, B., and Zhu, Y. 2019. Anaerobic ammonium oxidation in agricultural soils-synthesis and prospective. *Environmental Pollution*, 244, 127–134.
- Oh, W. T., Kim, J. H., Jun, J. W., Giri, S. S., Yun, S., Kim, H. J., Kim, S. G., Kim, S. W., Han, S. J., Kwon, J., and Park, S. C. 2019. Genetic characterization and pathological analysis of a novel bacterial pathogen, *Pseudomonas tructae*, in rainbow trout (*Oncorhynchus mykiss*). *Microorganisms*, 7, 432.
- Ontl, T. A., and Schulte, L. A. 2012. Soil Carbon Storage. *Nature Education*



- Knowledge*, 3(10), 35.
- Paerl, H. W., and Huisman, J. 2009. Minireview Climate change : a catalyst for global expansion of harmful cyanobacterial blooms. *Environmental Microbiology Reports*, 1(1), 27–37.
- Purkhold, U., Wagner, M., Timmermann, G., Pommerening-Röser, A., and Koops, H. P. 2003. 16S rRNA and amoA-based phylogeny of 12 novel betaproteobacterial ammonia-oxidizing isolates: Extension of the dataset and proposal of a new lineage within the nitrosomonads. *International Journal of Systematic and Evolutionary Microbiology*, 53(5), 1485–1494.
- Qin, Y., Hou, J., Deng, M., Liu, Q., Wu, C., and Ji, Y. 2016. Bacterial abundance and diversity in pond water supplied with different feeds. *Scientific Reports*, (February), 1–13.
- Resende, J. A., Silva, V. L., Cesar, D. E., Del’Duca, A., Fontes, C. O., and Diniz, C. G. 2015. Seasonal dynamics of microbial community in an aquaculture system for Nile tilapia (*Oreochromis niloticus*). *Aquaculture Research*, 46(5), 1233–1240.
- Rijn, J. Van, Tal, Y., and Schreier, H. J. 2006. Denitrification in recirculating systems: Theory and applications. *Aquaculture Engineering*, 34, 364–376.
- Sahrawat, K. L. 1982. Simple modification of the Walkley-Black method for simultaneous determination of organic carbon and potentially mineralizable nitrogen in tropical rice soils. *Plant and Soil*, 69(1), 73–77.
- Sanford, R. A., Cole, J. R., Tiedje, J. M., Al, S. E. T., and Icrobiol, A. P. P. L. E. N. M. 2002. Characterization and Description of *Anaeromyxobacter dehalogenans* gen . nov ., sp . nov ., an Aryl-Halorespiring Facultative Anaerobic Myxobacterium. *Applied and Environmental Microbiology*, 68(2), 893–900.
- Santiago, C. B., and Lovell, R. T. 1988. Amino acid requirements for growth of Nile tilapia. *Journal of Nutrition*, 118(12), 1540–1546.
- Sarioglu, O. F., Suluyayla, R., and Tekinay, T. 2012. Heterotrophic ammonium removal by a novel hatchery isolate *Acinetobacter calcoaceticus* STB1. *International Biodeterioration and Biodegradation*, 71, 67–71.
- Sasakawa, H., and Yamamoto, Y. 1978. Comparison of the Uptake of Nitrate and Ammonium by Rice Seedlings : Influence of Light , Temperature , Oxygen Concentration , Exogenous Sucrose , and Metabolic Inhibitors Author (s): Hideo Sasakawa and Yukio Yamamoto Published by : American Society of. *Plant Physiology*, 62(4), 665–669.
- Schmid, M. C., Maas, B., Dapena, A., Pas-schoonen, K. Van De, Vossenber, J. Van De, Kartal, B., Niftrik, L. Van, Schmidt, I., Cirpus, I., Kuenen, J. G., Wagner, M., Damste, J. S. S., Kuypers, M., Revsbech, N. P., Mendez, R., Jetten, M. S. M., and Strous, M. 2005. Biomarkers for In Situ Detection of Anaerobic Ammonium-Oxidizing (Anammox) Bacteria. *Applied and Environmental Microbiology*, 71(4), 1677–1684.
- Shen, X., Xu, M., Li, M., Zhao, Y., and Shao, X. 2020. Response of sediment bacterial communities to the drainage of wastewater from aquaculture ponds in different seasons. *Science of the Total Environment*, 717, 137180.
- Smith, P., Cotrufo, M. F., Rumpel, C., Paustian, K., Kuikman, P. J., Elliott, J. A.,



- and McDowell, R. 2015. Biogeochemical cycles and biodiversity as key drivers of ecosystem services provided by soils. *SOIL*, 1, 665–685.
- Srithep, P., Khinthong, B., Chodanon, T., Powtongsook, S., Pungrasmi, W., and Limpiyakorn, T. 2014. Communities of ammonia-oxidizing bacteria, ammonia-oxidizing archaea and nitrite-oxidizing bacteria in shrimp ponds. *Annals of Microbiology*, 65, 267–278.
- Stremińska, M. A., Felgate, H., Rowley, G., Richardson, D. J., and Baggs, E. M. 2012. Nitrous oxide production in soil isolates of nitrate-ammonifying bacteria. *Environmental Microbiology Reports*, 4(1), 66–71.
- Syaukat, Y., and Julistia, D. R. 2019. Analysis of income and factors determining the adoption of integrated rice-fish farming system in Seyegan district, Sleman Regency, Yogyakarta, Indonesia. *Journal of the International Society for Southeast Asian Agricultural Sciences*, 25(1), 66–79.
- Takeuchi, M., Hamana, K., and Hiraishi, A. 2001. Proposal of the genus *Sphingomonas* sensu stricto and three new genera, *Sphingobium*, *Novosphingobium* and *Sphingopyxis*, on the basis of phylogenetic and chemotaxonomic analyses. *International Journal of Systematic and Evolutionary Microbiology*, 51(4), 1405–1417.
- Tan, B. F., Ng, C., Nshimyimana, J. P., Loh, L. L., Gin, K. Y. H., and Thompson, J. R. 2015. Next-generation sequencing (NGS) for assessment of microbial water quality: Current progress, challenges, and future opportunities. *Frontiers in Microbiology*, 6, 1027.
- Tang, Y., Tao, P., Tan, J., Mu, H., Peng, L., Yang, D., Tong, S., and Chen, L. 2014. Identification of bacterial community composition in freshwater aquaculture system farming of *Litopenaeus vannamei* reveals distinct temperature-driven patterns. *International Journal of Molecular Sciences*, 15(8), 13663–13680.
- Thomas, J., Thanigaivel, S., Vijayakumar, S., Acharya, K., Shinge, D., Seelan, T. S. J., Mukherjee, A., and Chandrasekaran, N. 2014. Pathogenicity of *Pseudomonas aeruginosa* in *Oreochromis mossambicus* and treatment using lime oil nanoemulsion. *Colloids and Surfaces B: Biointerfaces*, 116, 372–377.
- Wang, Ying, Zou, Y. L., Chen, H., and Lv, Y. K. 2020. Nitrate removal performances of a new aerobic denitrifier, *Acinetobacter haemolyticus* ZYL, isolated from domestic wastewater. *Bioprocess and Biosystems Engineering*.
- Wang, Yu, Sheng, H., He, Y., Wu, J., Jiang, Y., and Tam, N. F. 2012. Comparison of bacterial diversity in freshwater, intertidal wetland, and marine sediments using millions of Illumina tags. *Applied and Environmental Microbiology*, 78(23), 8264–8271.
- Williams, T. J., Wilkins, D., Long, E., Evans, F., Demaree, M. Z., Raftery, M. J., and Cavicchioli, R. 2013. The role of planktonic Flavobacteria in processing algal organic matter in coastal East Antarctica revealed using metagenomics and metaproteomics. *Environmental Microbiology*, 15(5), 1302–1317.
- Wilson, C., and Tisdell, C. 2001. Why farmers continue to use pesticides despite environmental, health and sustainability costs. *Ecological Economics*, 39(3), 449–462.
- Wiraswati, S. M., Wahyudi, A. T., Rusmana, I., and Nawangsih, A. A. 2018.



- TRFLP analysis for revealing the diversity of rice phyllosphere bacteria. *Biodiversitas*, 19(5), 1743–1749.
- Wollast, R., Mackenzie, F. T., and Chou, L. 1993. *Interactions of C, N, P and S Biogeochemical Cycles and Global Change* (1st ed.). Melreux, Belgium: Springer-Verlag Berlin Heidelberg.
- Woolston, C. 2014. Rice. *Nature*, 514(7524), S49.
- Xia, L., Li, X., Fan, W., and Wang, J. 2020. Heterotrophic nitrification and aerobic denitrification by a novel *Acinetobacter* sp. ND7 isolated from municipal activated sludge. *Bioresource Technology*, 301, 122749.
- Xue, S., Xu, W., Wei, J., and Sun, J. 2017. Impact of environmental bacterial communities on fish health in marine recirculating aquaculture systems. *Veterinary Microbiology*, 203, 34–39.
- Yang, B., Wang, Y., and Qian, P. Y. 2016. Sensitivity and correlation of hypervariable regions in 16S rRNA genes in phylogenetic analysis. *BMC Bioinformatics*, 17(1), 1–8.
- Yosmaniar, Y., Novita, H., and Setiadi, E. 2018. Isolasi Dan Karakterisasi Bakteri Nitrifikasi Dan Denitrifikasi Sebagai Kandidat Probiotik. *Jurnal Riset Akuakultur*, 12(4), 369–378.
- Yu, L., Liu, Y., and Wang, G. 2009. Identification of novel denitrifying bacteria *Stenotrophomonas* sp. ZZ15 and *Oceanimonas* sp. YC13 and application for removal of nitrate from industrial wastewater. *Biodegradation*, 20, 391–400.
- Zhang, H., Sun, Z., Liu, B., Xuan, Y., Jiang, M., Pan, Y., Zhang, Y., Gong, Y., Lu, X., Yu, D., Kumar, D., Hu, X., Cao, G., Xue, R., and Gong, C. 2016. Dynamic changes of microbial communities in *Litopenaeus vannamei* cultures and the effects of environmental factors. *Aquaculture*, 455, 97–108.
- Zhang, K., Zheng, X., He, Z., Yang, T., Shu, L., Xiao, F., Wu, Y., Wang, B., Li, Z., Chen, P., and Yan, Q. 2020. Fish growth enhances microbial sulfur cycling in aquaculture pond sediments. *Microbial Biotechnology*, 0(0), 1–14.
- Zhang, L., Zhao, T., Wang, Q., Li, L., Shen, T., and Gao, G. 2019. Bacterial community composition in aquatic and sediment samples with spatiotemporal dynamics in large, shallow, eutrophic Lake Chaohu, China. *Journal of Freshwater Ecology*, 34(1), 575–589.
- Zhang, S. Y., Xiao, W., Xia, Y. S., Wang, Y. X., Cui, X. L., and Zhang, N. M. 2015. *Arenimonas taoyuanensis* sp. nov., a novel bacterium isolated from rice-field soil in China. *Antonie van Leeuwenhoek, International Journal of General and Molecular Microbiology*, 107(5), 1181–1187.
- Zhang, W., Yan, C., Shen, J., Wei, R., Gao, Y., Miao, A., Xiao, L., and Yang, L. 2019. Characterization of aerobic denitrifying bacterium *Pseudomonas mendocina* strain GL6 and its potential application in wastewater treatment plant effluent. *International Journal of Environmental Research and Public Health*, 16, 364.
- Zhao, Z., Jiang, J., Pan, Y., Dong, Y., Chen, Z., Zhang, G., Gao, S., Sun, H., Guan, X., Wang, B., Xiao, Y., and Zhou, Z. 2020. Temporal dynamics of bacterial communities in the water and sediments of sea cucumber (*Apostichopus japonicus*) culture ponds. *Aquaculture*, 528, 735498.
- Zheng, X., Tang, J., Zhang, C., Qin, J., and Wang, Y. 2016. Bacterial



- composition , abundance and diversity in fish polyculture and mussel – fish integrated cultured ponds in China. *Aquaculture Research*, 48(7), 3950–3961.
- Zhou, Q., Li, K., Jun, X., and Bo, L. 2009. Role and functions of beneficial microorganisms in sustainable aquaculture. *Bioresource Technology*, 100(16), 3780–3786.
- Zhou, T., Wang, Y., Tang, J., and Dai, Y. 2013. Bacterial communities in Chinese grass carp (*Ctenopharyngodon idellus*) farming ponds. *Aquaculture Research*, 45(1), 138–149.
- Zwart, G., Crump, B. C., Agterveld, M. P. K., Hagen, F., and Han, S. 2002. Typical freshwater bacteria: an analysis of available 16S rRNA gene sequences from plankton of lakes and rivers. *Aquatic Microbial Ecology*, 28, 141–155.
- Zwisler, W., Selje, N., and Simon, M. 2003. Seasonal patterns of the bacterioplankton community composition in a large mesotrophic lake. *Aquatic Microbial Ecology*, 31(3), 211–225.