

- Adie, M.M. dan A. Krisnawati. 2007. Biologi Tanaman Kedelai. Balai Penelitian Tanaman Kacang-kacangan dan Umbi-umbian, Malang.
- Amanullah. 2015. Specific leaf area and specific leaf weight in small grain crops wheat, rye, barley, and oats differ at various growth stages and NPK source. *Journal of Plant Nutrition*, 38: 1694-1708.
- Annisa, W. and D. Nursyamsi. 2016. Iron dynamics and its relation to soil redox potential and plant growth in acid sulphate soil of South Kalimantan Indonesia. *Indonesian Journal of Agricultural Science*, 17(1): 1-8.
- Audebert, A. 2006. Iron partitioning as a mechanism for iron toxicity tolerance in lowland rice. *WARDA (Africa Rice Center)*: 34-46.
- Aziez, A. F., D. Indradewa, P. Yudono, dan E. Hanudin. 2014. Analisis pertumbuhan varietas lokal dan unggul padi sawah pada budidaya secara organik. *Jurnal AgroUPY* 6(1):14-26
- Badan Pusat Statistik. 2019. Produksi . <https://www.bps.go.id/subject/53/tanaman-pangan.html>. Diakses pada tanggal 5 Januari 2021.
- Balitkabi. 2018. Tahun 2018 Tahun Kedelai. <http://balitkabi.litbang.pertanian.go.id/liputan-media/sinar-tani-tahun-2018-tahun-kedelai/>. Diakses pada tanggal 5 Januari 2021.
- Badan Penelitian Kacang dan Umbi. 2018. Deskripsi Varietas Unggul Kedelai. Badan Penelitian Kacang dan Umbi, Malang.
- Baret, F. and Fourty, T. 1997. Estimation of leaf water content and specific leaf weight from reflectance and transmittance measurements. *Agronomie (EDP Sciences)*, 17: 455-464.
- Baruah, K.K. and A. Bharali. 2015. Physiological basis of iron toxicity and its management in crops. *Recent Advances in Crop Physiology*, 2: 203-224.
- Basuchaudhuri, P. 2016. Source-sink relationships in soybean. *Indian Journal of Plant Sciences*, 5 (2): 19-25.
- Bauer, P. and R. Hell. 2006. Translocation of iron in plant tissues, In Barton, L.L. and J. Abadia (Eds): *Iron Nutrition in Plants and Rhizospheric Microorganisms*. Springer, p: 279-288.
- Becker, M. and F. Asch. 2005. Iron toxicity in rice: conditions and management concepts. *Journal of Plant Nutrition Soil Science*, 168: 558-573.
- Borras, L., G. A. Slafer, and M. E. Otegui. 2004. Seed dry weight response to source-sink manipulations in wheat, maize, and soybean: a quantitative reappraisal. *Field Crops Research*, 86: 131-146.



Pengaruh Beberapa Konsentrasi Fe terhadap Pertumbuhan dan Hasil Tiga Kultivar Kedelai (*Glycine max* (L.) Merr.)

PUTRI NUR WIDAYANTI, Dody Kastono, S.P., M.P.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Briat, J.F., S. Lobreaux, N. Grignon, and G. Vansuyt. 1999. Regulation of plant ferritin synthesis: how and why. *CMLS Cellular and Molecular Life Sciences*, 56: 155-166.

Briat, J.F., C. Duc, K. Ravet, and F. Gaymard. 2009. Ferritins and iron storage in plants. *Biochimica et Biophysica Acta*: 1-9.

Cambell, N.A. 1987. *Biology*. Erlangga, Jakarta.

Carlson, J.B. 1973. Morphology. In: B.E. Caldwell (Eds.). *Soybean: Improvement, Production and Uses*. Amer. Soc. of Agron. Wisconsin.

Connorton, J.M., J. Balk, and J.R. Celma. 2017. Iron homeostasis in plants – a brief overview. *Metallomics*, Royal Society of Chemistry, 9: 813 – 823.

Effendi, M.I., P. Cahyono, dan B. Prasetyo. 2015. Pengaruh toksisitas besi terhadap pertumbuhan dan hasil biomassa pada tiga klon tanaman nanas. *Jurnal Tanah dan Sumberdaya Lahan*, 2 (2): 179-189.

Effendi, R., Andi, T.M., dan Muhammad, A. 2017. Daya gabung inbrida jagung toleran cekaman kekeringan dan nitrogen rendah pada pembentukan varietas hibrida. *Balai Penelitian Tanaman Serealia*, Sulawesi Selatan.

Fageri, N.K., A.B. Santos, M.P.B. Filho, and C.M. Guimaraes. 2008. Iron toxicity in lowland rice. *Journal of Plant Nutrition*, 31 (9): 1676-1697.

Fairhurst, T., C. Witt, R. Buresh, and A. Dobermann. 2002. *Rice: A Particular Guide to Nutrient Management*. International Rice Research Institute, Los Banos.

Fauziyah, B. 2011. Analisis unsur hara tanah podzolik merah kuning sebagai rekomendasi pemupukan tanaman kakao umur 0-1 tahun. *Jurnal El-Qudwah*, 1(1): 1-8.

Gardner, F.P., R.B. Pearce, dan R.I. Mitchell. 1991. *Fisiologi Tumbuhan Budidaya*. UI Press, Jakarta.

Ghasemian, V., A. Ghalavand, A.S. Zadeh, and A. Pirzad. 2010. The effect of iron, zinc, and manganese on quality and quantity of soybean seed. *Journal of Phytology*, 2 (11): 73-79.

Gupta, N., Shailendra, S. G., Ashwani, K.. 2013. Molecular Basis of Aluminium Toxicity in Plants: A Review. *American Journal of Plant Sciences* (4): 21-37.

Hariandi, D., Indradewa, D., & Yudono, P. 2019. Pengaruh Gulma terhadap Komponen Pertumbuhan Beberapa Kultivar Kedelai (*Glycine max* (L.) Merr.). *Gontor Agrotech Science Journal*. 5 (1) : 19-47.

IRRI. 2002. *Standartd Evaluation System For Rice (SES)*. International Rice Research Institute, Los Banos.



UNIVERSITAS
GADJAH MADA

Pengaruh Beberapa Konsentrasi Fe terhadap Pertumbuhan dan Hasil Tiga Kultivar Kedelai (*Glycine max* (L.) Merr.)

PUTRI NUR WIDAYANTI, Dody Kastono, S.P., M.P.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Izaguirre, M. M. L. and T.R. Sinclair. 2015. Soybean genotypedifference in growth, nutrient accumulation and ultrastructure in response to manganese and iron supply in solution culture. *Annals of Botany*. 96: 149-158.
- Kim, S.A., and M.L. Guerinot. 2007. Mining iron: iron uptake and transport in plants. *FEBS Letters*, 581: 2273-2280.
- Kirk, G.J.D. 2004. *The Biogeo Chemistry of Submerged Soils*. John Wiley & Sons, Ltd., Chinchester.
- Kobayashi, T., and N.K. Nishizawa. 2012. Iron uptake, translocation, and regulation in higher plants. *Annual Review Plant Biology*, 63: 131-152.
- Kusberyunadi. 2013. Kajian tentang keracunan besi dan mekanismenya. *Jurnal Agro UPY*, 5(1): 59-67.
- Kuswanto, H. 2014. Relative growth rate of six soybean genotypes under iron toxicity condition. *International Journal of Biology*, 6 (3): 11-17.
- Lakitan, B. 1993. *Dasar-Dasar Fisiologi Tumbuhan*. PT Raja Grafindo Persada, Jakarta.
- Lambers, H. dan F. Posthumus. 1980. The effect of light intensity and relative humidity on growth rate and root respiration of *Plantago lanceolata* and *Zea mays*. *Journal of Experimental Botany* 31(125): 1621-1630.
- Lamina. 1989. *Kedelai dan Pengembangannya*. CV. Simplex, Jakarta.
- Mahender, A., B.P. M. Swamy, A. Anandan, and J. Ali. 2019. Tolerance of iron-deficient and toxic-soil conditions in rice. *Plants*, 8 (31): 1-34.
- Makarim, A.K., O.Sudarman, dan H. Supriadi. 1989. Status hara tanaman padi berkeracunan Fe di daerah Batumarta, Sumatera Selatan. *Penelitian Pertanian*, 9: 166-170.
- Muller, C., K.N. Kuki, D.T. Pinheiro, L.R. Souza, A.I.S. Silva, M.E. Loureiro, M.A. Oliva, and A.M Almeida. 2015. Differential physiological responses in rice upon exposure to excess distinct iron forms. *Journal of Plant Soil*, 391 (1): 123-138.
- Nikolic, M. and J. Pavlovic. 2018. Plant responses to iron deficiency and toxicity and iron use efficiency in plants. *Plant Micronutrient Use Efficiency*, chapter 3 : 56-69.
- Onyango, D.A., F. Entila, M.M. Dida, A.M. Ismail, and K.N. Drame. 2019. Mechanistic understanding of iron toxicity tolerance in contrasting rice varieties from Africa: 1. Morpho-physiological and biochemical responses. *Functional Plant Biology*, 46 : 93-105.
- Orcen, N. and M. Altinbas. 2014. Use of some stress tolerance indices for late drought in spring wheat. *Fesenius Environmental Bulletin* 23: 2289-2294.
- Priyanto, D. 2013. *Mandiri Belajar Analisis Data Dengan SPSS*. Mediakom, Yogyakarta.



UNIVERSITAS
GADJAH MADA

Pengaruh Beberapa Konsentrasi Fe terhadap Pertumbuhan dan Hasil Tiga Kultivar Kedelai (*Glycine max* (L.) Merr.)

PUTRI NUR WIDAYANTI, Dody Kastono, S.P., M.P.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Raper, C.D. dan P.J. Kramer. 1987. Stress Physiology. ASA Pub. Agronomy Series, Wisconsin.

Rout, J.R., S.Behera, N. Keshari, S.S. Ram, S. Bhar, A. Chakraborty, M. Sudarshan, dan S.L. Sahoo. 2014. Effect of iron stress on *Withania somnifera* L.: antioxidant enzyme response and nutrient elemental uptake of in vitro grown plants. Ecotoxicology. Springer, New York.

Rukmana, S. K. dan Y. Yuniarsih. 1996. Kedelai, Budidaya Pasca Panen. Penerbit Kanisius, Yogyakarta.

Saadi, S.A.A.M.A. and K.O. Qader. 2017. The effect of some heavy metals accumulation on anatomical and physiological characteristic of the submerged macrophyte vallisneria plant. International Journal of Advance in Science Engineering and Technology, 5(2): 131-135.

Sahrawat, K.L. 2005. Iron toxicity in wetland rice and the role of other nutrients. Journal of Plant Nutrition, 27 (8): 1471-1504.

Santana, B.V.N., T.O.D. Araujo, G.C. Andrade, L.D.F.Silva, L. N. Kuki, E.G. Pereira, A.A. Azevedo, dan L.C.D. Silva. 2013. Leaf morphoanatomy of species tolerant to excess iron and evaluation of their phytoextraction potential. Environ. Sci. Pollut. Res., 21: 2550-2562.

Santos, C.S., M. Roriz, S.M.P. Carvalho, and M. W. Vasconcelos. 2015. Iron partitioning at an early growth stage impacts iron deficiency responses in soybean plants (*Glycine max* L.). Frontiers in Plant Science, 6 (325): 1-12.

Satwiko, T., R.R. Lahay., dan B.S. Damanik. 2013. Tanggap pertumbuhan dan produksi beberapa varietas kedelai (*Glycine max* L.) terhadap perbandingan komposisi pupuk. Jurnal Online Agroekoteknologi 1(4): 1413-1424.

Schmidt, W., S. Thomine, and T. J. Buckhout. 2020. Editorial: iron nutrition and interactions in plants. Frontiers in Plant Science, 10 (1670): 1-4.

Shimizu, A., C.Q. Guerta, G.B. Gregorio, and H. Ikehashi. 2005. Improved mass screening of tolerance to iron toxicity in rice by lowering temperature of culture solution. Journal of Plant Nutrition, 28: 1481-1493.

Sipahutar, A.H., P. Marbun, dan Fauzi. 2014. Kajian C-organik, N, dan P humitropepts pada ketinggian tempat yang berbeda di Kecamatan Lintong Nihuta. Jurnal Online Agroekoteknologi, 2 (4): 1332-1338.

Smith, M.R., I.M. Rao, and A. Merchant. 2018. Source-sink relationships in crop plants and their influence on yield development and nutritional quality. Frontiers in Plant Science, 9 (1889): 1-10.

Somantri, R.U., Syahri, dan T. Thamrin. 2018. Potensi hasil beberapa varietas unggul baru (VUB) kedelai di lahan kering Sumatera Selatan. Prosiding Seminar Nasional Lahan Suboptimal 2018: 473-481.



UNIVERSITAS
GADJAH MADA

Pengaruh Beberapa Konsentrasi Fe terhadap Pertumbuhan dan Hasil Tiga Kultivar Kedelai (*Glycine max* (L.) Merr.)

PUTRI NUR WIDAYANTI, Dody Kastono, S.P., M.P.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Sudarmi. 2013. Pentingnya unsur hara mikro bagi pertumbuhan tanaman. *Widyatama*, 22(2): 178-183.

Suhartina, Purwantoro, dan N. Nugrahaeni. 2018. Deja 1 dan Deja 2: Varietas Unggul Baru Kedelai Toleran Jenuh Air. Balai Penelitian Tanaman Aneka Kacang dan Umbi, Malang.

Sumarno dan G. Mansyuri. 2007. Persyaratan tumbuh dan wilayah produksi kedelai di Indonesia. *Kedelai: Teknik Produksi dan Pengembangan*. Pusat Penelitian dan Pengembangan Tanaman Pangan, Bogor.

Suryanti, S. 2015. Hubungan Antara Sifat Perakaran, Sifat Fisiologis dan Tanggapan Terhadap Mikoriza pada Kultivar Kedelai Dengan Tingkat Ketahanan Terhadap Cekaman Kekeringan. Disertasi. Universitas Gadjah Mada, Yogyakarta.

Sutanto, R. 2005. *Dasar-Dasar Ilmu Tanah: Konsep dan Kenyataannya*. Penerbit Kanisius, Yogyakarta.

Sutarta, E.S. dan Winarna. 2009. Pengaruh dosis logam berat terhadap pertumbuhan dan serapan hara bibit kelapa sawit. *Jurnal Penelitian Kelapa Sawit*, 17 (1): 1-9.

Tripathi, D. K., S. Singh, S. Singh, S. Mishra, D.K. Chauhan, and N. K. Dubey. 2015. Micronutrients and their diverse role in agricultural crops advances and future prospective. *Acta Physiol Plant*, 37 (139): 1-14.

Van Dorem, D.M. dan D.C. Reicosky. 1987. *Tillage and irrigation in: Soybeans: improvement, production and uses*. ASA Pub. Agronomy, Wisconsin.

Yuwono, N. W. 2009. Membangun Kesuburan Tanah di Lahan Marginal. *Jurnal Ilmu Tanah dan Lingkungan* 9: 137-141.

Zare, M. 2012. Evaluation of drought tolerance indices for the selection of Iranian barley (*Hordeum vulgare*) cultivars. *African Journal of Biotechnology* 11: 15975-15981.

Zhou, T., L. Wang, X. Sun, X. Wang, Y. Chen, Z. Rengel, W. Liu, and W. Yang. 2020. Light intensity influence maize adaptation to low P stress by altering root morphology. *Plant and Soil* 447: 193-197.