



## DAFTAR PUSTAKA

- Almurisi, S.H., Doolaanea, A.A., Akkawi, M.E., Chatterjee, B., and Sarker, M.Z.I., 2020, Taste masking of paracetamol encapsulated in chitosan-coated alginate beads, *J. Drug Deliv. Sci. Technol.*, 56, 1-10.
- Anirudhan, T.S. and Suchithra, P.S., 2010, Heavy metals uptake from aqueous solutions and industrial wastewaters by humic acid-immobilized polymer/bentonite composite: Kinetics and equilibrium modeling, *Chem. Eng. J.*, 156, 146–156.
- Anna, B., Kleopas, M., Constantine, S., Anestis, F., and Maria, B., 2015, Adsorption of Cd(II), Cu(II), Ni(II) and Pb(II) onto natural bentonite: study in mono- and multi-metal systems, *Environ. Earth Sci.*, 73, 5435–5444.
- Anonim, 2010, *Peraturan Menteri Kesehatan Republik Indonesia No 492 tentang Pesyaratan Kualitas Air Minum*.
- Arvand, M. and Pakseresht, M.A., 2013, Cadmium adsorption on modified chitosan-coated bentonite: Batch experimental studies, *J. Chem. Technol. Biotechnol.*, 88, 572–578.
- Bajpai, J., Shrivastava, R., and Bajpai, A.K., 2004, Dynamic and equilibrium studies on adsorption of Cr(VI) ions onto binary bio-polymeric beads of cross linked alginate and gelatin, *Colloids Surfaces A Physicochem. Eng. Asp.*, 236, 81–90.
- Barot, N.S. and Bagla, H.K., 2009, Extraction of humic acid from biological matrix - dry cow dung powder, *Green Chem. Lett. Rev.*, 2, 217–221.
- Bashir, S., Ali, U., Shaaban, M., Gulshan, A.B., Iqbal, J., Khan, S., et al., 2020, Role of sepiolite for cadmium (Cd) polluted soil restoration and spinach growth in wastewater irrigated agricultural soil, *J. Environ. Manage.*, 258, 1-7.
- Bassi, R., Prasher, S.O., and Simpson, B.K., 2000, Removal of selected metal ions from aqueous solutions using chitosan flakes, *Sep. Sci. Technol.*, 35, 547–560.
- Bedade, D.K., Sutar, Y.B., and Singhal, R.S., 2019, Chitosan coated calcium alginate beads for covalent immobilization of acrylamidase: Process parameters and removal of acrylamide from coffee, *Food Chem.*, 275, 95–104.
- Benguella, B. and Benaissa, H., 2002, Cadmium removal from aqueous solutions by chitin: Kinetic and equilibrium studies, *Water Res.*, 36, 2463–2474.
- Boamah, P.O., Huang, Y., Hua, M., Zhang, Q., Wu, J., Onumah, J., and Sam-Amoah, L.K., 2015, Sorption of heavy metal ions onto carboxylate chitosan derivatives-A mini-review, *Ecotoxicol. Environ. Saf.*, 116, 113–120.
- Boparai, H.K., Joseph, M., and O'Carroll, D.M., 2011, Kinetics and



thermodynamics of cadmium ion removal by adsorption onto nano zerovalent iron particles, *J. Hazard. Mater.*, 186, 458–465.

Capasso, S., Coppola, E., Iovino, P., Salvestrini, S., and Colella, C., 2007, Sorption of humic acids on zeolitic tuffs, *Microporous Mesoporous Mater.*, 105, 324–328.

Castro-González, M.I. and Méndez-Armenta, M., 2008, Heavy metals: Implications associated to fish consumption, *Environ. Toxicol. Pharmacol.*, 26, 263–271.

Chen, J.H., Lin, H., Luo, Z.H., He, Y.S., and Li, G.P., 2011, Cu(II)-imprinted porous film adsorbent Cu-PVA-SA has high uptake capacity for removal of Cu(II) ions from aqueous solution, *Desalination*, 277, 265–273.

Chen, J.H., Liu, Q.L., Hu, S.R., Ni, J.C., and He, Y.S., 2011, Adsorption mechanism of Cu(II) ions from aqueous solution by glutaraldehyde crosslinked humic acid-immobilized sodium alginate porous membrane adsorbent, *Chem. Eng. J.*, 173, 511–519.

Chen, J.H., Ni, J.C., Liu, Q.L., and Li, S.X., 2012, Adsorption behavior of Cd(II) ions on humic acid-immobilized sodium alginate and hydroxyl ethyl cellulose blending porous composite membrane adsorbent, *Desalination*, 285, 54–61.

Chen, T., Zhou, Z., Han, R., Meng, R., Wang, H., and Lu, W., 2015, Adsorption of cadmium by biochar derived from municipal sewage sludge: Impact factors and adsorption mechanism, *Chemosphere*, 134, 286–293.

Chen, Y.G., Ye, W.M., Yang, X.M., Deng, F.Y., and He, Y., 2011, Effect of contact time, pH, and ionic strength on Cd(II) adsorption from aqueous solution onto bentonite from Gaomiaozhi, China, *Environ. Earth Sci.*, 64, 329–336.

Cheng, J., Yin, W., Chang, Z., Lundholm, N., and Jiang, Z., 2017, Biosorption capacity and kinetics of cadmium(II) on live and dead *Chlorella vulgaris*, *J. Appl. Phycol.*, 29, 211–221.

Chiou, M.S., Ho, P.Y., and Li, H.Y., 2004, Adsorption of anionic dyes in acid solutions using chemically cross-linked chitosan beads, *Dye. Pigment.*, 60, 69–84.

Corami, A., Mignardi, S., and Ferrini, V., 2008, Cadmium removal from single- and multi-metal (Cd + Pb + Zn + Cu) solutions by sorption on hydroxyapatite, *J. Colloid Interface Sci.*, 317, 402–408.

Crini, G., 2006, Non-conventional low-cost adsorbents for dye removal: A review, *Bioresour. Technol.*, 97, 1061–1085.

Crini, G. and Badot, P.M., 2008, Application of chitosan, a natural aminopolysaccharide, for dye removal from aqueous solutions by adsorption processes using batch studies: A review of recent literature, *Prog. Polym. Sci.*, 33, 399–447.



- Davis, A.D., Webb, C.J., Sorensen, J.L., Dixon, D.J., and Hudson, R., 2018, Geochemical thermodynamics of cadmium removal from water with limestone, *Environ. Earth Sci.*, 77, 1–5.
- Dogan, H., 2012, Preparation and characterization of calcium alginate-based composite adsorbents for the removal of Cd, Hg, and Pb ions from aqueous solution, *Toxicol. Environ. Chem.*, 94, 482–499.
- Dragan, E.S. and Dinu, M.V., 2020, Advances in porous chitosan-based composite hydrogels: Synthesis and applications, *React. Funct. Polym.*, 146, 1-38.
- Ebisike, K., Okoronkwo, A.E., and Alaneme, K.K., 2019, Adsorption of Cd (II) on chitosan–silica hybrid aerogel from aqueous solution, *Environ. Technol. Innov.*, 14, 1-12.
- El-Eswed, B. and Khalili, F., 2006, Adsorption of Cu(II) and Ni(II) on solid humic acid from the Azraq area, Jordan, *J. Colloid Interface Sci.*, 299, 497–503.
- Evans, J.R., Davids, W.G., MacRae, J.D., and Amirbahman, A., 2002, Kinetics of cadmium uptake by chitosan-based crab shells, *Water Res.*, 36, 3219–3226.
- Fan, S., Zhou, J., Zhang, Y., Feng, Z., Hu, H., Huang, Z., and Qin, Y., 2020, Preparation of sugarcane bagasse succinate/alginate porous gel beads via a self-assembly strategy: Improving the structural stability and adsorption efficiency for heavy metal ions, *Bioresour. Technol.*, 306, 123–128.
- Franco, H., Mendonça, R.T., Marcato, P.D., Durán, N., Freer, J., and Baeza, J., 2011, Diluted acid pretreatment of pinus radiata for bioethanol production using immobilized *saccharomyces cerevisiae* IR2-9 in a simultaneous saccharification and fermentation process, *J. Chil. Chem. Soc.*, 56, 901–906.
- Gericke, M., Trygg, J., and Fardim, P., 2013, Functional cellulose beads: Preparation, characterization, and applications, *Chem. Rev.*, 113, 4812–4836.
- Gokila, S., Gomathi, T., Sudha, P.N., and Anil, S., 2017, Removal of the heavy metal ion chromium(VI) using Chitosan and Alginate nanocomposites, *Int. J. Biol. Macromol.*, 104, 1459–1468.
- Gonçalves, J.O., Santos, J.P., Rios, E.C., Crispim, M.M., Dotto, G.L., and Pinto, L.A.A., 2017, Development of chitosan based hybrid hydrogels for dyes removal from aqueous binary system, *J. Mol. Liq.*, 225, 265–270.
- Gu, S., Kang, X., Wang, L., Lichtfouse, E., and Wang, C., 2019, Clay mineral adsorbents for heavy metal removal from wastewater: a review, *Environ. Chem. Lett.*, 629–654.
- Helal, Aly A., Murad, G.A., and Helal, A. A., 2011, Characterization of different humic materials by various analytical techniques, *Arab. J. Chem.*, 4, 51–54.
- Hu, H. and Xu, K., 2019, *Physicochemical technologies for HRP and risk control*, High Risk Pollutants in Wastewater, Nanjing.



- Hu, Z.H., Omer, A.M., Ouyang, X.K., and Yu, D., 2018, Fabrication of carboxylated cellulose nanocrystal/sodium alginate hydrogel beads for adsorption of Pb(II) from aqueous solution, *Int. J. Biol. Macromol.*, 108, 149–157.
- Jain, M., Garg, V.K., and Kadirvelu, K., 2013, Cadmium(II) sorption and desorption in a fixed bed column using sunflower waste carbon calcium-alginate beads, *Bioresour. Technol.*, 129, 242–248.
- Kavitha, K., Keerthi, T.S., Mani, T.T., 2011, Chitosan polymer used as carrier in various pharmaceutical formulations: Brief review, *Int. J. Biol. Pharm. Technol.*, 2, 249–258.
- Khan, Z.H., Gao, M., Qiu, W., Islam, M.S., and Song, Z., 2020, Mechanisms for cadmium adsorption by magnetic biochar composites in an aqueous solution, *Chemosphere*, 246, 1-9.
- Kim, E., Xiong, Y., Cheng, Y., Wu, H.C., Liu, Y., Morrow, B.H., et al., 2015, Chitosan to connect biology to electronics: Fabricating the bio-device interface and communicating across this interface, *Polymers (Basel)*, 7, 1–46.
- Kuczajowska-Zadrożna, M., Filipkowska, U., and Józwiak, T., 2020, Adsorption of Cu (II) and Cd (II) from aqueous solutions by chitosan immobilized in alginate beads, *J. Environ. Chem. Eng.*, 8, 1-7.
- Largitte, L. and Pasquier, R., 2016, A review of the kinetics adsorption models and their application to the adsorption of lead by an activated carbon, *Chem. Eng. Res. Des.*, 109, 495–504.
- Larosa, C., Salerno, M., de Lima, J.S., Merijs Meri, R., da Silva, M.F., de Carvalho, L.B., and Converti, A., 2018, Characterisation of bare and tannase-loaded calcium alginate beads by microscopic, thermogravimetric, FTIR and XRD analyses, *Int. J. Biol. Macromol.*, 115, 900–906.
- Laus, R., Costa, T.G., Szpoganicz, B., and Fávere, V.T., 2010, Adsorption and desorption of Cu(II), Cd(II) and Pb(II) ions using chitosan crosslinked with epichlorohydrin-triphosphate as the adsorbent, *J. Hazard. Mater.*, 183, 233–241.
- Laus, R. and De Fávere, V.T., 2011, Competitive adsorption of Cu(II) and Cd(II) ions by chitosan crosslinked with epichlorohydrin-triphosphate, *Bioresour. Technol.*, 102, 8769–8776.
- Li, M., Messele, S.A., Boluk, Y., and Gamal El-Din, M., 2019, Isolated cellulose nanofibers for Cu (II) and Zn (II) removal: performance and mechanisms, *Carbohydr. Polym.*, 221, 231–241.
- Li, N. and Bai, R., 2005, Copper adsorption on chitosan-cellulose hydrogel beads: Behaviors and mechanisms, *Sep. Purif. Technol.*, 42, 237–247.
- Li, X., Li, Y., and Ye, Z., 2011, Preparation of macroporous bead adsorbents based on poly(vinyl alcohol)/chitosan and their adsorption properties for



- heavy metals from aqueous solution, *Chem. Eng. J.*, 178, 60–68.
- Lv, D., Zhou, X., Zhou, J., Liu, Y., Li, Y., Yang, K., et al., 2018, Design and characterization of sulfide-modified nanoscale zerovalent iron for cadmium(II) removal from aqueous solutions, *Appl. Surf. Sci.*, 442, 114–123.
- Ngah, W.S.W. and Fatinathan, S., 2008, Adsorption of Cu(II) ions in aqueous solution using chitosan beads, chitosan-GLA beads and chitosan-alginate beads, *Chem. Eng. J.*, 143, 62–72.
- Ngah, W.S.W., Fatinathan, S., and Yosop, N.A., 2011, Isotherm and kinetic studies on the adsorption of humic acid onto chitosan-H<sub>2</sub>SO<sub>4</sub> beads, *Desalination*, 272, 293–300.
- Papageorgiou, S.K., Katsaros, F.K., Kouvelos, E.P., and Kanellopoulos, N.K., 2009, Prediction of binary adsorption isotherms of Cu<sup>2+</sup>, Cd<sup>2+</sup> and Pb<sup>2+</sup> on calcium alginate beads from single adsorption data, *J. Hazard. Mater.*, 162, 1347–1354.
- Pasparakis, G. and Bouropoulos, N., 2006, Swelling studies and in vitro release of verapamil from calcium alginate and calcium alginate-chitosan beads, *Int. J. Pharm.*, 323, 34–42.
- Popuri, S.R., Vijaya, Y., Boddu, V.M., and Abburi, K., 2009, Adsorptive removal of copper and nickel ions from water using chitosan coated PVC beads, *Bioresour. Technol.*, 100, 194–199.
- Qin, C., Zhou, J., Zhang, Z., Chen, W., Hu, Q., and Wang, Y., 2019, Convenient one-step approach based on stimuli-responsive sol-gel transition properties to directly build chitosan-alginate core-shell beads, *Food Hydrocoll.*, 87, 253–259.
- Ren, H., Gao, Z., Wu, D., Jiang, J., Sun, Y., and Luo, C., 2016, Efficient Pb(II) removal using sodium alginate-carboxymethyl cellulose gel beads: Preparation, characterization, and adsorption mechanism, *Carbohydr. Polym.*, 137, 402–409.
- Riva, R., Ragelle, H., Des Rieux, A., Duhem, N., Jérôme, C., and Préat, V., 2011, Chitosan and chitosan derivatives in drug delivery and tissue engineering, *Adv. Polym. Sci.*, 244, 19-44.
- Sahu, O. and Singh, N., 2018, *The Impact and Prospects of Green Chemistry for Textile Technology*. Woodhead Publishing, New Delhi.
- Samuel, M.S., Selvarajan, E., Subramaniam, K., Mathimani, T., Seethappan, S., and Pugazhendhi, A., 2020, Synthesized β-cyclodextrin modified graphene oxide (β-CD-GO) composite for adsorption of cadmium and their toxicity profile in cervical cancer (HeLa) cell lines, *Process Biochem.*, 93, 28–35.
- Samuel, M.S., Shah, S.S., Bhattacharya, J., Subramaniam, K., and Pradeep Singh, N.D., 2018, Adsorption of Pb(II) from aqueous solution using a magnetic chitosan/graphene oxide composite and its toxicity studies, *Int. J. Biol. Macromol.*, 115, 1142–1150.



- Sellimi, S., Younes, I., Ayed, H. Ben, Maalej, H., Montero, V., Rinaudo, M., Dahia, M., Mechichi, T., Hajji, M., and Nasri, M., 2015, Structural, physicochemical and antioxidant properties of sodium alginate isolated from a Tunisian brown seaweed, *Int. J. Biol. Macromol.*, 72, 1358–1367.
- Shi, M., Zhao, Z., Song, Y., Xu, M., Li, J., and Yao, L., 2020, A novel heat-treated humic acid/MgAl-layered double hydroxide composite for efficient removal of cadmium: Fabrication, performance and mechanisms, *Appl. Clay Sci.*, 187, 1-8.
- Sliwinska-Kowalska, M., 2019, Combined exposures to noise and chemicals at work, *Encycl. Environ. Heal.*, 686–694.
- Sosnik, A., 2014, Alginate Particles as Platform for Drug Delivery by the Oral Route: State-of-the-Art, *ISRN Pharm.*, 2014, 1–17.
- Sountharajah, D.P., Loganathan, P., Kandasamy, J., and Vigneswaran, S., 2015, Effects of humic acid and suspended solids on the removal of heavy metals from water by adsorption onto granular activated carbon, *Int. J. Environ. Res. Public Health*, 12, 10475–10489.
- Sureshkumar, M.K., Das, D., Mary, G., and Nuwad, J., 2013, Adsorption of Pb(II) Ions Using Humic Acid Coated Chitosan-Tripolyphosphate (HA-CTPP) Beads, *Sep. Sci. Technol.*, 48, 1132–1139.
- Tao, Q., Chen, Yixuan, Zhao, J., Li, Bing, Li, Yuhao, Tao, S., Li, M., Li, Q., Xu, Q., Li, Y., Li, H., Li, B., Chen, Y., and Wang, C., 2019, Enhanced Cd removal from aqueous solution by biologically modified biochar derived from digestion residue of corn straw silage, *Sci. Total Environ.*, 674, 213–222.
- Volesky, B., 2001, Detoxification of metal-bearing effluents: Biosorption for the next century, *Hydrometallurgy*, 59, 203–216.
- Wang, F.Y., Wang, H., and Ma, J.W., 2010, Adsorption of cadmium (II) ions from aqueous solution by a new low-cost adsorbent-Bamboo charcoal, *J. Hazard. Mater.*, 177, 300–306.
- Wang, J. and Chen, C., 2009, Biosorbents for heavy metals removal and their future, *Biotechnol. Adv.*, 195–226.
- Wang, T., Liu, W., Xiong, L., Xu, N., and Ni, J., 2013, Influence of pH, ionic strength and humic acid on competitive adsorption of Pb(II), Cd(II) and Cr(III) onto titanate nanotubes, *Chem. Eng. J.*, 215–216, 366–374.
- Wang, Y., Tang, X., Chen, Y., Zhan, L., Li, Z., and Tang, Q., 2009, Adsorption behavior and mechanism of Cd(II) on loess soil from China, *J. Hazard. Mater.*, 172, 30–37.
- Wang, Y., Yao, W., Wang, Q., Yang, Z., Liang, L., and Chai, L., 2016, Synthesis of phosphate-embedded calcium alginate beads for Pb(II) and Cd(II) sorption and immobilization in aqueous solutions, *Trans. Nonferrous Met. Soc. China.*, 26, 2230–2237.



- William Kajjumba, G., Emik, S., Öngen, A., Kurtulus Özcan, H., and Aydın, S., 2019, Modelling of Adsorption Kinetic Processes—Errors, Theory and Application,. In, *Advanced Sorption Process Applications.*, hal. 1–19.
- Wu, P., Zhang, Q., Dai, Y., Zhu, N., Dang, Z., Li, P., Wu, J., and Wang, X., 2011, Adsorption of Cu(II), Cd(II) and Cr(III) ions from aqueous solutions on humic acid modified Ca-montmorillonite, *Geoderm.*, 164, 215–219.
- Yan, W.L. and Bai, R., 2005, Adsorption of lead and humic acid on chitosan hydrogel beads, *Water Res.*, 39, 688–698.
- Yan, Y., An, Q., Xiao, Z., Zheng, W., and Zhai, S., 2017, Flexible core-shell/bead-like alginate@PEI with exceptional adsorption capacity, recycling performance toward batch and column sorption of Cr(VI), *Chem. Eng. J.*, 313, 475–486.
- Yao, L., Zhao, Z., Zhao, L., Zhang, Z., Shi, M., and Xu, M.M., 2019, Evaluation of Adsorption of Cadmium onto Ferrihydrite-Humic Acid Coprecipitation, *Sci. Adv. Mater.*, 11, 1232–1240.
- Zamani, A.A., Shokri, R., Yaftian, M.R., and Parizanganeh, A.H., 2013, Adsorption of lead, zinc and cadmium ions from contaminated water onto Peganum harmala seeds as biosorbent, *Int. J. Environ. Sci. Technol.*, 10, 93–102.
- Zhang, H., Omer, A.M., Hu, Z., Yang, L.Y., Ji, C., and Ouyang, X. kun, 2019, Fabrication of magnetic bentonite/carboxymethyl chitosan/sodium alginate hydrogel beads for Cu (II)adsorption, *Int. J. Biol. Macromol.*, 135, 490–500.
- Zhang, W., Wang, H., Hu, X., Feng, H., Xiong, W., Guo, W., Zhou, J., Mosa, A., and Peng, Y., 2019, Multicavity triethylenetetramine-chitosan/alginate composite beads for enhanced Cr(VI) removal, *J. Clean. Prod.*, 231, 733–745.
- Zhang, X., Lin, X., He, Y., Chen, Y., Luo, X., and Shang, R., 2019, Study on adsorption of tetracycline by Cu-immobilized alginate adsorbent from water environment, *Int. J. Biol. Macromol.*, 124, 418–428.
- Zhao, F., Repo, E., Yin, D., and Sillanpää, M.E.T., 2013, Adsorption of Cd(II) and Pb(II) by a novel EGTA-modified chitosan material: Kinetics and isotherms, *J. Colloid Interface Sci.*, 409, 174–182.
- Zhao, W., Qi, Y., Wang, Y., Xue, Y., Xu, P., Li, Z., and Li, Q., 2018, Morphology and thermal properties of calcium alginate/reduced graphene oxide composites, *Polymers (Basel).*, 10, 1–11.
- Zhou, L., Monreal, C.M., Xu, S., McLaughlin, N.B., Zhang, H., Hao, G., and Liu, J., 2019, Effect of bentonite-humic acid application on the improvement of soil structure and maize yield in a sandy soil of a semi-arid region, *Geoderm.*, 338, 269–280.