



DAFTAR PUSTAKA

- Abrams, P. A. (2000). The Evolution Of Predator-Prey Interactions: Theory and Evidence. *Predator-Prey Evolution*, 31(12), 79–105.
- Adams, E. S. (2001). Approaches To The Study Of Territory Size And Shape. *Annual Review of Phytopathology*, 39(1), 337–365. <https://doi.org/10.1146/annurev.phyto.39.1.337>
- Ahearn, S. C., Smith, J. L. D., Joshi, A. R., & Ding, J. (2001). TIGMOD: An individual-based spatially explicit model for simulating tiger/human interaction in multiple use forests. *Ecological Modelling*, 140(1–2), 81–97. [https://doi.org/10.1016/S0304-3800\(01\)00258-7](https://doi.org/10.1016/S0304-3800(01)00258-7)
- Allen, M., Krofel, M., & Sibarani, M. (2019). Predicting preferred prey of Sumatran Tigers (*Panthera tigris sumatrae*) via spatiotemporal overlap. *Oryx*, 5(JUNE), 1–35.
- Andheria, A. P., Karanth, K. U., & Kumar, N. S. (2007). Diet and prey profiles of three sympatric large carnivores in Bandipur Tiger Reserve, India. *Journal of Zoology*, 273(2), 169–175. <https://doi.org/10.1111/j.1469-7998.2007.00310.x>
- Bailey, B. A., & King, D. I. (2019). Habitat selection and habitat quality for wintering wood thrushes in a coffee growing region in Honduras. *Global Ecology and Conservation*, 20, e00728. <https://doi.org/10.1016/j.gecco.2019.e00728>
- Bassett, A., Krause, A. L., & Van Gorder, R. A. (2017). Continuous dispersal in a model of predator–prey-subsidy population dynamics. *Ecological Modelling*, 354, 115–122. <https://doi.org/10.1016/j.ecolmodel.2017.02.017>
- Bhattarai, B. P., & Kindlmann, P. (2012). Interactions between Bengal tiger (*Panthera tigris*) and leopard (*Panthera pardus*): Implications for their conservation. *Biodiversity and Conservation*, 21(8), 2075–2094. <https://doi.org/10.1007/s10531-012-0298-y>
- Bhattarai, B. R., Wright, W., Morgan, D., Cook, S., & Baral, H. S. (2019). Managing human-tiger conflict: lessons from Bardia and Chitwan National Parks, Nepal. *European Journal of Wildlife Research*, 65(3). <https://doi.org/10.1007/s10344-019-1270-x>
- Blanco, J. A. H., Naidenko, S. V., Chistopolova, M. D., Lukarevskiy, V. S., Kostyrya, A., Rybin, A., Sorokin, P. A., Litvinov, M. N., Kotlyar, A. K., Miquelle, D. G., & Rozhnov, V. V. (2015). Social structure and space use of Amur tigers (*Panthera tigris altaica*) in Southern Russian Far East based on GPS telemetry data. *Integrative Zoology*, 10(4), 365–375. <https://doi.org/10.1111/1749-4877.12140>
- Bothma, J. D. P., Nel, J. A. J., & Macdonald, A. (1984). Food niche separation between four sympatric Namib Desert carnivores. *Journal of Zoology*, 202(3), 327–340. <https://doi.org/10.1111/j.1469-7998.1984.tb05086.x>



- Brown, J. L. (1964). The Evolution of Diversity in Avian Territorial Systems. *The Wildson Bulletin*, 76(2), 160–169.
- Brown, J. S., Laundre, J. W., & Gurung, M. (1999). The Ecology of Fear: Optimal Foraging, Game Theory, and Trophic Interactions. *Journal of Mammalogy*, 80(2), 385–399. <https://doi.org/10.2307/1383287>
- Burt, W. H. (1943). Territoriality and Home Range Concepts as Applied to Mammals. *Journal of Mammalogy*, 24(3), 346. <https://doi.org/10.2307/1374834>
- Carter, N. H., Levin, S. A., & Grimm, V. (2019). Effects of human-induced prey depletion on large carnivores in protected areas: Lessons from modeling tiger populations in stylized spatial scenarios. *Ecology and Evolution*, September. <https://doi.org/10.1002/ece3.5632>
- Carter, N., Levin, S., Barlow, A., & Grimm, V. (2015). Modeling tiger population and territory dynamics using an agent-based approach. *Ecological Modelling*, 312, 347–362. <https://doi.org/10.1016/j.ecolmodel.2015.06.008>
- Cassini, M. H. (2013). Distribution Ecology. In *Distribution Ecology*. <https://doi.org/10.1007/978-1-4614-6415-0>
- Chakraborty, B., & Bairagi, N. (2019). Complexity in a prey-predator model with prey refuge and diffusion. *Ecological Complexity*, 37(April 2018), 11–23. <https://doi.org/10.1016/j.ecocom.2018.10.004>
- Chundawat, R. S. (2001). *Strengthening Tiger Conservation through Understanding Predator-Prey Relationships in Dry Tropical Forests of*.
- Chundawat, Raghunandan Singh, Sharma, K., Gogate, N., Malik, P. K., & Vanak, A. T. (2016). Size matters: Scale mismatch between space use patterns of tigers and protected area size in a Tropical Dry Forest. *Biological Conservation*, 197, 146–153. <https://doi.org/10.1016/j.biocon.2016.03.004>
- David Smith, J. L., Ahearn, S. C., & McDougal, C. (1998). Landscape analysis of tiger distribution and habitat quality in Nepal. *Conservation Biology*, 12(6), 1338–1346. <https://doi.org/10.1111/j.1523-1739.1998.97068.x>
- De, R., Joshi, B. D., Shukla, M., Pandey, P., Singh, R., & Goyal, S. P. (2019). Understanding predation behaviour of the tiger (*Panthera tigris tigris*) in Ranthambore tiger Reserve, Rajasthan, India: use of low-cost gel based molecular sexing of prey hairs from scats. *Conservation Genetics Resources*, 11(1), 97–104. <https://doi.org/10.1007/s12686-017-0963-2>
- Dou, H., Yang, H., Smith, J. L. D., Feng, L., Wang, T., & Ge, J. (2019). Prey selection of Amur tigers in relation to the spatiotemporal overlap with prey across the Sino-Russian border. *Wildlife Biology*, 2019(1). <https://doi.org/10.2981/wlb.00508>
- Duangchatrasiri, S., Jornburom, P., Jinamoy, S., Pattanavibool, A., Hines, J. E., Arnold, T. W., Fieberg, J., & Smith, J. L. D. (2019). Impact of prey occupancy and other ecological and anthropogenic factors on tiger distribution in



- Thailand's western forest complex. *Ecology and Evolution*, 9(5), 2449–2458. <https://doi.org/10.1002/ece3.4845>
- Elbroch, L. M., & Quigley, H. (2016). Social interactions in a solitary carnivore. *Current Zoology*, 63(4), 357–362. <https://doi.org/10.1093/cz/zow080>
- Emmons, L. H. (1987). Comparative feeding ecology of felids in a neotropical rainforest. *Behavioral Ecology and Sociobiology*, 20(4), 271–283. <https://doi.org/10.1007/BF00292180>
- Gerber, B. D., Karpanty, S. M., & Randrianantenaina, J. (2012). Activity patterns of carnivores in the rain forests of Madagascar: implications for species coexistence. *Journal of Mammalogy*, 93(3), 667–676. <https://doi.org/10.1644/11-mamm-a-265.1>
- Giller, P. S. (1984). *Community structure and the Niche*. Springer Science&Business Media. <https://doi.org/10.1007/978-94-009-5558-5>
- Goodrich, J. M., Lynam, A. J., Miquelle, D. G., Wibisono, H. T., Kawanishi, K., Pattanavibool, A., Htun, S., Tempa, T., Karki, J., Jhala, Y. V., Karanth, U., Lyam, A., Miquelle, D. G., Wibisono, H. T., Kawanishi, K., Pattanavibool, A., Htun, S., Tempa, T., Karki, J., ... Jhala, Y. V. (2015). *Panthera tigris*. The IUCN Red List of Threatened Species 2015. *The IUCN Red List of Threatened SpeciesTM*, 8235(April 2016), 1–20. <https://doi.org/e.T15955A50659951>. <http://dx.doi.org/10.2305/IUCN.UK.2015-2.RLTS.T15955A50659951.en>.
- Goodrich, J. M., Miquelle, D. G., Smirnov, E. N., Kerley, L. L., & Howard, B. (2010). Spatial structure of Amur (Siberian) tigers (*Panthera tigris altaica*) on Sikhote-Alin Biosphere Zapovednik, Rusia. *Journal of Mammalogy*, 91(3), 737–748. <https://doi.org/10.1644/09-MAMM-A-293.1.Key>
- Gour, D. S., Bhagavatula, J., Bhavanishankar, M., Reddy, P. A., Gupta, J. A., Sarkar, M. S., Hussain, S. M., Harika, S., Gulia, R., & Shivaji, S. (2013). Philopatry and Dispersal Patterns in Tiger (*Panthera tigris*). *PLoS ONE*, 8(7). <https://doi.org/10.1371/journal.pone.0066956>
- Groves, C. P. (2006). *Original investigation A taxonomic revision of the tigers (Panthera tigris) of Southeast Asia.* 71, 268–287. <https://doi.org/10.1016/j.mambio.2006.02.007>
- Gurung, B. B. (2008). *Ecological and Sociological Aspects Of Human-Tiger Conflicts In Chitwan National Park, Nepal*. University of Minnesota.
- Handoyo. (2015). *Resolusi Konflik Di Taman Nasional Tesso Nilo Riau, Indonesia : Tinjauan Relasi Pemangku Kepentingan*. 89–103.
- Harihar, A., Chanchani, P., Borah, J., Crouthers, R. J., Darman, Y., Gray, T. N. E., Mohamad, S., Rawson, B. M., Rayan, M. D., Roberts, J. L., Steinmetz, R., Sunarto, S., Widodo, F. A., Anwar, M., Bhatta, S. R., Chakravarthi, J. P. P., Chang, Y., Congdon, G., Dave, C., ... Vattakaven, J. (2018). Recovery planning towards doubling wild tiger *Panthera tigris* numbers: Detailing 18 recovery sites from across the range. *PLoS ONE*, 13(11). <https://doi.org/10.1371/journal.pone.0207114>



- Hayward, M. W., Jedrzejewski, W., & Jedrzejewska, B. (2012). Prey preferences of the tiger *Panthera tigris*. *Journal of Zoology*, 286(3), 221–231. <https://doi.org/10.1111/j.1469-7998.2011.00871.x>
- Hayward, M. W., & Slotow, R. (2009). Temporal partitioning of activity in large african carnivores: Tests of multiple hypotheses. *African Journal of Wildlife Research*, 39(2), 109–125. <https://doi.org/10.3957/056.039.0207>
- Heilmann, I. T., Thygesen, U. H., & Sørensen, M. P. (2018). Spatio-temporal pattern formation in predator-prey systems with fitness taxis. *Ecological Complexity*, 34(May), 44–57. <https://doi.org/10.1016/j.ecocom.2018.04.003>
- Heithaus, M. R., & Dill, L. M. (2002). Food availability and tiger shark predation risk influence bottlenose dolphin habitat use. *Ecology*, 83(2), 480–491. [https://doi.org/10.1890/0012-9658\(2002\)083\[0480:FAATSP\]2.0.CO;2](https://doi.org/10.1890/0012-9658(2002)083[0480:FAATSP]2.0.CO;2)
- Hinde, R. A. (1956). The Biological Significance of The Territories of Bird. *IBIS* 98, 340–369.
- Hojnowski, C. E., Miquelle, D. G., Myslenkov, A. I., Strindberg, S., Smirnov, E. N., & Goodrich, J. M. (2012). Why do Amur tigers maintain exclusive home ranges? Relating ungulate seasonal movements to tiger spatial organization in the Russian Far East. *Journal of Zoology*, 287(4), 276–282. <https://doi.org/10.1111/j.1469-7998.2012.00913.x>
- Hurlbert, S. H. (1978). The Measurement of Niche Overlap and Some Relatives. *Ecology*, 59(1), 67–77. <https://doi.org/10.2307/1936632>
- Hutajulu, M. B. (2007). *Studi Karakteristik Ekologi Harimau Sumatera [Panthera tigris sumatrae (Pocock 1929)] Berdasarkan Camera Trap di Lansekap Tesso Nilo-Bukit Tigapulu, Riau*. Universitas Indonesia.
- Hutchinson, G. E. (1957). Concluding Remarks. *Cold Spring Harbor Symposia on Quantitative Biology*, 22, 415–422.
- Imron, M. A. (2011). *An individual-based model approach for the conservation of the Sumatran tiger Panthera tigris sumatrae population in central Sumatra*. January, 1–200. <https://doi.org/10.13140/RG.2.1.1069.0641>
- Imron, M. A., Sven, I., & Berger, U. (2011). *The Influence of Agroforestry and Other Land-Use Types on the Persistence of a Sumatran Tiger (Panthera tigris sumatrae) Population : An Individual-Based Model Approach*. 276–288. <https://doi.org/10.1007/s00267-010-9577-0>
- Kafley, H., Gompper, M. E., Sharma, M., Lamichane, B. R., & Maharjan, R. (2016). Tigers (*Panthera tigris*) Respond to Fine Spatial-scale Habitat Factors: Occupancy-based Habitat Association of Tigers in Chitwan National Park , Nepal. *Wildlife Research*, 43, 398–410.
- Karanth, K. U. (2003). Tiger Ecology and Conservation in the Indian Subcontinent. In *Journal of the Bombay Natural History Society* (Vol. 100, pp. 169–189).
- Karanth, K. U., & Nichols, J. D. (2017). Methods for monitoring tiger and prey populations. In *Methods For Monitoring Tiger and Prey Populations*.



<https://doi.org/10.1007/978-981-10-5436-5>

- Karanth, K. U., Srivaths, A., Vasudev, D., Puri, M., Parameshwaran, R., & Samba Kumar, N. (2017). Spatio-temporal interactions facilitate large carnivore sympatry across a resource gradient. *Proceedings of the Royal Society B: Biological Sciences*, 284(1848). <https://doi.org/10.1098/rspb.2016.1860>
- Karanth, K. U., & Sunquist, M. E. (1995). Prey Selection by Tiger, Leopard and Dhole in Tropical Forests. *The Journal of Animal Ecology*, 64(4), 439. <https://doi.org/10.2307/5647>
- Kareiva, P. (1987). Habitat fragmentation and the stability of predator-prey interactions. *Nature*, 326(6111), 388–390. <https://doi.org/10.1038/326388a0>
- Kitchener, A. C., & Yamaguchi, N. (2010). What Is a Tiger? Biogeography, Morphology, and Taxonomy. In *Tigers of the World* (Second Edi). Elsevier Inc. <https://doi.org/10.1016/B978-0-8155-1570-8.00004-9>
- Kittle, A. M. (2014). *The influence of prey availability, habitat attributes and other factors on space use by social carnivores*. 1–198.
- Krebs, C. J. (1972). *Ecology, the Experimental Analysis of Distribution & Abundance*.
- Kumaraguru, A., Saravanamuthu, R., Brinda, K., & Asokan, S. (2011). Prey preference of large carnivores in Anamalai Tiger Reserve, India. *European Journal of Wildlife Research*, 57(3), 627–637. <https://doi.org/10.1007/s10344-010-0473-y>
- Kusumo, A., Nur Bambang, A., & Izzati, M. (2016). Struktur Vegetasi Kawasan Hutan Alam dan Hutan Terdegradasi di Taman Nasional Tesso Nilo. *Jurnal Ilmu Lingkungan*, 14(1), 19. <https://doi.org/10.14710/jil.14.1.19-26>
- Lawlor, L. R. (1980). Overlap, Similarity, and Competition Coefficients. *Ecology*, 61(2), 245–251.
- Lesmeister, D. B., & Nielsen, C. K. (2015). Factors Influencing the Spatial and Temporal Structure of a Carnivore Guild in the Central Hardwood Region. *Wildlife Monographs*, 191, 1–61. <https://doi.org/10.1002/wmon.1015>.This
- Levin, S. A., Carpenter, S. R., Godfray, H. C. J., Kinzig, A. P., Loreau, M., Losos, J. B., Walker, B., & Wilcove, D. S. (2009). *The Princeton Guide to Ecology*. Princeton University Press. <https://doi.org/10.1016/B978-0-12-809633-8.90049-9>
- Lichstein, J. W., Dushoff, J., Levin, S. A., & Pacala, S. W. (2007). Intraspecific variation and species coexistence. *American Naturalist*, 170(6), 807–818. <https://doi.org/10.1086/522937>
- Linkie, M., Chapron, G., Martyr, D. J., Holden, J., & Leader-Williams, N. (2006). Assessing the viability of tiger subpopulations in a fragmented landscape. *Journal of Applied Ecology*, 43(3), 576–586. <https://doi.org/10.1111/j.1365-2664.2006.01153.x>



- Linkie, M., Guillera-Arroita, G., Smith, J. A., Ario, A., Bertagnolio, G., Cheong, F., Clements, G. R., Dinata, Y., Duangchantrasiri, S., Fredriksson, G., Gumal, M. T., Horng, L. S., Kawanishi, K., Khakim, F. R., Kinnaird, M. F., Kiswayadi, D., Lubis, A. H., Lynam, A. J., Maryati, ... Zulfahmi. (2013). Cryptic mammals caught on camera: Assessing the utility of range wide camera trap data for conserving the endangered Asian tapir. *Biological Conservation*, 162(June), 107–115. <https://doi.org/10.1016/j.biocon.2013.03.028>
- Linkie, M., Guillera-Arroita, G., Smith, J. A., & Rayan, D. M. (2010). Monitoring tigers with confidence. *Integrative Zoology*, 5(4), 342–350. <https://doi.org/10.1111/j.1749-4877.2010.00215.x>
- Linkie, M., & Ridout, M. S. (2011). Assessing tiger-prey interactions in Sumatran rainforests. *Journal of Zoology*, 284(3), 224–229. <https://doi.org/10.1111/j.1469-7998.2011.00801.x>
- Luo, S.-J., Liu, Y.-C., & Xu, X. (2019). Tigers of the World: Genomics and Conservation. *Annual Review of Animal Biosciences*, 7(1), 521–548. <https://doi.org/10.1146/annurev-animal-020518-115106>
- Luskin, M. S., Albert, W. R., & Tobler, M. W. (2017). Sumatran Tiger Survival Threatened By Deforestation Despite Increasing Densities In Parks. *Nature Communications*, 8(1). <https://doi.org/10.1038/s41467-017-01656-4>
- Mackenzie, D. I., Bailey, L. L., & Nichols, J. D. (2004a). Investigating species co-occurrence patterns when species. *Ecology*, 73, 546–555.
- Mackenzie, D. I., Bailey, L. L., & Nichols, J. D. (2004b). Investigating Species Co-occurrence Patterns When Species. *Ecology*, 73, 546–555.
- Maher, C. R., & Lott, D. F. (1995). Definitions of territoriality used in the study of variation in vertebrate spacing systems. *Animal Behaviour*, 49(6), 1581–1597. [https://doi.org/10.1016/0003-3472\(95\)90080-2](https://doi.org/10.1016/0003-3472(95)90080-2)
- Majumder, A., Basu, S., Sankar, K., Qureshi, Q., Jhala, Y. V., Nigam, P., & Gopal, R. (2012). Home ranges of the radio-collared Bengal tigers (*Panthera tigris tigris* L.) in Pench Tiger Reserve, Madhya Pradesh, Central India. *Wildlife Biology in Practice*, 8(1), 36–49. <https://doi.org/10.2461/wbp.2012.8.4>
- Manly, B. F. j., McDonald, L. L., Thomas, D. L., McDonald, T. L., & Erickson, W. P. (2004). *Resource Selection by Animals*. Kluwer Academic Publishers.
- Marhaento, H., Susanti, A., Permadi, D. B., Imron, M. A., Hermudananto, B., Nurjanto, H. H., & Susanto, D. (2019). *Jangka Benah : Konsep dan Implementasi Penyelesaian Keberadaan Kebun Kelapa Sawit Rakyat Monokultur Dalam Kawasan Hutan* (1st ed.). Fakultas Kehutanan UGM.
- Meredith, M., & Ridout, M. S. (2014). Overview of the Overlap Package. Available at: R-project.org. *R Project*, 1–9. www.R-project.org
- Michell, M. S., & Powell, R. A. (2012). Foraging optimally for home ranges. *Jurnal Of Mammalogy*, 93(4), 917–928. <https://doi.org/10.1644/11-MAMM-S-157.1>



- Miller, D. A. W., Nichols, J. D., Gude, J. A., Rich, L. N., Podruzny, K. M., Hines, J. E., & Mitchell, M. S. (2013). *Determining Occurrence Dynamics when False Positives Occur : Estimating the Range Dynamics of Wolves from Public Survey Data*. 8(6). <https://doi.org/10.1371/journal.pone.0065808>
- Mitchell, M. S., & Powell, R. A. (2007). Optimal use of resources structures home ranges and spatial distribution of black bears. *Animal Behaviour*, 74(2), 219–230. <https://doi.org/10.1016/j.anbehav.2006.11.017>
- Morrison, M. L., Marcot, B. G., & Mannan, R. W. (2006). *Wildlife habitat relationships: concepts and applications*.
- Mukherjee, S., & Sen Sarkar, N. (2013). The Range of Prey Size of the Royal Bengal Tiger of Sundarbans. *Journal of Ecosystems*, 2013, 1–7. <https://doi.org/10.1155/2013/351756>
- Murray, B. G. (1971). The Ecological Consequences of Interspecific Territorial Behavior in Birds. *Ecology*, 52(3), 414–423.
- Nandhini. (2017). Spatial distribution and Resource Partitioning of Sympatric Carnivores in the. *Journal of Zoology*, 6(1), 20–27.
- Nathan, R., Getz, W. M., Revilla, E., Holyoak, M., Kadmon, R., Saltz, D., & Smouse, P. E. (2008). A movement ecology paradigm for unifying organismal movement research. *Proceedings of the National Academy of Sciences of the United States of America*, 105(49), 19052–19059. <https://doi.org/10.1073/pnas.0800375105>
- Nowell, K., & Jackson, P. (1996). *Wild Cats*. IUCN.
- O'Brien, T. G., Kinnaird, M. F., & Wibisono, H. T. (2003). Crouching tigers, hidden prey: Sumatran tiger and prey populations in a tropical forest landscape. *Animal Conservation*, 6(2), 131–139. <https://doi.org/10.1017/S1367943003003172>
- Patton, D. R. (2010). *Forest Wildlife Ecology and Habitat Management*. CRC Press. <https://doi.org/10.1201/9781439895061>
- Peterson, A. T., Soberón, J., Pearson, R. G., Anderson, R. P., Meyer, E. M., Nakamura, M., & Araujo, M. B. (2012). Ecological niches and geographic distributions. In *Choice Reviews Online* (Vol. 49, Issue 11). Princeton University Press. <https://doi.org/10.5860/choice.49-6266>
- Pianka, E. R. (1974). Niche overlap and diffuse competition. *Proceedings of the National Academy of Sciences of the United States of America*, 71(5), 2141–2145. <https://doi.org/10.1073/pnas.71.5.2141>
- Polechová, Jitka., Storch, D., Polechová, J., & Storch, D. (2008). Ecological Niche. *Encyclopedia of Ecology, Five-Volume Set*, 2(June 2017), 1088–1097. <https://doi.org/10.1016/B978-008045405-4.00811-9>
- Poor, E. E., Shao, Y., & Kelly, M. J. (2018). Mapping and predicting forest loss in a Sumatran tiger landscape from 2002 to 2050. *Journal of Environmental Management*, 231(February), 397–404.



<https://doi.org/10.1016/j.jenvman.2018.10.065>

- Prawiradilaga, D. M., Sinaga, E. W., & Noerdjito, W. A. (2014). *Rapid Assessment On Biodiversity in Logged Forest of Tesso Nilo, Riau Province, Sumatra*. 10, 271–283.
- Rich, L. N., Miller, D. A. W., Robinson, H. S., McNutt, J. W., & Kelly, M. J. (2017). Carnivore distributions in Botswana are shaped by resource availability and intraguild species. *Journal of Zoology*, 303(2), 90–98. <https://doi.org/10.1111/jzo.12470>
- Richmond, O. M. W., Hines, J. E., & Beissinger, S. R. (2010). *Two-species Occupancy Models : a New Parameterization Applied to Co-occurrence of Secretive Rails*. 20(7), 2036–2046.
- Ridout, M. S., & Linkie, M. (2009). Estimating overlap of daily activity patterns from camera trap data. *Journal of Agricultural, Biological, and Environmental Statistics*, 14(3), 322–337. <https://doi.org/10.1198/jabes.2009.08038>
- Rizzuto, M., Carbone, C., & Pawar, S. (2018). Foraging constraints reverse the scaling of activity time in carnivores. *Nature Ecology and Evolution*, 2(2), 247–253. <https://doi.org/10.1038/s41559-017-0386-1>
- Sanderson, E. W., Forrest, J., Loucks, C., Ginsberg, J., Dinerstein, E., Seidensticker, J., Leimgruber, P., Songer, M., Heydlauff, A., O'Brien, T., Bryja, G., Klenzendorf, S., & Wikramanayake, E. (2010). Setting Priorities for Tiger Conservation: 2005–2015. In *Tigers of the World* (Second Edi). Elsevier Inc. <https://doi.org/10.1016/B978-0-8155-1570-8.00009-8>
- Schoener, T. W. (1970). Nonsynchronous Spatial Overlap of Lizards in Patchy Habitats Author (s): Thomas W . Schoener Reviewed work (s): Published by : Ecological Society of America Stable URL : <http://www.jstor.org/stable/1935376>. *Ecology*, 51(3), 408–418.
- Seidensticker, J. (1986). Large Carnivores And The Consequences Of Habitat Insularization : Ecology And Conservation Of Tigers In Indonesia And Bangladesh. In D. D. Miller, S. D. and Everett (Ed.), *Cats of the World: Biology, Conservation, and Management* (Issue Tiger Ecology And Conservation). <https://doi.org/DOI 10.1016/j.desal.2006.04.052>
- Seidensticker, J. (2010). Saving wild tigers: A case study in biodiversity loss and challenges to be met for recovery beyond 2010. *Integrative Zoology*, 5(4), 285–299. <https://doi.org/10.1111/j.1749-4877.2010.00214.x>
- Seidensticker, J., & McDougal, C. (1993). Tiger predatory behaviour, ecology and conservation. *Symposium of the Zoological Society of London*, 65, 105–125.
- Sergio, F., Newton, I., Marchesi, L., & Pedrini, P. (2006). Ecologically justified charisma: Preservation of top predators delivers biodiversity conservation. *Journal of Applied Ecology*, 43(6), 1049–1055. <https://doi.org/10.1111/j.1365-2664.2006.01218.x>
- Slobodchikoff N., S. W. C. (1980). Measures of Niche Overlap. *Ecology*, 61(5),



1051–1055.

- Smith, J. L. D. (1993). The Role of Dispersal In Structuring The Chitwan Tiger Population. *Behavior*, 124(3–4), 165–195.
- Smith, J. L. D., & McDougal, C. (1991). The Contribution of Variance in Lifetime Reproduction to Effective Population Size in Tigers. *Conservation Biology*, 5(4), 484–490.
- Stephens, D. W. (1984). Optimal foraging theory. *Encyclopedia of Ecology*, 284–289. <https://doi.org/10.1016/B978-0-444-63768-0.00026-3>
- Stephens, D. W. (2008). Decision ecology: Foraging and the ecology of animal decision making. *Cognitive, Affective and Behavioral Neuroscience*, 8(4), 475–484. <https://doi.org/10.3758/CABN.8.4.475>
- Sumitran, R., Yoza, D., & Oktorini, Y. (2014). Keberadaan Harimau Sumatera (*Panthera Tigris Sumatrae*) dan Satwa Mangsanya di Berbagai Tipe Habitat Pada Taman Nasional Tesso Nilo. *Jurnal Online Mahasiswa (JOM) Bidang Pertanian*, 1(1), 1–15. <https://jom.unri.ac.id/index.php/JOMFAPERTA/article/view/2620>
- Sunarto, S. (2011). *Ecology and Restoration Of Sumatran Tigers In Forest and Plantation Landscapes*.
- Sunarto, S., Kelly, M. J., Parakkasi, K., & Hutajulu, M. B. (2015). Cat coexistence in central Sumatra: Ecological characteristics, spatial and temporal overlap, and implications for management. *Journal of Zoology*, 296(2), 104–115. <https://doi.org/10.1111/jzo.12218>
- Sunarto, S., Kelly, M. J., Parakkasi, K., Klenzendorf, S., Septayuda, E., & Kurniawan, H. (2012). Tigers need cover: Multi-scale occupancy study of the big cat in Sumatran forest and plantation landscapes. *PLoS ONE*, 7(1). <https://doi.org/10.1371/journal.pone.0030859>
- Sunquist, M. E. (1981). The Social Organization of Tigers (*Panthera Tigris*) in Royal Chitawan National Park, Nepal. *Smithsonian Contributions to Zoology*, 336, 1–98. <https://doi.org/10.5479/si.00810282.336>
- Sunquist, M. E. (2010). What Is A Tiger? Ecology And Behavior. In *Tigers of the World* (Second Edi, pp. 19–33). Elsevier Inc. <https://doi.org/10.1016/B978-0-8155-1570-8.00002-5>
- Sunquist, M. E., & Sunquist, Fioinai, C. (1989). *Ecological Constraints on Predation* (pp. 283–301).
- Suyadi, Jaya, I., Wijanarto, A., & Wibisono, H. (2013). Deforestation and IT is Implications for Sumatran Tigers in Bukit Barisan Selatan National Park, Sumatra. *Indonesian Journal of Biology*, 9(1), 73–81. <https://doi.org/10.14203/jbi.v9i1.148>
- Thapa, K., & Kelly, M. J. (2017). Prey and Tigers On The Forgotten Trail: High Prey Occupancy and Tiger Habitat Use Reveal The Importance Of The Understudied Churia Habitat of Nepal. *Biodiversity and Conservation*, 26(3),



593–616. <https://doi.org/10.1007/s10531-016-1260-1>

Thapar, V. (1989). The Tiger Evolution , Present Status and Future Evolution , Present Status and Future. *Interdisciplinary Science Reviews*, 14(1), 43–53. <https://doi.org/10.1179/isr.1989.14.1.43>

Tilson, R. I., & Seal, U. (1987). *Tigers of the World: The Biology, Biopolitics, Management and Conservation of an Endangered Species*. Noyes Publications.

Weir, R. D., Harestad, A. S., & Corbould, F. B. (2009). Home Ranges and Spatial Organization of Fishers , Martes pennanti , in Central British Columbia. *The Canadian Field-Naturalist*, 123, 126–132.

Wibisono, H. T., & Pusparini, W. (2010). Sumatran tiger (*Panthera tigris sumatrae*): A review of conservation status. *Integrative Zoology*, 5(4), 313–323. <https://doi.org/10.1111/j.1749-4877.2010.00219.x>

Wilbur, H. M. (1988). Interactions Between Growing Predators and Growing Prey. *Size-Structured Populations*, 157–172. https://doi.org/10.1007/978-3-642-74001-5_11

Wolf, C., & Ripple, W. J. (2016). Prey depletion as a threat to the world's large carnivores. *Royal Society Open Science*, 3(8). <https://doi.org/10.1098/rsos.160252>

WWF, & Kuiburi. (2009). *The Ecology and Conservation of Tigers and their Prey in Kuiburi National Park, Thailand*. June.

Yoserizal, & Alhamra. (2016). Studi Investigasi Perambahan di Taman Nasional Tesso Nilo Provinsi Riau Indonesia. *Prosiding Seminar Serantau Pengurusan Perserikatan*, 663, 2–10.