

Daftar Pustaka

- Ahmadi, A. (2007). Suicide by self-immolation: Comprehensive overview, experiences and suggestions. *Journal of Burn Care and Research*, 28(1), 30–41. <https://doi.org/10.1097/BCR.0b013E31802C8878>
- Amaresha, A. C., & Venkatasubramanian, G. (2012). Expressed emotion in schizophrenia: An overview. *Indian Journal of Psychological Medicine*, 34(1), 12–20. <https://doi.org/10.4103/0253-7176.96149>
- Ammerman, B. A., & Brown, S. (2018). The mediating role of self-criticism in the relationship between parental expressed emotion and NSSI. *Current Psychology*, 37(1), 325–333. <https://doi.org/10.1007/s12144-016-9516-1>
- Arnett, J. J. (2000). Emerging adulthood: A theory of development from the late teens through the twenties. *American Psychologist*, 55(5), 469–480. <https://doi.org/10.1037/0003-066X.55.5.469>
- Asarnow, J. R., Tompson, M., Woo, S., & Cantwell, D. P. (2001). Is expressed emotion a specific risk factor for depression or a nonspecific correlate of psychopathology? *Journal of Abnormal Child Psychology*, 29(6), 573–583. <https://doi.org/10.1023/A:1012237411007>
- Baetens, I., Claes, L., Hasking, P., Smits, D., Grietens, H., Onghena, P., & Martin, G. (2015). The Relationship Between Parental Expressed Emotions and Non-suicidal Self-injury: The Mediating Roles of Self-criticism and Depression. *Journal of Child and Family Studies*, 24(2), 491–498. <https://doi.org/10.1007/s10826-013-9861-8>
- Bhugra, D., & McKenzie, K. (2003). Expressed emotion across cultures. *Advances in Psychiatric Treatment*, 9(5), 342–348. <https://doi.org/10.1192/apt.9.5.342>
- Blum, R., Sudhinaraset, M., & Emerson, M. R. (2012). Youth at risk: Suicidal thoughts and attempts in Vietnam, China, and Taiwan. *Journal of Adolescent Health*, 50, S37–S44. <https://doi.org/10.1016/j.jadohealth.2011.12.006>
- Boiger, M., & Mesquita, B. (2012). The construction of emotion in interactions, relationships, and cultures. *Emotion Review*, 4(3), 221–229. <https://doi.org/10.1177/1754073912439765>
- BPS. (2020, Oktober). Jumlah penduduk hasil proyeksi menurut provinsi dan jenis kelamin (ribu jiwa), 2018-2020. Badan Pusat Statistik. Diunduh dari <https://www.bps.go.id/indicator/12/1886/1/jumlah-penduduk-hasil-proyeksi-menurut-provinsi-dan-jenis-kelamin.html> tanggal 1 November 2020.
- Brown, G. W., Monck, E. M., Carstairs, G. M., & Wing, J. K. (1962). Influence of Family Life on the Course of Schizophrenic Illness. *British Journal of Preventative Social Medicine*, 16(2), 55–68. <https://doi.org/10.1136/jech.16.2.55>
- Carroll, R., Metcalfe, C., & Gunnell, D. (2014). Hospital presenting self-harm and risk of

- fatal and non- fatal repetition: Systematic review and meta-analysis. *PLoS ONE*, 9(2), 1–9. <https://doi.org/10.1371/journal.pone.0089944>
- Chan, M. K. Y., Bhatti, H., Meader, N., Stockton, S., Evans, J., O'Connor, R. C., ... Kendall, T. (2016). Predicting suicide following self-harm: Systematic review of risk factors and risk scales. *British Journal of Psychiatry*, 209(4), 277–283. <https://doi.org/10.1192/bjp.bp.115.170050>
- Chen, Y. Y., Chien-Chang Wu, K., Yousuf, S., & Yip, P. S. F. (2012). Suicide in Asia: Opportunities and challenges. *Epidemiologic Reviews*, 34(1), 129–144. <https://doi.org/10.1093/epirev/mxr025>
- Choi, K. H., Wang, S.-M., Yeon, B., Suh, S.-Y., Oh, Y., Lee, H.-K., ... Lee, K.-U. (2013). Risk and protective factors predicting multiple suicide attempts. *Psychiatry Research*, 210(3), 957–961. <https://doi.org/10.1016/j.psychres.2013.09.026>
- Chu, C., Buchman-schmitt, J. M., Stanley, I. H., Melanie, A., Tucker, R. P., Ph, D., ... Ringer-moberg, F. B. (2017). The interpersonal theory of suicide: A systematic review and meta-analysis of a decade of cross-national research. *Psychology Bulletin*, 143(12), 1313–1345. <https://doi.org/10.1037/bul0000123>
- Cole, J. D., & Kazarian, S. S. (1988). *The level of expressed emotion scale: A new measure of expressed emotion*. 44(3), 392–398.
- Cwik, M., Barlow, A., Tingey, L., Goklish, N., Larzelere-Hinton, F., Craig, M., & Walkup, J. T. (2015). Exploring risk and protective factors with a community sample of American Indian adolescents who attempted suicide. *Archives of Suicide Research*, 19(2), 172–189. <https://doi.org/10.1080/13811118.2015.1004472>
- Eisenberg, M. E., Ackard, D. M., & Resnick, M. D. (2007). Protective factors and suicide risk in adolescents with a history of sexual abuse. *The Journal of Pediatrics*, 151(5), 482–487. <https://doi.org/10.1016/j.jpeds.2007.04.033>
- Ellis, A. J., Portnoff, L. C., Axelson, D. A., Kowatch, R. A., Walshaw, P., & Miklowitz, D. J. (2014). Parental expressed emotion and suicidal ideation in adolescents with bipolar disorder. *Psychiatry Research*, 216(2), 213–216. <https://doi.org/10.1016/j.psychres.2014.02.013>
- Eskin, M., AlBuhairan, F., Rezaeian, M., Abdel-Khalek, A. M., Harlak, H., El-Nayal, M., ... Khatib, S. (2019). Suicidal Thoughts, Attempts and Motives Among University Students in 12 Muslim-Majority Countries. *Psychiatric Quarterly*, 90(1), 229–248. <https://doi.org/10.1007/s11126-018-9613-4>
- Frey, L. M., & Cerel, J. (2015). Risk for suicide and the role of family: A narrative review. *Journal of Family Issues*, 36(6), 716–736. <https://doi.org/10.1177/0192513X13515885>
- Frey, L. M., & Fulginiti, A. (2017). Talking about suicide may not be enough: family reaction as a mediator between disclosure and interpersonal needs. *Journal of Mental Health*, 26(4), 366–372. <https://doi.org/10.1080/09638237.2017.1340592>

- Garcia-Lopez, L. J., Muela, J. M., Espinosa-Fernandez, L., & Diaz-Castela, M. (2009). Exploring the relevance of expressed emotion to the treatment of social anxiety disorder in adolescence. *Journal of Adolescence*, 32(6), 1371–1376. <https://doi.org/10.1016/j.adolescence.2009.08.001>
- Gerlsma, C., Van der Lubbe, P. M., & Van Nieuwenhuizen, C. (1992). Factor analysis of the level of expressed emotion scale, a questionnaire intended to measure “perceived expressed emotion.” *British Journal of Psychiatry*, 160(MAR.), 385–389. <https://doi.org/10.1192/bjp.160.3.385>
- Gerlsma, Coby, & Hale, W. W. (1997). Predictive power and construct validity of the Level of Expressed Emotion (LEE) scale. Depressed out-patients and couples from the general community. *British Journal of Psychiatry*, 170(JUNE), 520–525. <https://doi.org/10.1192/bjp.170.6.520>
- Hack, J., & Martin, G. (2018). Expressed emotion, shame, and non-suicidal self-injury. *International Journal of Environmental Research and Public Health*, 15(5). <https://doi.org/10.3390/ijerph15050890>
- Hagan, C. R., & Joiner, T. E. (2017). The Indirect Effect of Perceived Criticism on Suicide Ideation and Attempts. *Archives of Suicide Research*, 21(3), 438–454. <https://doi.org/10.1080/13811118.2016.1218398>
- Hawton, K., Comabella, C. C. i, Haw, C., & Saunders, K. (2013). Risk factors for suicide in individuals with depression: A systematic review. *Journal of Affective Disorders*, 147(1–3), 17–28. <https://doi.org/10.1016/j.jad.2013.01.004>
- Hooley, J. M. (1985). Expressed emotion: A review of the critical literature. *Clinical Psychology Review*, 5(2), 119–139. [https://doi.org/10.1016/0272-7358\(85\)90018-2](https://doi.org/10.1016/0272-7358(85)90018-2)
- Hooley, J. M. (2007). Expressed Emotion and Relapse of Psychopathology. *Annual Review of Clinical Psychology*, 3(1), 329–352. <https://doi.org/10.1146/annurev.clinpsy.2.022305.095236>
- Hooley, J. M., & Parker, H. A. (2006). Measuring expressed emotion: An evaluation of the shortcuts. *Journal of Family Psychology*, 20(3), 386–396. <https://doi.org/10.1037/0893-3200.20.3.386>
- Irigoyen, M., Segovia, A. P., Galván, L., Puigdevall, M., Giner, L., De Leon, S., & Baca-García, E. (2019). Predictors of re-attempt in a cohort of suicide attempters: A survival analysis. *Journal of Affective Disorders*, 247, 20–28. <https://doi.org/10.1016/j.jad.2018.12.050>
- James, K. M., Woody, M. L., Feurer, C., Kudinova, A. Y., & Gibb, B. E. (2017). Disrupted physiological reactivity among children with a history of suicidal ideation: Moderation by parental expressed emotion-criticism. *Biological Psychology*, 130(November 2016), 22–29. <https://doi.org/10.1016/j.biopsycho.2017.10.003>
- Kelly, L. M., Holmbeck, G. N., & O'Mahar, K. (2011). Assessment of parental expressed

- emotion: Associations with adolescent depressive symptoms among youth with spina bifida. *Journal of Pediatric Psychology*, 36(5), 552–564. <https://doi.org/10.1093/jpepsy/jsq084>
- Kim, E. Y., & Miklowitz, D. J. (2004). Expressed emotion as a predictor of outcome among bipolar patients undergoing family therapy. *Journal of Affective Disorders*, 82(3), 343–352. <https://doi.org/10.1016/j.jad.2004.02.004>
- Kuipers, E., Bebbington, P., Dunn, G., Fowler, D., Freeman, D., Watson, P., ... Garety, P. (2006). Influence of carer expressed emotion and affect on relapse in non-affective psychosis. *British Journal of Psychiatry*, 188(FEB.), 173–179. <https://doi.org/10.1192/bjp.bp.104.007294>
- Kurihara, T., Kato, M., Reverger, R., & Tirta, I. G. R. (2009). Risk factors for suicide in Bali: A psychological autopsy study. *BMC Public Health*, 9, 1–8. <https://doi.org/10.1186/1471-2458-9-327>
- Lipschitz, J. M., Yen, S., Weinstock, L. M., & Spirito, A. (2012). Adolescent and caregiver perception of family functioning: Relation to suicide ideation and attempts. *Psychiatry Research*, 200(2), 1–10. <https://doi.org/10.1016/j.psychres.2012.07.051>
- Marom, S., Munitz, H., Jones, P. B., Weizman, A., & Hermesh, H. (2005). Expressed emotion: Relevance to rehospitalization in schizophrenia over 7 years. *Schizophrenia Bulletin*, 31(3), 751–758. <https://doi.org/10.1093/schbul/sbi016>
- Mathew, A., & Prabhakaran, A. (2013). *Perceived Expressed Emotion as a Risk Factor for Attempted Suicide – A Case Control Study*. 9(2), 299–302.
- Mayer, L., Rüsch, N., Frey, L. M., Nadorff, M. R., Drapeau, C. W., Sheehan, L., & Oexle, N. (2020). Anticipated Suicide Stigma, Secrecy, and Suicidality among Suicide Attempt Survivors. *Suicide and Life-Threatening Behavior*, 50(3), 706–713. <https://doi.org/10.1111/sltb.12617>
- McCleary, L., & Sanford, M. (2002). Parental expressed emotion in depressed adolescents: Prediction of clinical course and relationship to comorbid disorders and social functioning. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 43(5), 587–595. <https://doi.org/10.1111/1469-7610.00048>
- Michelson, D., & Bhugra, D. (2012). Family environment, expressed emotion and adolescent self-harm: A review of conceptual, empirical, cross-cultural and clinical perspectives. *International Review of Psychiatry*, 24(2), 106–114. <https://doi.org/10.3109/09540261.2012.657613>
- Muehlenkamp, J. J., & Gutierrez, P. M. (2007). Risk for suicide attempts among adolescents who engage in non-suicidal self-injury. *Archives of Suicide Research*, 11(1), 69–82. <https://doi.org/10.1080/13811110600992902>
- Olatunji, O. A., Idemudia, E. S., & Olawa, B. D. (2020). Family support, self-efficacy and suicidal ideation at emerging adulthood: a mediation analysis. *International Journal of*

Adolescence and Youth, 25(1), 920–931.
<https://doi.org/10.1080/02673843.2020.1779762>

- Parra-Urbe, I., Blasco-Fontecilla, H., Garcia-Parés, G., Martínez-Naval, L., Valero-Coppin, O., Cebrià-Meca, A., ... Palao-Vidal, D. (2017). Risk of re-attempts and suicide death after a suicide attempt: A survival analysis. *BMC Psychiatry*, 17(163), 1–11. <https://doi.org/10.1186/s12888-017-1317-z>
- Peltzer, K., Yi, S., & Pengpid, S. (2017). Suicidal behaviors and associated factors among university students in six countries in the Association of Southeast Asian Nations (ASEAN). *Asian Journal of Psychiatry*, 26, 32–38. <https://doi.org/10.1016/j.ajp.2017.01.019>
- Peris, T. S., & Miklowitz, D. J. (2015). Parental expressed emotion and youth psychopathology: New directions for an old construct. *Child Psychiatry of Human Development*, 46(6), 867–873. <https://doi.org/10.1007/s10578-014-0526-7>
- Pourmand, D., Kavanagh, D. J., & Vaughan, K. (2005). Expressed emotion as predictor of relapse in patients with comorbid psychoses and substance use disorder. *Australian and New Zealand Journal of Psychiatry*, 39(6), 473–478. <https://doi.org/10.1111/j.1440-1614.2005.01606.x>
- Rienecke, R. D., & Richmond, R. L. (2017). Psychopathology and expressed emotion in parents of patients with eating disorders: Relation to patient symptom severity. *Eating Disorders*, 25(4), 318–329. <https://doi.org/10.1080/10640266.2017.1289795>
- Roberts, R. E., Roberts, C. R., & Xing, Y. (2010). One-Year incidence of suicide attempts and associated risk and protective factors among adolescents. *Archives of Suicide Research*, 14(1), 66–78. <https://doi.org/10.1080/13811110903479078>
- Santos, J. C., Saraiva, C. B., & de Sousa, L. (2009). The role of expressed emotion, self-concept, coping, and depression in parasuicidal behavior: A follow-up study. *Archives of Suicide Research*, 13(4), 358–367. <https://doi.org/10.1080/13811110903266590>
- Schmidt, R., Tetzlaff, A., & Hilbert, A. (2015). Perceived Expressed Emotion in Adolescents with Binge-Eating Disorder. *Journal of Abnormal Child Psychology*, 43(7), 1369–1377. <https://doi.org/10.1007/s10802-015-0015-x>
- Shain, B. N. (2018). Youth suicide: The first suicide attempt. *Journal of the American Academy of Child and Adolescent Psychiatry*, 57(10), 730–732. <https://doi.org/10.1016/j.jaac.2018.05.022>
- Singh, S. P., Harley, K., & Suhail, K. (2013). Cultural specificity of emotional overinvolvement: A systematic review. *Schizophrenia Bulletin*, 39(2), 449–463. <https://doi.org/10.1093/schbul/sbr170>
- Smith, J. A., & Osborn, M. (2008). Interpretative Phenomenological Analysis. *Doing Social Psychology Research*, 229–254. <https://doi.org/10.1002/9780470776278.ch10>
- Subandi, M. A. (2011). Family expressed emotion in a Javanese Cultural context. *Culture*,

- Medicine and Psychiatry*, 35(3), 331–346. <https://doi.org/10.1007/s11013-011-9220-4>
- Syakarofath, N. A., & Subandi. (2019). Faktor Ayah dan Ibu yang berkontribusi terhadap munculnya gejala perilaku disruptif remaja. *Jurnal Psikologi*, 18(2), 230–244. <https://doi.org/10.14710/jp.18.2.230-244>
- Valentina, T. D. (2020). *Dimensi psychological well-being keluarga dengan remaja riwayat perilaku bunuh diri*. Universitas Gadjah Mada.
- Van Orden, K. A., Witte, T. K., Cukrowicz, K. C., Braithwaite, S. R., Selby, E. A., & Joiner, T. E. (2010). The Interpersonal Theory of Suicide. *Psychological Review*, 117(2), 575–600. <https://doi.org/10.1037/a0018697>
- Walsh, E., & Eggert, L. L. (2007). Suicide risk and protective factors among youth experiencing school difficulties. *International Journal of Mental Health Nursing*, 16(5), 349–359. <https://doi.org/10.1111/j.1447-0349.2007.00483.x>
- Wedig, M. M., & Nock, M. K. (2007). Parental expressed emotion and adolescent self-injury. *Journal of the American Academy of Child and Adolescent Psychiatry*, 46(9), 1171–1178. <https://doi.org/10.1097/chi.0b013e3180ca9aaf>
- WHO. (2014). *Preventing Suicide: A global imperative*. Geneva: World Health Organization.
- WHO. (2019). *Suicide in the world: Global Health Estimates*. Geneva: World Health Organization.
- Yen, S., Shea, M. T., Sanislow, C. A., Skodol, A. E., Grilo, C. M., Edelen, M. O., ... Gunderson, J. G. (2009). Personality traits as prospective predictors of suicide attempts. *Acta Psychiatrica Scandinavica*, 120(3), 222–229. <https://doi.org/10.1111/j.1600-0447.2009.01366.x>