

## DAFTAR PUSTAKA

- Agbor, G. A., Oben, J. E., Ngogang, J. Y., Xinxing, G., & Vinson, J. A. (2005). Antioxidant capacity of some herbs/spices from Cameroon: A comparative study of two methods. *Journal of Agricultural and Food Chemistry*, 53(17), 6819–6824. <https://doi.org/10.1021/jf050445c>
- Akbar, S. (2011). *Andrographis paniculata*: A review of pharmacological activities and clinical effects. *Alternative Medicine Review*, 16(1), 66–77.
- Akbarian, A., Golian, A., Ahmadi, A. S., & Moravej, H. (2011). Effects of ginger root (*Zingiber officinale*) on egg yolk cholesterol, antioxidant status and performance of laying hens. *Journal of Applied Animal Research*, 39(1), 19–21. <https://doi.org/10.1080/09712119.2011.558612>
- Albuquerque, T. G., Oliveira, M. B. P. P., Sanches-Silva, A., & Costa, H. S. (2016). Cholesterol determination in foods: Comparison between high performance and ultra-high performance liquid chromatography. *Food Chemistry*, 193, 18–25. <https://doi.org/10.1016/j.foodchem.2014.09.109>
- Almeida, É. S., de Oliveira, D., & Hotza, D. (2019). Properties and Applications of *Morinda citrifolia* (Noni): A Review. *Comprehensive Reviews in Food Science and Food Safety*, 18, 883–909. <https://doi.org/10.1111/1541-4337.12456>
- Anggorodi, R. (2005). *Ilmu Makanan Ternak Umum*. Universitas Gadjah Mada Press.
- Anton, M. (2007). Composition and structure of hen egg yolk. *Bioactive Egg Compounds*, 1–6. [https://doi.org/10.1007/978-3-540-37885-3\\_1](https://doi.org/10.1007/978-3-540-37885-3_1)
- Antova, G. A., Gerzilov, V. T., Petkova, Z. Y., Boncheva, V. N., Bozhichkova, I. N., St Penkov, D., & Petrov, P. B. (2019). Comparative analysis of nutrient content and energy of eggs from different chicken genotypes. *Journal of the Science of Food and Agriculture*, 99(13), 5890–5898. <https://doi.org/10.1002/jsfa.9863>
- AOAC. (2000). Official Methods of Analysis. *Association of Official Analytical Chemists, Washington DC*.
- Ardiarini, N., Harimurti, S., Wihandoyo, & Waluyo, K. (2019). Comparative study of herbal and non-herbal egg protein profiles using sodium dodecyl sulfate-polyacrylamide gel electrophoresis. *IOP Conference Series: Earth and Environmental Science*, 387(1). <https://doi.org/10.1088/1755-1315/387/1/012037>
- Arendt, E. K., & Zannini, E. (2013). *Cereal Grains for the Food and Beverage*

- Industries. In *Cereal Grains for the Food and Beverage Industries*.  
<https://doi.org/10.1533/9780857098924>
- Aron, P. M., & Kennedy, J. A. (2008). Flavan-3-ols: Nature, occurrence and biological activity. *Mol. Nutr. Food Res.*, 52, 79–104.
- Badan Standarisasi Nasional. (2008). *SNI 3926:2008. Telur Ayam Konsumsi*.
- Basagili, M. I. (2020). *Informasi Nilai Gizi*. Ahli Gizi ID.  
<https://nilaigizi.com/gizi/detailproduk/1038/nilai-kandungan-gizi-Telur-ayam-kampung,-segar>
- Belitz, H. D., Grosch, W., & Schieberle, P. (1992). *Lehrbuch der Lebensmittelchemie* Springer Verlag. *Berlin/Heidelberg/New York*.
- Bender, D. A. (2009). *A Dictionary of Food and Nutrition* (3rd ed.). Oxford University Press. <https://doi.org/10.1093/acref/9780199234875.001.0001>
- Bhat, Z. F. B. S. K. H. F. (2015). Bioactive peptides from egg: a review. *Nutrition & Food Science*, 45(2), 190–212.
- Bisby, R. H., Brooke, R., & Navaratnam, S. (2008). Effect of antioxidant oxidation potential in the oxygen radical absorption capacity (ORAC) assay. *Food Chemistry*, 108(3), 1002–1007.  
<https://doi.org/10.1016/j.foodchem.2007.12.012>
- BPOM RI. (2016). Peraturan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia Nomor 9 Tahun 2016 tentang Acuan Label Gizi. *Badan Pengawasan Obat Dan Makanan Republik Indonesia*, 1–28.
- Bragagnolo, N., & Rodriguez-Amaya, D. B. (2003). Comparison of the cholesterol content of Brazilian chicken and quail eggs. *Journal of Food Composition and Analysis*, 16(2), 147–153. [https://doi.org/10.1016/S0889-1575\(02\)00129-1](https://doi.org/10.1016/S0889-1575(02)00129-1)
- Buğdayci, K. E., Oğuz, F. K., Oğuz, M. N., & Kuter, E. (2018). Effects of fennel seed supplementation of ration on performance, egg quality, serum cholesterol, and total phenol content of egg yolk of laying quails. *Revista Brasileira de Zootecnia*, 47. <https://doi.org/10.1590/rbz4720170160>
- Cahyadi, W. (2006). Analisis dan Aspek Kesehatan Bahan Tambahan Pangan. *Bumi Aksara*, 1–3.
- Campo, J. L. (1995). Comparative yolk cholesterol content in four Spanish breeds of hens, an F2 cross, and a White Leghorn population. *Poultry Science*, 74(7), 1061–1066. <https://doi.org/10.3382/ps.0741061>
- Carmona-Jiménez, Y., García-Moreno, M. V., Igartuburu, J. M., & Garcia Barroso, C. (2014). Simplification of the DPPH assay for estimating the antioxidant

- activity of wine and wine by-products. *Food Chemistry*, 165, 198–204. <https://doi.org/10.1016/j.foodchem.2014.05.106>
- Chait, A., Brunzell, J., & Denke, M. (1993). *Rationale of the diet-heart statement of the American-Heart-Association report of the nutrition committee*.
- Cherian, G., Campbell, A., & Parker, T. (2009). Egg quality and lipid composition of eggs from hens fed *Camelina sativa*. *Journal of Applied Poultry Research*, 18(2), 143–150. <https://doi.org/10.3382/japr.2008-00070>
- Chojnacka, A., Gładkowski, W., Kielbowicz, G., & Wawrzenczyk, C. (2012). Isolation of egg-yolk phospholipids and enzymatic modification of their acyl chains. *Lipid Technology*, 24(2), 33–35. <https://doi.org/10.1002/lite.201200171>
- Coelho, C. M. M., Bellato, C. de M., Santos, J. C. P., Ortega, E. M. M., & Tsai, S. M. (2007). Effect of phytate and storage conditions on the development of the ‘hard-to-cook.’ *Journal of the Science of Food and Agriculture*, 1243(February 2007), 1237–1243. <https://doi.org/10.1002/jsfa>
- Cohn, J. S., Kamili, A., Wat, E., Chung, R. W. S., & Tandy, S. (2010). Dietary phospholipids and intestinal cholesterol absorption. *Nutrients*, 2(2), 116–127. <https://doi.org/10.3390/nu2020116>
- Coria-Téllez, A. V., Montalvo-González, E., Yahia, E. M., & Obledo-Vázquez, E. N. (2018). *Annona muricata*: A comprehensive review on its traditional medicinal uses, phytochemicals, pharmacological activities, mechanisms of action and toxicity. *Arabian Journal of Chemistry*, 11(5), 662–691. <https://doi.org/10.1016/j.arabjc.2016.01.004>
- Cotterill, O. J., & Geiger, G. S. (1977). Egg Product Yield Trends From Shell Eggs. *Poultry Science*, 56(3), 1027–1031. <https://doi.org/10.3382/ps.0561027>
- Demir, E., Sarica, Ş., Özcan, M. A., & Suiçmez, M. (2005). The use of natural feed additives as alternative to an antibiotic growth promoter in broiler diets. *Archiv Fur Geflugelkunde*, 69(3), 110–116. <https://doi.org/10.1080/713655288>
- Deng, J., Cheng, W., & Yang, G. (2011). A novel antioxidant activity index (AAU) for natural products using the DPPH assay. *Food Chemistry*, 125(4), 1430–1435. <https://doi.org/10.1016/j.foodchem.2010.10.031>
- Dirgahayu, F. I., Septinova, D., & Khaira, N. (2016). Perbandingan Kualitas Eksternal Telur Ayam Ras Strain Isa Brown Dan Lohmann Brown Comparison. *Jurnal Ilmiah Peternakan Terpadu*, 4(1), 1–5.
- Dong, J. W., Cai, L., Xing, Y., Yu, J., & Ding, Z. T. (2015). Re-evaluation of ABTS·G+ assay for total antioxidant capacity of natural products. *Natural*

*Product Communications*, 10(12), 2169–2172.  
<https://doi.org/10.1177/1934578x1501001239>

Dong, X. F., Zhai, Q. H., & Tong, J. M. (2019). Dietary choline supplementation regulated lipid profiles of egg yolk, blood, and liver and improved hepatic redox status in laying hens. *Poultry Science*, 98(8), 3304–3312.  
<https://doi.org/10.3382/ps/pez139>

Droge, W. (2002). Free radicals in the physiological control of cell function. *Physiological Reviews*, 82(1), 47–95.

Dwivedia, S. K., & Agarwala, D. D. (2015). A Review: HPLC Method Development and Validation. *Int J Analytical Bioanalytical Chem*, 5(4), 76–81.

Elkin, R. G., & Yan, Z. (1999). Relationship between inhibition of mevalonate biosynthesis and reduced fertility in laying hens. *Journal of Reproduction and Fertility*, 116(2), 269–275. <https://doi.org/10.1530/jrf.0.1160269>

FAO. (2019). *FAOSTAT: Countries by commodity*. Food and Agriculture Organization of the United Nations.  
[http://www.fao.org/faostat/en/#rankings/countries\\_by\\_commodity](http://www.fao.org/faostat/en/#rankings/countries_by_commodity)

Filipiak-Florkiewicz, A., Deren, K., Florkiewicz, A., Topolska, K., Juszcak, L., & Cieřlik, E. (2017). The quality of eggs (organic and nutraceutical vs. conventional) and their technological properties. *Poultry Science*, 96(7), 2480–2490. <https://doi.org/10.3382/ps/pew488>

Garrow, J., & James, W. (1993). *Human Nutrition and Dietetics, Ninth Edition*. Edinburgh: Churchill Livingstone.

Gerzilov, V., Nikolov, A., Petrov, P., Bozakova, N., Penchev, G., & Bochukov, A. (2015). Effect of a dietary herbal mixture supplement on the growth performance, egg production and health status in chickens. *Journal of Central European Agriculture*, 16(2), 10–27.  
<https://doi.org/10.5513/JCEA01/16.2.1580>

Giannenas, I., Nisianakis, P., Gavriil, A., Kontopidis, G., & Kyriazakis, I. (2009). Trace mineral content of conventional, organic and courtyard eggs analysed by inductively coupled plasma mass spectrometry (ICP-MS). *Food Chemistry*, 114(2), 706–711. <https://doi.org/10.1016/j.foodchem.2008.09.079>

Goleman, Daniel; Boyatzis, Richard; Mckee, A. (2017). Studi Perbandingan Viskositas Saos Sambal Aneka Merk Produk. *Jurnal Pertanian Berkelanjutan*, 5(2), 4.

Griffin, H. D. (1992). Manipulation of egg yolk cholesterol: A physiologist's view.

*World's Poultry Science Journal*, 48(2), 101–112.  
<https://doi.org/10.1079/WPS19920010>

Gülçin, I. (2012). Antioxidant activity of food constituents: An overview. *Archives of Toxicology*, 86(3), 345–391. <https://doi.org/10.1007/s00204-011-0774-2>

Halliwell, B. (2007). Biochemistry of oxidative stress. *Biochemical Society Transactions*, 35(5), 1147–1150. <https://doi.org/10.1042/BST0351147>

Handoko, L. T. (2020). *Drug Discovery and Development in Indonesia: From Biodiversity to Medicine in Cibinong*.

Hanukoglu, I. (1992). Steroidogenic enzymes: Structure, function, and role in regulation of steroid hormone biosynthesis. *Journal of Steroid Biochemistry and Molecular Biology*, 43(8), 779–804. [https://doi.org/10.1016/0960-0760\(92\)90307-5](https://doi.org/10.1016/0960-0760(92)90307-5)

Hatta, Hajime, Kapoor, Mahendra, P., Juneja, & Lekh, R. (2008). Bioactive Components in Egg Yolk. *Egg Bioscience and Biotechnology*, 185, 237.

Henning, S. M., Zhang, Y., Seeram, N. P., Lee, R. P., Wang, P., Bowerman, S., & Heber, D. (2011). Antioxidant capacity and phytochemical content of herbs and spices in dry, fresh and blended herb paste form. *International Journal of Food Sciences and Nutrition*, 62(3), 219–225. <https://doi.org/10.3109/09637486.2010.530595>

Houपालाhti, R., López-Fandiño, R., Anton, M., & Shcade, R. (2007). Lysozyme.pdf. In *Bioactive Egg Compounds*.

Huang, X., Tu, Z., Xiao, H., Wang, H., Zhang, L., Hu, Y., Zhang, Q., & Niu, P. (2012). Characteristics and antioxidant activities of ovalbumin glycated with different saccharides under heat moisture treatment. *Food Research International*, 48(2), 866–872. <https://doi.org/10.1016/j.foodres.2012.06.036>

Ibrahim, H. R., Hoq, M. I., & Aoki, T. (2007). Ovotransferrin possesses SOD-like superoxide anion scavenging activity that is promoted by copper and manganese binding. *International Journal of Biological Macromolecules*, 41(5), 631–640. <https://doi.org/10.1016/j.ijbiomac.2007.08.005>

Institut of Medicine. (2000). *Dietary Reference Intakes for Vitamin C, Vitamin E, Selenium, and Carotenoids*. The National Academies Press. <https://doi.org/10.17226/9810>

Institut of Medicine. (2005). *Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Protein and Amino Acids (Macronutrients)*. The National Academies Press.

Ishikawa, S. I., Yano, Y., Arihara, K., & Itoh, M. (2004). Egg yolk phosvitin

- inhibits hydroxyl radical formation from the fenton reaction. *Bioscience, Biotechnology and Biochemistry*, 68(6), 1324–1331. <https://doi.org/10.1271/bbb.68.1324>
- Islam, K M S, & Schweigert, F. J. (2015). Comparison of three spectrophotometric methods for analysis of egg yolk carotenoids. *Food Chemistry*, 172, 233–237. <https://doi.org/10.1016/j.foodchem.2014.09.045>
- Islam, Khan M S, Amin, R., & Schweigert, F. J. (2017). International Journal of Poultry Science Carotenoid Status of Poultry Egg under Different Feeding System in Bangladesh. *Poultry Science*. <https://doi.org/10.3923/ijps.2017.228.232>
- Itokawa, H., Shi, Q., Akiyama, T., Morris-Natschke, S. L., & Lee, K. H. (2008). Recent advances in the investigation of curcuminoids. *Chinese Medicine*, 3, 1–13. <https://doi.org/10.1186/1749-8546-3-11>
- Jéquier, E., & Constant, F. (2010). Water as an essential nutrient: The physiological basis of hydration. *European Journal of Clinical Nutrition*, 64(2), 115–123. <https://doi.org/10.1038/ejcn.2009.111>
- Jiang, Y., Noh, S. K., & Koo, S. I. (2001). Egg phosphatidylcholine decreases the lymphatic absorption of cholesterol in rats. *Journal of Nutrition*, 131(9), 2358–2363. <https://doi.org/10.1093/jn/131.9.2358>
- Juneja, L. R. (2000). Biological Characteristics of Egg Components, Specifically Sialyloligosacchrides in Egg Yolk. *Egg Nutrition and Biotechnology*. Eds.: JS Sim, S. Nakai, W. Guenter. CABI Wallingford, UK, 233–242.
- Justino, A. B., Miranda, N. C., Franco, R. R., Martins, M. M., Silva, N. M. da, & Espindola, F. S. (2018). Annona muricata Linn. leaf as a source of antioxidant compounds with in vitro antidiabetic and inhibitory potential against  $\alpha$ -amylase,  $\alpha$ -glucosidase, lipase, non-enzymatic glycation and lipid peroxidation. *Biomedicine and Pharmacotherapy*, 100(January), 83–92. <https://doi.org/10.1016/j.biopha.2018.01.172>
- Karimi, N., Ghanbarzadeh, B., Hamishehkar, H., Mehramuz, B., & Kafil, H. S. (2018). Antioxidant, Antimicrobial and Physicochemical Properties of Turmeric Extract-Loaded Nanostructured Lipid Carrier (NLC). *Colloids and Interface Science Communications*, 22(November 2017), 18–24. <https://doi.org/10.1016/j.colcom.2017.11.006>
- Keshavarz, K. (1976). The influence of turmeric and curcumin on cholesterol concentration of eggs and tissues. *Poultry Science*, 55(3), 1077–1083. <https://doi.org/10.3382/ps.0551077>
- Komala, I. (2008). Kandungan Gizi Produk Peternakan. *Student Master Animal*



*Science. Faculty Agriculture UPM. Malaysia.*

- Kraus, A., & Zita, L. (2019). The effect of age and genotype on quality of eggs in brown egg-laying hybrids. *Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis*, 67(2), 407–414. <https://doi.org/10.11118/actaun201967020407>
- Kumar, S., Baldi, A., & Sharma, D. K. (2019). Phytosomes: A Modernistic Approach for Novel Herbal Drug Delivery-Enhancing Bioavailability and Revealing Endless Frontier of Phytopharmaceuticals. *Journal of Developing Drugs Research Article I J Develop Drugs*, 8(1), 193. <https://doi.org/10.4172/2329-6631>.
- Kusum, M., Rc, V., Renu, M., Hk, J., & Deepak, S. (2018). A review : chemical composition and utilization of egg. *International Journal of Chemical Studies*, 6(3), 3186–3189.
- Labban, L. (2014). PharmaInterScience Publishers Medicinal and pharmacological properties of Turmeric (*Curcuma longa*): A review. *Int J Pharm Biomed Sci. Int J Pharm Biomed Sci*, 555(111), 17–2317. [www.pharmainterscience.com](http://www.pharmainterscience.com)
- Larbier, M., & Leclercq, B. (1994). *Nutrition and Feeding of Poultry*. Nottingham (UK), Nottingham University Press,.
- Lee, K. W., Everts, H., & Beynen, A. C. (2004). Essential oils in broiler nutrition. *International Journal of Poultry Science*, 3(12), 738–752. <https://doi.org/10.3923/ijps.2004.738.752>
- Lesic, T., Kresic, G., Cvetnic, L., Petrovic, M., & Pleadin, J. (2017). The influence of hen age on fatty acid composition of commercial eggs. *Croatian Journal of Food Science and Technology*, 9(2), 158–167. <https://doi.org/10.17508/cjfst.2017.9.2.12>
- Levy, Y., Maor, I., Presser, D., & Aviran, M. (1996). Consumption of Eggs with Meals Increases the Susceptibility of Human Plasma and Low-Density Lipoprotein to Lipid Peroxidation. *Nutrition and Metabolism*, 40, 243–251.
- Li-Chan, Kim, E. C. and, & Hyun-Ock. (2008). *Structure and Chemical Composition of Eggs*. John Wiley and Sons Inc. [https://sci-hub.do/https://books.google.com/books?hl=id&lr=&id=OnZNqXI8zpoC&oi=fnd&pg=PA1&dq=Structure+and+chemical+composition+of+eggs.+In+Egg+Bioscience+and+Biotechnology&ots=V7evOQPCLB&sig=q\\_lAQhV5lkKEAVp2tJ-GvfXDodA](https://sci-hub.do/https://books.google.com/books?hl=id&lr=&id=OnZNqXI8zpoC&oi=fnd&pg=PA1&dq=Structure+and+chemical+composition+of+eggs.+In+Egg+Bioscience+and+Biotechnology&ots=V7evOQPCLB&sig=q_lAQhV5lkKEAVp2tJ-GvfXDodA)
- Liu, R. H. (2004). Potential synergy of phytochemicals in cancer prevention: Mechanism of action. *Journal of Nutrition*, 134(12 SUPPL.), 3479–3485.

<https://doi.org/10.1093/jn/134.12.3479s>

- Liu, X. D., Jang, A., Lee, B. D., Lee, S. K., Lee, M., & Jo, C. (2009). Effect of dietary inclusion of medicinal herb extract mix in a poultry ration on the physico-chemical quality and oxidative stability of eggs. *Asian-Australasian Journal of Animal Sciences*, 22(3), 421–427. <https://doi.org/10.5713/ajas.2009.80334>
- Liu, X., Lin, X., Mi, Y., Zeng, W., & Zhang, C. (2018). Age-related changes of yolk precursor formation in the liver of laying hens. *Journal of Zhejiang University: Science B*, 19(5), 390–399. <https://doi.org/10.1631/jzus.B1700054>
- Liu, Y.-F., Oey, I., Bremer, P., Carne, A., & Silcock, P. (2017). Bioactive peptides derived from egg proteins: A review. *Critical Reviews in Food Science and Nutrition*, 58(15), 2508–2530. <https://doi.org/10.1080/10408398.2017.1329704>
- Lordelo, M., Cid, J., Cordovil, C. M. D. S., Alves, S. P., Bessa, R. J. B., & Carolino, I. (2020). A comparison between the quality of eggs from indigenous chicken breeds and that from commercial layers. *Poultry Science*, 99(3), 1768–1776. <https://doi.org/10.1016/j.psj.2019.11.023>
- Mahayothee, B., Thamsala, T., Khuwijitjaru, P., & Janjai, S. (2020). Effect of drying temperature and drying method on drying rate and bioactive compounds in cassumunar ginger (*Zingiber montanum*). *Journal of Applied Research on Medicinal and Aromatic Plants*, 18, 100262. <https://doi.org/10.1016/j.jarmap.2020.100262>
- Mao, Q. Q., Xu, X. Y., Cao, S. Y., Gan, R. Y., Corke, H., Beta, T., & Li, H. Bin. (2019). Bioactive compounds and bioactivities of ginger (*zingiber officinale roscoe*). *Foods*, 8(6), 1–21. <https://doi.org/10.3390/foods8060185>
- Mariotti, F., Tomé, D., & Mirand, P. P. (2008). Converting nitrogen into protein - Beyond 6.25 and Jones' factors. *Critical Reviews in Food Science and Nutrition*, 48(2), 177–184. <https://doi.org/10.1080/10408390701279749>
- Martin, M., & Guiochon, G. (2005). Effects of high pressure in liquid chromatography. *Journal of Chromatography A*, 1090(1–2), 16–38. <https://doi.org/10.1016/j.chroma.2005.06.005>
- Marzec, A., Damaziak, K., Kowalska, H., Riedel, J., Michalczyk, M., Koczyw s, E., Cisneros, F., Lenart, A., & Niemiec, J. (2019). Effect of Hens Age and Storage Time on Functional and Physiochemical Properties of Eggs. *Journal of Applied Poultry Research*, 28(2), 290–300. <https://doi.org/10.3382/japr/pfy069>
- Mayne, S. T. (1996). Beta-carotene, carotenoids, and disease prevention in humans.



*FASEB J*, 10, 690–701.

- Mine, Y. (2007). Egg Proteins and Peptides in Human Health-Chemistry, Bioactivity and Production. *Current Pharmaceutical Design*, 13(9), 875–884. <https://doi.org/10.2174/138161207780414278>
- Modi, C. M., Mody, S. K., Patel, H. B., Dudhatra, G. B., Kumar, A., & Sheikh, T. J. (2011). Growth promoting use of antimicrobial agents in animals. *Journal of Applied Pharmaceutical Science*, 1(8), 33–36.
- Molyneux, P. (2004). The Use of the Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity. *Songklanakarin Journal of Science and Technology*, 26(December 2003), 211–219. <https://doi.org/10.1287/isre.6.2.144>
- Moore, K., & Roberts, L. J. (1998). Measurement of lipid peroxidation. *Free Radical Research*, 28(6), 659–671. <https://doi.org/10.3109/10715769809065821>
- Moriyama, T., Uezu, K., Matsumoto, Y., Chung, S. Y., Uezu, E., Miyagi, S., Uza, M., Masuda, Y., Kokubu, T., Tanaka, T., & Yamamoto, S. (1996). Effects of dietary phosphatidylcholine on memory in memory deficient mice with low brain acetylcholine concentration. *Life Sciences*, 58(6). [https://doi.org/10.1016/0024-3205\(95\)02321-6](https://doi.org/10.1016/0024-3205(95)02321-6)
- Muljati, S., Triwinarto, A., Utami, N., & Hermina. (2016). Gambaran median tinggi badan dan berat badan ... ( Muljati S; dkk). *Penelitian Gizi Dan Makanan*, 39(2), 137–144.
- Nadia, R., Hassan, R. A., Qota, E. M., & Fayek, H. M. (2008). Effect of natural antioxidant on oxidative stability of eggs and productive and reproductive performance of laying hens. *International Journal of Poultry Science*, 7(2), 134–150. <https://doi.org/10.3923/ijps.2008.134.150>
- Ngo, D. H., Wijesekara, I., Vo, T. S., Van Ta, Q., & Kim, S. K. (2011). Marine food-derived functional ingredients as potential antioxidants in the food industry: An overview. *Food Research International*, 44(2), 523–529. <https://doi.org/10.1016/j.foodres.2010.12.030>
- Nielsen, H. (1998). Hen age and fatty acid composition of egg yolk lipid. *British Poultry Science*, 39(1), 53–56. <https://doi.org/10.1080/00071669889394>
- Nimalaratne, C., Lopes-Lutz, D., Schieber, A., & Wu, J. (2011). Free aromatic amino acids in egg yolk show antioxidant properties. *Food Chemistry*, 129(1), 155–161. <https://doi.org/10.1016/j.foodchem.2011.04.058>
- Nimalaratne, C., & Wu, J. (2015). Hen egg as an antioxidant food commodity: A

- review. *Nutrients*, 7(10), 8274–8293. <https://doi.org/10.3390/nu7105394>
- Nys, Y., & Guvot, N. (2011). Egg formation and chemistry. In *Improving the Safety and Quality of Eggs and Egg Products: Egg Chemistry, Production and Consumption*. Woodhead Publishing Limited. <https://doi.org/10.1533/9780857093912.2.83>
- Nys, Yves. (2000). Dietary Carotenoids and Egg Yolk Coloration-A review. *Archiv Fur Geflugelkunde*, 64, 45–54.
- Oladeji, O. S., Adelowo, F. E., Ayodele, D. T., & Odelade, K. A. (2019). Phytochemistry and pharmacological activities of *Cymbopogon citratus*: A review. *Scientific African*, 6, e00137. <https://doi.org/10.1016/j.sciaf.2019.e00137>
- Oloyo, R. A. (2003). Effect of age on total lipid and cholesterol of hen eggs. *Indian Journal of Animal Sciences*, 73(1), 94–96.
- Omri, B., Alloui, N., Durazzo, A., Lucarini, M., Aiello, A., Romano, R., Santini, A., & Abdouli, H. (2019). Egg yolk antioxidants profiles: Effect of diet supplementation with linseeds and tomato-red pepper mixture before and after storage. *Foods*, 8(8). <https://doi.org/10.3390/foods8080320>
- Ou, B., Huang, D., Hampsch-Woodill, M., Flanagan, J. A., & Deemer, E. K. (2002). Analysis of antioxidant activities of common vegetables employing oxygen radical absorbance capacity (ORAC) and ferric reducing antioxidant power (FRAP) assays: A comparative study. *Journal of Agricultural and Food Chemistry*, 50(11), 3122–3128. <https://doi.org/10.1021/jf0116606>
- Palacios, L., & Wang, T. (2005). Extraction of Lecithin from Egg Yolks. *Journal of the American Oil Chemists' Society*, 82(8), 565–569.
- Panahi, S., W.L., D., Bertolo, R., Duncan, A., Elango, R., Phillips, S., House, J., Fernandez, M., Desroches, S., & Grantham, A. (2016). Protein Foods. In *Canadian Nutrition Society*. <https://www.nhs.uk/live-well/eat-well/#beans-pulses-fish-eggs-meat-and-other-proteins>
- Patel, M., & Patel, J. (2011). In vitro antioxidant activity of coumarin compounds by DPPH, Super oxide and nitric oxide free radical scavenging methods. *Journal of Advanced Pharmacy Education & Research*, 1, 52–68.
- Payne, A. H., & Hales, D. B. (2004). Overview of steroidogenic enzymes in the pathway from cholesterol to active steroid hormones. *Endocrine Reviews*, 25(6), 947–970. <https://doi.org/10.1210/er.2003-0030>
- Pereira, D. M., Valentão, P., Pereira, J. A., & Andrade, P. B. (2009). Phenolics: From chemistry to biology. *Molecules*, 14(6), 2202–2211.

<https://doi.org/10.3390/molecules14062202>

- Pesti, G. M., & Bakalli, R. I. (1998). Studies on the Effect of Feeding Cupric Sulfate Pentahydrate to Laying Hens on Egg Cholesterol Content. *Poultry Science*, 77(10), 1540–1545. <https://doi.org/10.1093/ps/77.10.1540>
- Prakash, A. (2001). Antioksidan Activity. *Medallion Laboratories Analitical Progress*, 19(2), 1–3.
- Pramono, S., Arifah, F. H., Pribadi, F. H., & Nugroho, A. E. (2018). *Hepatoprotective activity of Curcuma xanthorrhiza Roxb. on paracetamolinduced liver damage in rats and correlation with their chemical compounds*. 42(4), 188–195.
- Puertas, G., & Vázquez, M. (2019). Advances in techniques for reducing cholesterol in egg yolk: A review. *Critical Reviews in Food Science and Nutrition*, 59(14), 2276–2286. <https://doi.org/10.1080/10408398.2018.1448357>
- Rahim, E. N. A. A., Ismail, A., Omar, M. N., Rahmat, U. N., & Ahmad, W. A. N. W. (2018). GC-MS analysis of phytochemical compounds in syzygium polyanthum leaves extracted using ultrasound-assisted method. *Pharmacognosy Journal*, 10(1), 110–119. <https://doi.org/10.5530/pj.2018.1.20>
- Réhault-Godbert, S., Guyot, N., & Nys, Y. (2019). The golden egg: Nutritional value, bioactivities, and emerging benefits for human health. *Nutrients*, 11(3), 1–26. <https://doi.org/10.3390/nu11030684>
- Ren, Y., Wu, J., & Renema, R. (2010). Nutritional and Health Attributes of Eggs. *Handbook of Poultry Science and Technology*, 1, 540.
- Rhodes, D. N., & Lea, C. H. (1956). Composition of egg phospholipids. *Nature*, 177(4520), 1129–1130. <https://doi.org/10.1038/1771129a0>
- Roe, M., Pinchen, H., Church, S., & Finglas, P. (2013). Nutrient Analysis of Eggs. *Department of Health*, 1–44. [https://www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/167973/Nutrient\\_analysis\\_of\\_eggs\\_Analytical\\_Report.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/167973/Nutrient_analysis_of_eggs_Analytical_Report.pdf)
- Rosa, G. da, Dazuk, V., Alba, D. F., Galli, G. M., Molosse, V., Boiago, M. M., Souza, C. F., Abbad, L. B., Baldissera, M. D., Stefani, L. M., & Da Silva, A. S. (2020). Curcumin addition in diet of laying hens under cold stress has antioxidant and antimicrobial effects and improves bird health and egg quality. *Journal of Thermal Biology*, 91(April), 102618. <https://doi.org/10.1016/j.jtherbio.2020.102618>

- Rosidi, A. (2020). The difference of Curcumin and Antioxidant activity in Curcuma Xanthorrhiza at different regions. *Journal of Advanced Pharmacy Education & Research*, 10(1), 14–18.
- Rukayadi, Y., Yong, D., & Hwang, J. K. (2006). In vitro anticandidal activity of xanthorrhizol isolated from Curcuma xanthorrhiza Roxb. *Journal of Antimicrobial Chemotherapy*, 57(6), 1231–1234. <https://doi.org/10.1093/jac/dk1132>
- Sawka, M. N., Cheuvront, S. N., & Carter, R. (2005). *Human Water Needs*. June, S30-S39]. <https://doi.org/10.1301/nr.2005.jun.S30>
- Semalty, A., Semalty, M., & Rawat, M. S. M. (2007). The phyto-phospholipid complexes-phytosomes: a potential therapeutic approach for herbal hepatoprotective drug delivery. *Pharmacognosy Reviews*, 1(2), 369–374.
- Seuss-Baum, I. (2007). *Nutritional Evaluation of Egg Compounds* (Bioactive). Springer.
- Shahrajabian, M. H., Sun, W., & Cheng, Q. (2019). Clinical aspects and health benefits of ginger (*Zingiber officinale*) in both traditional Chinese medicine and modern industry. *Acta Agriculturae Scandinavica Section B: Soil and Plant Science*, 69(6), 546–556. <https://doi.org/10.1080/09064710.2019.1606930>
- Sies, H., & Stahl, W. (1995). Vitamins E and C, beta-carotene, and other carotenoids as antioxidants. *Am. J. Clin. Nutr.*, 131S-1321S.
- Silversides, F. G., & Scott, T. A. (2001). Effect of storage and layer age on quality of eggs from two lines of hens. *Poultry Science*, 80(8), 1240–1245. <https://doi.org/10.1093/ps/80.8.1240>
- Singh, C., N, M., N, S., & Chanu, S. (2015). Ethnobotany, phytochemistry and pharmacology of *Zingiber cassumunar* Roxb. (*Zingiberaceae*). *Journal of TPharmacognosy and Phytochemistry*, 4(1), 01–06. <https://doi.org/10.1055/s-0031-1273656>
- Soares, M. O., Alves, R. C., Pires, P. C., Oliveira, M. B. P. P., & Vinha, A. F. (2013). Angolan *Cymbopogon citratus* used for therapeutic benefits: Nutritional composition and influence of solvents in phytochemicals content and antioxidant activity of leaf extracts. *Food and Chemical Toxicology*, 60, 413–418. <https://doi.org/10.1016/j.fct.2013.07.064>
- Sokołowicz, Z., Dykiel, M., Krawczyk, J., & Augustyńska-Prejsnar, A. (2019). Effect of layer genotype on physical characteristics and nutritive value of organic eggs. *CYTA - Journal of Food*, 17(1), 11–19. <https://doi.org/10.1080/19476337.2018.1541480>

- Sourkes, T. L. (2004). The Discovery of Lecithin, The First Phospholipid. *Bull. Hist. Chem*, 29(1).
- Sparks, N. H. C. (2006). The hen's egg - Is its role in human nutrition changing? *World's Poultry Science Journal*, 62(2), 308–315. <https://doi.org/10.1079/WPS200599>
- Srinivasan, K. (2005). Role of spices beyond food flavoring: Nutraceuticals with multiple health effects. *Food Reviews International*, 21(2), 167–188. <https://doi.org/10.1081/FRI-200051872>
- Stanik, J. (2020). *Egg Consumption Per Capita in Indonesia*. Helgi Library. <https://www.helgilibrary.com/indicators/egg-consumption-per-capita/indonesia>
- Suganya, T., Senthilkumar, S., Deepa, K., Muralidharan, J., Gomathi, G., & Gobiraju, S. (2016). *Herbal Feed Additives in Poultry*. 5(3), 1137–1145.
- Sugino, H., Nitoda, T., & Juneja, L. R. (1997). *General Chemical Composition of Hen Eggs*. CRC press Boca Raton, FL.
- Supomo, E., Syamsul, & Ventyrina, I. (2016). Pemanfaatan Ekstrak Herbal terhadap Produktifitas dan Mutu Ayam Pedaging sebagai Upaya Ketahanan Pangan di Kalimantan Timur Berbasis Peternakan Ramah Lingkungan. *Jurnal Ilmiah Manuntung*, 2(1), 93–98.
- Surai, P. F. (2000). Effect of selenium and vitamin E content of the maternal diet on the antioxidant system of the yolk and the developing chick. *British Poultry Science*, 41(2), 235–243. <https://doi.org/10.1080/713654909>
- Tan, W. S. D., Liao, W., Zhou, S., & Wong, W. S. F. (2017). Is there a future for andrographolide to be an anti-inflammatory drug? Deciphering its major mechanisms of action. *Biochemical Pharmacology*, 139, 71–81. <https://doi.org/10.1016/j.bcp.2017.03.024>
- Tapsell, L., Patch, D. C., & Fazio, M. V. (2006). *Health Benefits Of Herbs And Spices : The Past, The Present, The Future*. *Journal of The Australian Medical Association*. 185(4).
- U.S. Department of Health and Human Services and U.S. Department of Agriculture. (2015). *2015 – 2020 Dietary Guidelines for Americans. 8th Edition*. <https://health.gov/our-work/food-and-nutrition/2015-2020-dietary-guidelines/>.
- US Department of Agriculture, Agricultural Research Service, & Nutrient Data Laboratory. (2016). Composition of Foods Raw, Processed, Prepared. In *USDA National Nutrient Database for Standard Reference, Release 28* (pp. 1–

161).

- USDA. (1989). Human Nutrition Information Service. *Supplement to USDA Handbook* 8. [http://www.ars.usda.gov/contact-us/site\\_feedback.htm?mailto=now=true&modecode=12-35-45-00](http://www.ars.usda.gov/contact-us/site_feedback.htm?mailto=now=true&modecode=12-35-45-00)
- Vinus, R. D., Sheoran, N., Maan, N., & Tewatia, B. (2018). Potential benefits of herbal supplements in poultry feed: A review. *Pharma Innov*, 7(6), 651–656.
- Vorlova, L., Sieglova, E., Karpiskova, R., & Kopriva, V. (2001). Cholesterol Content in Eggs During The Laying Period. *Brno, Pharmaceutical Sciences Republic, Czech*, 387–390.
- Wang, X., H., Z., H., W., J., W., S., W., & S, Q. (2017). Effect of dietary protein sources on production performance, egg quality, and plasma parameters of laying hens. *Asian Australas. Animal Science*, 30, 400–409.
- Wegener, H. C., Aarestrup, F. M., Jensen, L. B., Hammerum, A. M., & Bager, F. (1999). Use of Antimicrobial Growth Promoters in Food Animals and Enterococcus faecium Resistance to Therapeutic Antimicrobial Drugs in Europe. *Emerging Infectious Diseases*, 5(3), 329–335. <https://doi.org/https://dx.doi.org/10.3201/eid0503.990303>
- WHO. (2007). *Protein and Amino Acid Requirements in Human Nutrition*.
- Yaesh, S., Jamal, Q., Khan, A. U., & Gilani, A. H. (2006). Studies on hepatoprotective, antispasmodic and calcium antagonist activities of the aqueous-methanol extract of *Achillea millefolium*. *Phytotherapy Research*, 20(7), 546–551. <https://doi.org/10.1002/ptr.1897>
- Yamamoto, T., Juneja, L. R., Hatta, H., & Kim, M. (1997). Hen Eggs Their Basic and Applied Science. In *CRC Press, Taylor and Francis Group* (Vol. 35, Issue 9).
- Yang, F., Chen, G., Ma, M., Qiu, N., Zhu, L., & Li, J. (2018). Egg-Yolk Sphingomyelin and Phosphatidylcholine Attenuate Cholesterol Absorption in Caco-2 Cells. *Lipids*, 53(2), 217–233. <https://doi.org/10.1002/lipd.12018>
- Yanlinastuti, & Fatimah, S. (2016). Pengaruh Konsentrasi Pelarut untuk Menentukan Kadar Zirkonium dalam Paduan U-Zr dengan Menggunakan Metode Spektrofotometri UV-VIS. *PIN Pengelolaan Instalasi Nuklir*, 1(17), 22–33.
- Yuwanta. (2010). *Telur dan Kualitas Telur*. Universitas Gadjah Mada Press. Yogyakarta
- Zeisel, S. H., & Da Costa, K. A. (2009). Choline: An essential nutrient for public health. *Nutrition Reviews*, 67(11), 615–623. <https://doi.org/10.1111/j.1753->



4887.2009.00246.x

Zhang, G. F., Yang, Z. B., Wang, Y., Yang, W. R., Jiang, S. Z., & Gai, G. S. (2009). Effects of ginger root (*Zingiber officinale*) processed to different particle sizes on growth performance, antioxidant status, and serum metabolites of broiler chickens. *Poultry Science*, 88(10), 2159–2166. <https://doi.org/10.3382/ps.2009-00165>

Zhao, X., Yang, Z. B., Yang, W. R., Wang, Y., Jiang, S. Z., & Zhang, G. G. (2011). Effects of ginger root (*Zingiber officinale*) on laying performance and antioxidant status of laying hens and on dietary oxidation stability. *Poultry Science*, 90(8), 1720–1727. <https://doi.org/10.3382/ps.2010-01280>