

DAFTAR PUSTAKA

- An, S. J., Kim, T. J., & Yoon, B. (2017). *Epidemiology , Risk Factors , and Clinical Features of Intracerebral Hemorrhage : An Update*. 19(1), 3–10.
- Andersen, R. M. (1995). Revisiting the behavioral model and access to medical care: does it matter? *Journal of Health and Social Behavior*, 36(1), 1–10. <https://doi.org/10.2307/2137284>
- Andersen, Ronald Max. (2008). National health surveys and the behavioral model of health services use. *Medical Care*, 46(7), 647–653. <https://doi.org/10.1097/MLR.0b013e31817a835d>
- Arih Diyaning Intiasri; Laksono Trisnantoro;Julita Hendratini. (2017). Informal Sector Community : Effort To Prevent Premium Payment. *Jurnal Kesmas Indonesia*, 9(1), 64–77.
- Baatar, U. (2013). *Clinical Guideline on STroke Rehabilitation*.
- Babitsch, B., Gohl, D., & Lengerke, T. von. (2012). Re-revisiting Andersen’s Behavioral Model of Health Services Use: a systematic review of studies from 1998–2011. *GMS Psycho Social Medicine*, 9(2), 1–15. [https://doi.org/10.1016/0005-2795\(75\)90146-4](https://doi.org/10.1016/0005-2795(75)90146-4)
- Ballester, B. R., Maier, M., Duff, A., Cameirão, M., Bermúdez, S., Duarte, E., Cuxart, A., Rodríguez, S., Mozo, R. M. S. S., & Verschure, P. F. M. J. (2019). A critical time window for recovery extends beyond one-year post-stroke. *Journal of Neurophysiology*, 122(1), 350–357. <https://doi.org/10.1152/jn.00762.2018>
- Behrouz, R. (2017). Transient ischemic attack: A diagnosis of convenience. *American Journal of Emergency Medicine*, 35(12), 1979–1981. <https://doi.org/10.1016/j.ajem.2017.06.045>
- Boehme, A. K., Esenwa, C., & Elkind, M. S. V. (2017). *Stroke Risk Factors , Genetics , and Prevention*. 472–495. <https://doi.org/10.1161/CIRCRESAHA.116.308398>
- Brass, L. M. (1992). *Yale University School of Medicine Heart Book. Major Cardiovascular Disorders - Stroke*.
- Catanese, L., Tarsia, J., & Fisher, M. (2017). Acute Ischemic Stroke Therapy Overview. *AhaJournals*, 541–558. <https://doi.org/10.1161/CIRCRESAHA.116.309278>
- Chakraborty, N., Islam, M. A., Chowdhury, R. I., Bari, W., & Akhter, H. H. (2003). Determinants of the use of maternal health services in rural Bangladesh. *Health Promotion International*, 18(4), 327–337. <https://doi.org/10.1093/heapro/dag414>
- Chang, W. H., Shin, Y. Il, Lee, S. G., Oh, G. J., Lim, Y. S., & Kim, Y. H. (2015). Characteristics of inpatient care and rehabilitation for acute first-ever stroke patients. *Yonsei Medical Journal*, 56(1), 262–270. <https://doi.org/10.3349/ymj.2015.56.1.262>
- Chung, J. W., Kim, B. J., Han, M. K., Kang, K., Park, J. M., Park, S. S., Park, T. H., Cho, Y. J., Hong, K. S., Lee, K. B., Kim, J. G., Ko, Y., Lee, S., Nah, H. W., Kim, D. H., Cha, J. K., Oh, M. S., Yu, K. H., Lee, B. C., ... Bae, H. J. (2016). Family History and Risk of Recurrent Stroke. *Stroke*, 47(8), 1990–1996. <https://doi.org/10.1161/STROKEAHA.116.013148>

- Connolly, E. S., Rabinstein, A. A., Carhuapoma, J. R., Derdeyn, C. P., Dion, J., Higashida, R. T., Hoh, B. L., Kirkness, C. J., Naidech, A. M., Ogilvy, C. S., Patel, A. B., Thompson, B. G., & Vespa, P. (2012). Guidelines for the management of aneurysmal subarachnoid hemorrhage: A guideline for healthcare professionals from the american heart association/american stroke association. *Stroke*, *43*(6), 1711–1737. <https://doi.org/10.1161/STR.0b013e3182587839>
- Contributors, P. (2020). *Stroke: Clinical Guidelines*. 19 January. https://www.physio-pedia.com/index.php?title=Dynamic_Gait_Index&oldid=174683
- Cordonnier, C., Demchuk, A., Ziai, W., & Anderson, C. S. (2018). Intracerebral haemorrhage: current approaches to acute management. *The Lancet*, *392*(10154), 1257–1268. [https://doi.org/10.1016/S0140-6736\(18\)31878-6](https://doi.org/10.1016/S0140-6736(18)31878-6)
- Crichton, S. L., Wolfe, C. D. A., Rudd, A. G., & McKeivitt, C. (2012). Comparison of provision of stroke care in younger and older patients: Findings from the south London stroke register. *Stroke Research and Treatment*, *2012*. <https://doi.org/10.1155/2012/319581>
- CSP. (2018). Physiotherapy works ✓. *Csp*, *13*, 1–2. <https://doi.org/10.1002/14651858.CD002817.pub4/abstract>
- De Boer, A. G. E. M., Wijker, W., & De Haes, H. C. J. M. (1997). Predictors of health care utilization in the chronically ill: A review of the literature. *Health Policy*, *42*(2), 101–115. [https://doi.org/10.1016/S0168-8510\(97\)00062-6](https://doi.org/10.1016/S0168-8510(97)00062-6)
- Dinata, C. A., Safrita, Y., & Sastri, S. (2013). Artikel Penelitian Gambaran Faktor Risiko dan Tipe Stroke pada Pasien Rawat Inap di Bagian Penyakit Dalam RSUD Kabupaten Solok Selatan Periode 1 Januari 2010 - 31 Juni 2012. *Jurnal FK Unand*, *2*(2), 57–61.
- Figat, M., Kwiek, A., & Senenko, K. (2014). Aerodynamic design of the strake for the rocket plane in tailless configuration. *29th Congress of the International Council of the Aeronautical Sciences, ICAS 2014*, *83*(4), 1–28.
- Ghani, L., Mihardja, L., & Delima. (2015). *Faktor Risiko Dominan Penderita Stroke di Indonesia*. *44*(1), 49–58.
- Ghani, L., Mihardja, L. K., & Delima, D. (2016). Faktor Risiko Dominan Penderita Stroke di Indonesia. *Buletin Penelitian Kesehatan*, *44*(1), 49–58. <https://doi.org/10.22435/bpk.v44i1.4949.49-58>
- Handayani, D., & Dominica, D. (2019). Gambaran Drug Related Problems (DRP's) pada Penatalaksanaan Pasien Stroke Hemoragik dan Stroke Non Hemoragik di RSUD Dr M Yunus Bengkulu. *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, *5*(1), 36. <https://doi.org/10.20473/jfiki.v5i12018.36-44>
- Hariandja, J. (2013). Identifikasi kebutuhan akan sistem rehabilitasi berbasis teknologi terjangkau Untuk penderita stroke di Indonesia. In *Journal Unpar* (Vol. 2). Universitas Katolik Parahyangan.
- Hatem, S. M., Saussez, G., della Faille, M., Prist, V., Zhang, X., Dispa, D., & Bleyenheuft, Y. (2016). Rehabilitation of motor function after stroke: A multiple systematic review focused on techniques to stimulate upper extremity recovery. *Frontiers in Human Neuroscience*,

- Hidayat, Budi. , SKM, MPPM, P. . (2019). *Keberlangsungan Program Jaminan Kesehatan Nasional Dalam Sistem Jaminan Sosial Nasional D ' Oa Kita*.
- Hidayat, N. (2018). *Pelayanan Fisioterapis Pasien JKN-KIS Dijamin BPJS Kesehatan - Tribunnews.com*. Sabtu, 28 Juli. <https://www.tribunnews.com/kesehatan/2018/07/28/pelayanan-fisioterapis-pasien-jkn-kis-dijamin-bpjs-kesehatan>
- IG van de Port, S Wood-Dauphinee, E Lindeman, and G. K. (2007). *Effects of exercise training programs on walking competency after stroke*. Centre for Reviews and Dissemination (UK), York (UK).
- Ikram, M. A., Wieberdink, R. G., & Koudstaal, P. J. (2012). International epidemiology of intracerebral hemorrhage. *Current Atherosclerosis Reports*, 14(4), 300–306. <https://doi.org/10.1007/s11883-012-0252-1>
- Jeffery, S., Abdullah, F., & Engkasan, J. P. (2015). Cost of post-stroke outpatient care in Malaysia. *Singapore Medical Journal*, 56(739), 116–119. <https://doi.org/10.11622/smedj.2015025>
- Jesus, T. S., Landry, M. D., & Hoenig, H. (2019). Global need for physical rehabilitation: Systematic analysis from the global burden of disease study 2017. *International Journal of Environmental Research and Public Health*, 16(6). <https://doi.org/10.3390/ijerph16060980>
- Katan, M., & Luft, A. (2018). Global Burden of Stroke. *Seminars in Neurology*, 38(2), 208–211. <https://doi.org/10.1055/s-0038-1649503>
- kementerian kesehatan RI. (2018). *Hasil Utama Riskesdas*. 1–220.
- Khandelwal, P., Mbbs, D. R. Y., & Ms, R. L. S. (2016). Acute Ischemic Stroke Intervention. *Journal of the American College of Cardiology*, 67(22), 2631–2644. <https://doi.org/10.1016/j.jacc.2016.03.555>
- Khare, S. (2016). Risk factors of transient ischemic attack: An overview. *Journal of Mid-Life Health*, 7(1), 2–7. <https://doi.org/10.4103/0976-7800.179166>
- Khera, R., Hong, C. J., & Saxena, A. (2018). Burden of Catastrophic Health the United States. *American Heart Association*, 1–4. <https://doi.org/10.1161/CIRCULATIONAHA.117.030128>
- Kitago, T., & Ratan, R. R. (2017). Rehabilitation following hemorrhagic stroke: Building the case for stroke-subtype specific recovery therapies. *F1000Research*, 6(0). <https://doi.org/10.12688/f1000research.11913.1>
- Konsultan, M., & Kedokteran, D. (2016). STROKE / Indonesian Copyright © 2016 Hospital Authority. All rights reserved 1. *Stroke*, 1–12.
- Koton, S., & Rexrode, K. M. (2017). Trends in stroke incidence in the United. *American Academy of Neurology*, 89, 10–12.
- Legg, L., Drummond, A., Leonardi-Bee, J., Gladman, J. R. F., Corr, S., Donkervoort, M., Edmans, J., Gilbertson, L., Jongbloed, L., Logan, P., Sackley, C., Walker, M., & Langhorne, P. (2007).

- Occupational therapy for patients with problems in personal activities of daily living after stroke: Systematic review of randomised trials. *British Medical Journal*, 335(7626), 922–925. <https://doi.org/10.1136/bmj.39343.466863.55>
- Leys, D., Ringelstein, E. B., Kaste, M., & Hacke, W. (2007). Facilities available in European hospitals treating stroke patients. *Stroke*, 38(11), 2985–2991. <https://doi.org/10.1161/STROKEAHA.107.487967>
- Lui, S. K., & Nguyen, M. H. (2018). Elderly Stroke Rehabilitation: Overcoming the Complications and Its Associated Challenges. *Current Gerontology and Geriatrics Research*, 2018. <https://doi.org/10.1155/2018/9853837>
- Madsen, T. E., Howard, V. J., Jiménez, M., Rexrode, K. M., Acelajado, M. C., Kleindorfer, D., & Chaturvedi, S. (2018). Impact of conventional stroke risk factors on stroke in women an update. *Stroke*, 49(3), 536–542. <https://doi.org/10.1161/STROKEAHA.117.018418>
- Mahmood, A., Veluswamy, S. K., Hombali, A., Mullick, A., N, M., & Solomon, J. M. (2019). Effect of Transcutaneous Electrical Nerve Stimulation on Spasticity in Adults With Stroke: A Systematic Review and Meta-analysis. *Archives of Physical Medicine and Rehabilitation*, 100(4), 751–768. <https://doi.org/10.1016/j.apmr.2018.10.016>
- Mang, C. S., Campbell, K. L., Ross, C. J. D., & Boyd, L. A. (2013). Promoting Neuroplasticity for Motor Rehabilitation After Stroke: *Physical Therapy*, 93(12), 1707–1716. <https://doi.org/10.1002/14651858.CD003316.pub6.www.cochranelibrary.com>
- Marder, C. P., Narla, V., Fink, J. R., & Tozer Fink, K. R. (2014). Subarachnoid hemorrhage: Beyond aneurysms. *American Journal of Roentgenology*, 202(1), 25–37. <https://doi.org/10.2214/AJR.12.9749>
- McAlister, F. A. (2007). Device therapy in heart failure. *British Medical Journal*, 335(7626), 895–896. <https://doi.org/10.1136/bmj.39353.546933.BE>
- MENTERI KESEHATAN. (2014). *PEDOMAN PELAKSANAAN PROGRAM JAMINAN KESEHATAN NASIONAL DENGAN*. 8(33), 44.
- Musuka, D. T., Wilton, B. S., & Traboulsi, M. (2015). Diagnosis and management of acute ischemic stroke: speed is critical. *CMAJ*, 187(12), 887–893.
- Nastiti, D. (2011). Gambaran Faktor Risiko Kejadian Stroke Pada Pasien Stroke Rawat Inap Di Rumah Sakit Krakatau Medika Tahun 2011 Pasien Stroke Rawat Inap Di Rumah Sakit Krakatau Medika Tahun 2011. In *Universitas Indonesia*.
- National Institute of Neurological disorders and stroke. (2019). *Post-Stroke Rehabilitation Fact Sheet | National Institute of Neurological Disorders and Stroke*. 8 Agustus. <https://www.ninds.nih.gov/Disorders/Patient-Caregiver-Education/Fact-Sheets/Post-Stroke-Rehabilitation-Fact-Sheet>
- Nguyen, P. H., Kim, S. S., Nguyen, T. T., Tran, L. M., Hajeebhoy, N., Frongillo, E. A., Ruel, M. T., Rawat, R., & Menon, P. (2016). Supply- and demand-side factors influencing utilization of infant and young child feeding counselling services in Viet Nam. *PLoS ONE*, 11(3), 1–17. <https://doi.org/10.1371/journal.pone.0151358>

- Nijland, R. H. M., Van Wegen, E. E. H., Harmeling-Van Der Wel, B. C., & Kwakkel, G. (2010). Presence of finger extension and shoulder abduction within 72 hours after stroke predicts functional recovery: Early prediction of functional outcome after stroke: The EPOS cohort study. *Stroke*, *41*(4), 745–750. <https://doi.org/10.1161/STROKEAHA.109.572065>
- Nketia kyere, M., Aryeetey, G. C., Nonvignon, J., & Aikins, M. (2017). Exploring barriers to accessing physiotherapy services for stroke patients at Tema general hospital , Ghana. *BioMed Central*, *7*(8), 1–8. <https://doi.org/10.1186/s40945-017-0037-5>
- Okazaki, T., & Kuroda, Y. (2018). Aneurysmal subarachnoid hemorrhage: Intensive care for improving neurological outcome. *Journal of Intensive Care*, *6*(1), 1–8. <https://doi.org/10.1186/s40560-018-0297-5>
- Olaleye, O. A., & Lawal, Z. I. (2017). Utilization of physiotherapy in the continuum of stroke care at a tertiary hospital in Ibadan, Nigeria. *African Health Sciences*, *17*(1), 79–87. <https://doi.org/10.4314/ahs.v17i1.11>
- Organization, W. H. (2008). International Classification of Functioning, Disability and Health World. In *World Report on Child Injury Prevention*.
- Ostwald K, Sharon; Wasserman, Joan; Davis, S. (2006). Medications, Comorbidities, and Medical Complications in Stroke Survivors: The CAREs Study. *NIH Public Access*, *3*(1), 10–14. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3624763/pdf/nihms412728.pdf>
- Peraturan Menteri Kesehatan Republik Indonesia Nomor 52 Tahun 2016. (2016). Indonesian Case Based Groups (INA-CBG's) dan non Indonesian Case Based. *Peraturan Menteri Kesehatan Republik Indonesia Nomor 52 Tahun 2016 Tentang Standar Tarif Pelayanan Kesehatan Dalam Penyelenggaraan Program Jaminan Kesehatan*.
- Physiopedia contributors. (2019). *Stroke: Physiotherapy Treatment Approaches - Physiopedia*. https://www.physio-pedia.com/Stroke:_Physiotherapy_Treatment_Approaches#cite_note-Shepard-23
- Physiopedia contributors. (2020). *Stroke: Clinical Guidelines - Physiopedia*. 19 January.
- Prvu Bettger, J. A., Kaltenbach, L., Reeves, M. J., Smith, E. E., Fonarow, G. C., Schwamm, L. H., & Peterson, E. D. (2013). Assessing stroke patients for rehabilitation during the acute hospitalization: Findings from the get with the guidelines-stroke program. *Archives of Physical Medicine and Rehabilitation*, *94*(1), 38–45. <https://doi.org/10.1016/j.apmr.2012.06.029>
- Purwanti Sari, O., & Maliya, A. (2008). REHABILITASI KLIEN PASCA STROKE. *FIK UMS*, *1*(1), 43–46.
- ROKOM. (2018). *Upaya Indonesia Capai Universal Health Coverage di Tahun 2019 - Sehat Negeriku*. 2 MEI. <http://sehatnegeriku.kemkes.go.id/baca/rilis-media/20180502/4725818/upaya-indonesia-capai-universal-health-coverage-tahun-2019/>
- RS Stroke Bukittinggi. (2017). *Instalasi Rehabilitasi Medik RS Stroke Nasional Bukittinggi*.
- Saadat, P. A. A. K. K. D. A. M. F. F. (2018). Rural-Urban Differences in Stroke Types, Risk Factors, Severity and Prognosis in Babol, Northern Iran. *Elderly Health Journal*, *4*(2), 68–

- Skarin, M., Bernhardt, J., Sjöholm, A., Nilsson, M., & Linden, T. (2011). “Better wear out sheets than shoes”: A survey of 202 stroke professionals’ early mobilisation practices and concerns. *International Journal of Stroke*, 6(1), 10–15. <https://doi.org/10.1111/j.1747-4949.2010.00534.x>
- Solomon, C. G., Lawton, M. T., & Vates, G. E. (2017). Clinical Practice Subarachnoid Hemorrhage. *N Engl J Med*, 377, 257–266. <https://doi.org/10.1056/NEJMc1605827>
- Stephens, M. (2017). The Effectiveness of Speech and Language Therapy for Poststroke Aphasia. *American Journal of Nursing*, 117(11), 19. <https://doi.org/10.1097/01.NAJ.0000526741.00314.d9>
- Stultjens, E. M. J., Dekker, J., Bouter, L. M., Van de Nes, J. C. M., Cup, E. H. C., & Van den Ende, C. H. M. (2003). Occupational therapy for stroke patients: A systematic review. *Stroke*, 34(3), 676–686. <https://doi.org/10.1161/01.STR.0000057576.77308.30>
- Stevens, Eleanor; Emmett, Eva; Wang, Yanzhong; Mckevitt, Christopher; Wolfe, C. (2020). *The Burden of stroke in Europe: The Challenge for policy makers*.
- Therapia. (n.d.). *Physiotherapy for Stroke (CVA)*. Retrieved February 3, 2020, from <https://therapia.com/conditions/stroke/>
- Therapia. (2018). *Physiopedia contributors, Stroke Physiotherapy Treatment Approaches - Physiopedia*. <https://therapia.com/conditions/stroke/>
- Tummers, J. F. M. M. (2012). Economic evidence on integrated care for stroke patients; a systematic review. *International Journal of Integrated Care*, 12(1), 1–15.
- Tun, N. N., Arunagirinathan, G., Munshi, S. K., & Pappachan, J. M. (2017). Diabetes mellitus and stroke: A clinical update. *World Journal of Diabetes*, 8(6), 235. <https://doi.org/10.4239/wjd.v8.i6.235>
- Vacca, V. (2014). *ischemic attack*. 30–36. <https://doi.org/DOI-10.1097/01.NURSE.0000446625.09725.65>
- Veerbeek, J. M., Van Wegen, E., Van Peppen, R., Van Der Wees, P. J., Hendriks, E., Rietberg, M., & Kwakkel, G. (2014). What is the evidence for physical therapy poststroke? A systematic review and meta-analysis. *PLoS ONE*, 9(2). <https://doi.org/10.1371/journal.pone.0087987>
- Wardhani, I. O., & Martini, S. (2015). Hubungan Antara Karakteristik Pasien Stroke dan Dukungan Keluarga dengan Kepatuhan Menjalani Rehabilitasi. *Jurnal Berkala Epidemiologi*, 3(1), 24–34.